



claude code, slash commands

You run one Claude. I run **seven commands.**

Save each job as a slash command. **Claude** shows up already in role.

/ pick a command

7 SAVED

/research

Research

markets, competitors, signals

↩

/outreach

Outreach

find leads, write the sequence

/deals

Deals

prep calls, handle objections

/content

Content

posts and blogs in your voice

/ship

Ship

build, test and deploy a tool

/legal

Legal

draft and review a contract

INSIDE ONE COMMAND →

A saved specialist

/research the command

ROLE You are my market researcher

INSTRUCTIONS Profile the company, rank rivals, find signals

TOOLS Web search, your notes, the CRM

OUTPUT A ranked brief, every claim cited

Stop re-briefing it

A BLANK CHAT

✗ Re-explain the goal

✗ Paste the context again

✗ Hope it stays on task

A COMMAND

✓ Already knows the goal

✓ Context is baked in

✓ Stays in role

One slash, **in role**



No re-briefing

the role and context are saved



Same quality every run

no drift, no off-days



Reusable and shareable

one command, the whole team uses it



One chat, many jobs

switch specialist with a slash

Stop prompting. Build **commands**.



Write the role once

who it is, what good looks like



Save it as a command

give it a slash name



Type the slash

Claude arrives in role

SAVE THIS, THEN

Comment **COMMANDS** for my slash-command setup

