

BACKGROUND JOBS

BRIEF IT. CLOSE THE LAPTOP.

Anything that will not finish while you are awake becomes a job. *You read the result, not the progress bar.*


24

HOURS OF RUNWAY

ZERO OF YOURS

THE LIFECYCLE

A job is not a prompt. It has a state you can leave and come back to.



WHAT IT DOES UNATTENDED

Real tool rounds from a real run, not a feature list.

SEARCH

Memory

pulls what it already knows before it asks the internet

BROWSE

The web

reads the sources it needs, cites what it used

RUN

A skill

the packaged workflow that owns this kind of job

WRITE

Files

into the project, not into a chat bubble

EXEC

Shell

dev server, build, deploy, a real address

SAVE

To memory

so the next run starts smarter than this one



WHAT IT SHIPPED

One overnight run, three assets, sized and slotted.

- 01

Landing page, live

shell exec to a dev server, then a real URL

LIVE
- 02

Carousel at 1080x1350

slotted for the Tuesday 09:00 LinkedIn window

QUEUED
- 03

Video cut at 1080x1920

for Reels and Shorts, same story, different frame

QUEUED

THE DIFFERENCE

verified before you saw it

OUTPUT VS FINISHED

The distinction most AI tools quietly skip.

OUTPUT

homework

- arrives as a suggestion
- you still have to open it
- you still have to check it
- the labour moved, it did not go

FINISHED

a result

- deployed to a real address
- opened and verified by the thing that built it
- held at the gate for your approval
- you read it once and decide

THE TEST

did it check its own work



COMMENT

JOBS

and I will send you the background job setup.

01 One line of intent, not a spec

02 It verifies before it stops

03 You wake to a result, not a draft

WHERE IT LIVES

app.51ultron.com/docs