

Email to Deal API

Turn a booking .eml email into a HubSpot deal.

URL: <https://tidystack-app.vercel.app/api/highviewtravel/email-to-deal>

Method: POST

3 ways to send the .eml file

Option 1: File upload (recommended)

Best for **Postman**, **Zapier**, and most no-code tools.

- **Content-Type:** multipart/form-data
- **Field name:** eml
- **Value:** the .eml file

Also accepted field names: file, email

Postman

1. Method: POST
2. Body → **form-data**
3. Key: eml → change type to **File** → pick your .eml

Zapier (Webhooks by Zapier)

1. Action: **POST**
2. Payload type: **form**
3. Field: eml = attachment file from the previous step

curl

```
curl -X POST "https://tidystack-app.vercel.app/api/highviewtravel/email-to-deal" \
-F "eml=@/path/to/booking.eml"
```

Option 2: Raw .eml as the request body

- Put the **entire .eml file contents** in the request body (not JSON, not a form)
- Set one of these headers:
 - Content-Type: message/rfc822 (preferred)
 - Content-Type: text/plain

- Content-Type: application/octet-stream

curl

```
curl -X POST "https://tidystack-app.vercel.app/api/highviewtravel/email-to-deal" \
  -H "Content-Type: message/rfc822" \
  --data-binary "@path/to/booking.eml"
```

Option 3: JSON body

Best when you have the email as **text**, **base64**, or a **download URL**.

- Content-Type: application/json

Raw .eml text

```
{
  "eml": "From: sender@example.com\r\nSubject: Booking...\r\n..."
}
```

Base64-encoded .eml

```
{
  "eml": "<base64-string>"
}
```

URL to download the .eml (must be publicly reachable)

```
{
  "emlUrl": "https://example.com/path/to/booking.eml"
}
```

curl (URL example)

```
curl -X POST "https://tidystack-app.vercel.app/api/highviewtravel/email-to-deal" \
  -H "Content-Type: application/json" \
  -d '{"emlUrl": "https://example.com/booking.eml"}'
```

Other accepted JSON field names: email, file, attachment, url

Zapier: use Webhooks → POST → Payload type **json**. Easiest is `emlUrl` if you have a public file URL.

Success response

```
{
  "success": true,
  "passengerName": "Kristen Fung",
  "departureAirport": "LAX",
  "arrivalAirport": "KEF",
  "outboundDate": "17AUG",
  "returnDate": "02SEP",
  "cabinClass": "Business",
  "route": "International",
}
```

```
"passengers": 1,  
"departureRegion": "US",  
"dealId": "123456789",  
"dealName": "Kristen Fung LAX KEF 17AUG/02SEP",  
"contactId": "987654321",  
"contactEmail": "sender@example.com",  
"contactAssociated": true  
}
```

- `contactAssociated: false` means the deal was created but no matching HubSpot contact was found for that email.

Error response

```
{  
  "error": "Failed to process email and create HubSpot deal",  
  "details": "..."  
}
```