

• SUI DEFI • INTENT FIREWALL

Every transaction, **sealed** before you sign.

State a goal in plain language. A keyless agent compiles it into one unsigned PTB; a deterministic, fail-closed Guardian re-derives the math and dry-runs that exact bundle — and you sign the literal artifact you reviewed.

0

USER KEYS SERVER-SIDE

9


FAIL-CLOSED GATES

315

TESTS GREEN

Acting on Sui DeFi today means trusting a black box.

Liquidity is scattered across Cetus, DeepBook, SuiNS. The natural-language layer everyone wants usually means handing an agent your keys, or signing bytes you never read. Dewlock inverts it: the agent **builds**, the Guardian **verifies**, and **you sign** the exact artifact — never a key on the server.



• HONEST BY DESIGN


Custody	0 user keys server-side
Identity	coin TYPE, not symbol
Valuation	trusted price · not pool
Limits	\$5 / tx · \$20 / day

• THE HEADLINE

“An agent that holds **zero user keys**, remembers your rules on decentralized storage, and is **provably blocked** from the wrong thing before you sign.”

Three trust zones, one boundary that keys never cross.

The agent and Guardian run server-side but stay **keyless** — they only ever produce an *unsigned* bundle. Signing happens in your wallet; settlement, valuation and receipts happen on-chain.



Three things, each impossible to fake.

Not “chat that swaps.” Real on-chain order work plus adversarial-grade correctness — and a Guardian every action must pass through.



THE MOAT

Fail-closed Guardian

Deterministic gates — never an LLM. Caps, trusted-price valuation, WYSIWYS digest binding, min-out re-derived on-chain, allowlist, lookalike, coin-type.

defends the `math-failure`
`exploit class`



THE NOVELTY

DeepBook limit-order

“Wait at my price, don’t market-buy.” A `POST_ONLY` `placeLimitOrder` on the same spine — self-match, expiry & BalanceManager gates. Impossible on an AMM.

double-dips the \$70k DeepBook
track



THE CLIMAX


The provable BLOCK

A deliberate fail-closed block — lookalike 888-1.sui + broken min-out — refused before signature, then an immutable Walrus + Sui receipt.

proof a BLOCK happened, not
just a tx

The Guardian gate-stack — every PTB runs the gauntlet


flow · 03



■ Value & integrity gates ■ Identity & correctness gates ■ Dependency fail-closed — All pass → sign
— Any fail → block

The BLOCK, drawn step by step.

A lookalike SuiNS name (888-l.sui) and a broken min-out walk into the Guardian. It refuses **before any wallet prompt**, shows the raw-address diff, then writes a tamper-evident receipt — proof a block happened.



Built on Sui & Walrus primitives that couldn't exist elsewhere.

A single Next.js app + a keyless Mastra agent + Guardian-as-code + your wallet.
Persistent memory and tamper-evident receipts on Walrus, anchored on Sui.

• SHIPPED & VERIFIED

Guardian spine	9 gates · reviewed
Swap / transfer / portfolio	live builders + dry-run
DeepBook limit-order	POST_ONLY + gates
BLOCK + receipt	Move pkg + async blob
Memory · Conviction Streak	recall your own cap
Tests · CI · deploy	315 green · GH · Vercel

• TRACKS

DeFi & Payments
primary – Guardian correctness

DeepBook · \$70k
secondary – limit-order

Walrus & Agentic Web
receipt + NL-mainnet

• STACK

Next.js 16

Tailwind v4

@mysten/sui

dapp-kit

@mysten/deepbook-v3

Cetus CLMM

@mysten/suins

Walrus + memwal

Mastra · AI Gateway

Move

• DEMO ARC · ~4 MIN, ONE E2E FLOW

Connect & track → atomic 2-leg PTB (sign once) → DeepBook “wait at my price” → **the BLOCK** (lookalike + broken min-out, refused before signature) → tap → immutable Walrus + Sui receipt → “send \$40” → the agent recalls your day-1 \$5 cap and freezes it. *Zero user keys, real on-chain order work, provably blocked before you sign.*