TS105_C7_C8

Execution Environment

Host name	Koushik - 10.20.148.196
OS	Windows 10 64bit
Katalon version	7.1.2.1
Browser	Firefox 72.0

Summary

ID	Test Suites/TS105_C7_C8
Description	

Total	2		
Passed	2	Failed	0
Error	0	Incomplete	0
Start	2020-01-09 18:59:51	End	2020-01-09 19:03:12
Elapsed	3m - 20.488s		

#	ID	Description	Status
1	Test Cases/C7_Drag_n_Drop		PASSED
2	Test Cases/C8_File_Input		PASSED

C7_Drag_n_Drop

Information

ID	Test Cases/C7_Drag_n_Drop		
Description			
Tag			
Start	2020-01-09 18:59:52	End	2020-01-09 19:01:11
Elapsed	1m - 19.108s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("http://localhost:9000/")	12.593s	PASSED
	Browser is opened with url: 'http://localhost:9000/'		
2	navigateToUrl("http://localhost:9000/login")	0.296s	PASSED
	Navigate to 'http://localhost:9000/login' successfully		
3	setText(findTestObject("Object Repository/C7_Drag_n_Drop/Page_Login/input_Username_username"), "admin")	0.495s	PASSED
	Text 'admin' is set on object 'Object Repository/C7_Drag_n_Drop/Page_Login/input_Username_username'		
4	setEncryptedText(findTestObject("Object Repository/C7_Drag_n_Drop/Page_Login/input_Password_password"), "BR2H/KIz0NBfgccJ+PbLCA==")	0.424s	PASSED
	Text ****** has been set on object 'Object Repository/C7_Drag_n_Drop/Page_Login/input_Password_password'		
5	click(findTestObject("Object Repository/C7_Drag_n_Drop/Page_Login/button_Let me in"))	0.741s	PASSED
	Object: 'Object Repository/C7_Drag_n_Drop/Page_Login/button_Let me in' is clicked on		
6	click(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/div_Edit Experiment"))	1.115s	PASSED
	Object: 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/div_Edit Experiment' is clicked on		

C7_Drag_n_Drop

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/C7_Drag_n_Drop/Page_Edit Experiment/div_SampleTest101")) Object: 'Object Repository/C7_Drag_n_Drop/Page_Edit Experiment/div_SampleTest101' is clicked on	0.736s	PASSED
8	click(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/span_Drag and Drop")) Object: 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/span_Drag and Drop' is clicked on	0.575s	PASSED
9	selectOptionByValue(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select csv field -- t1t2t3"), "string:t1", true) All options with value 'string:t1' are selected in object 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select csv field -- t1t2t3' using regular expression	1.307s	PASSED
10	selectOptionByValue(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select csv field -- t1t2t3_1"), "string:t2", true) All options with value 'string:t2' are selected in object 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select csv field -- t1t2t3_1' using regular expression	3.858s	PASSED
11	selectOptionByValue(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select csv field -- t1t2t3_1_2"), "string:t3", true) All options with value 'string:t3' are selected in object 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select csv field -- t1t2t3_1_2' using regular expression	6.154s	PASSED
12	selectOptionByValue(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select csv field -- t1t2t3_1_2_3"), "string:t1", true) All options with value 'string:t1' are selected in object 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select csv field -- t1t2t3_1_2_3' using regular expression	6.147s	PASSED

C7_Drag_n_Drop

#	Description	Elapsed	Status
13	selectOptionByValue(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select csv field -- t1t2t3_1_2_3_4"), "string:t2", true) All options with value 'string:t2' are selected in object 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select csv field -- t1t2t3_1_2_3_4' using regular expression	6.117s	PASSED
14	setText(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/input_Splitter_splitter"), "2,2") Text '2,2' is set on object 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/input_Splitter_splitter'	1.392s	PASSED
15	click(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/button_Add Option")) Object: 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/button_Add Option' is clicked on	0.647s	PASSED
16	selectOptionByValue(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select option name -- connectives_c2d916"), "string:displayStyle", true) All options with value 'string:displayStyle' are selected in object 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select option name -- connectives_c2d916' using regular expression	1.345s	PASSED
17	selectOptionByValue(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select csv field -- t1t2t3_1_2_3_4_5"), "string:t2", true) All options with value 'string:t2' are selected in object 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select csv field -- t1t2t3_1_2_3_4_5' using regular expression	1.011s	PASSED
18	click(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/button_Save")) Object: 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/button_Save' is clicked on	0.502s	PASSED
19	click(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/button_Edit")) Object: 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/button_Edit' is clicked on	1.049s	PASSED

C7_Drag_n_Drop

#	Description	Elapsed	Status
20	click(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/button_-")) Object: 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/button_-' is clicked on	0.542s	PASSED
21	click(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/button_Save")) Object: 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/button_Save' is clicked on	30.487s	PASSED
22	closeBrowser() Browser is closed	1.044s	PASSED

C8_File_Input

Information

ID	Test Cases/C8_File_Input
Description	
Tag	

Start	2020-01-09 19:01:11	End	2020-01-09 19:03:12
Elapsed	2m - 1.097s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("http://localhost:9000/") Browser is opened with url: 'http://localhost:9000/'	7.585s	PASSED
2	setText(findTestObject("Object Repository/C8_File_Input_OR/Page_Login/input_Username_username"), "admin") Text 'admin' is set on object 'Object Repository/C8_File_Input_OR/Page_Login/input_Username_username'	0.349s	PASSED
3	setEncryptedText(findTestObject("Object Repository/C8_File_Input_OR/Page_Login/input_Password_password"), "BR2H/KIz0NBfgccJ+PbLCA==") Text ****** has been set on object 'Object Repository/C8_File_Input_OR/Page_Login/input_Password_password'	0.323s	PASSED
4	click(findTestObject("Object Repository/C8_File_Input_OR/Page_Login/span_Password_glyphicon glyphicon-log-in")) Object: 'Object Repository/C8_File_Input_OR/Page_Login/span_Password_glyphicon glyphicon-log-in' is clicked on	0.960s	PASSED
5	navigateToUrl("http://localhost:9000/") Navigate to 'http://localhost:9000/' successfully	0.466s	PASSED

#	Description	Elapsed	Status
6	click(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/div_Edit Experiment")) Object: 'Object Repository/C8_File_Input_OR/Page_LINGOturk/div_Edit Experiment' is clicked on	2.622s	PASSED
7	click(findTestObject("Object Repository/C8_File_Input_OR/Page_Edit Experiment/div_SampleTest101")) Object: 'Object Repository/C8_File_Input_OR/Page_Edit Experiment/div_SampleTest101' is clicked on	2.597s	PASSED
8	click(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/span_File Input")) Object: 'Object Repository/C8_File_Input_OR/Page_LINGOturk/span_File Input' is clicked on	2.041s	PASSED
9	setText(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/input_fileInput _componentName"), "file input 1") Text 'file input 1' is set on object 'Object Repository/C8_File_Input_OR/Page_LINGOturk/input_fileInput _componentName'	3.058s	PASSED
10	click(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Add Option")) Object: 'Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Add Option' is clicked on	2.700s	PASSED
11	selectOptionByValue(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:restrictAnswer", true) All options with value 'string:restrictAnswer' are selected in object 'Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression	5.698s	PASSED

#	Description	Elapsed	Status
12	selectOptionByValue(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3"), "string:t2", true) All options with value 'string:t2' are selected in object 'Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3' using regular expression	6.079s	PASSED
13	click(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Add Option")) Object: 'Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Add Option' is clicked on	2.503s	PASSED
14	selectOptionByValue(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:restrictAnswer", true) All options with value 'string:restrictAnswer' are selected in object 'Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression	5.494s	PASSED
15	selectOptionByValue(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3"), "string:t1", true) All options with value 'string:t1' are selected in object 'Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3' using regular expression	6.389s	PASSED
16	click(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Add Option")) Object: 'Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Add Option' is clicked on	2.502s	PASSED
17	selectOptionByValue(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:addNone", true) All options with value 'string:addNone' are selected in object 'Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression	5.722s	PASSED

#	Description	Elapsed	Status
18	selectOptionByValue(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3"), "string:t2", true) All options with value 'string:t2' are selected in object 'Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3' using regular expression	6.098s	PASSED
19	click(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Add Option")) Object: 'Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Add Option' is clicked on	2.506s	PASSED
20	selectOptionByValue(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:useScale", true) All options with value 'string:useScale' are selected in object 'Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression	5.737s	PASSED
21	selectOptionByValue(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3"), "string:t1", true) All options with value 'string:t1' are selected in object 'Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3' using regular expression	6.132s	PASSED
22	click(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Save")) Object: 'Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Save' is clicked on	2.497s	PASSED
23	click(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Edit")) Object: 'Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Edit' is clicked on	2.025s	PASSED
24	click(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/button_-")) Object: 'Object Repository/C8_File_Input_OR/Page_LINGOturk/button_-' is clicked on	3.038s	PASSED

C8_File_Input

#	Description	Elapsed	Status
25	click(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Save"))	31.523s	PASSED
	Object: 'Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Save' is clicked on		
26	click(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/span_Done Editing"))	2.787s	PASSED
	Object: 'Object Repository/C8_File_Input_OR/Page_LINGOturk/span_Done Editing' is clicked on		
27	closeBrowser()	1.411s	PASSED
	Browser is closed		