

TS102_C1_C2

Execution Environment

Host name	Koushik - 10.20.148.196
OS	Windows 10 64bit
Katalon version	7.1.2.1
Browser	Firefox 72.0

Summary

ID	Test Suites/TS102_C1_C2		
Description			
Total	2		
Passed	2	Failed	0
Error	0	Incomplete	0
Start	2020-01-09 18:45:34	End	2020-01-09 18:47:29
Elapsed	1m - 55.610s		

#	ID	Description	Status
1	Test Cases/C1_TextAnswer		PASSED
2	Test Cases/C2_Question		PASSED

C1_TextAnswer

Information

ID	Test Cases/C1_TextAnswer		
Description			
Tag			
Start	2020-01-09 18:45:34	End	2020-01-09 18:46:41
Elapsed	1m - 6.645s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("http://localhost:9000/") Browser is opened with url: 'http://localhost:9000/'	8.956s	PASSED
2	setText(findTestObject("Object Repository/C1_TextAnswer_OR/Page_Login/input_Username_username"), "admin") Text 'admin' is set on object 'Object Repository/C1_TextAnswer_OR/Page_Login/input_Username_username'	0.478s	PASSED
3	setEncryptedText(findTestObject("Object Repository/C1_TextAnswer_OR/Page_Login/input_Password_password"), "BR2H/KIz0NBfgccJ+PbLCA==") Text ***** has been set on object 'Object Repository/C1_TextAnswer_OR/Page_Login/input_Password_password'	0.501s	PASSED
4	click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_Login/button_Let me in")) Object: 'Object Repository/C1_TextAnswer_OR/Page_Login/button_Let me in' is clicked on	0.991s	PASSED
5	navigateToUrl("http://localhost:9000/") Navigate to 'http://localhost:9000/' successfully	0.335s	PASSED

C1_TextAnswer

#	Description	Elapsed	Status
6	<code>click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/div_Edit Experiment"))</code> Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/div_Edit Experiment' is clicked on	1.025s	PASSED
7	<code>click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_Edit Experiment/div_ChoiceAndComment"))</code> Object: 'Object Repository/C1_TextAnswer_OR/Page_Edit Experiment/div_ChoiceAndComment' is clicked on	0.776s	PASSED
8	<code>click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/span_Text Answer"))</code> Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/span_Text Answer' is clicked on	0.512s	PASSED
9	<code>setText(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/input_textAnswer_componentName"), "textanswer sample")</code> Text 'textanswer sample' is set on object 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/input_textAnswer_componentName'	0.708s	PASSED
10	<code>click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/div_Add Option"))</code> Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/div_Add Option' is clicked on	0.697s	PASSED
11	<code>click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Add Option"))</code> Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Add Option' is clicked on	0.640s	PASSED
12	<code>selectOptionByValue(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:options", true)</code> All options with value 'string:options' are selected in object 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression	1.291s	PASSED

C1_TextAnswer

#	Description	Elapsed	Status
13	<code>selectOptionByValue(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/select_-- select csv field -- sentence"), "string:sentence", true)</code> All options with value 'string:sentence' are selected in object 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/select_-- select csv field -- sentence' using regular expression	1.155s	PASSED
14	<code>click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Add Option"))</code> Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Add Option' is clicked on	0.578s	PASSED
15	<code>selectOptionByValue(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:options", true)</code> All options with value 'string:options' are selected in object 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression	1.033s	PASSED
16	<code>selectOptionByValue(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/select_-- select csv field -- sentence"), "string:sentence", true)</code> All options with value 'string:sentence' are selected in object 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/select_-- select csv field -- sentence' using regular expression	0.857s	PASSED
17	<code>click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Add Condition"))</code> Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Add Condition' is clicked on	0.577s	PASSED
18	<code>selectOptionByValue(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/select_-- select option -- mandatoryallowMu_2f4d0b"), "string:mandatory", true)</code> All options with value 'string:mandatory' are selected in object 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/select_-- select option -- mandatoryallowMu_2f4d0b' using regular expression	1.266s	PASSED

C1_TextAnswer

#	Description	Elapsed	Status
19	click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Save")) Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Save' is clicked on	0.589s	PASSED
20	click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Edit")) Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Edit' is clicked on	0.866s	PASSED
21	click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_-")) Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_-' is clicked on	0.583s	PASSED
22	click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/div_True_81d48e")) Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/div_True_81d48e' is clicked on	0.550s	PASSED
23	click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/div_False")) Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/div_False' is clicked on	0.552s	PASSED
24	click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/input_True_114")) Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/input_True_114' is clicked on	0.569s	PASSED
25	click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Save")) Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Save' is clicked on	30.565s	PASSED
26	click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Done Editing")) Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Done Editing' is clicked on	1.010s	PASSED

C1_TextAnswer

#	Description	Elapsed	Status
27	click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_OK")) Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_OK' is clicked on	5.975s	PASSED
28	closeBrowser() Browser is closed	2.249s	PASSED

C2_Question

Information

ID	Test Cases/C2_Question		
Description			
Tag			
Start	2020-01-09 18:46:41	End	2020-01-09 18:47:29
Elapsed	48.493s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("http://localhost:9000/") Browser is opened with url: 'http://localhost:9000/'	12.579s	PASSED
2	setText(findTestObject("Object Repository/C2_Question_OR/Page_Login/input_Username_username"), "admin") Text 'admin' is set on object 'Object Repository/C2_Question_OR/Page_Login/input_Username_username'	0.409s	PASSED
3	setEncryptedText(findTestObject("Object Repository/C2_Question_OR/Page_Login/input_Password_password"), "BR2H/KIz0NBfgccJ+PbLCA==") Text ***** has been set on object 'Object Repository/C2_Question_OR/Page_Login/input_Password_password'	0.390s	PASSED
4	sendKeys(findTestObject("Object Repository/C2_Question_OR/Page_Login/input_Password_password"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/C2_Question_OR/Page_Login/input_Password_password'	0.384s	PASSED
5	click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/div_Edit Experiment")) Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/div_Edit Experiment' is clicked on	2.294s	PASSED

C2_Question

#	Description	Elapsed	Status
6	<code>click(findTestObject("Object Repository/C2_Question_OR/Page_Edit Experiment/div_ChoiceAndComment"))</code> Object: 'Object Repository/C2_Question_OR/Page_Edit Experiment/div_ChoiceAndComment' is clicked on	1.060s	PASSED
7	<code>click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/span_Question"))</code> Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/span_Question' is clicked on	0.560s	PASSED
8	<code>selectOptionByValue(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- sentence"), "string:sentence", true)</code> All options with value 'string:sentence' are selected in object 'Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- sentence' using regular expression	1.435s	PASSED
9	<code>click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/button_Add Option"))</code> Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/button_Add Option' is clicked on	0.711s	PASSED
10	<code>selectOptionByValue(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:restrictAnswer", true)</code> All options with value 'string:restrictAnswer' are selected in object 'Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression	1.345s	PASSED
11	<code>selectOptionByValue(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- sentence_1"), "string:sentence", true)</code> All options with value 'string:sentence' are selected in object 'Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- sentence_1' using regular expression	1.183s	PASSED

C2_Question

#	Description	Elapsed	Status
12	<code>click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/button_Add Option"))</code> Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/button_Add Option' is clicked on	0.608s	PASSED
13	<code>selectOptionByValue(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:restrictAnswer", true)</code> All options with value 'string:restrictAnswer' are selected in object 'Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression	0.995s	PASSED
14	<code>selectOptionByValue(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- sentence_1"), "string:sentence", true)</code> All options with value 'string:sentence' are selected in object 'Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- sentence_1' using regular expression	0.872s	PASSED
15	<code>click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/button_Add Condition"))</code> Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/button_Add Condition' is clicked on	0.544s	PASSED
16	<code>selectOptionByValue(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select option -- mandatoryallowMu_2f4d0b"), "string:mandatory", true)</code> All options with value 'string:mandatory' are selected in object 'Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select option -- mandatoryallowMu_2f4d0b' using regular expression	1.170s	PASSED
17	<code>selectOptionByValue(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- truefalse"), "string:false", true)</code> All options with value 'string:false' are selected in object 'Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- truefalse' using regular expression	1.290s	PASSED

C2_Question

#	Description	Elapsed	Status
18	click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/button_Save")) Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/button_Save' is clicked on	0.583s	PASSED
19	click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/span_Text Answer")) Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/span_Text Answer' is clicked on	0.810s	PASSED
20	click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/button_Close")) Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/button_Close' is clicked on	0.666s	PASSED
21	click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/span_Question")) Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/span_Question' is clicked on	0.849s	PASSED
22	selectOptionByValue(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- sentence"), "string:sentence", true) All options with value 'string:sentence' are selected in object 'Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- sentence' using regular expression	1.204s	PASSED
23	click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/button_Add Option")) Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/button_Add Option' is clicked on	0.559s	PASSED
24	selectOptionByValue(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:options", true) All options with value 'string:options' are selected in object 'Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression	1.218s	PASSED

C2_Question

#	Description	Elapsed	Status
25	<code>selectOptionByValue(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- sentence_1"), "string:sentence", true)</code> All options with value 'string:sentence' are selected in object 'Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- sentence_1' using regular expression	1.071s	PASSED
26	<code>click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/button_Add Option"))</code> Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/button_Add Option' is clicked on	0.566s	PASSED
27	<code>selectOptionByValue(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:options", true)</code> All options with value 'string:options' are selected in object 'Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression	0.999s	PASSED
28	<code>selectOptionByValue(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- sentence_1"), "string:sentence", true)</code> All options with value 'string:sentence' are selected in object 'Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- sentence_1' using regular expression	0.828s	PASSED
29	<code>click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/button_Add Condition"))</code> Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/button_Add Condition' is clicked on	0.523s	PASSED
30	<code>selectOptionByValue(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select option -- mandatoryallowMu_2f4d0b"), "string:mandatory", true)</code> All options with value 'string:mandatory' are selected in object 'Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select option -- mandatoryallowMu_2f4d0b' using regular expression	1.149s	PASSED

C2_Question

#	Description	Elapsed	Status
31	click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/button_Save")) Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/button_Save' is clicked on	0.561s	PASSED
32	click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/button_Delete")) Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/button_Delete' is clicked on	0.998s	PASSED
33	click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/button_OK")) Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/button_OK' is clicked on	0.925s	PASSED
34	click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/span_Done Editing")) Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/span_Done Editing' is clicked on	0.784s	PASSED
35	click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/button_OK")) Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/button_OK' is clicked on	5.967s	PASSED