TS103_C3_C4

Execution Environment

Host name	Koushik - 10.20.148.196
OS	Windows 10 64bit
Katalon version	7.1.2.1
Browser	Firefox 72.0

Summary

ID	Test Suites/TS103_C3_C4
Description	C3: Radio\r
	C4: Check Box Answer
Total	2
Passed	2
Error	0
Start	2020-01-09 18:47:52
Elapsed	7m - 27.276s

Failed	0
Incomplete	0
End	2020-01-09 18:55:19

#	ID	Description	Status
1	Test Cases/C3_Radio		PASSED
2	Test Cases/C4_CheckBoxAnswer		PASSED

C3_Radio

Information

ID	Test Cases/C3_Radio
Description	
Tag	

Start	2020-01-09 18:47:52	**End**	2020-01-09 18:53:34
Elapsed	5m - 41.613s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("http://localhost:9000/") Browser is opened with url: 'http://localhost:9000/'	15.058s	PASSED
2	navigateToUrl("http://localhost:9000/login") Navigate to 'http://localhost:9000/login' successfully	0.323s	PASSED
3	setText(findTestObject("Object Repository/C3_Radio_OR/Page_Login/input_Username_username"), "admin") Text 'admin' is set on object 'Object Repository/C3_Radio_OR/Page_Login/input_Username_username'	0.566s	PASSED
4	setEncryptedText(findTestObject("Object Repository/C3_Radio_OR/Page_Login/input_Password_password"), "BR2H/KIz0NBfgccJ+PbLCA==") Text ****** has been set on object 'Object Repository/C3_Radio_OR/Page_Login/input_Password_password'	0.518s	PASSED
5	click(findTestObject("Object Repository/C3_Radio_OR/Page_Login/span_Password_glyphicon glyphicon-log-in")) Object: 'Object Repository/C3_Radio_OR/Page_Login/span_Password_glyphicon glyphicon-log-in' is clicked on	1.012s	PASSED

C3_Radio

#	Description	Elapsed	Status
6	click(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/div_Edit Experiment")) Object: 'Object Repository/C3_Radio_OR/Page_LINGOturk/div_Edit Experiment' is clicked on	1.222s	PASSED
7	click(findTestObject("Object Repository/C3_Radio_OR/Page_Edit Experiment/div_AnswerQuestions")) Object: 'Object Repository/C3_Radio_OR/Page_Edit Experiment/div_AnswerQuestions' is clicked on	0.764s	PASSED
8	click(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/a_Radio")) Object: 'Object Repository/C3_Radio_OR/Page_LINGOturk/a_Radio' is clicked on	0.631s	PASSED
9	selectOptionByValue(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/select_-- select csv field -- storyquestions"), "string:story", true) All options with value 'string:story' are selected in object 'Object Repository/C3_Radio_OR/Page_LINGOturk/select_-- select csv field -- storyquestions' using regular expression	1.451s	PASSED
10	selectOptionByValue(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/select_-- select csv field -- storyquestions"), "string:story", true) All options with value 'string:story' are selected in object 'Object Repository/C3_Radio_OR/Page_LINGOturk/select_-- select csv field -- storyquestions' using regular expression	0.936s	PASSED
11	click(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/button_Save")) Object: 'Object Repository/C3_Radio_OR/Page_LINGOturk/button_Save' is clicked on	1.071s	PASSED
12	click(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/button_Edit")) Object: 'Object Repository/C3_Radio_OR/Page_LINGOturk/button_Edit' is clicked on	47.469s	PASSED
13	click(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/button_Add Option")) Object: 'Object Repository/C3_Radio_OR/Page_LINGOturk/button_Add Option' is clicked on	30.708s	PASSED

#	Description	Elapsed	Status
14	selectOptionByValue(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/select_-- select csv field -- storyquestions"), "string:questions", true) All options with value 'string:questions' are selected in object 'Object Repository/C3_Radio_OR/Page_LINGOturk/select_-- select csv field -- storyquestions' using regular expression	1.164s	PASSED
15	click(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/button_Add Condition")) Object: 'Object Repository/C3_Radio_OR/Page_LINGOturk/button_Add Condition' is clicked on	30.498s	PASSED
16	click(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/button_Save")) Object: 'Object Repository/C3_Radio_OR/Page_LINGOturk/button_Save' is clicked on	1.171s	PASSED
17	click(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/button_Edit")) Object: 'Object Repository/C3_Radio_OR/Page_LINGOturk/button_Edit' is clicked on	46.949s	PASSED
18	click(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/button_-")) Object: 'Object Repository/C3_Radio_OR/Page_LINGOturk/button_-' is clicked on	1m - 18.591s	PASSED
19	click(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/button_-")) Object: 'Object Repository/C3_Radio_OR/Page_LINGOturk/button_-' is clicked on	1m - 14.192s	PASSED
20	click(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/button_Save")) Object: 'Object Repository/C3_Radio_OR/Page_LINGOturk/button_Save' is clicked on	2.845s	PASSED
21	click(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/span_Done Editing")) Object: 'Object Repository/C3_Radio_OR/Page_LINGOturk/span_Done Editing' is clicked on	2.490s	PASSED

C3_Radio

#	Description	Elapsed	Status
22	closeBrowser()	1.412s	PASSED

Browser is closed

C4_CheckBoxAnswer

Information

ID   Test Cases/C4_CheckBoxAnswer

Description

Tag

Start   2020-01-09 18:53:34   End   2020-01-09 18:55:19

Elapsed   1m - 45.301s

Status   PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("http://localhost:9000/")	11.966s	PASSED
	Browser is opened with url: 'http://localhost:9000/'		
2	setText(findTestObject("Object Repository/C4_CheckBox_OR/Page_Login/input_Username_username"), "admin")	0.414s	PASSED
	Text 'admin' is set on object 'Object Repository/C4_CheckBox_OR/Page_Login/input_Username_username'		
3	setEncryptedText(findTestObject("Object Repository/C4_CheckBox_OR/Page_Login/input_Password_password"), "BR2H/KIz0NBfgccJ+PbLCA==")	0.383s	PASSED
	Text ****** has been set on object 'Object Repository/C4_CheckBox_OR/Page_Login/input_Password_password'		
4	click(findTestObject("Object Repository/C4_CheckBox_OR/Page_Login/span_Password_glyphicon glyphicon-log-in"))	1.009s	PASSED
	Object: 'Object Repository/C4_CheckBox_OR/Page_Login/span_Password_glyphicon glyphicon-log-in' is clicked on		
5	navigateToUrl("http://localhost:9000/")	0.294s	PASSED
	Navigate to 'http://localhost:9000/' successfully		

C4_CheckBoxAnswer

#	Description	Elapsed	Status
6	click(findTestObject("Object Repository/C4_CheckBox_OR/Page_LINGOturk/div_Edit Experiment")) Object: 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/div_Edit Experiment' is clicked on	1.303s	PASSED
7	click(findTestObject("Object Repository/C4_CheckBox_OR/Page_Edit Experiment/div_TestSample")) Object: 'Object Repository/C4_CheckBox_OR/Page_Edit Experiment/div_TestSample' is clicked on	0.768s	PASSED
8	click(findTestObject("Object Repository/C4_CheckBox_OR/Page_LINGOturk/span_Checkbox Answer")) Object: 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/span_Checkbox Answer' is clicked on	0.533s	PASSED
9	setText(findTestObject("Object Repository/C4_CheckBox_OR/Page_LINGOturk/input_checkBox _componentName"), "CBox1") Text 'CBox1' is set on object 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/input_checkBox _componentName'	0.596s	PASSED
10	selectOptionByValue(findTestObject("Object Repository/C4_CheckBox_OR/Page_LINGOturk/select_-- select csv field -- s1s2s3s4s5"), "string:s1", true) All options with value 'string:s1' are selected in object 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/select_-- select csv field -- s1s2s3s4s5' using regular expression	1.431s	PASSED
11	selectOptionByValue(findTestObject("Object Repository/C4_CheckBox_OR/Page_LINGOturk/select_-- select csv field -- s1s2s3s4s5"), "string:s1", true) All options with value 'string:s1' are selected in object 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/select_-- select csv field -- s1s2s3s4s5' using regular expression	1.064s	PASSED

C4_CheckBoxAnswer

#	Description	Elapsed	Status
12	click(findTestObject("Object Repository/C4_CheckBox_OR/Page_LINGOturk/button_Add Option")) Object: 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/button_Add Option' is clicked on	0.588s	PASSED
13	selectOptionByValue(findTestObject("Object Repository/C4_CheckBox_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:restrictAnswer", true) All options with value 'string:restrictAnswer' are selected in object 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression	1.508s	PASSED
14	selectOptionByValue(findTestObject("Object Repository/C4_CheckBox_OR/Page_LINGOturk/select_-- select csv field -- s1s2s3s4s5"), "string:s2", true) All options with value 'string:s2' are selected in object 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/select_-- select csv field -- s1s2s3s4s5' using regular expression	1.191s	PASSED
15	click(findTestObject("Object Repository/C4_CheckBox_OR/Page_LINGOturk/button_Save")) Object: 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/button_Save' is clicked on	1.040s	PASSED
16	click(findTestObject("Object Repository/C4_CheckBox_OR/Page_LINGOturk/button_Edit")) Object: 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/button_Edit' is clicked on	47.110s	PASSED
17	click(findTestObject("Object Repository/C4_CheckBox_OR/Page_LINGOturk/button_Add Option")) Object: 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/button_Add Option' is clicked on	0.606s	PASSED
18	click(findTestObject("Object Repository/C4_CheckBox_OR/Page_LINGOturk/button_-")) Object: 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/button_-' is clicked on	30.661s	PASSED

C4_CheckBoxAnswer

#	Description	Elapsed	Status
19	click(findTestObject("Object Repository/C4_CheckBox_OR/Page_LINGOturk/button_Save")) Object: 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/button_Save' is clicked on	0.966s	PASSED
20	click(findTestObject("Object Repository/C4_CheckBox_OR/Page_LINGOturk/span_Done Editing")) Object: 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/span_Done Editing' is clicked on	0.545s	PASSED
21	closeBrowser() Browser is closed	0.845s	PASSED