### TS103\_C3\_C4

#### **Execution Environment**

Host name Koushik - 10.20.148.196
OS Windows 10 64bit

Katalon version 7.1.2.1
Browser Firefox 72.0

Summary

ID Test Suites/TS103\_C3\_C4

Description C3: Radio\r

C4: Check Box Answer

Total 2

Passed 2 Failed 0 Error 0 Incomplete 0

Start 2020-01-09 16:53:47 End 2020-01-09 17:01:07

Elapsed 7m - 20.080s

| # ID                           | Description | Status |
|--------------------------------|-------------|--------|
| 1 Test Cases/C3_Radio          |             | PASSED |
| 2 Test Cases/C4_CheckBoxAnswer |             | PASSED |

#### Information

ID Test Cases/C3\_Radio

Description

Tag

Start 2020-01-09 16:53:47 End 2020-01-09 16:59:26

Elapsed 5m - 39.141s

Status PASSED

#### **Details**

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 1 | openBrowser("http://localhost:9000/")  Browser is opened with url: 'http://localhost:9000/"   | 13.880s | PASSED |
| 2 | navigateToUrl("http://localhost:9000/login")  Navigate to 'http://localhost:9000/login' successfully  | 0.277s  | PASSED |
| 3 | setText(findTestObject("Object Repository/C3_Radio_OR/Page_Login/input_Username_username"), "admin")  Text 'admin' is set on object 'Object Repository/C3_Radio_OR/Page_Login/input_Username_username'                                  | 0.561s  | PASSED |
| 4 | setEncryptedText(findTestObject("Object Repository/C3_Radio_OR/Page_Login/input_Password_password"), "BR2H/KIz0NBfgccJ+PbLCA==")  Text ****** has been set on object 'Object Repository/C3_Radio_OR/Page_Login/input_Password_password' | 0.616s  | PASSED |
| 5 | click(findTestObject("Object Repository/C3_Radio_OR/Page_Login/span_Password_glyphicon glyphicon-log-in"))  Object: 'Object Repository/C3_Radio_OR/Page_Login/span_Password_glyphicon glyphicon-log-in' is clicked on                   | 1.117s  | PASSED |

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 6  | click(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/div_Edit Experiment"))   | 1.307s  | PASSED |
|    | Object: 'Object Repository/C3_Radio_OR/Page_LINGOturk/div_Edit Experiment' is clicked on  |         |        |
| 7  | click(findTestObject("Object Repository/C3_Radio_OR/Page_Edit Experiment/div_AnswerQuestions"))   | 0.873s  | PASSED |
|    | Object: 'Object Repository/C3_Radio_OR/Page_Edit Experiment/div_AnswerQuestions' is clicked on  |         |        |
| 8  | click(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/a_Radio"))   | 0.623s  | PASSED |
|    | Object: 'Object Repository/C3_Radio_OR/Page_LINGOturk/a_Radio' is clicked on  |         |        |
| 9  | selectOptionByValue(findTestObject("Object<br>Repository/C3_Radio_OR/Page_LINGOturk/select select csv field storyquestions"),<br>"string:story", true)                      | 1.415s  | PASSED |
|    | All options with value 'string:story' are selected in object 'Object Repository/C3_Radio_OR/Page_LINGOturk/select select csv field storyquestions' using regular expression |         |        |
| 10 | selectOptionByValue(findTestObject("Object<br>Repository/C3_Radio_OR/Page_LINGOturk/select select csv field storyquestions"),<br>"string:story", true)                      | 0.940s  | PASSED |
|    | All options with value 'string:story' are selected in object 'Object Repository/C3_Radio_OR/Page_LINGOturk/select select csv field storyquestions' using regular expression |         |        |
| 11 | click(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/button_Save"))   | 1.106s  | PASSED |
|    | Object: 'Object Repository/C3_Radio_OR/Page_LINGOturk/button_Save' is clicked on  |         |        |
| 12 | click(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/button_Edit"))   | 47.955s | PASSED |
|    | Object: 'Object Repository/C3_Radio_OR/Page_LINGOturk/button_Edit' is clicked on  |         |        |
| 13 | click(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/button_Add Option"))   | 30.627s | PASSED |
|    | Object: 'Object Repository/C3_Radio_OR/Page_LINGOturk/button_Add Option' is clicked on  |         |        |

| #  | Description   | Elapsed      | Status |
|----|---|--------------|--------|
| 14 | selectOptionByValue(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/select select csv field storyquestions"), "string:questions", true)  All options with value 'string:questions' are selected in object 'Object Repository/C3_Radio_OR/Page_LINGOturk/select select csv field storyquestions' using regular expression | 1.301s       | PASSED |
| 15 | click(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/button_Add Condition"))  Object: 'Object Repository/C3_Radio_OR/Page_LINGOturk/button_Add Condition' is clicked on   | 30.757s      | PASSED |
| 16 | click(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/button_Save"))  Object: 'Object Repository/C3_Radio_OR/Page_LINGOturk/button_Save' is clicked on   | 1.092s       | PASSED |
| 17 | click(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/button_Edit"))  Object: 'Object Repository/C3_Radio_OR/Page_LINGOturk/button_Edit' is clicked on   | 47.283s      | PASSED |
| 18 | click(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/button"))  Object: 'Object Repository/C3_Radio_OR/Page_LINGOturk/button' is clicked on   | 1m - 16.770s | PASSED |
| 19 | click(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/button"))  Object: 'Object Repository/C3_Radio_OR/Page_LINGOturk/button' is clicked on   | 1m - 16.974s | PASSED |
| 20 | click(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/button_Save"))  Object: 'Object Repository/C3_Radio_OR/Page_LINGOturk/button_Save' is clicked on   | 1.114s       | PASSED |
| 21 | click(findTestObject("Object Repository/C3_Radio_OR/Page_LINGOturk/span_Done Editing"))  Object: 'Object Repository/C3_Radio_OR/Page_LINGOturk/span_Done Editing' is clicked on   | 0.713s       | PASSED |

| #  | Description       | Elapsed | Status |
|----|-------------------|---------|--------|
| 22 | closeBrowser()    | 1.149s  | PASSED |
|    | Browser is closed |         |        |
|    |                   |         |        |

#### Information

ID Test Cases/C4\_CheckBoxAnswer

Description

Tag

Start 2020-01-09 16:59:26 End 2020-01-09 17:01:07

Elapsed 1m - 40.491s

Status PASSED

#### **Details**

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 1 | openBrowser("http://localhost:9000/")  Browser is opened with url: 'http://localhost:9000/'   | 5.631s  | PASSED |
| 2 | setText(findTestObject("Object Repository/C4_CheckBox_OR/Page_Login/input_Username_username"), "admin")  Text 'admin' is set on object 'Object Repository/C4_CheckBox_OR/Page_Login/input_Username_username'                                  | 0.455s  | PASSED |
| 3 | setEncryptedText(findTestObject("Object Repository/C4_CheckBox_OR/Page_Login/input_Password_password"), "BR2H/KIz0NBfgccJ+PbLCA==")  Text ****** has been set on object 'Object Repository/C4_CheckBox_OR/Page_Login/input_Password_password' | 0.426s  | PASSED |
| 4 | click(findTestObject("Object Repository/C4_CheckBox_OR/Page_Login/span_Password_glyphicon glyphicon-log-in"))  Object: 'Object Repository/C4_CheckBox_OR/Page_Login/span_Password_glyphicon glyphicon-log-in' is clicked on                   | 1.059s  | PASSED |
| 5 | navigateToUrl("http://localhost:9000/")  Navigate to 'http://localhost:9000/" successfully  | 0.373s  | PASSED |

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 6  | click(findTestObject("Object Repository/C4_CheckBox_OR/Page_LINGOturk/div_Edit Experiment"))  Object: 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/div_Edit Experiment' is clicked on   | 1.166s  | PASSED |
| 7  | click(findTestObject("Object Repository/C4_CheckBox_OR/Page_Edit Experiment/div_TestSample"))  Object: 'Object Repository/C4_CheckBox_OR/Page_Edit Experiment/div_TestSample' is clicked on   | 0.779s  | PASSED |
| 8  | click(findTestObject("Object Repository/C4_CheckBox_OR/Page_LINGOturk/span_Checkbox Answer"))  Object: 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/span_Checkbox Answer' is clicked on   | 0.610s  | PASSED |
| 9  | setText(findTestObject("Object Repository/C4_CheckBox_OR/Page_LINGOturk/input_checkBox _componentName"), "CBox1")  Text 'CBox1' is set on object 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/input_checkBox _componentName'  | 0.608s  | PASSED |
| 10 | selectOptionByValue(findTestObject("Object Repository/C4_CheckBox_OR/Page_LINGOturk/select select csv field s1s2s3s4s5"), "string:s1", true)  All options with value 'string:s1' are selected in object 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/select select csv field s1s2s3s4s5' using regular expression | 1.272s  | PASSED |
| 11 | selectOptionByValue(findTestObject("Object Repository/C4_CheckBox_OR/Page_LINGOturk/select select csv field s1s2s3s4s5"), "string:s1", true)  All options with value 'string:s1' are selected in object 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/select select csv field s1s2s3s4s5' using regular expression | 1.017s  | PASSED |

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 12 | click(findTestObject("Object Repository/C4_CheckBox_OR/Page_LINGOturk/button_Add Option"))  Object: 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/button_Add Option' is                    | 0.642s  | PASSED |
|    | clicked on  |         |        |
| 13 | selectOptionByValue(findTestObject("Object Repository/C4_CheckBox_OR/Page_LINGOturk/select select option name restrictAns_55f4fb"), "string:restrictAnswer", true)                            | 1.605s  | PASSED |
|    | All options with value 'string:restrictAnswer' are selected in object 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/select select option name restrictAns_55f4fb' using regular expression |         |        |
| 14 | selectOptionByValue(findTestObject("Object<br>Repository/C4_CheckBox_OR/Page_LINGOturk/select select csv field s1s2s3s4s5"),<br>"string:s2", true)  | 1.278s  | PASSED |
|    | All options with value 'string:s2' are selected in object 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/select select csv field s1s2s3s4s5' using regular expression                       |         |        |
| 15 | click(findTestObject("Object<br>Repository/C4_CheckBox_OR/Page_LINGOturk/button_Save"))   | 1.084s  | PASSED |
|    | Object: 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/button_Save' is clicked on   |         |        |
| 16 | click(findTestObject("Object Repository/C4_CheckBox_OR/Page_LINGOturk/button_Edit"))  | 47.200s | PASSED |
|    | Object: 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/button_Edit' is clicked on   |         |        |
| 17 | click(findTestObject("Object Repository/C4_CheckBox_OR/Page_LINGOturk/button_Add Option"))  | 0.730s  | PASSED |
|    | Object: 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/button_Add Option' is clicked on   |         |        |
| 18 | click(findTestObject("Object Repository/C4_CheckBox_OR/Page_LINGOturk/button"))   | 30.574s | PASSED |
|    | Object: 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/button' is clicked on  |         |        |

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 19 | click(findTestObject("Object Repository/C4_CheckBox_OR/Page_LINGOturk/button_Save"))  Object: 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/button_Save' is clicked on             | 1.095s  | PASSED |
| 20 | click(findTestObject("Object Repository/C4_CheckBox_OR/Page_LINGOturk/span_Done Editing"))  Object: 'Object Repository/C4_CheckBox_OR/Page_LINGOturk/span_Done Editing' is clicked on | 0.708s  | PASSED |
| 21 | closeBrowser()  | 1.641s  | PASSED |

Browser is closed