

TS104_C5_C6

Execution Environment

Host name	Koushik - 10.20.148.196
OS	Windows 10 64bit
Katalon version	7.1.2.1
Browser	Firefox 72.0

Summary

ID	Test Suites/TS104_C5_C6
Description	C5: Slide Answer\r C6:Star Answer

Total	2
Passed	2
Error	0

Failed	0
Incomplete	0

Start	2020-01-09 18:55:29
Elapsed	4m - 12.153s

End	2020-01-09 18:59:41
-----	---------------------

#	ID	Description	Status
1	Test Cases/C5_Slide_Answer		PASSED
2	Test Cases/C6_Star_Answer		PASSED

C5_Slide_Answer

Information

ID	Test Cases/C5_Slide_Answer		
Description			
Tag			
Start	2020-01-09 18:55:29	End	2020-01-09 18:57:42
Elapsed	2m - 13.194s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("http://localhost:9000/") Browser is opened with url: 'http://localhost:9000/'	6.464s	PASSED
2	navigateToUrl("http://localhost:9000/login") Navigate to 'http://localhost:9000/login' successfully	0.252s	PASSED
3	setText(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_Login/input_Username_username"), "admin") Text 'admin' is set on object 'Object Repository/C5_Slide_Answer_OR/Page_Login/input_Username_username'	0.495s	PASSED
4	setEncryptedText(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_Login/input_Password_password"), "BR2H/KIz0NBfgccJ+PbLCA==") Text ***** has been set on object 'Object Repository/C5_Slide_Answer_OR/Page_Login/input_Password_password'	0.433s	PASSED
5	click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_Login/button_Let me in")) Object: 'Object Repository/C5_Slide_Answer_OR/Page_Login/button_Let me in' is clicked on	0.755s	PASSED

C5_Slide_Answer

#	Description	Elapsed	Status
6	click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/div_Edit Experiment")) Object: 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/div_Edit Experiment' is clicked on	46.764s	PASSED
7	click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_Edit Experiment/div_TestSample")) Object: 'Object Repository/C5_Slide_Answer_OR/Page_Edit Experiment/div_TestSample' is clicked on	0.658s	PASSED
8	click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/span_Slider Answer")) Object: 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/span_Slider Answer' is clicked on	0.434s	PASSED
9	setText(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/input_sliderAnswer_componentName"), "slider answer 1") Text 'slider answer 1' is set on object 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/input_sliderAnswer_componentName'	0.615s	PASSED
10	click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Add Option")) Object: 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Add Option' is clicked on	0.720s	PASSED
11	selectOptionByValue(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:restrictAnswer", true) All options with value 'string:restrictAnswer' are selected in object 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression	1.072s	PASSED

C5_Slide_Answer

#	Description	Elapsed	Status
12	<code>selectOptionByValue(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/select_-- select csv field -- s1s2s3s4s5"), "string:s1", true)</code> All options with value 'string:s1' are selected in object 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/select_-- select csv field -- s1s2s3s4s5' using regular expression	1.027s	PASSED
13	<code>click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Add Option"))</code> Object: 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Add Option' is clicked on	0.491s	PASSED
14	<code>selectOptionByValue(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:restrictAnswer", true)</code> All options with value 'string:restrictAnswer' are selected in object 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression	0.823s	PASSED
15	<code>selectOptionByValue(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/select_-- select csv field -- s1s2s3s4s5"), "string:s2", true)</code> All options with value 'string:s2' are selected in object 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/select_-- select csv field -- s1s2s3s4s5' using regular expression	1.043s	PASSED
16	<code>click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Save"))</code> Object: 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Save' is clicked on	0.512s	PASSED
17	<code>click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Edit"))</code> Object: 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Edit' is clicked on	0.823s	PASSED
18	<code>click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_-"))</code> Object: 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_-' is clicked on	0.591s	PASSED

C5_Slide_Answer

#	Description	Elapsed	Status
19	click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Add Option")) Object: 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Add Option' is clicked on	30.591s	PASSED
20	click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Save")) Object: 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Save' is clicked on	30.961s	PASSED
21	click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Add Slide")) Object: 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Add Slide' is clicked on	2.785s	PASSED
22	click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/i_Slide 2_glyphicon_glyphicon-remove tooltipclose")) Object: 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/i_Slide 2_glyphicon_glyphicon-remove tooltipclose' is clicked on	2.024s	PASSED
23	click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/span_Done Editing")) Object: 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/span_Done Editing' is clicked on	1.639s	PASSED
24	closeBrowser() Browser is closed	0.817s	PASSED

C6_Star_Answer

Information

ID	Test Cases/C6_Star_Answer		
Description			
Tag			
Start	2020-01-09 18:57:42	End	2020-01-09 18:59:41
Elapsed	1m - 58.618s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("http://localhost:9000/") Browser is opened with url: 'http://localhost:9000/'	8.637s	PASSED
2	setText(findTestObject("Object Repository/C6_Star_Answer_OR/Page_Login/input_Username_username"), "admin") Text 'admin' is set on object 'Object Repository/C6_Star_Answer_OR/Page_Login/input_Username_username'	0.307s	PASSED
3	setEncryptedText(findTestObject("Object Repository/C6_Star_Answer_OR/Page_Login/input_Password_password"), "BR2H/KIz0NBfgccJ+PbLCA==") Text ***** has been set on object 'Object Repository/C6_Star_Answer_OR/Page_Login/input_Password_password'	2.167s	PASSED
4	click(findTestObject("Object Repository/C6_Star_Answer_OR/Page_Login/div_Let me in _6e290e")) Object: 'Object Repository/C6_Star_Answer_OR/Page_Login/div_Let me in _6e290e' is clicked on	2.622s	PASSED
5	navigateToUrl("http://localhost:9000/") Navigate to 'http://localhost:9000/' successfully	0.392s	PASSED

C6_Star_Answer

#	Description	Elapsed	Status
6	<code>click(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/b_Edit Experiment"))</code> Object: 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/b_Edit Experiment' is clicked on	2.593s	PASSED
7	<code>click(findTestObject("Object Repository/C6_Star_Answer_OR/Page_Edit Experiment/div_SampleTest101"))</code> Object: 'Object Repository/C6_Star_Answer_OR/Page_Edit Experiment/div_SampleTest101' is clicked on	2.493s	PASSED
8	<code>click(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/span_Star Answer"))</code> Object: 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/span_Star Answer' is clicked on	2.060s	PASSED
9	<code>setText(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/input_starAnswer_componentName"), "start answer1")</code> Text 'start answer1' is set on object 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/input_starAnswer_componentName'	3.069s	PASSED
10	<code>click(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Add Option"))</code> Object: 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Add Option' is clicked on	2.700s	PASSED
11	<code>selectOptionByValue(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:restrictAnswer", true)</code> All options with value 'string:restrictAnswer' are selected in object 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression	5.706s	PASSED

C6_Star_Answer

#	Description	Elapsed	Status
12	<pre>selectOptionByValue(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3"), "string:t1", true)</pre> <p>All options with value 'string:t1' are selected in object 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3' using regular expression</p>	6.069s	PASSED
13	<pre>click(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Add Option"))</pre> <p>Object: 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Add Option' is clicked on</p>	2.523s	PASSED
14	<pre>selectOptionByValue(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:restrictAnswer", true)</pre> <p>All options with value 'string:restrictAnswer' are selected in object 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression</p>	5.472s	PASSED
15	<pre>selectOptionByValue(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3"), "string:t2", true)</pre> <p>All options with value 'string:t2' are selected in object 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3' using regular expression</p>	6.391s	PASSED
16	<pre>click(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Add Option"))</pre> <p>Object: 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Add Option' is clicked on</p>	2.506s	PASSED
17	<pre>selectOptionByValue(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:options", true)</pre> <p>All options with value 'string:options' are selected in object 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression</p>	5.690s	PASSED

C6_Star_Answer

#	Description	Elapsed	Status
18	<pre>selectOptionByValue(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3"), "string:t3", true)</pre> <p>All options with value 'string:t3' are selected in object 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3' using regular expression</p>	6.136s	PASSED
19	<pre>click(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Add Condition"))</pre> <p>Object: 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Add Condition' is clicked on</p>	2.511s	PASSED
20	<pre>selectOptionByValue(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select option -- mandatoryallowMu_2f4d0b"), "string:mandatory", true)</pre> <p>All options with value 'string:mandatory' are selected in object 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select option -- mandatoryallowMu_2f4d0b' using regular expression</p>	5.688s	PASSED
21	<pre>click(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Save"))</pre> <p>Object: 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Save' is clicked on</p>	2.459s	PASSED
22	<pre>click(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Edit"))</pre> <p>Object: 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Edit' is clicked on</p>	2.029s	PASSED
23	<pre>click(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_-"))</pre> <p>Object: 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_-' is clicked on</p>	3.037s	PASSED
24	<pre>click(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Save"))</pre> <p>Object: 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Save' is clicked on</p>	31.406s	PASSED

C6_Star_Answer

#	Description	Elapsed	Status
25	click(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Done Editing")) Object: 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Done Editing' is clicked on	2.766s	PASSED
26	closeBrowser() Browser is closed	0.974s	PASSED