TS104_C5_C6

Execution Environment

Host name	Koushik - 10.20.148.196
OS	Windows 10 64bit
Katalon version	7.1.2.1
Browser	Firefox 72.0

Summary

ID	Test Suites/TS104_C5_C6
Description	C5: Slide Answer\r C6:Star Answer
Total	2

Passed	2	Failed	0
Error	0	Incomplete	0
Start	2020-01-09 17:57:53	End	2020-01-09 18:02:41
Elapsed	4m - 47.923s		

#	ID	Description	Status
1	Test Cases/C5_Slide_Answer		PASSED
2	Test Cases/C6_Star_Answer		PASSED

C5_Slide_Answer

Information

ID	Test Cases/C5_Slide_Answer		
Description			
Tag			
Start	2020-01-09 17:57:54	End	2020-01-09 18:00:57
Elapsed	3m - 3.379s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("http://localhost:9000/") Browser is opened with url: 'http://localhost:9000/'	10.235s	PASSED
2	navigateToUrl("http://localhost:9000/login") Navigate to 'http://localhost:9000/login' successfully	0.218s	PASSED
3	setText(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_Login/input_Username_username"), "admin") Text 'admin' is set on object 'Object Repository/C5_Slide_Answer_OR/Page_Login/input_Username_username'	0.812s	PASSED
4	setEncryptedText(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_Login/input_Password_password"), "BR2H/KIz0NBfgccJ+PbLCA==") Text ****** has been set on object 'Object Repository/C5_Slide_Answer_OR/Page_Login/input_Password_password'	0.618s	PASSED
5	click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_Login/button_Let me in")) Object: 'Object Repository/C5_Slide_Answer_OR/Page_Login/button_Let me in' is clicked on	1.085s	PASSED

C5_Slide_Answer

#	Description	Elapsed	Status
6	click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/div_Edit Experiment")) Object: 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/div_Edit Experiment' is clicked on	48.827s	PASSED
7	click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_Edit Experiment/div_TestSample")) Object: 'Object Repository/C5_Slide_Answer_OR/Page_Edit Experiment/div_TestSample' is clicked on	2.738s	PASSED
8	click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/span_Slider Answer")) Object: 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/span_Slider Answer' is clicked on	2.105s	PASSED
9	setText(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/input_sliderAnswer _componentName"), "slider answer 1") Text 'slider answer 1' is set on object 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/input_sliderAnswer _componentName'	3.118s	PASSED
10	click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Add Option")) Object: 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Add Option' is clicked on	2.700s	PASSED
11	selectOptionByValue(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:restrictAnswer", true) All options with value 'string:restrictAnswer' are selected in object 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression	6.977s	PASSED

#	Description	Elapsed	Status
12	selectOptionByValue(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/select_-- select csv field -- s1s2s3s4s5"), "string:s1", true) All options with value 'string:s1' are selected in object 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/select_-- select csv field -- s1s2s3s4s5' using regular expression	6.163s	PASSED
13	click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Add Option")) Object: 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Add Option' is clicked on	2.454s	PASSED
14	selectOptionByValue(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:restrictAnswer", true) All options with value 'string:restrictAnswer' are selected in object 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression	5.711s	PASSED
15	selectOptionByValue(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/select_-- select csv field -- s1s2s3s4s5"), "string:s2", true) All options with value 'string:s2' are selected in object 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/select_-- select csv field -- s1s2s3s4s5' using regular expression	6.679s	PASSED
16	click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Save")) Object: 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Save' is clicked on	2.477s	PASSED
17	click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Edit")) Object: 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Edit' is clicked on	2.043s	PASSED
18	click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_-")) Object: 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_-' is clicked on	3.057s	PASSED

#	Description	Elapsed	Status
19	click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Add Option")) Object: 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Add Option' is clicked on	31.747s	PASSED
20	click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Save")) Object: 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Save' is clicked on	33.713s	PASSED
21	click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Add Slide")) Object: 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/button_Add Slide' is clicked on	2.873s	PASSED
22	click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/i_Slide 2_glyphicon glyphicon-remove tooltipclose")) Object: 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/i_Slide 2_glyphicon glyphicon-remove tooltipclose' is clicked on	2.073s	PASSED
23	click(findTestObject("Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/span_Done Editing")) Object: 'Object Repository/C5_Slide_Answer_OR/Page_LINGOturk/span_Done Editing' is clicked on	2.802s	PASSED
24	closeBrowser() Browser is closed	1.373s	PASSED

C6_Star_Answer

Information

ID	Test Cases/C6_Star_Answer
Description	
Tag	

Start	2020-01-09 18:00:57	End	2020-01-09 18:02:41
Elapsed	1m - 44.098s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("http://localhost:9000/") Browser is opened with url: 'http://localhost:9000/'	11.614s	PASSED
2	setText(findTestObject("Object Repository/C6_Star_Answer_OR/Page_Login/input_Username_username"), "admin") Text 'admin' is set on object 'Object Repository/C6_Star_Answer_OR/Page_Login/input_Username_username'	0.413s	PASSED
3	setEncryptedText(findTestObject("Object Repository/C6_Star_Answer_OR/Page_Login/input_Password_password"), "BR2H/KIz0NBfgccJ+PbLCA==") Text ****** has been set on object 'Object Repository/C6_Star_Answer_OR/Page_Login/input_Password_password'	0.442s	PASSED
4	click(findTestObject("Object Repository/C6_Star_Answer_OR/Page_Login/div_Let me in _6e290e")) Object: 'Object Repository/C6_Star_Answer_OR/Page_Login/div_Let me in _6e290e' is clicked on	0.881s	PASSED
5	navigateToUrl("http://localhost:9000/") Navigate to 'http://localhost:9000/' successfully	0.333s	PASSED

#	Description	Elapsed	Status
6	click(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/b_Edit Experiment")) Object: 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/b_Edit Experiment' is clicked on	0.999s	PASSED
7	click(findTestObject("Object Repository/C6_Star_Answer_OR/Page_Edit Experiment/div_SampleTest101")) Object: 'Object Repository/C6_Star_Answer_OR/Page_Edit Experiment/div_SampleTest101' is clicked on	0.940s	PASSED
8	click(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/span_Star Answer")) Object: 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/span_Star Answer' is clicked on	0.644s	PASSED
9	setText(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/input_starAnswer _componentName"), "start answer1") Text 'start answer1' is set on object 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/input_starAnswer _componentName'	0.790s	PASSED
10	click(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Add Option")) Object: 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Add Option' is clicked on	0.704s	PASSED
11	selectOptionByValue(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:restrictAnswer", true) All options with value 'string:restrictAnswer' are selected in object 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression	1.513s	PASSED

#	Description	Elapsed	Status
12	selectOptionByValue(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3"), "string:t1", true) All options with value 'string:t1' are selected in object 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3' using regular expression	2.320s	PASSED
13	click(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Add Option")) Object: 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Add Option' is clicked on	2.395s	PASSED
14	selectOptionByValue(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:restrictAnswer", true) All options with value 'string:restrictAnswer' are selected in object 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression	5.770s	PASSED
15	selectOptionByValue(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3"), "string:t2", true) All options with value 'string:t2' are selected in object 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3' using regular expression	6.664s	PASSED
16	click(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Add Option")) Object: 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Add Option' is clicked on	2.502s	PASSED
17	selectOptionByValue(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:options", true) All options with value 'string:options' are selected in object 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression	5.950s	PASSED

C6_Star_Answer

#	Description	Elapsed	Status
18	selectOptionByValue(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3"), "string:t3", true) All options with value 'string:t3' are selected in object 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3' using regular expression	6.155s	PASSED
19	click(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Add Condition")) Object: 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Add Condition' is clicked on	2.530s	PASSED
20	selectOptionByValue(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select option -- mandatoryallowMu_2f4d0b"), "string:mandatory", true) All options with value 'string:mandatory' are selected in object 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/select_-- select option -- mandatoryallowMu_2f4d0b' using regular expression	5.885s	PASSED
21	click(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Save")) Object: 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Save' is clicked on	2.434s	PASSED
22	click(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Edit")) Object: 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Edit' is clicked on	2.047s	PASSED
23	click(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_-")) Object: 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_-' is clicked on	3.063s	PASSED
24	click(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Save")) Object: 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Save' is clicked on	31.452s	PASSED

#	Description	Elapsed	Status
25	click(findTestObject("Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Done Editing")) Object: 'Object Repository/C6_Star_Answer_OR/Page_LINGOturk/button_Done Editing' is clicked on	2.880s	PASSED
26	closeBrowser() Browser is closed	1.795s	PASSED