

TS102_C1_C2

Execution Environment

Host name	Koushik - 10.20.148.196
OS	Windows 10 64bit
Katalon version	7.1.2.1
Browser	Firefox 72.0

Summary

ID	Test Suites/TS102_C1_C2		
Description			
Total	2		
Passed	2	Failed	0
Error	0	Incomplete	0
Start	2020-01-09 16:00:36	End	2020-01-09 16:03:09
Elapsed	2m - 33.061s		

#	ID	Description	Status
1	Test Cases/C1_TextAnswer		PASSED
2	Test Cases/C2_Question		PASSED

C1_TextAnswer

Information

ID	Test Cases/C1_TextAnswer		
Description			
Tag			
Start	2020-01-09 16:00:37	End	2020-01-09 16:02:34
Elapsed	1m - 57.402s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("http://localhost:9000/") Browser is opened with url: 'http://localhost:9000/'	8.949s	PASSED
2	setText(findTestObject("Object Repository/C1_TextAnswer_OR/Page_Login/input_Username_username"), "admin") Text 'admin' is set on object 'Object Repository/C1_TextAnswer_OR/Page_Login/input_Username_username'	0.718s	PASSED
3	setEncryptedText(findTestObject("Object Repository/C1_TextAnswer_OR/Page_Login/input_Password_password"), "BR2H/KIz0NBfgccJ+PbLCA==") Text ***** has been set on object 'Object Repository/C1_TextAnswer_OR/Page_Login/input_Password_password'	0.372s	PASSED
4	click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_Login/button_Let me in")) Object: 'Object Repository/C1_TextAnswer_OR/Page_Login/button_Let me in' is clicked on	0.652s	PASSED
5	navigateToUrl("http://localhost:9000/") Navigate to 'http://localhost:9000/' successfully	0.213s	PASSED

C1_TextAnswer

#	Description	Elapsed	Status
6	<code>click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/div_Edit Experiment"))</code> Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/div_Edit Experiment' is clicked on	2.600s	PASSED
7	<code>click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_Edit Experiment/div_ChoiceAndComment"))</code> Object: 'Object Repository/C1_TextAnswer_OR/Page_Edit Experiment/div_ChoiceAndComment' is clicked on	2.465s	PASSED
8	<code>click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/span_Text Answer"))</code> Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/span_Text Answer' is clicked on	2.042s	PASSED
9	<code>setText(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/input_textAnswer_componentName"), "textanswer sample")</code> Text 'textanswer sample' is set on object 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/input_textAnswer_componentName'	3.070s	PASSED
10	<code>click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/div_Add Option"))</code> Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/div_Add Option' is clicked on	2.706s	PASSED
11	<code>click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Add Option"))</code> Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Add Option' is clicked on	2.024s	PASSED
12	<code>selectOptionByValue(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:options", true)</code> All options with value 'string:options' are selected in object 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression	5.720s	PASSED

C1_TextAnswer

#	Description	Elapsed	Status
13	<code>selectOptionByValue(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/select_-- select csv field -- sentence"), "string:sentence", true)</code> All options with value 'string:sentence' are selected in object 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/select_-- select csv field -- sentence' using regular expression	6.065s	PASSED
14	<code>click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Add Option"))</code> Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Add Option' is clicked on	2.519s	PASSED
15	<code>selectOptionByValue(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:options", true)</code> All options with value 'string:options' are selected in object 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression	5.504s	PASSED
16	<code>selectOptionByValue(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/select_-- select csv field -- sentence"), "string:sentence", true)</code> All options with value 'string:sentence' are selected in object 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/select_-- select csv field -- sentence' using regular expression	6.182s	PASSED
17	<code>click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Add Condition"))</code> Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Add Condition' is clicked on	2.781s	PASSED
18	<code>selectOptionByValue(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/select_-- select option -- mandatoryallowMu_2f4d0b"), "string:mandatory", true)</code> All options with value 'string:mandatory' are selected in object 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/select_-- select option -- mandatoryallowMu_2f4d0b' using regular expression	5.677s	PASSED

C1_TextAnswer

#	Description	Elapsed	Status
19	click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Save")) Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Save' is clicked on	2.471s	PASSED
20	click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Edit")) Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Edit' is clicked on	3.035s	PASSED
21	click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_-")) Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_-' is clicked on	3.030s	PASSED
22	click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/div_True_81d48e")) Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/div_True_81d48e' is clicked on	2.028s	PASSED
23	click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/div_False")) Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/div_False' is clicked on	2.026s	PASSED
24	click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/input_True_114")) Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/input_True_114' is clicked on	2.025s	PASSED
25	click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Save")) Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Save' is clicked on	31.533s	PASSED
26	click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Done Editing")) Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_Done Editing' is clicked on	2.724s	PASSED

C1_TextAnswer

#	Description	Elapsed	Status
27	click(findTestObject("Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_OK")) Object: 'Object Repository/C1_TextAnswer_OR/Page_LINGOturk/button_OK' is clicked on	6.691s	PASSED
28	closeBrowser() Browser is closed	1.068s	PASSED

C2_Question

Information

ID	Test Cases/C2_Question		
Description			
Tag			
Start	2020-01-09 16:02:34	End	2020-01-09 16:03:09
Elapsed	35.314s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("http://localhost:9000/") Browser is opened with url: 'http://localhost:9000/'	5.037s	PASSED
2	setText(findTestObject("Object Repository/C2_Question_OR/Page_Login/input_Username_username"), "admin") Text 'admin' is set on object 'Object Repository/C2_Question_OR/Page_Login/input_Username_username'	0.489s	PASSED
3	setEncryptedText(findTestObject("Object Repository/C2_Question_OR/Page_Login/input_Password_password"), "BR2H/KIz0NBfgccJ+PbLCA==") Text ***** has been set on object 'Object Repository/C2_Question_OR/Page_Login/input_Password_password'	0.347s	PASSED
4	sendKeys(findTestObject("Object Repository/C2_Question_OR/Page_Login/input_Password_password"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/C2_Question_OR/Page_Login/input_Password_password'	0.313s	PASSED
5	click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/div_Edit Experiment")) Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/div_Edit Experiment' is clicked on	1.503s	PASSED

C2_Question

#	Description	Elapsed	Status
6	<code>click(findTestObject("Object Repository/C2_Question_OR/Page_Edit Experiment/div_ChoiceAndComment"))</code> Object: 'Object Repository/C2_Question_OR/Page_Edit Experiment/div_ChoiceAndComment' is clicked on	0.561s	PASSED
7	<code>click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/span_Question"))</code> Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/span_Question' is clicked on	0.455s	PASSED
8	<code>selectOptionByValue(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- sentence"), "string:sentence", true)</code> All options with value 'string:sentence' are selected in object 'Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- sentence' using regular expression	1.329s	PASSED
9	<code>click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/button_Add Option"))</code> Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/button_Add Option' is clicked on	0.512s	PASSED
10	<code>selectOptionByValue(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:restrictAnswer", true)</code> All options with value 'string:restrictAnswer' are selected in object 'Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression	1.104s	PASSED
11	<code>selectOptionByValue(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- sentence_1"), "string:sentence", true)</code> All options with value 'string:sentence' are selected in object 'Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- sentence_1' using regular expression	0.982s	PASSED

C2_Question

#	Description	Elapsed	Status
12	<code>click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/button_Add Option"))</code> Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/button_Add Option' is clicked on	0.505s	PASSED
13	<code>selectOptionByValue(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:restrictAnswer", true)</code> All options with value 'string:restrictAnswer' are selected in object 'Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression	0.837s	PASSED
14	<code>selectOptionByValue(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- sentence_1"), "string:sentence", true)</code> All options with value 'string:sentence' are selected in object 'Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- sentence_1' using regular expression	0.767s	PASSED
15	<code>click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/button_Add Condition"))</code> Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/button_Add Condition' is clicked on	0.532s	PASSED
16	<code>selectOptionByValue(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select option -- mandatoryallowMu_2f4d0b"), "string:mandatory", true)</code> All options with value 'string:mandatory' are selected in object 'Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select option -- mandatoryallowMu_2f4d0b' using regular expression	1.071s	PASSED
17	<code>selectOptionByValue(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- truefalse"), "string:false", true)</code> All options with value 'string:false' are selected in object 'Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- truefalse' using regular expression	1.002s	PASSED

C2_Question

#	Description	Elapsed	Status
18	click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/button_Save")) Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/button_Save' is clicked on	0.506s	PASSED
19	click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/span_Text Answer")) Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/span_Text Answer' is clicked on	0.823s	PASSED
20	click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/button_Close")) Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/button_Close' is clicked on	0.622s	PASSED
21	click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/span_Question")) Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/span_Question' is clicked on	0.816s	PASSED
22	selectOptionByValue(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- sentence"), "string:sentence", true) All options with value 'string:sentence' are selected in object 'Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- sentence' using regular expression	1.126s	PASSED
23	click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/button_Add Option")) Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/button_Add Option' is clicked on	0.492s	PASSED
24	selectOptionByValue(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:options", true) All options with value 'string:options' are selected in object 'Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression	1.234s	PASSED

C2_Question

#	Description	Elapsed	Status
25	<code>selectOptionByValue(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- sentence_1"), "string:sentence", true)</code> All options with value 'string:sentence' are selected in object 'Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- sentence_1' using regular expression	1.053s	PASSED
26	<code>click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/button_Add Option"))</code> Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/button_Add Option' is clicked on	0.531s	PASSED
27	<code>selectOptionByValue(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:options", true)</code> All options with value 'string:options' are selected in object 'Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression	0.858s	PASSED
28	<code>selectOptionByValue(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- sentence_1"), "string:sentence", true)</code> All options with value 'string:sentence' are selected in object 'Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select csv field -- sentence_1' using regular expression	0.757s	PASSED
29	<code>click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/button_Add Condition"))</code> Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/button_Add Condition' is clicked on	0.502s	PASSED
30	<code>selectOptionByValue(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select option -- mandatoryallowMu_2f4d0b"), "string:mandatory", true)</code> All options with value 'string:mandatory' are selected in object 'Object Repository/C2_Question_OR/Page_LINGOturk/select_-- select option -- mandatoryallowMu_2f4d0b' using regular expression	1.016s	PASSED

C2_Question

#	Description	Elapsed	Status
31	click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/button_Save")) Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/button_Save' is clicked on	0.486s	PASSED
32	click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/button_Delete")) Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/button_Delete' is clicked on	0.977s	PASSED
33	click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/button_OK")) Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/button_OK' is clicked on	0.894s	PASSED
34	click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/span_Done Editing")) Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/span_Done Editing' is clicked on	0.796s	PASSED
35	click(findTestObject("Object Repository/C2_Question_OR/Page_LINGOturk/button_OK")) Object: 'Object Repository/C2_Question_OR/Page_LINGOturk/button_OK' is clicked on	4.158s	PASSED