

# TS105\_C7\_C8

---

## Execution Environment

Host name	Koushik - 10.20.148.196
OS	Windows 10 64bit
Katalon version	7.1.2.1
Browser	Firefox 72.0

## Summary

ID	Test Suites/TS105_C7_C8		
Description			
Total	2		
Passed	2	Failed	0
Error	0	Incomplete	0
Start	2020-01-09 18:21:00	End	2020-01-09 18:23:09
Elapsed	2m - 9.695s		

#	ID	Description	Status
1	Test Cases/C7_Drag_n_Drop		PASSED
2	Test Cases/C8_File_Input		PASSED

# C7\_Drag\_n\_Drop

## Information

ID	Test Cases/C7_Drag_n_Drop		
Description			
Tag			
Start	2020-01-09 18:21:00	End	2020-01-09 18:22:06
Elapsed	1m - 6.291s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("http://localhost:9000/")  Browser is opened with url: 'http://localhost:9000/'	13.065s	PASSED
2	navigateToUrl("http://localhost:9000/login")  Navigate to 'http://localhost:9000/login' successfully	0.218s	PASSED
3	setText(findTestObject("Object Repository/C7_Drag_n_Drop/Page_Login/input_Username_username"), "admin")  Text 'admin' is set on object 'Object Repository/C7_Drag_n_Drop/Page_Login/input_Username_username'	0.836s	PASSED
4	setEncryptedText(findTestObject("Object Repository/C7_Drag_n_Drop/Page_Login/input_Password_password"), "BR2H/KIz0NBfgccJ+PbLCA==")  Text ***** has been set on object 'Object Repository/C7_Drag_n_Drop/Page_Login/input_Password_password'	0.486s	PASSED
5	click(findTestObject("Object Repository/C7_Drag_n_Drop/Page_Login/button_Let me in"))  Object: 'Object Repository/C7_Drag_n_Drop/Page_Login/button_Let me in' is clicked on	1.249s	PASSED
6	click(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/div_Edit Experiment"))  Object: 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/div_Edit Experiment' is clicked on	1.129s	PASSED

## C7\_Drag\_n\_Drop

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/C7_Drag_n_Drop/Page_Edit Experiment/div_SampleTest101"))  Object: 'Object Repository/C7_Drag_n_Drop/Page_Edit Experiment/div_SampleTest101' is clicked on	0.928s	PASSED
8	click(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/span_Drag and Drop"))  Object: 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/span_Drag and Drop' is clicked on	0.964s	PASSED
9	selectOptionByValue(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select csv field -- t1t2t3"), "string:t1", true)  All options with value 'string:t1' are selected in object 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select csv field -- t1t2t3' using regular expression	1.446s	PASSED
10	selectOptionByValue(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select csv field -- t1t2t3_1"), "string:t2", true)  All options with value 'string:t2' are selected in object 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select csv field -- t1t2t3_1' using regular expression	1.244s	PASSED
11	selectOptionByValue(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select csv field -- t1t2t3_1_2"), "string:t3", true)  All options with value 'string:t3' are selected in object 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select csv field -- t1t2t3_1_2' using regular expression	1.352s	PASSED
12	selectOptionByValue(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select csv field -- t1t2t3_1_2_3"), "string:t1", true)  All options with value 'string:t1' are selected in object 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select csv field -- t1t2t3_1_2_3' using regular expression	1.452s	PASSED

## C7\_Drag\_n\_Drop

#	Description	Elapsed	Status
13	<code>selectOptionByValue(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select csv field -- t1t2t3_1_2_3_4"), "string:t2", true)</code>  All options with value 'string:t2' are selected in object 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select csv field -- t1t2t3_1_2_3_4' using regular expression	1.217s	PASSED
14	<code>setText(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/input_Splitter_splitter"), "2,2")</code>  Text '2,2' is set on object 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/input_Splitter_splitter'	0.464s	PASSED
15	<code>click(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/button_Add Option"))</code>  Object: 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/button_Add Option' is clicked on	0.684s	PASSED
16	<code>selectOptionByValue(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select option name -- connectives_c2d916"), "string:displayStyle", true)</code>  All options with value 'string:displayStyle' are selected in object 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select option name -- connectives_c2d916' using regular expression	1.930s	PASSED
17	<code>selectOptionByValue(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select csv field -- t1t2t3_1_2_3_4_5"), "string:t2", true)</code>  All options with value 'string:t2' are selected in object 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/select_-- select csv field -- t1t2t3_1_2_3_4_5' using regular expression	1.290s	PASSED
18	<code>click(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/button_Save"))</code>  Object: 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/button_Save' is clicked on	0.651s	PASSED
19	<code>click(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/button_Edit"))</code>  Object: 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/button_Edit' is clicked on	1.368s	PASSED

## C7\_Drag\_n\_Drop

---

#	Description	Elapsed	Status
20	click(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/button_-"))  Object: 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/button_-' is clicked on	0.719s	PASSED
21	click(findTestObject("Object Repository/C7_Drag_n_Drop/Page_LINGOturk/button_Save"))  Object: 'Object Repository/C7_Drag_n_Drop/Page_LINGOturk/button_Save' is clicked on	30.714s	PASSED
22	closeBrowser()  Browser is closed	2.174s	PASSED

# C8\_File\_Input

## Information

ID	Test Cases/C8_File_Input		
Description			
Tag			
Start	2020-01-09 18:22:06	End	2020-01-09 18:23:09
Elapsed	1m - 3.033s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("http://localhost:9000/")  Browser is opened with url: 'http://localhost:9000/'	7.825s	PASSED
2	setText(findTestObject("Object Repository/C8_File_Input_OR/Page_Login/input_Username_username"), "admin")  Text 'admin' is set on object 'Object Repository/C8_File_Input_OR/Page_Login/input_Username_username'	0.749s	PASSED
3	setEncryptedText(findTestObject("Object Repository/C8_File_Input_OR/Page_Login/input_Password_password"), "BR2H/KIz0NBfgccJ+PbLCA==")  Text ***** has been set on object 'Object Repository/C8_File_Input_OR/Page_Login/input_Password_password'	0.460s	PASSED
4	click(findTestObject("Object Repository/C8_File_Input_OR/Page_Login/span_Password_glyphicon_glyphicon-log-in"))  Object: 'Object Repository/C8_File_Input_OR/Page_Login/span_Password_glyphicon_glyphicon-log-in' is clicked on	1.222s	PASSED
5	navigateToUrl("http://localhost:9000/")  Navigate to 'http://localhost:9000/' successfully	0.259s	PASSED

## C8\_File\_Input

#	Description	Elapsed	Status
6	<code>click(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/div_Edit Experiment"))</code>  Object: 'Object Repository/C8_File_Input_OR/Page_LINGOturk/div_Edit Experiment' is clicked on	0.974s	PASSED
7	<code>click(findTestObject("Object Repository/C8_File_Input_OR/Page_Edit Experiment/div_SampleTest101"))</code>  Object: 'Object Repository/C8_File_Input_OR/Page_Edit Experiment/div_SampleTest101' is clicked on	0.796s	PASSED
8	<code>click(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/span_File Input"))</code>  Object: 'Object Repository/C8_File_Input_OR/Page_LINGOturk/span_File Input' is clicked on	0.519s	PASSED
9	<code>setText(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/input_fileInput_componentName"), "file input 1")</code>  Text 'file input 1' is set on object 'Object Repository/C8_File_Input_OR/Page_LINGOturk/input_fileInput_componentName'	0.713s	PASSED
10	<code>click(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Add Option"))</code>  Object: 'Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Add Option' is clicked on	0.725s	PASSED
11	<code>selectOptionByValue(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:restrictAnswer", true)</code>  All options with value 'string:restrictAnswer' are selected in object 'Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression	1.349s	PASSED

## C8\_File\_Input

#	Description	Elapsed	Status
12	<pre>selectOptionByValue(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3"), "string:t2", true)</pre> <p>All options with value 'string:t2' are selected in object 'Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3' using regular expression</p>	1.296s	PASSED
13	<pre>click(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Add Option"))</pre> <p>Object: 'Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Add Option' is clicked on</p>	0.691s	PASSED
14	<pre>selectOptionByValue(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:restrictAnswer", true)</pre> <p>All options with value 'string:restrictAnswer' are selected in object 'Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression</p>	1.211s	PASSED
15	<pre>selectOptionByValue(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3"), "string:t1", true)</pre> <p>All options with value 'string:t1' are selected in object 'Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3' using regular expression</p>	1.304s	PASSED
16	<pre>click(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Add Option"))</pre> <p>Object: 'Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Add Option' is clicked on</p>	0.603s	PASSED
17	<pre>selectOptionByValue(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:addNone", true)</pre> <p>All options with value 'string:addNone' are selected in object 'Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression</p>	1.366s	PASSED



## C8\_File\_Input

#	Description	Elapsed	Status
18	<p>selectOptionByValue(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3"), "string:t2", true)</p> <p>All options with value 'string:t2' are selected in object 'Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3' using regular expression</p>	1.213s	PASSED
19	<p>click(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Add Option"))</p> <p>Object: 'Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Add Option' is clicked on</p>	0.886s	PASSED
20	<p>selectOptionByValue(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb"), "string:useScale", true)</p> <p>All options with value 'string:useScale' are selected in object 'Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select option name -- restrictAns_55f4fb' using regular expression</p>	1.364s	PASSED
21	<p>selectOptionByValue(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3"), "string:t1", true)</p> <p>All options with value 'string:t1' are selected in object 'Object Repository/C8_File_Input_OR/Page_LINGOturk/select_-- select csv field -- t1t2t3' using regular expression</p>	1.282s	PASSED
22	<p>click(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Save"))</p> <p>Object: 'Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Save' is clicked on</p>	0.682s	PASSED
23	<p>click(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Edit"))</p> <p>Object: 'Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Edit' is clicked on</p>	0.900s	PASSED
24	<p>click(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/button_-"))</p> <p>Object: 'Object Repository/C8_File_Input_OR/Page_LINGOturk/button_-' is clicked on</p>	0.643s	PASSED

## C8\_File\_Input

---

#	Description	Elapsed	Status
25	click(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Save"))  Object: 'Object Repository/C8_File_Input_OR/Page_LINGOturk/button_Save' is clicked on	30.487s	PASSED
26	click(findTestObject("Object Repository/C8_File_Input_OR/Page_LINGOturk/span_Done Editing"))  Object: 'Object Repository/C8_File_Input_OR/Page_LINGOturk/span_Done Editing' is clicked on	1.014s	PASSED
27	closeBrowser()  Browser is closed	1.800s	PASSED