

Trace Metal Analysis Kit (ICP)

Life Science & Workflow Kits | Laboratory Workflow Kits

1. Specification scope

Product	Trace Metal Analysis Kit (ICP)
CAS number	-
Grade scope	Controlled grade available on request
Document status	Reference specification summary

The values below are representative catalog specifications. Where several grades are listed, acceptance limits may differ by grade. The current controlled grade-specific specification agreed at quotation or qualification is the governing document.

2. Test requirements

Test item	Specification / reference value	Test method
Identification	Conforms to the approved product reference	Approved method
Appearance	Conforms to the grade-specific controlled specification	Visual / approved method
Assay / purity	Grade-specific controlled limit	Approved method
Water	Grade-specific controlled limit	Karl Fischer or approved method
Residue / non-volatile matter	Grade-specific controlled limit	Approved method

3. Packaging and release documentation

Package size	Container / format	Supply status
1 kit	Compatible container selected by product and grade	Available on request

Each released batch is supported by a batch-specific Certificate of Analysis. Packaging sizes are consolidated in this document; actual availability, closure system and minimum order quantity are confirmed with the quotation.

4. Document control notice

This downloadable file is a reference summary generated from the LANCHROM product catalog. Request the current approved specification, SDS and sample COA before method validation, supplier qualification, regulatory submission or purchase release.