



postgres/postgres@etl_project ▾

Query Editor

Query History

```
1  Select
2  ct.category_name,
3  avg(pr.list_price) as avg_price
4  From
5  product_price pr
6  join lk_category ct on pr.category_id=ct.id
7  group by ct.category_name
8  order by avg_price desc
9  ;
```

Data Output

Explain

Messages

Notifications

	<div>category_name</div> <div>character varying (100)</div>	<div>avg_price</div> <div>double precision</div>	
1	Shoes	107.99666666666667	
2	Racquets	84.23222222222222	
3	Bags	54.663333333333334	
4	Balls	11.156666666666666	
5	Accessories	6.906666666666667	



postgres/postgres@etl_project ▾

Query Editor

Query History

```
1  Select
2  st.store_name,
3  avg(pr.list_price) as avg_price
4  From
5  product_price pr
6  join lk_store st on pr.store_id=st.id
7  group by st.store_name
8  order by avg_price desc
```

Data Output

Explain

Messages

Notifications

	store_name character varying (100)	avg_price double precision
1	Wilson	66.99625
2	Academy	58.677500000000001
3	Ebay	39.4487500000000004

```

1  Select
2  st.store_name,
3  ct.category_name,
4  avg(pr.list_price) as avg_price
5  From
6  product_price pr
7  join lk_store st on pr.store_id=st.id
8  join lk_category ct on pr.category_id=ct.id
9  group by st.store_name, ct.category_name
10 order by avg_price desc

```

Data Output Explain Messages Notifications

	store_name character varying (100)	category_name character varying (100)	avg_price double precision
1	Academy	Shoes	129.99
2	Wilson	Shoes	129
3	Wilson	Racquets	99.66666666666667
4	Academy	Racquets	94.99000000000001
5	Wilson	Bags	89
6	Ebay	Shoes	65
7	Ebay	Racquets	58.04
8	Academy	Bags	39.99
9	Ebay	Bags	35
10	Ebay	Balls	24.99
11	Ebay	Accessories	8.24
12	Wilson	Accessories	6.49
13	Wilson	Balls	5.99
14	Academy	Accessories	5.99
15	Academy	Balls	2.49