

THE CONFIDENT CLINICIAN

A mini session-rescue guide for when your therapist brain leaves the building

What the Hell Do I Say Now?

5 high-panic moments. 15 phrases to borrow. One calmer next move.

Created by Tiffany McGilloway, LPC

THE CONFIDENT CLINICIAN

BEFORE WE GET INTO IT

Your degree did not disappear. Your brain is just trying to do twelve jobs at once.

A client stops talking. Starts crying. Says "I don't know." Suddenly every counseling skill you have ever learned goes offline, and you are considering asking how work has been again.

That moment does not automatically mean you are bad at therapy. It usually means you need fewer possible moves — not a more impressive intervention.

You do not need the perfect response. You need one thoughtful next move.

WHAT THIS MINI GUIDE WILL HELP YOU DO

- Pause before panic-questioning the client into another dimension.
- Choose one clinical direction instead of grabbing at random techniques.
- Borrow natural language until your own words come more easily.
- Stay present when the session gets quiet, emotional, messy, or off-script.

USE YOUR WHOLE CLINICIAN BRAIN

This guide is educational and does not replace supervision, consultation, formal training, safety assessment, your organization's policies, or your legal and ethical responsibilities. All examples are fictional composites. Adapt every phrase to the client, context, culture, treatment plan, and your scope of practice.

© 2026 Tiffany McGilloway / The Confident Clinician. For individual professional use only. Please do not reproduce, resell, teach from, upload, or redistribute this guide.

THE MINI FRAMEWORK

The NEXT Move Map

Use this when you feel the urge to ask four questions, change the subject, overexplain a concept, or introduce a worksheet nobody requested.

N

NOTICE THE MOMENT

What changed? What is happening in the client, in you, and between you right now?

E

EASE YOUR OWN URGENCY

Exhale. Unclench your jaw. You do not have to erase discomfort within six seconds.

X

EXAMINE WHAT THE MOMENT NEEDS

Does it need depth, clarity, connection, challenge, or containment?

T

TRY ONE CLEAN MOVE

Say one thing. Then wait, listen, and let the client's response guide the next step.

"The next move does not need to be impressive. It needs to be connected to what is actually happening."

YOUR FIVE CLINICAL DIRECTIONS

DEEPEN Move from the headline into emotion, meaning, need, image, belief, or body experience.

CLARIFY Slow the story down and make the moment specific enough to understand.

CONNECT Link this moment to a pattern, history, value, protective strategy, or relationship.

CHALLENGE Gently name a discrepancy, avoidance, cost, assumption, or choice that deserves examination.

CONTAIN Reduce intensity, create structure, orient to safety, regulate, prioritize, or make the work manageable.

SESSION MOMENT 01

The client says, "I don't know."

"I don't know" may be information, not resistance.

The question may be too broad, abstract, fast, or emotionally loaded. The client may genuinely not know yet, know but feel exposed saying it, fear giving the "wrong" answer, or need more structure.

Your job: treat "I don't know" as a locked door, not a dead end. Make the question safer, smaller, more concrete, or more experiential.

DO NOT AUTOMATICALLY

- Repeat the same question louder or with more words.
- Stack three new questions on top of the first.
- Assume the client is avoiding or refusing the work.

TRY INSTEAD

- Narrow the question to one moment.
- Offer gentle options without choosing the answer.
- Stay curious about what makes the question hard.

LANGUAGE YOU CAN BORROW

"You may not know yet. What is your best guess?"

"Would it be easier to start with what it is not?"

"Can we make the question smaller — what happened in the ten seconds before you shut down?"

SESSION MOMENT 02

The session goes silent.

Silence can be emotion, thoughtfulness, avoidance, regulation, disconnection, or simply a normal pause.

The client may be deciding whether it is safe to continue, organizing their thoughts, feeling something they cannot yet name, waiting for your response, or withdrawing. Your discomfort may also be louder than the actual problem.

Your job: presence includes responsiveness, not filling waiting forever. First notice the quality of the silence; then decide whether to deepen, clarify, or contain.

DO NOT AUTOMATICALLY

- Fill every pause with another question.
- Switch topics because you feel awkward.
- Assume silence means the client expects you to perform.

TRY INSTEAD

- Let ten more seconds pass.
- Name the shift without assigning a meaning.
- Ask whether the silence feels useful, overwhelming, or disconnected.

LANGUAGE YOU CAN BORROW

"We can let this be quiet for a moment."

"Something shifted just now. What are you noticing?"

"I noticed you looked away when we touched that. What happened inside?"

SESSION MOMENT 03

The client starts crying.

Crying is not automatically an emergency.

Tears may signal grief, relief, anger, shame, tenderness, overwhelm, recognition, fear, connection, or finally feeling safe enough not to hold everything together. The meaning matters more than the tears themselves.

Your job: emotion is not the same as danger. Stay with it when it is tolerable; contain and orient when the client is overwhelmed, disconnected, or unsafe.

DO NOT AUTOMATICALLY

- Rush to stop the crying.
- Say "You are so strong" before understanding the moment.
- Change the topic because the emotion feels too big.

TRY INSTEAD

- Stay grounded and let the emotion exist.
- Name what you notice without deciding why.
- Check whether the client wants company, space, words, or regulation.

LANGUAGE YOU CAN BORROW

"We do not have to rush past this."

"What are these tears saying that words have not said yet?"

"You are saying it is fine, and your tears seem to be telling a different story."

SESSION MOMENT 04

The client talks nonstop and you cannot find an opening.

The goal is not to punish detail. It is to create focus together.

Fast or expansive talking may regulate anxiety, prevent emotion, organize thoughts, seek validation, recreate a relational pattern, reflect neurodivergence, or simply be the client's communication style.

Your job: a respectful interruption protects the session. Focus is something you create with the client, not something you silently resent them for not providing.

DO NOT AUTOMATICALLY

- Continue nodding until there are four minutes left.
- Interrupt with an unrelated question just to regain control.
- Treat the client's communication style as a character flaw.

TRY INSTEAD

- Interrupt warmly and explain why.
- Reflect the headline, then move toward meaning.
- Offer a choice between two clinically useful directions.

LANGUAGE YOU CAN BORROW

"I want to pause — not because the details do not matter, but because I do not want us to miss what this did to you."

"I am hearing three important pieces. Which one needs our attention today?"

"When you saw that message, what did you immediately decide it meant about you?"

SESSION MOMENT 05

You have no idea where the session is going.

Nothing feels wrong exactly — but nothing feels organized either.

The client may need help prioritizing, the shared goal may be unclear, the session may be circling one emotional theme, or you may be collecting information without forming a working hypothesis.

Your job: you do not need the entire treatment arc in the moment. You need a working focus, a tentative understanding, and permission to revise both.

DO NOT AUTOMATICALLY

- Introduce a random intervention to make the hour feel productive.
- Keep gathering facts and hope an insight appears.
- Pretend you know the destination and force the client toward it.

TRY INSTEAD

- Pause and summarize the threads you hear.
- Name the shared theme or tension tentatively.
- Collaboratively choose one focus for the remaining time.

LANGUAGE YOU CAN BORROW

"There are a few directions we could go. Which would make today feel most useful?"

"I am hearing work, your partner, and your mom — but the thread underneath all three sounds like never feeling allowed to disappoint anyone. Does that fit?"

"Before we go further, what are you hoping is different by the end of today's session?"

SCREENSHOT THIS PAGE

15 phrases for when your brain is buffering

Do not memorize these like spellwork. Borrow the intention, adapt the wording, say one clean sentence, and notice what happens next.

DEEPEN

- *"Can we slow that part down?"*
- *"What feels hardest to put into words?"*
- *"What are you noticing in yourself right now?"*

CLARIFY

- *"Can you walk me through the exact moment it changed?"*
- *"When you say 'bad,' what did bad look like that day?"*
- *"Which part of this feels most important?"*

CONNECT

- *"Where else does this version of you show up?"*
- *"What did you learn you had to do to stay connected?"*
- *"Is this a familiar role for you — being the one who holds it all?"*

CHALLENGE

- *"Can I gently point out a tension I am hearing?"*
- *"What is this strategy protecting you from — and what is it costing you?"*
- *"What evidence are you using to decide that is what they meant?"*

CONTAIN

- *"We do not have to solve all of this today."*
- *"Let's decide what needs attention first."*
- *"Would it help to stay with the feeling, or do we need to help your body settle?"*

"Confidence is not having the perfect line. It is staying curious enough to choose a useful direction."

YOU GOT THE MINI RESCUE KIT

But therapy can get weird in way more than five ways.

This guide helps when you need a sentence. The full playbook helps you build the clinical thought process underneath the sentence — so you can stop collecting scripts and start trusting your next move.

THE MINI GUIDE ANSWERS

"What can I say right now?"

THE FULL PLAYBOOK ANSWERS

"How do I know what this moment needs?"

INSIDE THE COMPLETE 62-PAGE PLAYBOOK

- The full NEXT Move Map and 30-second decision guide
- 14 real stuck-session scenarios — not just five
- Exact language for silence, tears, shutdown, avoidance, rupture, surface-level sessions, "What should I do?" and more
- Rushed move vs. useful move mini case examples
- A printable one-page Session Rescue Sheet
- A flexible session map and mini case-conceptualization framework
- Session-ending language, a post-session debrief, supervision prompts, and practice cases
- A 25-phrase quick-grab page for the moments your brain becomes a Windows computer from 2003

GET THE COMPLETE PLAYBOOK →

theconfidentclinician.me/official-playbook

Created by Tiffany McGilloway, LPC — The Confident Clinician

[@theconfidentclinician](https://theconfidentclinician) · theconfidentclinician.me