

Check List Peralatan ATG Pekerjaan " TSA Preventive Maintenance Peralatan ATG Area OM "

Periode Ke : Febuari 2023

	Hari/Tanggal		NO RES	ATG S	iystems		Tank Master Status		Power Switch		Shroud Cable			Gre	ound	Keterangan
No		Nama Tangki	Level	Temp	FWL	RDU	Tank Master	Intranet	Fungsional	Shroud Cable	RTG	MST	RDU	RTG	MST	Keterangan
1	Jum'at, 20/02/2023	A-1	V	1	/	V	1	~	V	x	×	×	×	1	V	
2	Jum'at, 20/02/2023	A-2	1	V	1	/	V	1	_	×	×	×	x	1	V	
3	Jum'at, 20/02/2023	A-3	V	1	1	1	1	V	V	×	x	V	x	1	V	
4	Jum'at, 20/02/2023	A-4	1	V	V	1	1	V	V	×	×	×	X	V	V	
5	Jum'at, 20/02/2023	A-5	1	/	V	V	V	√ ·	√	✓	V	V	×	1	V	
6		A-6						0'	VERHA	UL						
7	Jum'at, 20/02/2023	A-7	1	V	1	V	×	×								WIKA
8	Selasa, 24/02/2023	A-15	~	1	V	V	V	V	V	√.	V	√	V	V	V	
9		A-16						M	OD TA	NK						
10	Selasa, 24/02/2023	A-17	1	V	V	V	V	V	V	V	V	V	V	1	V	
11	Selasa, 24/02/2023	A-18	1	1	1	V	V	V	V	V	V	V	V	V	1	
12		A-19						TANI	K CLEA	NING						
13	Selasa, 24/02/2023	A-20	1	V	V	V	V	V	1	V	V	1	V	V	1	FWL tidak muncul Tankmaster, massa jenis air yg berbeda
14	Jum'at, 27/02/2023	A-21	1	V	1	1	1	√	V	√	V	V	x	1	1	
15	Jum'at, 27/02/2023	A-22	1	1	V	V	V	V	V	V	V	×	×	V	V	
16	Jum'at, 27/02/2023	A-23	1	1	. /	1	1	V	V	V	1	V	ж	1	V	
17	Jum'at, 27/02/2023	A-24	1	V	V	V	V	√	1	V	×	×	V	1	V	
18		A-25						TANI	K CLE	ANING						
19	Jum'at, 27/02/2023	A-26	1	1	V	1	V	1	1	×	x	1	×	1	1	
20	Jum'at, 27/02/2023	A-27	1	V	V	~	V	V	V	V	×	V	x	V	V	
21	Jum'at, 27/02/2023	A-28	V	V	1	1	V	V	V	V	V	/	×	V	V.	
22	Jum'at, 27/02/2023	A-29	1	V	V	1	V	V								WIKA
23	Jum'at, 27/02/2023	A-30	1	V	V	V	✓	√	V	V	1	V	✓	- 1	V	
24	Senin, 30/02/2023	A-31	1	V	V	V	V	V	1	×	V	×	x	/	V	
25	Senin, 30/02/2023	A-32	1	V	V	1	√	1	√	V	×	V	×	V	V	
26	Senin, 30/02/2023	A-33	1	V		V	✓	V	1	√	1	V	x	V	V	TankHub tidak support FWL
27	Selasa, 31/02/2023	E-1	V	V	V	V	V	√	V	V	1	V	V	V	1	FWL tidak muncul Tankmaster, massa jenis air yg berbeda
28	Selasa, 31/02/2023	E-2	1	√	V	V	√	V	V	√-	V	√	1	1	V	
29	Selasa, 31/02/2023	E-3	1	V	V	V	1	V	V	V	V	1	V	V	1	FWL kadang2 tidak muncul
30		E-4						TAN	K CLE	ANING						8
31	Selasa, 31/02/2023	E-5	V	V	V	V	1	V	V	V	V	1	×	1	V	
32	Selasa, 31/02/2023	E-6	V	V	V	1	V	~	1	√	1	1	×	V	· V	*
33	Selasa, 31/02/2023	E-7	V	1	V	V	1	V	V	V	1	1	. 1	1	1	

No	Hari/Tanggal	Nama Tangki		ATG S	ystems		Tank Mast	er Status	Power Switch			Shroud Cable		Gro	ound	
			Level	Temp	FWL	RDU	Tank Master	Intranet	Fungsional	Shroud Cable	RTG	MST	RDU	RTG	MST	Keterangan
34		T-901						TANE	CLEA	NING						
35	Jum'at, 3/02/2023	T-902	V	V	V	/	1	V	V	1	1	1	1	1	1	
36	Jum'at, 3/02/2023	T-903	1	1	V	V	1	V	1	V	1	1	V	1	V	
37	Jum'at, 3/02/2023	T-904	1	1	V	1	V	V	1	1	1	1	1	V	V	
38	Jum'at, 3/02/2023	T-201	1	1	V	V	1	1	V	V	1	1	×	V	V	
9	Jum'at, 3/02/2023	T-202	1	1	√	1	1	1	_	V	1	1	×	V	V	
10	Jum'at, 3/02/2023	T-203	V	1	V	V	1	V	V	1	1	1	×	√	V	
11	Kamis, 16/02/2023	V-1	V	1	V	V	V	V	V	V	1	1	1	1	V	
2	Kamis, 16/02/2023	V-2	1	1	V	1	1	1	1	1	1	1	1	V	V	
3	Jum'at, 20/02/2023	D20-05A	V	1	V	1	1	1	V	V	1	1	×	V	V	Intermitten, PT. Pinaras
14	Jum'at, 20/02/2023	D20-05B	1	1	V	1	1	1	V	×	1	1	×	/	V	Intermitten, PT. Pinaras
15	Jum'at, 20/02/2023	D20-05C	V	1	V	V	1	V	V	1	1	1	×	√	✓	Intermitten, PT. Pinaras
16	Jum'at, 20/02/2023	D20-05D	V	V	V	V	1	V	V	V	1	×	x	1	V	Intermitten, PT. Pinaras
17		D20-06A						M	OD TA	NK						
8	Jum'at, 20/02/2023	D20-06B	V	1	V	-	V	✓	1	1	1	×	×	V	V	Intermitten, PT. Pinaras
9	Jum'at, 20/02/2023	D20-07A	1	1	V	1	1	V	V	×	×	×	×	V	√	Intermitten, PT. Pinaras
0	Jum'at, 20/02/2023	D20-07B	V	V	V	V	V	V	V	1	×	×	x	1	✓	Intermitten, Kabel RDU Putus
1	Jum'at, 20/02/2023	D20-07C	V	1	V	V	V	V	V	1	1	×	×	V	V	Intermitten, PT. Pinaras
2		D20-04A						TANE	CLEA	NING				,		
53	Selasa, 24/02/2023	D20-04B	V	1	V	V	V	V	V	1	1	1	1	√	√	
4	Selasa, 24/02/2023	D20-04C	1	1	√	V	V	1	V	~	1	V	V	V	V	
5	Selasa, 24/02/2023	D20-01A	V	1	V	V	V	V	x	V	×	×	×	V	V	Power Switch Rusak
66	Selasa, 24/02/2023	D20-01B	V	1	√	1	V	1	1	V	×	×	x	V	V	
7	Jum'at, 27/02/2023	D20-13A	V	1	✓	V	V	V	V	×	×	×	×	V	√	
8	Jum'at, 27/02/2023	D20-13B	V	1	√	-	1	1	V	×	×	x	x	1	V	
9	Jum'at, 27/02/2023	D20-15A	MOD TANK													
0	Jum'at, 27/02/2023	D20-15B	1	V	V	V	V	1	1	×	×	×	x	- 1	V	
1	Selasa, 31/02/2023	R-1	1	1	V	√	1	V	-	1	1	×	×	V	V	
2		R-2						M	OD TA	NK						
3	Selasa, 31/02/2023	R-3	V	1	V	V	1	1	V	V	×	×	×	1	V	
4	Selasa, 31/02/2023	R-4	_	V	V	V	V	1	V	×	1	×	×	√	V	
5	Selasa, 31/02/2023	R-5	_	V	√	V	/	V	V	×	×	x	×	1	V	
56	Selasa, 31/02/2023	R-6	V	1	√	1	/	1	1	-	×	×	x	√	V	
57	Selasa, 31/02/2023	R-7	V	1	1	V	V	1	1	×	1	×	×	V	/	
8	Selasa, 31/02/2023	R-8	V	V	V	V	V	V	V	×	×	×	×	V	V	
9	Selasa, 31/02/2023	R-9	1	V	V	1	V	√	1	1	×	×	×	√	1	
70	Selasa, 31/02/2023	R-10	_		1	/	×	×	V	1	V	1	V	√	/	Intermitten, Overhaul

	Hari/Tanggal	Nama Tangki		ATG S	ystems	WE IV	Tank Master Status		Power Switch			Shroud Cable		Gro	ound	Keterangan
No			Level	Temp	FWL	RDU	Tank Master	Intranet	Fungsional	Shroud Cable	RTG	MST	RDU	RTG	MST	Keterangan
71	Selasa, 31/02/2023	D20-08	_	V		V	V	√	V	V	1	1	V	√	V	TankHub tidak support FWL
72	Senin, 30/02/2023	R-11	1	1	/	V	V	V	1	1	1	×	×	~	1	
73	Senin, 30/02/2023	V-3	V	V	V	V	V	V	1	1	V	V	1	_	1	
74	Senin, 30/02/2023	V-4	V	1	V	V	V	. 🗸	V	V	_	1	×	V	V	
75	Senin, 30/02/2023	V-5	V	V	1	V	√	1	V	1	1	V	×	_	V	
76	Senin, 30/02/2023	V-6	V	V	√	V	1	V	V	1	1	1	1	-	1	
77	Senin, 30/02/2023	V-7	/	1	V	1	√	V	V	1	1	1	1	V	1	
78	Selasa, 24/02/2023	N-2	V	V	1	V	√	√	1	1	1	V	×	V	V	
79	Selasa, 24/02/2023	N-4	1	1	V	V	V	V	V	V	1	V	×	V	V	
80	Selasa, 24/02/2023	0-1	√	V	√	1	1	_	V	V	1	x	×	V	V	
81	Selasa, 24/02/2023	0-2	. 🗸	V	1	V	/	V	1	1	1	×	×	1	1	(10)
82	Kamis, 16/02/2023	0-3	_	V	_	V	V	V	1	V	×	×	×	V	1	
83	Kamis, 16/02/2023	0-4	V	V	V	V	√	1	/	×	×	×	×	1	V	
84	Kamis, 16/02/2023	0-6	_	V	V	V	V	V	V	×	1	x	V	_	V	
85	Kamis, 16/02/2023	0-8	1	V	V	V	1	V	V	V	×	×	V	1	V	
86	Selasa, 7/02/2023	0-9	_	_	V	_	V	V	V	V	×	1	×.	V	V	
87	Selasa, 7/02/2023	0-10	/	V	_	V	V	V	V	×	x	×	x	V	V	
88	Selasa, 7/02/2023	0-11	_	V	_	_	√	V	V	×	x	x	×	V	/	
89	Selasa, 7/02/2023	0-12	1	_	/	1	1	V	V	×	1	1	V	√	-	
90	Selasa, 7/02/2023	0-13	_	_	_	_	V	V	V	×	1	1	V	1	V	
91	Selasa, 7/02/2023	0-14	_	1	_	_	-	_	x	x	x	x	x	V	V	Power Switch Rusak, menunggu pergantian PT. Pinaras
92	Jum'at, 20/02/2023	D20-17	1	x	_	_	-	V	V	/	V	V	×	V	V	MST Rusak, Gak ada Spare
93	Jum'at, 20/02/2023	D20-18	-/	_	1	_	1	1	V	x	×	×	x	V	V	
94	Selasa, 31/02/2023	0-15	_	-	1	/	_	/	_	_	_	×	×	V	V	
95	Selasa, 31/02/2023	0-16	-	-	/	-	-	_	1	ж	×	×		1	_	
96	Selasa, 31/02/2023	0-17	_	/	_	/	V	_	-	×	×	×	×	_	V	
97	Senin, 30/02/2023	0-18	-/	-	_	/	-	1	_	/	_	_	_	_	_	
98	Senin, 30/02/2023	0-19	-/	-	/	/	/	_	_	_	×	×	_	_	_	
99	Senin, 30/02/2023	0-20	-	1	1	1	/	1	1	×	×	x	ж	1	1	
100	Senin, 30/02/2023	0-20	-	-	1	-	-	_	1		_	1	_	1	1	0
101	Senin, 30/02/2023	0-21	-	-	1	-	-									WIKA
101	Senin, 30/02/2023 Senin, 30/02/2023	0-23	-	-	1	-	-	-	-				_	_	_	
_	Senin, 30/02/2023 Senin, 30/02/2023	0-23	-	1	1	1	-	7	-	-		_	/	1	V	
103	Senin, 30/02/2023	0-24							VERHA							
104	Felera 7/03/2022	D20-11	1		1			70	EKHI					/	- V	
105	Selasa, 7/02/2023	D20-11		1	-	-		-	-	*	-	-		-		
106	Selasa, 7/02/2023			7	-/	-		1	-	×	-	×	×	/	-	
107	Selasa, 7/02/2023	P-31	· V	V	Ψ.	Y	Ψ.			^	*	^	_		*	

					ATG S	ystems		Tank Mas	ter Status	Powe	er Switch	Tuestill T	Shroud Cable		Gro	ound	
10	No	Hari/Tanggal	Nama Tangki	Level	Temp	FWL	RDU	Tank Master	Intranet	Fungsional	Shroud Cable	RTG	MST	RDU	RTG	MST	Keterangan
108	Selasa, 7/02/2023	P-32	/	V	_	_	V	V	V	1	ж	×	×	V	√		
.09	Jum'at, 27/02/2023	P-1	1	V	V	V	V	V	V	×	V	x	×	✓	√		
110	Jum'at, 27/02/2023	P-2	1	√	V	V	V	V	V	V	x	×	x	1	V		
111		P-3		4.				TANE	CLEA	ANING							
112		P-4		MOD TANK													
113	Jum'at, 27/02/2023	P-5	1	V	V	1	V	V	1	V	×	×	×	√	V		
114	38 70	P-7	V	1	V	1	√	V								WIKA	
115	Jum'at, 27/02/2023	P-8	1	V	V	1	V	V	✓	V	V	1	V	√	V		
116	Jum'at, 27/02/2023	D20-03	V	1	V	1	V	√	1	1	×	x	×	V	V		
17	Kamis, 16/02/2023	D-320-12	V	1	V	V	1	V	V	1	1	1	V	✓	V		
18	Kamis, 16/02/2023	D-320-02A	. 1	V	V	V	1	V	V	1	1	1	√	V	V		
19	Kamis, 16/02/2023	D-320-02B	V	V	V	V	V	1	V	1	1	V	V	√	V		
20	Senin, 30/02/2023	C20-01A	1	1	1	V	V	V	V	V	1	V	1	. 1	✓		
21	Senin, 30/02/2023	C20-01B	V	1	√	1	√	1	V	V	1	1	1	V	V	Intermitten	
122																	
1000			0	1	0	0	2	2	2	28	36	46	64	0	0		

NOTE:

a. Pemasangan Kondom Gland kabel dilakukan mulai bulan depan

PT.Control Systems

Instrument MA4