

Check List Peralatan ATG Pekerjaan " TSA Preventive Maintenance Peralatan ATG Area OM "

Periode Ke : November 2023

93	Salara en Est	Nama Tangki	ATG Systems			Tank Mas	ter Status	Powe	r Switch		Shroud Cable	LEUNIN			
No	Hari/Tanggal		Level	Temp	FWL	RDU	Tank Master	Intranet	Fungsional	Shroud Cable	RTG	MST	RDU	Overall Status	Keterangan
1	Senin, 21 Oktober 2023	A-1	~	~	1	1	V	- 1	V	×	√	×	×	Good	
2	Senin, 21 Oktober 2023	A-2	1	-	_	V	1	V	V	×	1	×	×	Good	
3	Senin, 21 Oktober 2023	A-3	1	1	1	_	1	V	V	×	1	1	×	Good	
4	Senin, 21 Oktober 2023	A-4	1	1	x	V	/	✓	V	x	V	×	x	Good with note	Sensor FWL Broken, Gak ada Spare
5	Senin, 21 Oktober 2023	A-5	1	V	√	V	V	V	V	✓	V	1	x	Good	
6		A-6												Overhaul	
7		A-7												Modtank	
8	Rabu, 23 Oktober 2023	A-15	1	1	V	V	V	1	V	V	1	V	V	Good	
9		A-16												Modtank	
10		A-17												Overhaul	
11	Rabu, 23 Oktober 2023	A-18	V	1	V	_	V	V	V	V	V	V	1	Good	
12	Selasa, 19 November 2023	A-19	V	1	1	V	×	×	V	V	1	1	1	Good	Menuggu serah terima 🌣 🕏 🗥
13	Rabu, 23 Oktober 2023	A-20	V	V	V	V	V	_	V	V	V	V	V	Good	•
14	Selasa, 23 Oktober 2023	A-21	V	_	x	1	V	-	1	V	1	1	×	Overhaul	FWL Error
15	Selasa, 23 Oktober 2023	A-22	1	V	V	V	V	/	V	V	V	×	×	Good	
16	Selasa, 23 Oktober 2023	A-23	~	_	V	V	V	V	1	/	_	V	×	Good	
17	Selasa, 23 Oktober 2023	A-24	V	V	1	_	V	_	V	V	V	V	V	Good	
18	Selasa, 23 Oktober 2023	A-25	V	V	V	1	√	1	1	V	V	V	V	Good	
19	Selasa, 23 Oktober 2023	A-26	V	V	V	V	V	V	V	×	V	V	×	Good	
20	Selasa, 23 Oktober 2023	A-27	_	V	V	V	V	V	1	/	1	V	x	Good	
21		A-28												Overhaul	
22	Jum'at, 25 Oktober 2023	A-29	_	· /	V	V	V	-			_	V	V	Good	Tidak ada Power Switch
23	Jum'at, 25 Oktober 2023	A-30	1	V	1	_	V	_	1	V	V	V	V	Good	
24	Jum'at, 25 Oktober 2023	A-31	V	V	1	V	-	_	V	×	V	x	×	Good	
25	Jum'at, 25 Oktober 2023	A-32	1	V	V	V	✓	_	V	V	×	V	×	Good	
26	Jum'at, 25 Oktober 2023	A-33	1			V	V	_	V	V	/	V	×	Good	Water level sensor not available
27	10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.000 - 10.	E-1												Overhaul	TI TI
28	Senin, 28 Oktober 2023	E-2	V	√	V	√	_	V	V	V	V	V	V	Good	
29	Senin, 28 Oktober 2023	E-3	1	_	×	√	√	V	V	V	V	V	V	Good with note	FWL Error
30		E-4												Overhaul	
31	Senin, 28 Oktober 2023	E-5	_	1	_	V	V	V	V	✓	_	V	×	Good	
32	Senin, 28 Oktober 2023	E-6	_	/	1	V	V	V	V	V	V	V	×	Good	
33	James and Market Ballet	E-7												Overhaul	
34		T-901												Overhaul	



	Hari/Tanggal	Nama Tangki		ATG S	ystems		Tank Master Status Pov			r Switch	Shroud Cable			Overall Status	Keterangan
lo			Level	Temp	FWL	RDU	Tank Master	Intranet	Fungsional	Shroud Cable	RTG	MST	RDU	Overall Status	Reterangan
5	Selasa, 29 Oktober 2023	T-902	_	/	V	1	1	_	V	√	1	V	√	Good	
5	Selasa, 29 Oktober 2023	T-903	/	1	V	1	V	V	V	V	V	V	√	Good	
,	Selasa, 29 Oktober 2023	T-904	1	V	V	1	1	V	V	√	1	1	V	Good	
3		T-201							1					Overhaul	
9	Selasa, 29 Oktober 2023	T-202	V	V	V	-	V	V	✓	V	V	1	×	Good	
	Selasa, 29 Oktober 2023	T-203	_	√	V	V	V	_	V	V	1	V	x	Good	
1	Senin, 21 Oktober 2023	V-1	_	V	V	_	V	_	V	V	V	V	√	Good	
2	Senin, 21 Oktober 2023	V-2	1	1	_	/	V	_	V	V	1	V	V	Good	
3	Senin, 21 Oktober 2023	D20-05A	1	1	/	V	/	_	V	V	1	1	×	Good	
4	Senin, 21 Oktober 2023	D20-05B	1	_	/	/	V	V	√	1	_	1	×	Good	
5	Senin, 21 Oktober 2023	D20-05C	1	1	_	1	-	1	V	V	_	V	×	Good	
5	Senin, 21 Oktober 2023	D20-05D	/	1	1	/	1	1	V	V	1	×	×	Good	
7	Sellin, 21 Oktober 2025	D20-06A												Modtank	
8	Senin, 21 Oktober 2023	D20-06B	_	1	/	/	1	_	V	V	V	×	×	Good	
9	Senin, 21 Oktober 2023	D20-00B		-	/	/	1	1	V	1	V	×	×	Good	
)	Senin, 21 Oktober 2023	D20-07B	_	/	/	1	-	_	1	1	1	×	×	Good	
-		D20-07B	-	-	/	-	1	1	_	/	-	×	×	Good	
1	- Senin, 21 Oktober 2023	D20-07C				-	-							Tank Cleaning	
2	C1- 20 Olt-1 2022	D20-04A	_		-	-	1	_	/	/	_	_	V	Good	
3	Senin, 28 Oktober 2023	D20-04B	-/	-	1	-	-	-	_	/	_	_	1	Good	
4	Senin, 28 Oktober 2023	D20-04C		-	1	-	1	-/	×		_	×	×	Good	
5	Senin, 28 Oktober 2023		-	-	1	-	-		/		/	x	×	Good	
6	Senin, 28 Oktober 2023	D20-01B	-	-	-	-	-	-	-	x	×	×	×	Good	
7	Senin, 28 Oktober 2023	D20-13A		-	-	-	-	-	-	x	×	×	×	Good	
8	Senin, 28 Oktober 2023	D20-13B		· ·	· ·	,	*	,	-			-		Modtank	
9	0.000	D20-15A			1	-		1	-	x	×	×	×	Good	
0	Senin, 28 Oktober 2023	D20-15B		- V	V	-	-	-	-	7		×	×	Good	
1	Selasa, 12 November 2023	R-1	V	V.		· ·	*	,	-			1000	-	Modtank	
2		R-2		-/	1	-		-	-		×	×	x	Good	
3	Selasa, 12 November 2023	R-3	1	V	- V	- ×		- V	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	×	- -	-	×	Good	
4	Selasa, 12 November 2023	R-4	V	V	V		V /	- V	- V	×	×	×	×	Good	10
5	Selasa, 12 November 2023	R-5	1	V	Y	V	-		- V		×	×	×	Good	
6	Selasa, 12 November 2023	R-6		1	4	1		V	V	×		×	×	Good	
7	Selasa, 12 November 2023	R-7		V	V	1	V		- V	x	×	×	×	Good	
8	Selasa, 12 November 2023	_	V	V	V	~	Υ	V	ν.		^				
9		R-9												Overhaul	
0		R-10								-				Overhaul	Material research on the late
71	Selasa, 12 November 2023	D20-08	V	V		1	V	V	¥	V	V	V		Good	Water level sensor not available
72	Kamis, 14 November 2023	R-11	V	1	V	V	V	V	V	V	V	×	×	Good	



No	Hari/Tanggal	Nama Tangki		ATG S	ystems		Tank Mas	ter Status	Powe	r Switch Shroud Cable					
lo			Level	Temp	FWL	RDU	Tank Master	Intranet	Fungsional	Shroud Cable	RTG	MST	RDU	Overall Status	Keterangan
3		V-3												Overhaul	
4		V-4												Overhaul	
5	Kamis, 14 November 2023	V-5	1	V	V	V	x	×	V	V	V	√	ж		ATG dimatikan
6	Kamis, 14 November 2023	V-6	/	V	V	V	V	V	V	V	V	V	V	Good	
7	Kamis, 14 November 2023	V-7	1	V	V	V	√	V	V	V	1	√	V	Good	
8	Rabu, 6 November 2023	N-2	V	1	1	V	V	V	V	~	V	V	x	Good	
9	Rabu, 6 November 2023	N-4	V	V	V	V	V	V	V	V	V	1	x	Good	
0	Rabu, 6 November 2023	0-1	1	V	1	V	V	V	V	V	1	×	x	Good	
1	Rabu, 6 November 2023	0-2	V	√	V	V	V	V	_	V	1	×	x	Good	
2	Kamis, 7 November 2023	0-3	V	√	✓	V	V	√	V	1	1	×	×	Good	
3	Kamis, 7 November 2023	0-4	1	1	V	1	V	√	V	V	√	×	×	Good	
4	Kamis, 7 November 2023	0-6	1	1	1	_	V	✓	V	1	1	x	√	Good	
5	Kamis, 7 November 2023	0-8	V	V	√	1	V	✓	V	V	1	×	V	Good	
6	Jum'at, 8 November 2023	O-9	V	V	V	V	V	V	V	V	1	V	x	Good	
7		0-10												Overhaul	
3	Jum'at, 8 November 2023	0-11	V	V	V	V	V	V	V	V	V	×	ж	Good	
9	Jum'at, 8 November 2023	0-12	1	V	V	V	V	V	V	1	V	V	V	Good	
0	Jum'at, 8 November 2023	0-13	V	V	V	V	V	1	V	V	1	V	V	Good	•
1	Jum'at, 8 November 2023	0-14	V	1	✓	V	✓	V	V	1	1	×	×	Good	
2	Rabu, 6 November 2023	D20-17	V	×	V	V	✓	V	1	V	V	×	×	Good with note	MST Rusak, Gak ada Spare
3	Rabu, 6 November 2023	D20-18	V	1	✓	V	√	1	V	V	1	×	x	Good	
4	Senin, 5 November 2023	0-15	V	1	V	V	V	V	V	1	1	×	x	Good	
5	Senin, 5 November 2023	0-16	V	1	V	V	V	V	V	×	1	×	V	Good	
6	Senin, 5 November 2023	0-17	V	1	✓	_	V	1	1	×	1	×	×	Good	
7	Senin, 21 Oktober 2023	0-18	√	1	V	V	1	V	V	V	√	V	√	Good	
8	Senin, 21 Oktober 2023	0-19	1	V	V	V	1	V	V	V	V	x	√	Good	
9	Senin, 21 Oktober 2023	0-20	V	V	V	V	V	V	V	×	V	x	x	Good	
00	Senin, 21 Oktober 2023	0-21	V	1	V	V	1	V	V	1	1	V	√	Good	
01	Senin, 21 Oktober 2023	O-22	1	V	V	V	V	V			V	_	V	Good	
02	Senin, 21 Oktober 2023	0-23	V	1	V	V	√	1	V	V	/	1	V	Good	
03	Senin, 21 Oktober 2023	0-24	1	1	V	1	√	V	✓	V	1	1	1	Good	
)4	Senin, 21 Oktober 2023	O-25	1	V	✓	V	×	x	1	V	V	1	√	Good	Butuh penambahan daya dari SS
)5	Rabu, 6 November 2023	D20-11	V	V	V	1	V	V	V	V	1	1	√	Good	
06	Rabu, 6 November 2023	D20-12	V	V	V	V	V	V	V	1	1	V	1	Good	
07	Rabu, 6 November 2023	P-31	V	· /	V	√	V	V	V	×	V	×	×	Good	
08	Rabu, 6 November 2023	P-32	V	V	V	V	V	V	V	V	×	×	×	Good	
09	Senin, 21 Oktober 2023	P-1	1	V	V	1	1	V	V	×	1	×	×	Good	
10	Senin, 21 Oktober 2023	P-2	1	V	V	V	V	V	1	V	×	×	×	Good	

4			Aleman)	ATG S	ystems	- Edition	Tank Master Status		Power Switch		Shroud Cable				
No	Hari/Tanggal	Nama Tangki	Level	Temp	FWL	RDU	Tank Master	Intranet	Fungsional	Shroud Cable	RTG	MST	RDU	Overall Status	Keterangan
111	Senin, 12 November 2023	P-3	1	1	1	V	√	V	V	V	V	V	V	Good	The state of the s
112	Senin, 21 Oktober 2023	P-4	1	V	V	~	V	V			V	V	V	Good	
113	Senin, 21 Oktober 2023	P-5	1	√	1	1	√	√	✓	V	×	×	×	Good	
114	Senin, 21 Oktober 2023	P-7	1	V	√	V	✓	. 1			V	V	V	Good	
115	Senin, 21 Oktober 2023	P-8	1	/	1	1	V	V	1	V	1	1	V	Good	
116	Selasa, 19 November 2023	D20-03	1	1	V	1	1	V	V	√	1	1	V	Good	Menuggu serah terima Re 0 M
117	Selasa, 12 November 2023	D-320-12	1	√	V	1	V	V	V	V	V	✓	V	Good	
118	Selasa, 12 November 2023	D-320-02A	1	V	V	/	V	V	V	V	1	V	V	Good	
119	Selasa, 12 November 2023	D-320-02B	1	√	V	V	V	V	V .	√	1	1	V	Good	
120	Selasa, 12 November 2023	C20-01A	1	V	V	V	V	V	V	1	V	V	V	Good	
121	Selasa, 12 November 2023	C20-01B	V	√	1	1	✓	V	V	V	1	V	V	Good	
122															

	ATG S	ystems		Tank Mas	ter Status	Power	r Switch	Shroud Cable			
Level	Temp	FWL	RDU	Tank Master	Intranet	Fungsional	Shroud Cable	RTG	MST	RDU	
0	1	3	0	3	3	1	18	11	42	58	

NOTE:

PT.Control Systems

Instrument MA4

*** FWL = Free Water Level RDU = Remote Display Unit MST = Multi Spot Temperature RTG = Radar Tank Gauge

Page 4