

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 25.08.2020
1.1	02.03.2022	100000012862	Date of first issue: 25.08.2020

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : PREMIUMBOND GREEN
Product code : 100000012862

Manufacturer or supplier's details

Company : H.B. Fuller Company Australia Pty. Ltd.

Address : 16-22 Red Gum Drive Dandenong South, VIC 3175

Telephone : +611800423855

Emergency telephone number : 1800 033 111(AU) 0800 734 607(NZ)

Recommended use of the chemical and restrictions on use

Recommended use : Solvent based adhesive

Restrictions on use : For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 2
Skin corrosion/irritation : Category 2
Germ cell mutagenicity : Category 1B
Carcinogenicity : Category 1B
Reproductive toxicity : Category 1A
Specific target organ toxicity - repeated exposure : Category 2

GHS label elements

SAFETY DATA SHEET

Version 1.1	Revision Date: 02.03.2022	SDS Number: 100000012862	Date of last issue: 25.08.2020 Date of first issue: 25.08.2020
----------------	------------------------------	-----------------------------	---

Hazard pictograms



Signal word

: Danger

Hazard statements

: H225 Highly flammable liquid and vapour.
H315 Causes skin irritation.
H340 May cause genetic defects.
H350 May cause cancer.
H360 May damage fertility or the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

: **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.
P242 Use non-sparking tools.
P243 Take action to prevent static discharges.
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:
P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

SAFETY DATA SHEET

Version 1.1	Revision Date: 02.03.2022	SDS Number: 100000012862	Date of last issue: 25.08.2020 Date of first issue: 25.08.2020
----------------	------------------------------	-----------------------------	---

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Solvent naphtha (petroleum), light aliph.	64742-89-8	>= 30 -< 60
calcium carbonate	471-34-1	>= 10 -< 30
n-hexane	110-54-3	>= 10 -< 20
kaolin	1332-58-7	>= 10 -< 30
toluene	108-88-3	>= 1 -< 10

SECTION 4. FIRST AID MEASURES

General advice	: Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Wash off with soap and water. Get medical attention if irritation develops and persists.
In case of eye contact	: Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
If swallowed	: Do NOT induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	: None known.

SECTION 5. FIREFIGHTING MEASURES

SAFETY DATA SHEET

Version 1.1	Revision Date: 02.03.2022	SDS Number: 100000012862	Date of last issue: 25.08.2020 Date of first issue: 25.08.2020
----------------	------------------------------	-----------------------------	---

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Specific hazards during fire-fighting	:	Cool closed containers exposed to fire with water spray.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Hazchem Code	:	•3Y

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Prevent spreading over a wide area (e.g. by containment or oil barriers).
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Non-sparking tools should be used.

SECTION 7. HANDLING AND STORAGE

Local/Total ventilation	:	Use only with adequate ventilation.
Advice on protection against fire and explosion	:	Keep away from open flames, hot surfaces and sources of ignition. Mixture may charge electrostatically: always use earthing leads when transferring from one container to another. Keep in a bonded area. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Use only in area provided with appropriate exhaust ventilation. Vapours may form explosive mixtures with air.
Advice on safe handling	:	Avoid inhalation of vapour or mist. Do not use in areas without adequate ventilation. Keep away from fire, sparks and heated surfaces. Keep container closed when not in use. Take precautionary measures against static discharges.
Hygiene measures	:	Avoid contact with skin, eyes and clothing. Provide adequate ventilation.

SAFETY DATA SHEET

Version 1.1	Revision Date: 02.03.2022	SDS Number: 100000012862	Date of last issue: 25.08.2020 Date of first issue: 25.08.2020
----------------	------------------------------	-----------------------------	---

Conditions for safe storage : Take measures to prevent the build up of electrostatic charge.
Use explosion-proof equipment.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep away from sources of ignition - No smoking.
Solvent vapours are heavier than air and may spread along floors.

Materials to avoid : Strong oxidizing agents

Further information on storage stability : Stable under normal conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Solvent naphtha (petroleum), light aliph.	64742-89-8	TWA	900 mg/m ³	AU OEL
calcium carbonate	471-34-1	TWA	10 mg/m ³	AU OEL
Further information: This value is for inhalable dust containing no asbestos and < 1% crystalline silica				
n-hexane	110-54-3	TWA	20 ppm 72 mg/m ³	AU OEL
		TWA	50 ppm	ACGIH
kaolin	1332-58-7	TWA	10 mg/m ³	AU OEL
		TWA (Respirable particulate matter)	2 mg/m ³	ACGIH
toluene	108-88-3	TWA	50 ppm 191 mg/m ³	AU OEL
Further information: Skin absorption				
		STEL	150 ppm 574 mg/m ³	AU OEL
Further information: Skin absorption				
		TWA	20 ppm	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
n-hexane	110-54-3	2,5-	Urine	End of	0.5 mg/l	ACGIH

SAFETY DATA SHEET

Version 1.1 Revision Date: 02.03.2022 SDS Number: 100000012862 Date of last issue: 25.08.2020
Date of first issue: 25.08.2020

		Hexanedi-one		shift		BEI
toluene	108-88-3	Toluene	In blood	Prior to last shift of work-week	0.02 mg/l	ACGIH BEI
		Toluene	Urine	End of shift (As soon as possible after exposure ceases)	0.03 mg/l	ACGIH BEI

Engineering measures : Use local exhaust ventilation or other engineering controls to minimize exposures.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Organic vapour type

Hand protection
Material : Solvent-resistant gloves

Eye protection : Safety glasses with side-shields

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : green

Odour : solvent-like

Odour Threshold : no data available

pH : not applicable

Melting point/freezing point : is not determined

Boiling point/boiling range : is not determined

SAFETY DATA SHEET

Version 1.1	Revision Date: 02.03.2022	SDS Number: 100000012862	Date of last issue: 25.08.2020 Date of first issue: 25.08.2020
----------------	------------------------------	-----------------------------	---

Flash point	: -23 °C
	Method: ASTM D 93
Evaporation rate	: is not determined
Upper explosion limit / Upper flammability limit	: Upper flammability limit is not determined
Lower explosion limit / Lower flammability limit	: Lower flammability limit is not determined
Vapour pressure	: is not determined
Density	: 1.000 g/cm ³
Solubility(ies) Water solubility	: is not determined
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: is not determined
Viscosity Viscosity, dynamic	: is not determined
Viscosity, kinematic	: is not determined

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: The product is chemically stable.
Possibility of hazardous reactions	: Hazardous polymerisation does not occur.
Conditions to avoid	: Heat, flames and sparks.
Hazardous decomposition products	: Stable under normal conditions.

SAFETY DATA SHEET

Version 1.1	Revision Date: 02.03.2022	SDS Number: 100000012862	Date of last issue: 25.08.2020 Date of first issue: 25.08.2020
----------------	------------------------------	-----------------------------	---

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components:

Solvent naphtha (petroleum), light aliph.:

Acute oral toxicity : LD50 Oral (Mouse): 5,000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): 3,000 mg/kg

n-hexane:

Acute dermal toxicity : LD50 Dermal (Rabbit): 3,000 mg/kg

toluene:

Acute oral toxicity : LD50 Oral (Rat): 5,580 mg/kg

Acute inhalation toxicity : LC50 (Rat): 12.5 mg/l
Exposure time: 4 h

Skin corrosion/irritation

Product:

Remarks : no data available

Serious eye damage/eye irritation

Product:

Remarks : no data available

Chronic toxicity

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: no data available

Carcinogenicity

Product:

Remarks : no data available

SAFETY DATA SHEET

Version 1.1	Revision Date: 02.03.2022	SDS Number: 100000012862	Date of last issue: 25.08.2020 Date of first issue: 25.08.2020
----------------	------------------------------	-----------------------------	---

Reproductive toxicity

Product:

Effects on fertility : Remarks: no data available

STOT - single exposure

Product:

Remarks : no data available

STOT - repeated exposure

Product:

Remarks : no data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

n-hexane:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2.1 - 2.98 mg/l
Exposure time: 96 h
Test Type: flow-through test

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of as hazardous waste in compliance with local and national regulations.
The hazard and precautionary statements displayed on the

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 25.08.2020
1.1	02.03.2022	100000012862	Date of first issue: 25.08.2020

label also apply to any residues left in the container.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 1133
Proper shipping name	: ADHESIVES
Class	: 3
Packing group	: III
Labels	: 3

IATA-DGR

UN/ID No.	: UN 1133
Proper shipping name	: Adhesives
Class	: 3
Packing group	: III
Labels	: Flammable Liquids
Packing instruction (cargo aircraft)	: 366
Packing instruction (passenger aircraft)	: 355

IMDG-Code

UN number	: UN 1133
Proper shipping name	: ADHESIVES
Class	: 3
Packing group	: III
Labels	: 3
EmS Code	: F-E, S-D
Marine pollutant	: no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number	: UN 1133
Proper shipping name	: ADHESIVES
Class	: 3
Packing group	: III
Labels	: 3
Hazchem Code	: •3Y

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

SAFETY DATA SHEET

Version 1.1	Revision Date: 02.03.2022	SDS Number: 100000012862	Date of last issue: 25.08.2020 Date of first issue: 25.08.2020
----------------	------------------------------	-----------------------------	---

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform
Scheduling of Medicines and
Poisons : Schedule 5

Prohibition/Licensing Requirements : quartz (SiO₂)
Refer to model WHS Act and Regulations for prohibition, authorisation and restricted use.

The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: On the inventory, or in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory
REACH	: Not in compliance with the inventory

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 25.08.2020
1.1	02.03.2022	100000012862	Date of first issue: 25.08.2020

TECI : Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

Further information

Revision Date : 02.03.2022

Contact Point : Prepared by: Global Regulatory Office - phone: 1-651-236-5842 - email: msds.request@hbfuller.com

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA : 8-hour, time-weighted average
AU OEL / TWA : Exposure standard - time weighted average
AU OEL / STEL : Exposure standard - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation,

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 25.08.2020
1.1	02.03.2022	100000012862	Date of first issue: 25.08.2020

tion, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN