

# DS561-HW10

U43188754

Github Link:

<https://github.com/tigeryi1998/ds561-tigeryi/tree/main/hw10>

git clone git@github.com:tigeryi1998/ds561-tigeryi.git

## YAML Config file

gcloud deployment-manager deployments create my-deployment --config config.yaml

config.yaml

```
imports:
- path: vm-template.py
- path: network-template.py
- path: firewall-template.py
- path: compute-engine-template.py
- path: sqladmin.py
resources:
- name: compute-engine-setup
  type: compute-engine-template.py
```

vm-template.py

```
properties:
  zone: us-east1
  startup-script: |
    #!/bin/bash
    if [-d "/home/tigeryi/hw10"]; then
      echo "hw10 exist"
    else
      gsutil -m cp -r gs://ds561-tigeryi-hw10 /home/tigeryi/hw10/
    fi
    cd /home/tigeryi/hw10
    apt install python3-pip -y
    python3 -m pip install -r requirements.txt
    python3 http-server+sql.py -s
    python3 forbidden-requests.py
    python3 http-client.py -d '127.0.0.1' -b 'ds561-tigeryi-hw10' -w files -i 11000
    -n 20 -p 8080 -r 0 -f -m 'GET'
```

```
python3 http-client.py -d '127.0.0.1' -b 'ds561-tigeryi-hw10' -w files -i 11000
-n 5 -p 8080 -r 0 -f -m 'POST'

python3 http-client.py -d '127.0.0.1' -b 'ds561-tigeryi-hw10' -w files -i 11000
-n 5 -p 8080 -r 0 -f -m 'PUT'
```

# GCS Storage Bucket

Cloud Storage

Buckets

Monitoring

Settings

Bucket details

ds561-tigeryi-hw10

Location

us-east1 (South Carolina)

Storage class

Standard

Public access

Public to internet

Protection

None

OBJECTS

CONFIGURATIONPERMISSIONSPROTECTIONLIFECYCLEOBSERVABILITYINVENTORY REPORTS

Buckets > ds561-tigeryi-hw10

UPLOAD FILES

UPLOAD FOLDER

CREATE FOLDER

TRANSFER DATA

MANAGE HOLDS

DOWNLOAD

DELETE

Filter by name prefix only

Filter

Filter objects and folders

Show deleted data

<input type="checkbox"/>	Name	Size	Type	Created	Storage class	Last modified	
<input type="checkbox"/>	<a href="#">compute-engine-template.py</a>	1.4 KB	text/x-python	Dec 6, 2023, 4:25:01 PM	Standard	Dec 6, 2023, 4:25:01	<div></div>
<input type="checkbox"/>	<a href="#">config.yaml</a>	985 B	application/octet-stream	Dec 6, 2023, 4:35:06 PM	Standard	Dec 6, 2023, 4:35:06	<div></div>
<input type="checkbox"/>	<a href="#">firewall-template.py</a>	1.1 KB	text/x-python	Dec 6, 2023, 4:24:33 PM	Standard	Dec 6, 2023, 4:24:33	<div></div>
<input type="checkbox"/>	<a href="#">forbidden-requests.py</a>	673 B	text/x-python	Dec 6, 2023, 3:56:27 PM	Standard	Dec 6, 2023, 3:56:27	<div></div>
<input type="checkbox"/>	<a href="#">http-client.py</a>	8.9 KB	text/x-python	Dec 6, 2023, 3:55:58 PM	Standard	Dec 6, 2023, 3:55:58	<div></div>
<input type="checkbox"/>	<a href="#">http-server+sql.py</a>	23.7 KB	text/x-python	Dec 6, 2023, 3:56:37 PM	Standard	Dec 6, 2023, 3:56:37	<div></div>
<input type="checkbox"/>	<a href="#">network-template.py</a>	991 B	text/x-python	Dec 6, 2023, 4:25:56 PM	Standard	Dec 6, 2023, 4:25:56	<div></div>
<input type="checkbox"/>	<a href="#">requirements.txt</a>	200 B	text/plain	Dec 6, 2023, 4:34:18 PM	Standard	Dec 6, 2023, 4:34:18	<div></div>
<input type="checkbox"/>	<a href="#">sqladmin.py</a>	3.2 KB	text/x-python	Dec 6, 2023, 4:23:56 PM	Standard	Dec 6, 2023, 4:23:56	<div></div>
<input type="checkbox"/>	<a href="#">vm-client.sh</a>	562 B	application/x-sh	Dec 6, 2023, 3:57:41 PM	Standard	Dec 6, 2023, 3:57:41	<div></div>
<input type="checkbox"/>	<a href="#">vm-pubsub.sh</a>	258 B	application/x-sh	Dec 6, 2023, 3:57:49 PM	Standard	Dec 6, 2023, 3:57:49	<div></div>
<input type="checkbox"/>	<a href="#">vm-server.sh</a>	258 B	application/x-sh	Dec 6, 2023, 3:57:59 PM	Standard	Dec 6, 2023, 3:57:59	<div></div>
<input type="checkbox"/>	<a href="#">vm-template.py</a>	2.2 KB	text/x-python	Dec 6, 2023, 4:23:56 PM	Standard	Dec 6, 2023, 4:23:56	<div></div>

Marketplace

Release Notes

# http client requests

http-client.py code is modified to take all HTTP methods such as 'GET', 'POST' etc.

'GET' will return either 200 OK, or 404 File Not Found

'POST' or 'PUT' etc will return 501 Method Not Implemented

First, start the Web Server and Pub Sub Listener

```
python3 http-server+sql.py -l -s
```

```
python3 forbidden-requests.py
```

Then, the client to issue html GET, POST, PUT requests:

```
python3 http-client.py -d 127.0.0.1 -b 'none' -w files -i 11000 -n 20 -p 8080 -r 0 -f -m 'GET'
```

```
python3 http-client.py -d 127.0.0.1 -b 'none' -w files -i 11000 -n 1 -p 8080 -r 0 -f -m 'POST'
```

```
python3 http-client.py -d 127.0.0.1 -b 'none' -w files -i 11000 -n 1 -p 8080 -r 0 -f -m 'PUT'
```

## HTTP Server Response

### HTTP server 200 OK + 404 File Not Found (GET)

```
127.0.0.1 - - [06/Dec/2023 11:53:22] "GET /files/7093.html HTTP/1.1" 200 -
127.0.0.1 - - [06/Dec/2023 11:53:38] "GET /files/6754.html HTTP/1.1" 200 -
127.0.0.1 - - [06/Dec/2023 11:53:49] "GET /files/10475.html HTTP/1.1" 404 -
127.0.0.1 - - [06/Dec/2023 11:54:02] "GET /files/10770.html HTTP/1.1" 404 -
127.0.0.1 - - [06/Dec/2023 11:54:08] "GET /files/6821.html HTTP/1.1" 200 -
127.0.0.1 - - [06/Dec/2023 11:54:10] "GET /files/10693.html HTTP/1.1" 404 -
127.0.0.1 - - [06/Dec/2023 11:55:00] "GET /files/10929.html HTTP/1.1" 404 -
127.0.0.1 - - [06/Dec/2023 11:55:32] "GET /files/7026.html HTTP/1.1" 200 -
127.0.0.1 - - [06/Dec/2023 11:55:33] "GET /files/4658.html HTTP/1.1" 200 -
127.0.0.1 - - [06/Dec/2023 11:55:33] "GET /files/10920.html HTTP/1.1" 404 -
```

## HTTP server 501 Method Not Implemented (PUT, POST)

```
127.0.0.1 - - [06/Dec/2023 12:20:12] "POST /files/4651.html HTTP/1.1" 501 -  
127.0.0.1 - - [06/Dec/2023 12:24:07] "PUT /files/6239.html HTTP/1.1" 501 -
```

## HTTP server banned countries

```
127.0.0.1 - - [06/Dec/2023 11:55:34] "GET /files/9205.html HTTP/1.1" 200 -  
Banned country Zimbabwe  
127.0.0.1 - - [06/Dec/2023 11:55:36] "GET /files/12.html HTTP/1.1" 200 -  
Banned country North Korea
```

## Pub Sub

```
from google.cloud import pubsub_v1  
PROJECT_ID = "feisty-gasket-398719"  
TOPIC_ID = "my-topic"  
SUBSCRIPTION_NAME = "my-topic-sub"  
# listen for banned countries  
subscriber = pubsub_v1.SubscriberClient()  
...
```

```
Listening for banned countries...  
Received message: Banned country Zimbabwe  
Received message: Banned country North Korea  
Received message: Banned country North Korea  
Received message: Banned country North Korea  
Received message: Banned country Zimbabwe
```

# Curl

## 200 OK

```
curl -X GET -G "http://127.0.0.1:8080/files/9999.html" -i \  
-H "X-country: Nepal" \  
-H "X-client-IP: 34.228.248.208" \  
-H "X-gender: Female" \  
-H "X-age: 36-45" \  
-H "X-income: 250k+" \  
-H "X-time: 2023-12-06 22:00:00"
```

```
HTTP/1.0 200 OK  
Server: BaseHTTP/0.6 Python/3.8.8  
Date: Wed, 06 Dec 2023 18:49:51 GMT  
Content-type: text/html  
  
<html><head><title>https://pythonbasics.org</title></head><p>Request: /files/9999.html</p><body><p>This is an example web  
server.</p><p>Got header Host:127.0.0.1:8080  
Got header User-Agent:curl/7.84.0  
Got header Accept:*/  
Got header X-country:Nepal  
Got header X-client-IP:34.228.248.208  
Got header X-gender:Female  
Got header X-age:36-45  
Got header X-income:250k+  
Got header X-time:2023-12-06 22:00:00  
Response header zone: projects/946005535036/zones/us-east1-b  
</body></html><!DOCTYPE html>  
<html>  
<body>  
Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqu  
a. Ut enim ad  
minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in  
reprehenderit in voluptate velit esse  
cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserun  
t mollit anim id est laborum.  
<p>  
<a HREF="1939.html"> This is a link </a>  
<p>
```

## 404 File Not Found

```
curl -X GET -G "http://127.0.0.1:8080/files/12345.html" -i \
-H "X-country: Bahrain" \
-H "X-client-IP: 193.65.218.137" \
-H "X-gender: Female" \
-H "X-age: 66-75" \
-H "X-income: 20k-40k" \
-H "X-time: 2023-12-06 23:00:00"
```

```
(base) crc-dot1x-nat-10-239-111-114:hw10 tigeryi$ curl -X GET -G "http://127.0.0.1:8080/files/12345.html" -i \
> -H "X-country: Bahrain" \
> -H "X-client-IP: 193.65.218.137" \
> -H "X-gender: Female" \
> -H "X-age: 66-75" \
> -H "X-income: 20k-40k" \
> -H "X-time: 2023-12-06 23:00:00"
HTTP/1.0 404 Not Found
Server: BaseHTTP/0.6 Python/3.8.8
Date: Wed, 06 Dec 2023 18:59:36 GMT
Content-type: text/html

<html><head><title>https://pythonbasics.org</title></head><p>Request: /files/12345.html</p><body><p>File not found.</p></body></html>(base) crc-dot1x-nat-10-239-111-114:hw10 tigeryi$
```

## 501 Method Not Implemented

```
curl -X POST -G "http://127.0.0.1:8080/files/1.html" -i \
-H "X-country: Vatican City (Holy See)" \
-H "X-client-IP: 50.137.227.137" \
-H "X-gender: Male" \
-H "X-age: 66-75" \
-H "X-income: 100k-150k" \
-H "X-time: 2023-12-06 11:00:00"
```


```
(base) crc-dot1x-nat-10-239-111-114:hw10 tigeryi$ curl -X POST -G "http://127.0.0.1:8080/files/1.html" -i \
> -H "X-country: Vatican City (Holy See)" \
> -H "X-client-IP: 50.137.227.137" \
> -H "X-gender: Male" \
> -H "X-age: 66-75" \
> -H "X-income: 100k-150k" \
> -H "X-time: 2023-12-06 11:00:00"
HTTP/1.0 501 Not Implemented
Server: BaseHTTP/0.6 Python/3.8.8
Date: Wed, 06 Dec 2023 19:13:43 GMT

Server method unavailable(base) crc-dot1x-nat-10-239-111-114:hw10 tigeryi$
```


# Web Browser

Demonstrate browser function from the same files in CURL commands

## 200 OK



## 404 File Not Found





# SQL database

In the Google Cloud Shell command line type:

```
gcloud sql connect instance-tigeryi --user=root --quiet
```

root password:

```
mysql> use dbhw10;
```

```
mysql> show tables;
```

## Table1: IP, Time, Filename

```
mysql> select * from table1;
```

```
mysql> select * from table1;
```

request_id	ip	time_of_day	filename	ip2
1	152.113.135.192	2023-12-06 17:00:00	7093.html	2557577152
2	87.23.184.163	2023-12-06 23:00:00	6754.html	1461172387
3	56.142.54.73	2023-12-06 22:00:00	6821.html	948844105
4	171.106.28.183	2023-12-06 18:00:00	7026.html	2875858103
5	183.190.62.104	2023-12-06 10:00:00	4658.html	3082698344
6	21.180.168.107	2023-12-06 10:00:00	5794.html	364161131
7	172.71.76.240	2023-12-06 18:00:00	338.html	2890353904
8	115.54.106.52	2023-12-06 13:00:00	8874.html	1932945972
9	164.31.221.218	2023-12-06 01:00:00	9205.html	2753551834
10	235.107.109.115	2023-12-06 19:00:00	12.html	3949686131

## Table2: GET 200 OK

```
mysql> select * from table2;
```

```
mysql> select * from table2;
```

ip_id	ip	gender	age	income	country	is_banned	ip2	gender2	age2	income2	country2
1	152.113.135.192	Male	0-16	100k-150k	Uzbekistan	0	2557577152	0	0	5	189
2	87.23.184.163	Female	76+	0-10k	Tanzania	0	1461172387	1	7	0	173
3	49.20.48.65	Female	56-65	100k-150k	Guinea	0	823406657	1	5	5	69
4	83.107.159.167	Male	46-55	40k-60k	Papua New Guinea	0	1399562151	0	4	3	135
5	56.142.54.73	Female	36-45	10k-20k	Denmark	0	948844105	1	3	1	46
6	98.3.44.56	Female	17-25	20k-40k	Gabon	0	1644375096	1	1	2	61
7	13.125.3.123	Female	36-45	250k+	Lithuania	0	226296699	1	3	7	99
8	171.106.28.183	Female	66-75	150k-250k	Bosnia and Herzegovina	0	2875858103	1	6	6	21
9	183.190.62.104	Female	0-16	100k-150k	Monaco	0	3082698344	1	0	5	113
10	136.67.193.179	Male	56-65	100k-150k	Montenegro	0	2286141875	0	5	5	115
11	21.180.168.107	Female	56-65	20k-40k	Tanzania	0	364161131	1	5	2	173
12	172.71.76.240	Female	56-65	250k+	Liberia	0	2890353904	1	5	7	96
13	53.55.130.131	Female	36-45	40k-60k	Jordan	0	892830339	1	3	3	85
14	115.54.106.52	Male	17-25	10k-20k	United Arab Emirates (UAE)	0	1932945972	0	1	1	185
15	164.31.221.218	Male	26-35	250k+	Iceland	0	2753551834	0	2	7	75
16	235.107.109.115	Male	26-35	10k-20k	Zimbabwe	1	3949686131	0	2	1	196
17	163.10.48.234	Female	46-55	40k-60k	North Korea	1	2735354090	1	4	3	127
18	171.107.234.213	Male	36-45	10k-20k	Tajikistan	0	2875976405	0	3	1	172
19	153.248.124.144	Male	46-55	10k-20k	United Arab Emirates (UAE)	0	2583198864	0	4	1	185
20	20.209.78.212	Male	0-16	250k+	Liechtenstein	0	349261524	0	0	7	98
21	165.205.204.181	Female	0-16	20k-40k	North Korea	1	2781727925	1	0	2	127
22	77.192.29.110	Female	76+	10k-20k	Vatican City (Holy See)	0	1304436078	1	7	1	191
23	61.134.234.42	Female	36-45	100k-150k	Norway	0	1032251946	1	3	5	129



## Table3: Error

GET 404 Not Found

POST, PUT 501 Not Implemented

mysql> select \* from table3;

```
mysql> select * from table3;
+-----+-----+-----+-----+-----+-----+
| failed_id | ip          | time_of_day      | filename  | error | ip2          |
+-----+-----+-----+-----+-----+-----+
| 1         | 49.20.48.65 | 2023-12-06 03:00:00 | 10475.html | 404   | 823406657   |
| 2         | 83.107.159.167 | 2023-12-06 21:00:00 | 10770.html | 404   | 1399562151  |
| 3         | 98.3.44.56   | 2023-12-06 13:00:00 | 10693.html | 404   | 1644375096  |
| 4         | 13.125.3.123 | 2023-12-06 16:00:00 | 10929.html | 404   | 226296699   |
| 5         | 136.67.193.179 | 2023-12-06 19:00:00 | 10920.html | 404   | 2286141875  |
| 6         | 53.55.130.131 | 2023-12-06 20:00:00 | 10207.html | 404   | 892830339   |
| 7         | 61.134.234.42 | 2023-12-06 18:00:00 | 10291.html | 404   | 1032251946  |
| 8         | 62.10.186.114 | 2023-12-06 09:00:00 | 4651.html  | 501   | 1040890482  |
| 9         | 79.122.195.59 | 2023-12-06 19:00:00 | 6239.html  | 501   | 1333445435  |
| 10        | 183.102.86.217 | 2023-12-06 22:00:00 | 10448.html | 404   | 3076937433  |
| 11        | 211.84.127.37 | 2023-12-06 21:00:00 | 10546.html | 404   | 3545530149  |
| 12        | 193.65.218.137 | 2023-12-06 23:00:00 | 12345.html | 404   | 3242318473  |
| 13        | 50.137.227.137 | 2023-12-06 11:00:00 | 1.html     | 501   | 847897481   |
| 14        | 193.65.218.137 | 2023-12-06 23:00:00 | 12345.html | 404   | 3242318473  |
| 15        | 50.137.227.137 | 2023-12-06 11:00:00 | 1.html     | 501   | 847897481   |
+-----+-----+-----+-----+-----+-----+
15 rows in set (0.01 sec)
```

## Stop Deployment

In the cloud shell, run:

gcloud deployment-manager deployments stop my-deployment

gcloud deployment-manager deployments delete my-deployment