Projekat ProPulse



Predmet: Web Programiranje 1

Student: Tigran Parun Filipov

Predmenti profesor: Dr Nenad Kojić

Broj indeksa: 96/21

UVOD

Korišćeni Programski Jezici

Za razvoj projekta koristili su se sledeći jezici: HTML, CSS i JavaScript, uz dodatak jQuery-a. Radi boljeg dizajniranja, primenjen je Bootstrap okvir. Rad je obavljen u okruženju Visual Studio Code, koristeći specijalizovani dodatak za jQuery bxSlider koji je omogućio dinamično prikazivanje sadržaja na stranici.

Funkcionalnosti

- 1. **Loading Screen**: Brza, estetska animacija koji se prikazuje 1 sekundu prilikom učitavanja stranice.
- 2. **Povratna Strelica**: Navigacija s strelicom koja omogućuje povratak na vrh stranice.
- 3. **Dinamički Meni**: Navigacioni linkovi se dinamički prikazuju.
- 4. **Promena Pozadine Navigacije**: Promena stila pozadine navigacije pri skrolovanju.
- 5. **Burger taster**: Otvara padajući meni na rezolucijama koje su namenjene za manje uređaja
- 6. **Dinamičko Prikazivanje "About" Sekcije**: Sekcije u about us se dinamički ispisuju.

- 7. **Interaktivna "Skills" Sekcija**: Dinamičko ispisivanje skills I procenata.
- 8. **Proširivanje Teksta**: jQuery animacija za proširivanje teksta kada korisnik klikne na "Read More", I prikazuje manje kad se kaže "Show Less".
- 9. **bxSlider za Dinamičko Ubacivanje Slika**: Korišćenje jQuery bxSlider za prebacivanje dinamički ubačenih slika.
- 10. **Dinamičko Ispisivanje Forme**: Prikazivanje forme iz formStructure objekta.
- 11. **Klijentska Validacija Elementa**: Validacija elemenata forme na blur događaj i klikom na dugme za submit, pružajući korisnicima poruke o ispravnosti unosa I uspešnosti unosa.

Template

Za izradu je korišćen template koji se može pronaći na sledećem linku: https://themewagon.com/themes/free-bootstrap-5-html-5-digital-marketing-template-space-dynamic/

ORGANIZACIJA

Šema




Sitemap

```
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
<url>
<loc>https://tigranpf.github.io/propulse/index.html</loc>
<lastmod>2023-12-08</lastmod>
<changeFreq>daily</changeFreq>
<priority>1.0</priority>
</url>
<url>
<loc>https://tigranpf.github.io/propulse/author.html</loc>
<lastmod>2023-12-08</lastmod>
<changeFreq>weekly</changeFreq>
<priority>0.9</priority>
</url>
</url>
</url>
```

Opis funkcionalnosti

Loading screen

Pojavljuje se prilikom refresha, u trajanju od jedne sekunde



Strelica koja vraća na početak stranice Nije vidljivo dok je skrol na vrhu stranice, pojavljuje se u donjem desnom ćošku prilikom skrolovanja ka dole



Dinamičko ispisivanje navigacije






Burger taster

PROPULSE




WELCOME TO PRO PULSE MEDIA GROUP

Accelerate Your & PR &



Promena pozadine navigacije kad se pomeri skrol sa vrha



Dinamičko ispisivanje about us sekcije



Dinamičko ispisivanje skills sekcije I procenata



Proširivanje teksta pomoću jQuery

See What Our Agency Offers & What We Provide

Discover the magic of unforgettable events with our PR agency. We specialize in orchestrating amazing experiences that captivate audiences and elevate brands. From conceptualization to flawless execution, our team crafts events that leave lasting impressions, creating unforgettable moments for your audience to cherish.

Read More

See What Our Agency Offers & What We Provide

Discover the magic of unforgettable events with our PR agency. We specialize in orchestrating amazing experiences that captivate audiences and elevate brands. From conceptualization to flawless execution, our team crafts events that leave lasting impressions, creating unforgettable moments for your audience to cherish. At our PR agency, we redefine event excellence. Through meticulous planning, creative innovation, and seamless execution, we transform your vision into extraordinary realities. From corporate galas to brand launches, each event is a masterpiece meticulously designed to resonate with your audience, leaving a lasting imprint on their memories.

Show Less

jQuery bxSlider plugin


Dinamički su ubačene slike u slider, slike se menjaju na 2,5 sekunde, ili klikom na dugme



• • • • • •


Dinamičko ispisivanje forme

Forma se ispisuje po parametrima zadatim u formStructure objektu



Klijentska validacija

Na blur event se proveravaju validnosti inputa u poljima pojedinačno, kao I svi zajedno klikom na submit dugme. Ako forma prolazi validaciju, ispisuje se povratna poruka koja obaveštava korisnika o uspešnosti.



KODOVI

Index.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-</pre>
to-fit=no">
    <meta name="author" content="mailto:tigran.parun.filipov.96.21@ict.edu.rs"/>
    <meta name="keywords" content="PR Strategy, Marketing Consulting, Branding</pre>
Solutions, Audience Engagement, Campaign Analysis, Digital Marketing Insights,
SEO Optimization, Web Analytics, Public Relations Impact, Creative
Storytelling"/>
    <meta name="copyright" content="Pro Pulse Media Group"/>
    <meta name="language" content="English"/>
    <meta name="description" content="We specialize in crafting compelling</pre>
strategies that resonate, propelling your brand to new heights through creativity
and data-driven insights."/>
    <!-- Google fonts -->
    <link rel="preconnect" href="https://fonts.gstatic.com">
href="https://fonts.googleapis.com/css2?family=Poppins:wght@100;200;300;400;500;6
00;700;800;900&display=swap" rel="stylesheet">
    <link rel="shortcut icon" type="image/png"</pre>
href="/assets/images/logos/pplogo.png"/>
    <title>Pro Pulse Media Group</title>
    <!-- Bootstrap core CSS -->
    <link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
```

```
<!-- Additional CSS Files -->
    <link rel="stylesheet" href="assets/css/fontawesome.css">
    <link rel="stylesheet" href="assets/css/style.css">
    <link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/bxslider/4.2.12/jquery.bxslider.css">
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.1.1/jquery.min.js"></script>
src="https://cdn.jsdelivr.net/bxslider/4.2.12/jquery.bxslider.min.js"></script>
  </head>
<body>
  <!-- Preloader -->
  <div id="js-preloader" class="js-preloader">
    <div class="preloader-inner">
      <span class="dot"></span>
      <div class="dots">
        <span></span>
       <span></span>
       <span></span>
      </div>
    </div>
  </div>
  <!-- Scroll to Top Button -->
  <button id="scrollToTopBtn"><span class="iconify-inline" data-</pre>
icon="pajamas:scroll-up"></span></button>
  <!-- Header Area Start -->
  <header class="header-area header-sticky wow slideInDown" data-wow-</pre>
duration="0.75s" data-wow-delay="0s">
    <div class="container">
      <div class="row">
        <div class="col-12">
          <nav class="main-nav">
            <!-- **** Logo Start **** -->
            <a href="index.html" class="logo">
              <h4>Pro<span>Pulse</span></h4>
            </a>
```

```
<a class='menu-trigger'>
                <span>Menu</span>
           </a>
          </nav>
        </div>
      </div>
    </div>
  </header>
  <!-- **** Header Area End **** -->
  <div class="main-banner wow fadeIn" id="top" data-wow-duration="1s" data-wow-</pre>
delay="0.5s">
   <div class="container">
      <div class="row">
       <div class="col-lg-12">
          <div class="row">
            <div class="col-lg-6 align-self-center">
              <div class="left-content header-text wow fadeInLeft" data-wow-</pre>
duration="1s" data-wow-delay="1s">
                <h6>Welcome to Pro Pulse Media Group</h6>
                <h2><em>Accelerate Your</em> &amp; <span>PR & Marketing</span>
Success</h2>
                Welcome to our PR and Marketing agency! We specialize in
crafting compelling strategies that propel brands to new heights through
creativity, data-driven insights, and expert event organizing.
                <div id="contact-us-top">
                </div>
              </div>
            </div>
            <div class="col-lg-6">
              <div class="right-image wow fadeInRight" data-wow-duration="1s"</pre>
data-wow-delay="0.5s">
                <img src="assets/images/banner-right-image.png" alt="team</pre>
meeting">
             </div>
           </div>
          </div>
       </div>
      </div>
    </div>
  </div>
```

```
<div id="about" class="about-us section">
    <div class="container">
      <div class="row">
        <div class="col-lg-4">
          <div class="left-image wow fadeIn" data-wow-duration="1s" data-wow-</pre>
delay="0.2s">
            <img src="assets/images/about-left-image.png" alt="person graphic">
          </div>
        <div class="col-lg-8 align-self-center">
          <div class="services">
           <div class="row">
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
  <div id="services" class="our-services section">
    <div class="container">
      <div class="row">
        <div class="col-lg-6 align-self-center wow fadeInLeft" data-wow-</pre>
duration="1s" data-wow-delay="0.2s">
          <div class="left-image">
            <img src="assets/images/services-left-image.png" alt="">
          </div>
        </div>
        <div class="col-lg-6 wow fadeInRight" data-wow-duration="1s" data-wow-</pre>
delay="0.2s">
          <div class="section-heading">
            <h2> Amplify Your Brand with Our Tailored <em>PR</em> &amp;
<span>Marketing Solutions
            Through a blend of creativity and data-driven insights, we create
tailored solutions to captivate audiences and amplify brand recognition. We're
dedicated to partnering with you on your journey towards success, offering
comprehensive PR and marketing services that foster engagement, boost visibility,
and drive meaningful connections.
          </div>
          <div class="row" id="skills">
```

```
</div>
       </div>
     </div>
   </div>
  </div>
  <div id="portfolio" class="our-portfolio section">
   <div class="container d-flex justify-content-center flex-column align-items-</pre>
center">
     <div class="row">
       <div class="col-lg-6 offset-lg-3">
         <div class="section-heading d-flex flex-column align-items-center"</pre>
bounceIn" data-wow-duration="1s" data-wow-delay="0.2s">
           <h2>See What Our Agency <em>Offers</em> &amp; What We
<span>Provide</span></h2>
           Discover the magic of unforgettable events
with our PR agency. We specialize in orchestrating amazing experiences that
captivate audiences and elevate brands. From conceptualization to flawless
execution, our team crafts events that leave lasting impressions, creating
unforgettable moments for your audience to cherish.
           At our PR agency, we
redefine event excellence. Through meticulous planning, creative innovation, and
seamless execution, we transform your vision into extraordinary realities. From
corporate galas to brand launches, each event is a masterpiece meticulously
designed to resonate with your audience, leaving a lasting imprint on their
memories.
           <a id="read-more-btn" class="m-4">Read more</a>
         </div>
       </div>
     </div>
     <div class="row w-75 mb-5">
       <div class="slider">
       </div>
     </div>
   </div>
  </div>
  <div id="contact" class="contact-us section">
   <div class="container">
```

```
<div class="row">
        <div class="col-lg-6 align-self-center wow fadeInLeft" data-wow-</pre>
duration="0.5s" data-wow-delay="0.25s">
          <div class="section-heading">
            <h2>Get in Touch: Connect with Us for a Strategic Partnership</h2>
            Reach out to our dedicated team today and let's collaborate to
elevate your brand through innovative PR and marketing strategies.
            <div class="phone-info">
              <h4>For any enquiry, Call Us: <span><i class="fa fa-phone"></i> <a</pre>
href="#">010-020-0340</a></span></h4>
          </div>
        <div id="form-container" class="col-lg-6 wow fadeInRight" data-wow-</pre>
duration="0.5s" data-wow-delay="0.25s">
       </div>
     </div>
    </div>
  </div>
  <footer>
    <div class="container">
     <div class="row">
        <div class="col-lg-12 wow fadeIn" data-wow-duration="1s" data-wow-</pre>
delay="0.25s">
          © Copyright 2023 Pro Pulse Co. All Rights Reserved.<
       </div>
      </div>
   </div>
  </footer>
  <!-- Scripts -->
  <script src="https://code.iconify.design/3/3.1.1/iconify.min.js"></script>
  <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
  <script src="assets/js/main.js"></script>
</body>
</html>
```

Author.html

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-</pre>
to-fit=no">
    <meta name="author" content="mailto:tigran.parun.filipov.96.21@ict.edu.rs"/>
    <meta name="keywords" content="PR Strategy, Marketing Consulting, Branding</pre>
Solutions, Audience Engagement, Campaign Analysis, Digital Marketing Insights,
SEO Optimization, Web Analytics, Public Relations Impact, Creative
Storytelling"/>
    <meta name="copyright" content="Pro Pulse Media Group"/>
    <meta name="language" content="English"/>
    <meta name="description" content="We specialize in crafting compelling</pre>
strategies that resonate, propelling your brand to new heights through creativity
and data-driven insights."/>
    <!-- Google fonts -->
    <link rel="preconnect" href="https://fonts.gstatic.com">
    link
href="https://fonts.googleapis.com/css2?family=Poppins:wght@100;200;300;400;500;6
00;700;800;900&display=swap" rel="stylesheet">
    <link rel="shortcut icon" type="image/png"</pre>
href="/assets/images/logos/pplogo.png"/>
    <title>Pro Pulse Media Group</title>
    <!-- Bootstrap core CSS -->
    <link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <!-- Additional CSS Files -->
    <link rel="stylesheet" href="assets/css/fontawesome.css">
    <link rel="stylesheet" href="assets/css/style.css">
    <link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/bxslider/4.2.12/jquery.bxslider.css">
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.1.1/jquery.min.js"></script>
```

```
<script
src="https://cdn.jsdelivr.net/bxslider/4.2.12/jquery.bxslider.min.js"></script>
  </head>
<body>
  <!-- Preloader -->
  <div id="js-preloader" class="js-preloader">
   <div class="preloader-inner">
     <span class="dot"></span>
     <div class="dots">
       <span></span>
       <span></span>
       <span></span>
     </div>
    </div>
  </div>
  <button id="scrollToTopBtn"><span class="iconify-inline" data-</pre>
icon="pajamas:scroll-up"></span></button>
  <!-- Header Area Start -->
  <header class="header-area header-sticky wow slideInDown" data-wow-</pre>
duration="0.75s" data-wow-delay="0s">
    <div class="container">
     <div class="row">
        <div class="col-12">
          <nav class="main-nav">
           <!-- **** Logo Start **** -->
            <a href="index.html" class="logo">
              <h4>Pro<span>Pulse</span></h4>
            </a>
            <a class='menu-trigger'>
                <span>Menu</span>
           </a>
          </nav>
        </div>
      </div>
```

```
</div>
  </header>
  <!-- **** Header Area End **** -->
    <div class="container mb-5">
      <div id="author" class="row">
        <div class="col-12 col-lg-6 d-flex justify-content-center align-items-</pre>
center">
          <img src="assets/images/tigran.jpg" alt="author" id="author-image">
        </div>
        <div class="col-12 col-lg-6 d-flex justify-content-center align-items-</pre>
center flex-column">
          <h1 class="text-dark text-center mt-5">Tigran Parun Filipov</h1>
          <h2 class="text-dark text-center mt-2">96/21</h2>
        </div>
    </div>
  </div>
  </main>
  <footer>
    <div class="container">
      <div class="row">
        <div class="col-lg-12 wow fadeIn" data-wow-duration="1s" data-wow-</pre>
delay="0.25s">
          © Copyright 2023 Pro Pulse Co. All Rights Reserved.>
        </div>
      </div>
   </div>
  </footer>
  <!-- Scripts -->
  <script src="https://code.iconify.design/3/3.1.1/iconify.min.js"></script>
  <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script></script></script>
  <script src="assets/js/main.js"></script>
</body>
</html>
```

Style.css

```
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@100;200;300;400;500;60
0;700;800;900&display=swap');
html, body, div, span, applet, object, iframe, h1, h2, h3, h4, h5, h6, p,
blockquote, div
pre, a, abbr, acronym, address, big, cite, code, del, dfn, em, font, img, ins,
kbd, q,
s, samp, small, strike, strong, sub, sup, tt, var, b, u, i, center, dl, dt, dd,
ol, ul, li,
figure, header, nav, section, article, aside, footer, figcaption {
 margin: 0;
 padding: 0;
 border: 0;
 outline: 0;
/* clear fix */
.grid:after {
  content: '';
 display: block;
 clear: both;
/* ---- .grid-item ---- */
.grid-sizer,
.grid-item {
 width: 50%;
.grid-item {
  float: left;
.grid-item img {
 display: block;
 max-width: 100%;
.clearfix:after {
  content: ".";
 display: block;
```

```
clear: both;
  visibility: hidden;
 line-height: 0;
 height: 0;
.clearfix {
 display: inline-block;
html[xmlns] .clearfix {
  display: block;
* html .clearfix {
 height: 1%;
ul, li {
 padding: 0;
 margin: 0;
 list-style: none;
header, nav, section, article, aside, footer, hgroup {
  display: block;
 box-sizing: border-box;
html, body {
  font-family: 'Poppins', sans-serif;
 font-weight: 400;
 background-color: #fff;
 -ms-text-size-adjust: 100%;
 -webkit-font-smoothing: antialiased;
  -moz-osx-font-smoothing: grayscale;
a {
 text-decoration: none !important;
```

```
h1, h2, h3, h4, h5, h6 {
  margin-top: 0px;
  margin-bottom: 0px;
ul {
 margin-bottom: 0px;
p {
  font-size: 15px;
 line-height: 30px;
 color: #2a2a2a;
img {
 width: 100%;
 overflow: hidden;
global styles
html,
body {
 background: #fff;
  font-family: 'Poppins', sans-serif;
::selection {
 background: #03a4ed;
  color: #fff;
::-moz-selection {
  background: #03a4ed;
  color: #fff;
@media (max-width: 991px) {
 html, body {
  overflow-x: hidden;
```

```
.mobile-top-fix {
   margin-top: 30px;
   margin-bottom: 0px;
 .mobile-bottom-fix {
   margin-bottom: 30px;
 .mobile-bottom-fix-big {
   margin-bottom: 60px;
.page-section {
 margin-top: 120px;
.section-heading h2 {
 font-size: 30px;
 text-transform: capitalize;
 color: #2a2a2a;
 font-weight: 700;
 letter-spacing: 0.25px;
 position: relative;
 z-index: 2;
 line-height: 44px;
.section-heading h2 em {
 font-style: normal;
 color: #03a4ed;
.section-heading h2 span {
 color: #fe3f40;
.main-blue-button a {
 display: inline-block;
 background-color: #03a4ed;
 font-size: 15px;
 font-weight: 400;
 color: #fff;
 text-transform: capitalize;
 padding: 12px 25px;
 border-radius: 23px;
```

```
letter-spacing: 0.25px;
.main-red-button a {
 display: inline-block;
 background-color: #fe3f40;
 font-size: 15px;
 font-weight: 400;
 color: #fff;
 text-transform: capitalize;
 padding: 12px 25px;
 border-radius: 23px;
 letter-spacing: 0.25px;
.main-white-button a {
 display: inline-block;
 background-color: #fff;
 font-size: 15px;
 font-weight: 400;
 color: #fe3f40;
 text-transform: capitalize;
 padding: 12px 25px;
 border-radius: 23px;
 letter-spacing: 0.25px;
header
.background-header {
 height: 80px!important;
 position: fixed!important;
 top: 0px;
 left: 0px;
 right: 0px;
 box-shadow: Opx Opx 10px rgba(0,0,0,0.15)!important;
.background-header .logo,
.background-header .main-nav .nav li a {
 color: #1e1e1e!important;
```

```
.background-header .main-nav .nav li:hover a {
 color: #fe3f40!important;
.background-header .nav li a.active {
 color: #fe3f40!important;
.header-area {
 background-color: rgba(255, 255, 255, 0.6);
 backdrop-filter: blur(12px);
 position: absolute;
 top: 0px;
 left: 0px;
 right: 0px;
 z-index: 100;
 height: 100px;
 -webkit-transition: all .5s ease 0s;
 -moz-transition: all .5s ease 0s;
 -o-transition: all .5s ease 0s;
 transition: all .5s ease 0s;
.header-area .main-nav {
 min-height: 80px;
 background: transparent;
.header-area .main-nav .logo {
 line-height: 100px;
 color: #fff;
 font-size: 24px;
 font-weight: 700;
 text-transform: uppercase;
 letter-spacing: 2px;
 float: left;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
.header-area .main-nav .logo h4 {
```

```
font-size: 24px;
   font-weight: 700;
   text-transform: uppercase;
   color: #03a4ed;
   line-height: 100px;
   float: left;
   -webkit-transition: all 0.3s ease 0s;
   -moz-transition: all 0.3s ease 0s;
   -o-transition: all 0.3s ease 0s;
   transition: all 0.3s ease 0s;
.logo h4 span {
 color: #fe3f40;
.background-header .main-nav .logo h4 {
 line-height: 80px;
.background-header .main-nav .nav {
 margin-top: 20px !important;
.header-area .main-nav .nav {
 float: right;
 margin-top: 30px;
 margin-right: 0px;
 background-color: transparent;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
 position: relative;
 z-index: 999;
.header-area .main-nav .nav li {
 padding-left: 20px;
 padding-right: 20px;
.header-area .main-nav .nav li:last-child {
 padding-right: 0px;
 padding-left: 40px;
```

```
.header-area .main-nav .nav li:last-child a ,
.background-header .main-nav .nav li:last-child a {
 color: #fff !important;
 padding: 0px 20px;
 font-weight: 400;
.header-area .main-nav .nav li:last-child a:hover,
.header-area .main-nav .nav li:last-child a.active {
 color: #fff !important;
.header-area .main-nav .nav li a {
 display: block;
 font-weight: 500;
 font-size: 15px;
 color: #2a2a2a;
 text-transform: capitalize;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
 height: 40px;
 line-height: 40px;
 border: transparent;
 letter-spacing: 1px;
.header-area .main-nav .nav li a {
 color: #2a2a2a;
.header-area .main-nav .nav li:hover a,
.header-area .main-nav .nav li a.active {
 color: #fe3f40!important;
.background-header .main-nav .nav li:hover a,
.background-header .main-nav .nav li a.active {
 color: #fe3f40!important;
 opacity: 1;
```

```
.header-area .main-nav .nav li:last-child a:hover ,
.background-header .main-nav .nav li:last-child a:hover {
 background-color: #03a4ed;
.header-area .main-nav .nav li.submenu {
 position: relative;
 padding-right: 30px;
.header-area .main-nav .nav li.submenu:after {
 font-family: FontAwesome;
 content: "\f107";
 font-size: 12px;
  color: #2a2a2a;
 position: absolute;
  right: 18px;
 top: 12px;
.background-header .main-nav .nav li.submenu:after {
 color: #2a2a2a;
.header-area .main-nav .nav li.submenu ul {
 position: absolute;
 width: 200px;
 box-shadow: 0 2px 28px 0 rgba(0, 0, 0, 0.06);
 overflow: hidden;
 top: 50px;
 opacity: 0;
 transform: translateY(+2em);
 visibility: hidden;
 z-index: -1;
 transition: all 0.3s ease-in-out 0s, visibility 0s linear 0.3s, z-index 0s
linear 0.01s;
.header-area .main-nav .nav li.submenu ul li {
 margin-left: 0px;
 padding-left: 0px;
 padding-right: 0px;
.header-area .main-nav .nav li.submenu ul li a {
```

```
opacity: 1;
 display: block;
 background: #f7f7f7;
 color: #2a2a2a!important;
 padding-left: 20px;
 height: 40px;
 line-height: 40px;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
 position: relative;
 font-size: 13px;
 font-weight: 400;
 border-bottom: 1px solid #eee;
.header-area .main-nav .nav li.submenu ul li a:hover {
 background: #fff;
 color: #fe3f40!important;
 padding-left: 25px;
.header-area .main-nav .nav li.submenu ul li a:hover:before {
 width: 3px;
.header-area .main-nav .nav li.submenu:hover ul {
 visibility: visible;
 opacity: 1;
 z-index: 1;
 transform: translateY(0%);
 transition-delay: 0s, 0s, 0.3s;
.header-area .main-nav .menu-trigger {
 cursor: pointer;
 display: block;
 position: absolute;
 top: 33px;
 width: 32px;
 height: 40px;
 text-indent: -9999em;
 z-index: 99;
 right: 40px;
```

```
display: none;
.background-header .main-nav .menu-trigger {
 top: 23px;
#scrollToTopBtn {
  display: none;
 position: fixed;
  bottom: 20px;
  right: 20px;
  z-index: 999;
 width: 50px;
 height: 50px;
 background-color: #fe3f40;
 border-radius: 50%;
 border: none;
 cursor: pointer;
 transition: transform 0.3s ease-in-out; /* Adding transition for smooth hover
effect */
#scrollToTopBtn:hover {
  transform: scale(1.1); /* Scaling the button on hover */
#scrollToTopBtn .iconify-inline {
  font-size: 30px;
 color: #fff;
.header-area .main-nav .menu-trigger span,
.header-area .main-nav .menu-trigger span:before,
.header-area .main-nav .menu-trigger span:after {
 -moz-transition: all 0.4s;
 -o-transition: all 0.4s;
  -webkit-transition: all 0.4s;
  transition: all 0.4s;
  background-color: #1e1e1e;
  display: block;
 position: absolute;
 width: 30px;
 height: 2px;
 left: 0;
```

```
.background-header .main-nav .menu-trigger span,
.background-header .main-nav .menu-trigger span:before,
.background-header .main-nav .menu-trigger span:after {
 background-color: #1e1e1e;
.header-area .main-nav .menu-trigger span:before,
.header-area .main-nav .menu-trigger span:after {
 -moz-transition: all 0.4s;
 -o-transition: all 0.4s;
 -webkit-transition: all 0.4s;
 transition: all 0.4s;
 background-color: #1e1e1e;
 display: block;
 position: absolute;
 width: 30px;
 height: 2px;
 left: 0;
 width: 75%;
.background-header .main-nav .menu-trigger span:before,
.background-header .main-nav .menu-trigger span:after {
 background-color: #1e1e1e;
.header-area .main-nav .menu-trigger span:before,
.header-area .main-nav .menu-trigger span:after {
 content: "";
.header-area .main-nav .menu-trigger span {
 top: 16px;
header-area .main-nav .menu-trigger span:before {
 -moz-transform-origin: 33% 100%;
 -ms-transform-origin: 33% 100%;
 -webkit-transform-origin: 33% 100%;
 transform-origin: 33% 100%;
 top: -10px;
 z-index: 10;
```

```
.header-area .main-nav .menu-trigger span:after {
 -moz-transform-origin: 33% 0;
 -ms-transform-origin: 33% 0;
 -webkit-transform-origin: 33% 0;
 transform-origin: 33% 0;
 top: 10px;
.header-area .main-nav .menu-trigger.active span,
.header-area .main-nav .menu-trigger.active span:before,
.header-area .main-nav .menu-trigger.active span:after {
 background-color: transparent;
 width: 100%;
header-area .main-nav .menu-trigger.active span:before {
 -moz-transform: translateY(6px) translateX(1px) rotate(45deg);
 -ms-transform: translateY(6px) translateX(1px) rotate(45deg);
 -webkit-transform: translateY(6px) translateX(1px) rotate(45deg);
 transform: translateY(6px) translateX(1px) rotate(45deg);
 background-color: #1e1e1e;
.background-header .main-nav .menu-trigger.active span:before {
 background-color: #1e1e1e;
.header-area .main-nav .menu-trigger.active span:after {
 -moz-transform: translateY(-6px) translateX(1px) rotate(-45deg);
 -ms-transform: translateY(-6px) translateX(1px) rotate(-45deg);
 -webkit-transform: translateY(-6px) translateX(1px) rotate(-45deg);
 transform: translateY(-6px) translateX(1px) rotate(-45deg);
 background-color: #1e1e1e;
.background-header .main-nav .menu-trigger.active span:after {
 background-color: #1e1e1e;
.header-area.header-sticky {
 min-height: 80px;
.header-area .nav {
 margin-top: 30px;
```

```
.header-area.header-sticky .nav li a.active {
  color: #fe3f40;
@media (max-width: 1200px) {
  .header-area .main-nav .nav li {
   padding-left: 12px;
   padding-right: 12px;
  .header-area .main-nav:before {
   display: none;
@media (max-width: 992px) {
  .header-area .main-nav .nav li:last-child ,
  .background-header .main-nav .nav li:last-child {
    display: none;
  .header-area .main-nav .nav li:nth-child(6),
  .background-header .main-nav .nav li:nth-child(6) {
   padding-right: 0px;
@media (max-width: 767px) {
  .background-header .main-nav .nav {
   margin-top: 80px !important;
  .header-area .main-nav .logo {
    color: #1e1e1e;
  .header-area.header-sticky .nav li a:hover,
  .header-area.header-sticky .nav li a.active {
   color: #fe3f40!important;
   opacity: 1;
  .header-area.header-sticky .nav li.search-icon a {
    width: 100%;
  .header-area {
   background-color: #f7f7f7;
  padding: 0px 15px;
```

```
height: 100px;
 box-shadow: none;
 text-align: center;
.header-area .container {
 padding: 0px;
.header-area .logo {
 margin-left: 30px;
.header-area .menu-trigger {
 display: block !important;
.header-area .main-nav {
 overflow: hidden;
.header-area .main-nav .nav {
 float: none;
 width: 100%;
 display: none;
 -webkit-transition: all 0s ease 0s;
 -moz-transition: all 0s ease 0s;
 -o-transition: all 0s ease 0s;
 transition: all 0s ease 0s;
 margin-left: 0px;
.background-header .nav {
 margin-top: 80px;
.header-area .main-nav .nav li:first-child {
 border-top: 1px solid #eee;
.header-area.header-sticky .nav {
 margin-top: 100px;
.header-area .main-nav .nav li {
 width: 100%;
 background: #fff;
 border-bottom: 1px solid #e7e7e7;
 padding-left: 0px !important;
 padding-right: 0px !important;
.header-area .main-nav .nav li a {
 height: 50px !important;
 line-height: 50px !important;
```

```
padding: 0px !important;
    border: none !important;
    background: #f7f7f7 !important;
    color: #191a20 !important;
  .header-area .main-nav .nav li a:hover {
    background: #eee !important;
    color: #fe3f40!important;
  .header-area .main-nav .nav li.submenu ul {
   position: relative;
   visibility: inherit;
   opacity: 1;
    z-index: 1;
   transform: translateY(0%);
   transition-delay: 0s, 0s, 0.3s;
   top: 0px;
   width: 100%;
   box-shadow: none;
    height: 0px;
  .header-area .main-nav .nav li.submenu ul li a {
   font-size: 12px;
   font-weight: 400;
  .header-area .main-nav .nav li.submenu ul li a:hover:before {
   width: 0px;
  .header-area .main-nav .nav li.submenu ul.active {
   height: auto !important;
  .header-area .main-nav .nav li.submenu:after {
   color: #3B566E;
   right: 25px;
   font-size: 14px;
   top: 15px;
  .header-area .main-nav .nav li.submenu:hover ul, .header-area .main-nav .nav
li.submenu:focus ul {
   height: 0px;
@media (min-width: 767px) {
 .header-area .main-nav .nav {
```

```
display: flex !important;
preloader
.js-preloader {
   position: fixed;
   top: 0;
   left: 0;
   right: 0;
   bottom: 0;
   background-color: #fff;
   display: -webkit-box;
   display: flex;
   -webkit-box-align: center;
   align-items: center;
    -webkit-box-pack: center;
    justify-content: center;
   visibility: visible;
    z-index: 9999;
   -webkit-transition: opacity 1s ease-in-out;
   opacity: 1;
  visibility: hidden;
  transition: opacity 1s ease-in-out;
.js-preloader.loaded {
   opacity: 0;
   visibility: visible;
    pointer-events: none;
@-webkit-keyframes dot {
   50% {
       -webkit-transform: translateX(96px);
       transform: translateX(96px);
@keyframes dot {
```

```
50% {
        -webkit-transform: translateX(96px);
        transform: translateX(96px);
@-webkit-keyframes dots {
    50% {
        -webkit-transform: translateX(-31px);
        transform: translateX(-31px);
@keyframes dots {
    50% {
        -webkit-transform: translateX(-31px);
        transform: translateX(-31px);
.preloader-inner {
    position: relative;
   width: 142px;
   height: 40px;
    background: #fff;
.preloader-inner .dot {
    position: absolute;
   width: 16px;
   height: 16px;
    top: 12px;
    left: 15px;
   background: #fe3f40;
    border-radius: 50%;
    -webkit-transform: translateX(0);
   transform: translateX(0);
    -webkit-animation: dot 2.8s infinite;
    animation: dot 2.8s infinite;
.preloader-inner .dots {
    -webkit-transform: translateX(0);
   transform: translateX(0);
   margin-top: 12px;
```

```
margin-left: 31px;
    -webkit-animation: dots 2.8s infinite;
    animation: dots 2.8s infinite;
preloader-inner .dots span {
   display: block;
   float: left;
   width: 16px;
   height: 16px;
   margin-left: 16px;
   background: #fe3f40;
   border-radius: 50%;
Banner Style
.main-banner {
 background-repeat: no-repeat;
 background-position: center center;
  background-size: cover;
 padding: 146px 0px 60px 0px;
 position: relative;
 overflow: hidden;
#form-submit{
 margin-top: 20px;
.main-banner:after {
 content: '';
 background-image: url(../images/baner-dec-left.png);
 background-repeat: no-repeat;
 position: absolute;
 left: 0;
 top: 100px;
 width: 193px;
 height: 467px;
```

```
.main-banner:before {
 content: '';
 background-image: url(../images/baner-dec-right.png);
 background-repeat: no-repeat;
 position: absolute;
 right: 0;
 top: 100px;
 width: 98px;
 height: 290px;
.main-banner .left-content {
 margin-right: 45px;
.main-banner .left-content h6 {
 text-transform: uppercase;
 font-size: 18px;
 color: #fe3f40;
 margin-bottom: 15px;
.main-banner .left-content h2 {
 font-size: 50px;
 font-weight: 700;
 color: #2a2a2a;
 line-height: 72px;
.main-banner .left-content h2 em {
 color: #03a4ed;
 font-style: normal;
.main-banner .left-content h2 span {
 color: #fe3f40;
.main-banner .left-content p {
 margin: 20px 0px;
.main-banner .left-content form {
```

```
margin-top: 30px;
 width: 470px;
 height: 66px;
 position: relative;
.main-banner .left-content form button {
 position: absolute;
 right: 10px;
 top: 10px;
 display: inline-block;
 background-color: #fff;
 font-size: 15px;
 font-weight: 500;
 color: #fe3f40;
 text-transform: capitalize;
 padding: 12px 25px;
 border-radius: 23px;
 letter-spacing: 0.25px;
 outline: none;
 border: none;
.main-banner .left-content form input {
 width: 470px;
 height: 66px;
 background-color: #03a4ed;
 border-radius: 33px;
 border: none;
 outline: none;
 padding: 0px 25px;
 color: #fff;
 letter-spacing: 0.25px;
 font-size: 15px;
 font-weight: 300;
.main-banner .left-content form input::placeholder {
 color: #fff;
```

```
About Us Style
#about {
 margin-top: 80px;
about-us {
 background-image: url(../images/about-bg.png);
 background-repeat: no-repeat;
 background-position: center center;
 background-size: cover;
 padding: 140px 0px 180px 0px;
.about-us .left-image {
 margin-right: 45px;
.about-us .services .item {
 margin-bottom: 30px;
.about-us .services .item .icon {
 justify-content: center;
 display: flex;
 margin-bottom: 10px;
.about-us .services .item .icon img {
 max-width: 70px;
.about-us .services .item h4 {
 color: #fff;
 font-size: 20px;
 font-weight: 700;
 margin-bottom: 12px;
.about-us .services .item p {
 color: #fff;
```

```
Services Style
.our-services {
 margin-top: 0px;
 padding-top: 120px;
.our-services .left-image {
 margin-right: 45px;
.our-services .section-heading h2 {
 margin-right: 100px;
.our-services .section-heading p {
 margin-top: 30px;
 margin-bottom: 60px;
.our-services .progress-skill-bar {
 margin-bottom: 30px;
 position: relative;
 width: 100%;
.our-services .progress-skill-bar span {
 position: absolute;
 top: 0;
 font-size: 18px;
 font-weight: 600;
 color: #03a4ed;
#more-about-events{
 display: none;
.filled-bar-84 {
   width: 84%;
```

```
.filled-bar-88 {
   width: 88%;
.filled-bar-94 {
   width: 94%;
.filled-bar-86 {
   width: 86%;
.span-left-84{
 left: 84%;
.span-left-88 {
 left: 88%;
.span-left-94 {
 left: 94%;
.span-left-86 {
 left: 86%;
.our-services .progress-skill-bar h4 {
 font-size: 18px;
 font-weight: 700;
 color: #2a2a2a;
 margin-bottom: 14px;
.our-services .progress-skill-bar .full-bar {
 width: 100%;
 height: 6px;
 border-radius: 3px;
 background-color: #f7eff1;
 position: relative;
 z-index: 1;
```

```
.our-services .progress-skill-bar .filled-bar {
 background: rgb(255,77,30);
 background: linear-gradient(105deg, rgba(255,77,30,1) 0%, rgba(255,44,109,1)
100%);
 height: 6px;
 border-radius: 3px;
 margin-bottom: -6px;
 position: relative;
 z-index: 2;
.our-services .first-bar .filled-bar {
 width: 71%;
.our-services .second-bar .filled-bar {
 width: 83%;
.our-services .third-bar .filled-bar {
 width: 90%;
Portfolio
.our-portfolio {
 padding-top: 120px;
 margin-top: 0px;
.our-portfolio .section-heading h2 {
 text-align: center;
 margin: 0px 90px 0px 90px;
 margin-bottom: 30px;
 position: relative;
  z-index: 1;
.text-justify{
 text-align: justify;
```

```
.our-portfolio .item {
 position: relative;
.our-portfolio .item:hover .hidden-content {
 top: -100px;
 opacity: 1;
 visibility: visible;
.our-portfolio .item:hover .showed-content {
 top: 90px;
.our-portfolio .hidden-content {
 background: rgb(255,77,30);
 background: linear-gradient(105deg, rgba(255,77,30,1) 0%, rgba(255,44,109,1)
100%);
 padding: 30px;
 border-radius: 20px;
 text-align: center;
 opacity: 0;
 top: 0;
 visibility: hidden;
 position: absolute;
  z-index: 2;
  transition: all 0.5s;
.our-portfolio .hidden-content:after {
 width: 20px;
 height: 20px;
  position: absolute;
 background: rgb(255,77,30);
  content: '';
 left: 50%;
 bottom: -8px;
 margin-left: -5px;
 transform: rotate(45deg);
 background: linear-gradient(105deg, rgba(255,52,69,1) 0%, rgba(255,51,78,1)
100%);
  z-index: -1;
```

```
.our-portfolio .hidden-content h4 {
 font-size: 20px;
 font-weight: 700;
 color: #fff;
 margin-bottom: 20px;
.our-portfolio .hidden-content p {
 color: #fff;
.our-portfolio .showed-content {
 top: 0px;
 position: relative;
 z-index: 3;
 background-color: #fff;
 text-align: center;
 padding: 50px;
 border-radius: 20px;
 box-shadow: 0px 0px 10px rgba(0,0,0,0.1);
 transition: all 0.5s;
.our-portfolio .showed-content img {
 max-width: 100px;
.our-blog {
 position: relative;
 margin-top: 80px;
 padding-top: 120px;
.our-blog .section-heading h2 {
 margin-right: 180px;
```

```
.our-blog .top-dec {
 text-align: right;
 margin-top: -80px;
.our-blog .top-dec img {
 max-width: 270px;
.our-blog .left-image {
 position: relative;
.our-blog .left-image img {
 border-radius: 20px;
 box-shadow: 0px 0px 15px rgba(0,0,0,0.1);
.our-blog .left-image .info {
 position: relative;
.our-blog .left-image .info .inner-content {
 background-color: #fff;
 box-shadow: 0px 0px 15px rgba(0,0,0,0.1);
 border-radius: 20px;
 margin-right: 75px;
 position: absolute;
 margin-top: -100px;
 padding: 30px;
.our-blog .left-image ul li {
 display: inline-block;
 font-size: 15px;
 color: #afafaf;
 font-weight: 300;
 margin-right: 20px;
.our-blog .left-image ul li:last-child {
 margin-right: 0px;
.our-blog .left-image ul li i {
```

```
color: #ff4d61;
 font-size: 16px;
 margin-right: 8px;
.our-blog .left-image h4 {
 font-size: 20px;
 font-weight: 700;
 color: #2a2a2a;
 margin: 20px 0px 15px 0px;
.our-blog .left-image .info .main-blue-button {
 position: absolute;
 bottom: -80px;
 left: 0;
.our-blog .right-list {
 margin-left: 30px;
.our-blog .right-list ul li {
 display: inline-flex;
 width: 100%;
 margin-bottom: 30px;
.our-blog .right-list .left-content {
 margin-right: 45px;
.our-blog .right-list .left-content span {
 font-size: 15px;
 color: #afafaf;
 font-weight: 300;
.our-blog .right-list .left-content span i {
 color: #ff4d61;
 font-size: 16px;
 margin-right: 8px;
.our-blog .right-list .left-content h4 {
```

```
font-size: 20px;
 font-weight: 700;
 color: #2a2a2a;
 margin: 20px 0px 15px 0px;
.our-blog .right-list .right-image img {
 width: 250px;
 border-radius: 20px;
contact
.contact-us {
 padding: 160px 0px;
 background-image: url(../images/contact-bg.png);
 background-repeat: no-repeat;
 background-position: center center;
 background-size: cover;
.contact-us .section-heading h2,
.contact-us .section-heading h2 em,
.contact-us .section-heading h2 span {
 color: #fff;
.contact-us .section-heading p {
 color: #fff;
 margin-top: 30px;
.phone-info {
 margin-top: 40px;
.phone-info h4 {
 font-size: 20px;
font-weight: 700;
```

```
color: #fff;
#author{
 margin-top: 150px;
#author-image{
 border-radius: 50%;
 max-width: 75%;
.phone-info h4 span i {
 width: 46px;
 height: 46px;
 display: inline-block;
 text-align: center;
 line-height: 46px;
 background-color: #fff;
 border-radius: 50%;
 color: #ff3b2c;
 font-size: 22px;
 margin-left: 30px;
 margin-right: 15px;
.phone-info h4 span a {
 color: #fff;
 font-size: 15px;
 font-weight: 400;
#contact-form .contact-dec {
 position: absolute;
 right: -166px;
 bottom: 0;
#contact-form .contact-dec img {
 max-width: 178px;
#contact-form {
 margin-left: 30px;
 position: relative;
```

```
background-color: #fff;
  padding: 30px 30px;
  border-radius: 20px;
#contact-form input[type="radio"] {
 margin-top: 20px;
 width: 15px!important;
 height: 10px!important;
#contact-us-top{
  background-color: #fe3f40;
  color: #fff;
 width: 200px;
 height: 50px;
 display: flex;
  align-items: center;
 justify-content: center;
 border-radius: 50px;
 transition: 0.2s ease-in-out;
#contact-us-top:hover{
  background-color: #03a4ed;
#contact-form label {
  display: inline-block;
 vertical-align: middle;
 margin-left: 5px;
 font-size: 15px;
 color: #2a2a2a;
#contact-form select {
 width: 100%;
 height: 46px;
 border-radius: 33px;
 background-color: #d1f3ff;
 border: none;
 outline: none;
 font-size: 15px;
 font-weight: 300;
```

```
color: #2a2a2a;
  padding: 0px 20px;
  margin-top: 20px;
#contact-form input {
  width: 100%;
  height: 46px;
  border-radius: 33px;
  background-color: #d1f3ff;
  border: none;
  outline: none;
  font-size: 15px;
  font-weight: 300;
  color: #2a2a2a;
  padding: 0px 20px;
  margin-top: 20px;
#contact-form input::placeholder {
  color: #2a2a2a;
#contact-form textarea {
  width: 100%;
 min-width: 100%;
  max-width: 100%;
  max-height: 180px;
  min-height: 140px;
  height: 140px;
  border-radius: 20px;
  background-color: #d1f3ff;
  border: none;
  outline: none;
  font-size: 15px;
  font-weight: 300;
  color: #2a2a2a;
  padding: 15px 20px;
  margin-top: 20px;
#contact-form textarea::placeholder {
 color: #2a2a2a;
```

```
#contact-form button {
  display: inline-block;
  background-color: #03a4ed;
 font-size: 15px;
 font-weight: 400;
 color: #fff;
 margin-bottom: 15px;
 text-transform: capitalize;
 padding: 12px 25px;
 border-radius: 23px;
 letter-spacing: 0.25px;
 border: none;
 outline: none;
 transition: all .3s;
#contact-form button:hover {
 background-color: #fe3f40;
#read-more-btn {
  display: inline-block;
 background-color: #fe3f40;
 font-size: 15px;
 font-weight: 400;
 color: #fff;
 text-transform: capitalize;
 padding: 12px 25px;
  border-radius: 23px;
 letter-spacing: 0.25px;
 border: none;
 outline: none;
  transition: all .3s;
#read-more-btn:hover {
 background-color: #03a4ed;
Footer Style
```

```
footer p {
 text-align: center;
 margin: 30px 0px 45px 0px;
footer p a {
 color: #fe3f40;
responsive
@media (max-width: 1645px) {
 form#contact .contact-dec {
   display: none;
@media (max-width: 992px) {
  .main-banner {
   padding-top: 196px;
.left-image{
 display: none;
#services{
 margin-top: 5q0px;
  .main-banner .left-content {
   margin-right: 0px;
   text-align: center;
   margin-bottom: 45px;
   display: flex;
    align-items: center;
    justify-content: center;
   flex-direction: column;
```

```
.main-banner:after {
   top: 76px;
   z-index: -1;
  .main-banner .left-content form,
  .main-banner .left-content form input {
   width: 100%!important;
 #about {
   margin-top: 0px;
  .about-us {
   position: relative;
   background-image: none;
   padding: 0px;
  .about-us .left-image {
   margin-right: 0px;
   position: absolute;
   bottom: -220px;
   right: 0;
  .about-us .services {
   text-align: center;
  .about-us .services .item {
   background: rgb(255,77,30);
   background: linear-gradient(105deg, rgba(255,77,30,1) 0%, rgba(255,44,109,1)
100%);
   padding: 30px;
   border-radius: 20px;
   display: inline-block;
  .about-us .services .item .right-text {
   text-align: left;
  .our-services {
   margin-top: 200px;
  .our-services .left-image {
  margin-right: 0px;
   margin-bottom: 45px;
  .our-services .section-heading h2,
  .our-services .section-heading p {
```

```
margin-right: 0px;
  text-align: center;
.our-portfolio .section-heading h2 {
 margin: 0px 0px 80px 0px;
.our-portfolio .item {
margin-bottom: 15px;
.our-blog {
margin-top: 0px;
.our-blog .top-dec {
 display: none;
.our-blog .section-heading h2 {
 margin-right: 0px;
 text-align: center;
 margin-bottom: 45px;
.our-blog .left-image .info .inner-content {
  position: relative;
 margin-right: 0px;
.our-blog .left-image .info .main-blue-button {
 position: relative;
 bottom: 0px;
 margin-top: 30px;
.our-blog .left-image {
 margin-bottom: 45px;
.contact-us {
 margin-top: 60px;
 padding: 120px 0px;
.contact-us .section-heading {
  text-align: center;
form#contact {
 margin-left: 0px;
 margin-top: 30px;
form#contact .contact-dec {
display: none;
```

```
footer p {
   margin: 15px 0px 30px 0px;
@media (max-width: 767px) {
  .about-us .left-image {
   bottom: -280px;
  .our-blog .right-list {
   margin-left: 0px;
  .our-blog .right-list ul li {
   display: inline-block;
   margin-top: 0px;
   padding-top: 30px;
   border-top: 1px solid #eee;
  .our-blog .right-list .left-content {
   margin-right: 0px;
   width: 100%;
   margin-bottom: 15px;
  .our-blog .right-list .right-image,
  .our-blog .right-list .right-image img {
   width: 100%;
  .phone-info h4 span {
   display: block;
   margin-top: 15px;
  .phone-info h4 span i {
   margin-left: 0px;
```

Main.js

```
const url = window.location.pathname;
const navLinks = [
  { name: 'Home', id: 'index.html#top' },
 { name: 'About Us', id: 'index.html#about' },
 { name: 'Services', id: 'index.html#services' },
 { name: 'Portfolio', id: 'index.html#portfolio' },
  { name: 'Author', id: 'author.html' }
];
const services = [
    icon: 'assets/images/service-icon-01.png',
    title: 'Public Relations Strategy',
    description: 'Crafting impactful narratives and engaging strategies to
elevate your brand\'s presence and resonance.',
 },
    icon: 'assets/images/service-icon-02.png',
    title: 'Audience Engagement Metrics',
    description: 'Harnessing audience engagement metrics to understand audience
behavior, optimizing strategies for maximum engagement.',
 },
    icon: 'assets/images/service-icon-03.png',
   title: 'Campaign Reporting',
    description: 'Delivering comprehensive insights and analysis to measure the
success and impact of your PR initiatives.',
  },
    icon: 'assets/images/service-icon-04.png',
    title: 'SEO Enhancement Solutions',
    description: 'Providing tailored recommendations and strategies to boost your
brand\'s visibility and relevance in the digital landscape.',
];
const skillsData = [
 { skill: 'Branding Solutions', percentage: 84 },
```

```
{ skill: 'Campaign Analysis', percentage: 88 },
 { skill: 'PR Strategy', percentage: 94 },
  { skill: 'Event Organizing', percentage: 86 }
1;
const formStructure = {
 id: 'contact-form',
 action: '',
 method: 'post',
 fields: [
   { type: 'input', inputType: 'text', name: 'name', id: 'name', placeholder:
 Name'},
   { type: 'input', inputType: 'text', name: 'surname', id: 'surname',
placeholder: 'Surname'},
    { type: 'input', inputType: 'text', name: 'email', id: 'email', placeholder:
'Your Email'},
    { type: 'textarea', name: 'message', id: 'message', placeholder: 'Message'},
    { type: 'dropdown', name: 'dropdown', id: 'dropdown', options: ['How did you
heard about us?', 'Social Media', 'Referral', 'Web Search', 'Event Attendance',
Advertisement', 'Other']},
    { type: 'radio', name: 'radio', id: 'radio', options: ['Brand Promotion',
 Event Management', 'Media Relations', 'Marketing Strategy', 'Other']}
 submitButtonId: 'form-submit',
 submitButtonClass: 'main-button',
  submitButtonText: 'Send Message',
};
const imagesInfo = [
 { src: 'assets/images/events/event1.jpg', alt: 'Event 1' },
 { src: 'assets/images/events/event2.jpg', alt: 'Event 2' },
 { src: 'assets/images/events/event3.jpg', alt: 'Event 3' },
 { src: 'assets/images/events/event4.jpg', alt: 'Event 4' },
 { src: 'assets/images/events/event5.jpg', alt: 'Event 5' },
 { src: 'assets/images/events/event6.jpg', alt: 'Event 6' },
  { src: 'assets/images/events/event7.jpg', alt: 'Event 7' }
];
// Dynamic nav links
function createNavLinks() {
  const nav = document.querySelector('.nav');
 navLinks.forEach(link => {
   const listItem = document.createElement('li');
```

```
const aTag = document.createElement('a');
    console.log(url);
    if(url === '/propulse/index.html' || url === '/propulse/'){
    if (!link.name == 'Author'){
    aTag.href = `#${link.id}`;
    else{
      aTag.href = `${link.id}`
 if (url == '/propulse/author.html'){
    if (link.name == 'Author'){
      aTag.href = `#`;
      else{
        aTag.href = `${link.id}`
    aTag.textContent = link.name;
    listItem.classList.add('scroll-to-section');
    if (link.name === 'Home') {
      aTag.classList.add('active');
    }
    listItem.appendChild(aTag);
    nav.appendChild(listItem);
  });
// Contact button in nav
function createContactButton() {
  const contactButton = document.createElement('div');
  contactButton.classList.add('main-red-button');
  console.log(url);
  const buttonLink = document.createElement('a');
  if(url == '/propulse/author.html'){
    buttonLink.href= 'index.html#contact'
 else if(url == '/propulse/index.html' | url == '/propulse/'){
    buttonLink.href = '#contact';
 buttonLink.textContent = 'Contact Now';
```

```
contactButton.appendChild(buttonLink);
  const listItem = document.createElement('li');
  listItem.classList.add('scroll-to-section');
 listItem.appendChild(contactButton);
  const nav = document.querySelector('.nav');
  nav.appendChild(listItem);
// Contact button on top of the page
function createContactButtonTop() {
  const contactButton = document.createElement('div');
  contactButton.classList.add('main-red-button');
  const buttonLink = document.createElement('a');
  buttonLink.href = '#contact';
  buttonLink.textContent = 'Contact Now';
  buttonLink.classList.add('text-white', 'fs-5');
  contactButton.appendChild(buttonLink);
  const container = document.querySelector('#contact-us-top');
  container.appendChild(buttonLink);
// Show/Hide Scroll button
function toggleScrollToTopButton() {
  const scrollToTopBtn = document.getElementById("scrollToTopBtn");
 if (document.body.scrollTop > 20 || document.documentElement.scrollTop > 20) {
    scrollToTopBtn.style.display = "block";
 } else {
    scrollToTopBtn.style.display = "none";
function scrollToTop() {
 window.scrollTo({
    top: 0,
    behavior: "smooth"
  });
function generateServiceHTML(service) {
```

```
return `
    <div class="col-lg-6">
      <div class="item wow fadeIn">
        <div class="icon">
          <img src="${service.icon}" alt="${service.title}">
        </div>
        <div class="text-center">
          <h4>${service.title}</h4>
          ${service.description}
      </div>
    </div>
// Make blurry nav on scroll down
function onScroll() {
  var scroll = window.scrollY || document.documentElement.scrollTop;
  var header = document.querySelector('header');
 if (scroll > 0) {
   header.classList.add("background-header");
    header.classList.remove("background-header");
// Toggle nav for lower resolutions
function menuDropdownToggle() {
  const menuTrigger = document.querySelector(".menu-trigger");
 if (menuTrigger) {
   menuTrigger.addEventListener('click', function() {
      menuTrigger.classList.toggle('active');
      const nav = document.querySelector('.header-area .nav');
      nav.style.display = (nav.style.display === 'none' || nav.style.display ===
'') ? 'block' : 'none';
    });
function generateSkillHTML(skill) {
  return `
   <div class="col-lg-12">
     <div class="progress-skill-bar">
```

```
<h4>${skill.skill}</h4>
        <span class="span-left-${skill.percentage}">${skill.percentage}%</span>
        <div class="filled-bar filled-bar-${skill.percentage}"></div>
        <div class="full-bar"></div>
      </div>
    </div>
function fillSkillBars() {
  const row = document.querySelector('#skills');
 skillsData.forEach(skill => {
   const skillHTML = generateSkillHTML(skill);
   row.innerHTML += skillHTML;
  });
// Generate Images for Slider
function createAndAppendImages(images) {
  const slider = document.querySelector('.slider');
  images.forEach((image) => {
    const div = document.createElement('div');
    const img = document.createElement('img');
    img.src = image.src;
    img.alt = image.alt;
    div.appendChild(img);
    slider.appendChild(div);
  });
function createForm(formStructure) {
  const form = document.createElement('form');
  form.id = formStructure.id || '';
  form.action = formStructure.action | '';
  form.method = formStructure.method | '';
  formStructure.fields.forEach(field => {
    const fieldset = document.createElement('fieldset');
   if (field.type === 'input' || field.type === 'textarea') {
```

```
const input = document.createElement(field.type === 'input' ? 'input' :
textarea');
    input.type = field.inputType || 'text';
    input.name = field.name || '';
    input.id = field.id | '';
    input.placeholder = field.placeholder | '';
    if (field.pattern) {
      input.pattern = field.pattern;
    if (field.type === 'textarea') {
      input.classList.add('form-control');
    fieldset.appendChild(input);
   } else if (field.type === 'dropdown') {
    const select = document.createElement('select');
    select.name = field.name || '';
    select.id = field.id | '';
    field.options.forEach(optionText => {
       const option = document.createElement('option');
       option.value = optionText.toLowerCase().replace(/\s/g, '_');
      option.text = optionText;
      select.appendChild(option);
    });
    fieldset.appendChild(select);
   } else if (field.type === 'radio') {
    const spanRadio = document.createElement('span')
    spanRadio.classList.add('text-dark');
    spanRadio.innerHTML = 'Why are you contacting us?';
    fieldset.appendChild(spanRadio);
    field.options.forEach(optionText => {
       const radioDiv = document.createElement('div');
       radioDiv.className = 'radio-group';
       const radioInput = document.createElement('input');
       radioInput.type = 'radio';
       radioInput.name = field.name | '';
       radioInput.id = optionText.toLowerCase().replace(/\s/g, '_');
       radioInput.value = optionText.toLowerCase().replace(/\s/g, ' ');
```

```
const radioLabel = document.createElement('label');
        radioLabel.htmlFor = radioInput.id;
        radioLabel.textContent = optionText;
        radioDiv.appendChild(radioInput);
        radioDiv.appendChild(radioLabel);
        fieldset.appendChild(radioDiv);
        fieldset.classList.add('mt-3');
      });
   form.appendChild(fieldset);
  });
  const buttonFieldset = document.createElement('fieldset');
  buttonFieldset.classList.add('d-flex', 'flex-column', 'justify-content-start');
  const submitButton = document.createElement('button');
  submitButton.type = 'submit';
  submitButton.id = formStructure.submitButtonId | '';
  submitButton.className = formStructure.submitButtonClass | '';
  submitButton.textContent = formStructure.submitButtonText | 'Submit';
  buttonFieldset.appendChild(submitButton);
  form.appendChild(buttonFieldset);
  return form;
function validateName(name) {
  const nameRegex = /^[a-zA-Z\s]+$/;
  const isValid = nameRegex.test(name);
  const errorElement = document.getElementById('name-error');
 if (!isValid) {
   errorElement.innerText = 'Please enter a valid name.';
   errorElement.classList.remove('d-none');
   errorElement.classList.add('d-block');
 } else {
   errorElement.innerText = '';
   errorElement.classList.remove('d-block');
   errorElement.classList.add('d-none');
```

```
return isValid;
function validateSurname(surname) {
  const surnameRegex = /^[a-zA-Z\s]+$/;
  const isValid = surnameRegex.test(surname);
  const errorElement = document.getElementById('surname-error');
 if (!isValid) {
    errorElement.innerText = 'Please enter a valid surname.';
    errorElement.classList.remove('d-none');
    errorElement.classList.add('d-block');
 } else {
    errorElement.innerText = '';
    errorElement.classList.remove('d-block');
    errorElement.classList.add('d-none');
  return isValid;
function validateMessage(message) {
  const messageRegex = /^[A-Za-z0-9!?\.]{10,201}$/;
  const isValid = messageRegex.test(message);
  const errorElement = document.getElementById('message-error');
 if (!isValid) {
    errorElement.innerText = 'Please enter a message with 10 to 200 characters.';
    errorElement.classList.remove('d-none');
    errorElement.classList.add('d-block');
 } else {
    errorElement.innerText = '';
    errorElement.classList.remove('d-block');
    errorElement.classList.add('d-none');
  return isValid;
function validateEmail(email) {
  const emailRegex = /^[\w-]+@[a-zA-Z_]+?\.[a-zA-Z]{2,3}$/;
 const isValid = emailRegex.test(email);
 const errorElement = document.getElementById('email-error');
```

```
if (!isValid) {
    errorElement.innerText = 'Please enter a valid email.';
    errorElement.classList.remove('d-none');
    errorElement.classList.add('d-block');
  } else {
    errorElement.innerText = '';
    errorElement.classList.remove('d-block');
    errorElement.classList.add('d-none');
  return isValid;
// Create error message elements
function createErrorMessage(fieldId) {
  const errorElement = document.createElement('div');
 errorElement.id = `${fieldId}-error`;
 errorElement.classList.add('error-message', 'd-none', 'text-danger');
  return errorElement;
// Display/hide error messages
function showError(fieldId, message) {
  const errorElement = document.getElementById(`${fieldId}-error`);
 if (!errorElement) {
   return;
 if (message) {
   errorElement.innerText = message;
    errorElement.classList.remove('d-none');
    errorElement.classList.add('d-block');
 } else {
    errorElement.innerText = '';
   errorElement.classList.remove('d-block');
    errorElement.classList.add('d-none');
// Validate form fields on submit
function validateForm() {
 const nameField = document.getElementById('name');
 const surnameField = document.getElementById('surname');
 const emailField = document.getElementById('email');
```

```
const messageField = document.getElementById('message');
const dropdownField = document.getElementById('dropdown');
const radioField = document.getElementsByName('radio');
let isValid = true;
// Validate name
isValid = validateName(nameField.value) && isValid;
// Validate surname
isValid = validateSurname(surnameField.value) && isValid;
// Validate message
isValid = validateMessage(messageField.value) && isValid;
// Validate email
isValid = validateEmail(emailField.value) && isValid;
// Validate dropdown
if (dropdownField.selectedIndex === 0) {
  showError('dropdown', 'Please select an option from the dropdown.');
 isValid = false;
} else {
  showError('dropdown', '');
// Validate radio button
let radioChecked = false;
for (let i = 0; i < radioField.length; i++) {</pre>
 if (radioField[i].checked) {
    radioChecked = true;
    break;
if (!radioChecked) {
 showError('other', 'Please select an option from the radio buttons.');
 isValid = false;
} else {
 showError('other', '');
// If the form is valid -> submit
```

```
if (isValid) {
    // Empty form elements
    document.getElementById('contact-form').reset();
    var spanElement = document.createElement('span');
    spanElement.textContent = 'Your message is sent successfully!';
    spanElement.classList.add('text-success', 'ms-2');
    var fieldsetElement = document.querySelector('#contact-form');
    fieldsetElement.appendChild(spanElement);
  return isValid;
// Read more / Show less
let click number=0;
let readMoreBtn=$("#read-more-btn");
$(readMoreBtn).on("click", (event)=>{
 event.preventDefault();
 if(click_number%2==0){
 $("#more-about-events").slideDown();
 $(readMoreBtn).html("Show less");
 else{
 $("#more-about-events").slideUp();
 $(readMoreBtn).html("Read more");
 click_number++;
 });
// JQuery slider plugin
$(document).ready(function(){
 $(".slider").bxSlider({
    auto: true,
    stopAutoOnClick: true,
    randomStart: true,
    responsive: true,
    autoHover: true,
    pause: 2500,
```

```
});
});
document.addEventListener('DOMContentLoaded', function() {
 createNavLinks();
  createContactButton();
 if (url == "/propulse/" || url.includes("/propulse/index.html")){
  // Contact button on top of the page
  createContactButtonTop();
  // Generate skillBars names and percentage
  fillSkillBars();
  // Generate Images for Slider
  createAndAppendImages(imagesInfo);
  // Generate dynamic form using formStructure
  const dynamicForm = createForm(formStructure);
  document.querySelector('#form-container').appendChild(dynamicForm);
 // Form Validation
  const formElements = ['name', 'surname', 'email', 'dropdown', 'other',
 message'];
  formElements.forEach((elementId) => {
   const field = document.getElementById(elementId);
    if (field) {
      const errorElement = createErrorMessage(elementId);
      field.parentNode.appendChild(errorElement);
  });
  // Event blur for name, surname, message and email
  document.getElementById('name').addEventListener('blur', function () {
   validateName(this.value);
  });
  document.getElementById('surname').addEventListener('blur', function () {
    validateSurname(this.value);
  });
  document.getElementById('message').addEventListener('blur', function () {
   validateMessage(this.value);
```

```
});
 document.getElementById('email').addEventListener('blur', function () {
   validateEmail(this.value);
 });
 // Submit and validate form event
 document.getElementById('contact-form').addEventListener('submit', function
(event) {
   event.preventDefault();
   validateForm();
 });
 // Generate each service in services section
 const servicesContainer = document.querySelector('.services .row');
 services.forEach(service => {
   const serviceHTML = generateServiceHTML(service);
   servicesContainer.innerHTML += serviceHTML;
 });
 const links = document.querySelectorAll('.scroll-to-section a[href^="#"]');
 const navLinks = document.querySelectorAll('.nav a');
 links.forEach(link => link.addEventListener('click', scrollToSection));
 window.addEventListener("scroll", throttle(highlightNavLink, 100));
 // Smooth scroll clicked section
 function scrollToSection(e) {
   e.preventDefault();
   const targetId = this.getAttribute('href').slice(1);
   const target = document.getElementById(targetId);
   links.forEach(link => link.classList.remove('active'));
   this.classList.add('active');
   const targetOffset = target.getBoundingClientRect().top + window.pageYOffset;
   window.scrollTo({ top: targetOffset, behavior: 'smooth' });
 // Highlight link that matches section on screen
 // FUNCTION FROM TEMPLATE
 function highlightNavLink() {
```

```
const scrollPos = window.scrollY|| document.documentElement.scrollTop;
    const refElement = document.querySelector(link.getAttribute("href"));
    navLinks.forEach(link => {
      if (refElement) {
        const offsetTop = refElement.offsetTop;
        const offsetBottom = offsetTop + refElement.offsetHeight;
        if (offsetTop <= scrollPos && offsetBottom > scrollPos) {
          document.querySelectorAll('.nav ul li a').forEach(a =>
a.classList.remove("active"));
          link.classList.add("active");
        } else {
          link.classList.remove("active");
    });
});
// Preloader
window.addEventListener('load', function() {
  const preloader = document.getElementById('js-preloader');
 preloader.classList.add('loaded');
});
// Mobile nav toggle on click
function mobileNav() {
  const width = window.innerWidth;
  const submenus = document.querySelectorAll('.submenu');
  submenus.forEach(submenu => {
    submenu.addEventListener('click', function() {
      if (width < 767) {
        const ul = this.querySelector('ul');
        ul.classList.toggle('active', !ul.classList.contains('active'));
    });
  });
// FUNCTION FROM TEMPLATE
function throttle(func, limit) {
 let inThrottle;
```

```
return function() {
    const args = arguments;
    const context = this;
    if (!inThrottle) {
        func.apply(context, args);
        inThrottle = true;
        setTimeout(() => (inThrottle = false), limit);
    }
    };
}

mobileNav();
window.addEventListener('scroll', onScroll);
menuDropdownToggle();
document.getElementById("scrollToTopBtn").addEventListener("click", scrollToTop);
window.addEventListener("scroll", toggleScrollToTopButton);
```