

The Running Head Test Book

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that

heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-

head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that

heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-

head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

10

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

17

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that

heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-

head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

12

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

12

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that

heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-

head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

17

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that

heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-

head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages. This paragraph is repeated many times to fill enough pages for the running-head stripping heuristic to have a real repetition signal to detect, since that heuristic deliberately declines to run on short documents under four pages.

