WEIGHT-ALTITUDE-TEMPERATURE
Cat.B PROCEDURE

NR=100%





139G1580A024 Rev. A

ICN-39-A-155090-G-A0126-10008-A-01-1

Figure 4-1 Weight Limitations for CAT B Procedure

WEIGHT-ALTITUDE-TEMPERATURE
Cat.B PROCEDURE

EAPS OFF
NR=100%



139G1580A024 Rev. A

ICN-39-A-155090-G-A0126-10009-A-01-1

Figure 4-2 Weight Limitations for CAT B Procedure, EAPS OFF

WEIGHT-ALTITUDE-TEMPERATURE
Cat.B PROCEDURE

EAPS ON
NR=100%



139G1580A024 Rev. A

ICN-39-A-155090-G-A0126-10010-A-01-1

Figure 4-3 Weight Limitations for CAT B Procedure, EAPS ON

WEIGHT-ALTITUDE-TEMPERATURE
Cat.B PROCEDURE

IBF installed
NR=100%



139G1580A024 Rev. A

ICN-39-A-155090-G-A0126-10011-A-01-1

Figure 4-4 Weight Limitations for CAT B Procedure, IBF Installed

WEIGHT-ALTITUDE-TEMPERATURE
Cat.A CLEAR AREA PROCEDURE

NR=102%





139G1580A024 Rev. A

ICN-39-A-155090-G-A0126-10012-A-01-1

Figure 4-5 Weight Limitations for CAT A Clear Area Procedure

WEIGHT-ALTITUDE-TEMPERATURE
Cat.A CLEAR AREA PROCEDURE

EAPS OFF
NR=102%



139G1580A024 Rev. A

ICN-39-A-155090-G-A0126-10013-A-01-1

Figure 4-6 Weight Limitations for CAT A Clear Area Procedure, EAPS OFF

WEIGHT-ALTITUDE-TEMPERATURE
Cat.A CLEAR AREA PROCEDURE

EAPS ON
NR=102%



139G1580A024 Rev. A

ICN-39-A-155090-G-A0126-10014-A-01-1

Figure 4-7 Weight Limitations for CAT A Clear Area Procedure, EAPS ON

WEIGHT-ALTITUDE-TEMPERATURE
Cat.A CLEAR AREA PROCEDURE

IBF installed
NR=102%



139G1580A024 Rev. A

ICN-39-A-155090-G-A0126-10015-A-01-1

Figure 4-8 Weight Limitations for CAT A Clear Area Procedure, IBF Installed