



Age-0 Pacific herring

catch/1,000m³ by region and month – with SLS




Age-0 northern anchovy

catch/1,000m³ by region and month – with SLS




Age-0 striped bass

catch/1,000m³ by region and month – with SLS




Age-1 striped bass

catch/1,000m³ by region and month – with SLS




Age-0 delta smelt

catch/1,000m³ by region and month – with SLS




Age-1 delta smelt

catch/1,000m³ by region and month – with SLS




Age-0 longfin smelt

catch/1,000m³ by region and month – with SLS




Age-1 longfin smelt

catch/1,000m³ by region and month – with SLS




Age-0 American shad


catch/1,000m³ by region and month – with SLS



Age-1 American shad


catch/1,000m³ by region and month – with SLS




catch/1,000m³ by region and month – with SLS

Age-1 threadfin shad


catch/1,000m³ by region and month – with SLS



catch/1,000m³ by region and month – with SLS


Age-1 Chinook salmon


catch/1,000m³ by region and month – with SLS




Age-1 steelhead

catch/1,000m³ by region and month – with SLS




catch/1,000m³ by region and month – with SLS

catch/1,000m³ by region and month – with SLS


Age-0 starry flounder

catch/1,000m³ by region and month – with SLS




Age-1 starry flounder

catch/1,000m³ by region and month – with SLS




Age-0 Tridentiger Spp.


catch/1,000m³ by region and month – with SLS



Age-0 prickly sculpin


catch/1,000m³ by region and month – with SLS




catch/1,000m³ by region and month – with SLS

gelatinous species

catch/1,000m³ by region and month – with SLS



catch/1,000m³ by region and month – with SLS

other fish species

catch/1,000m³ by region and month – with SLS

