# Age−0 Pacific herring

catch/1,000m^3 by region and month − No SLS

Age–0 northern anchovy

catch/1,000m^3 by region and month – No SLS

**Age−0 striped bass**

catch/1,000m^3 by region and month − No SLS

Age−1 striped bass

catch/1,000m³ by region and month – No SLS

Age−0 delta smelt

catch/1,000m^3 by region and month − No SLS

Age−1 delta smelt

catch/1,000m³ by region and month – No SLS

Age-0 longfin smelt

catch/1,000m³ by region and month – No SLS

Age−1 longfin smelt

catch/1,000m³ by region and month – No SLS

Age-0 American shad

catch/1,000m³ by region and month – No SLS

Age−1 American shad

catch/1,000m^3 by region and month − No SLS

Age–0 threadfin shad

catch/1,000m³ by region and month – No SLS

Age−1 threadfin shad

catch/1,000m³ by region and month − No SLS

Age−1 Chinook salmon

catch/1,000m³ by region and month − No SLS

Age−1 Chinook salmon

catch/1,000m^3 by region and month – No SLS

Age–1 steelhead

catch/1,000m³ by region and month – No SLS

Age−0 white sturgeon

catch/1,000m³ by region and month − No SLS

Age−0 white catfish

catch/1,000m³ by region and month – No SLS

Age–0 starry flounder

catch/1,000m^3 by region and month – No SLS

Age−1 starry flounder

catch/1,000m^3 by region and month – No SLS

Age−0 Tridentiger Spp.

catch/1,000m³ by region and month − No SLS

Age−0 prickly sculpin

catch/1,000m³ by region and month − No SLS

Crangon

catch/1,000m³ by region and month – No SLS

gelatinous species

catch/1,000m³ by region and month – No SLS

other crustacean species

catch/1,000m³ by region and month – No SLS

other fish species

catch/1,000m³ by region and month – No SLS