
## **Exercise Sheet 3**


# **Probability Density Estimation**

Till Rohrmann - 343756 Jens Krenzin - 319308


## a) Scatter Plot:




## b) Scatter Plot with eigenvectors:




#### b) Scatter Plot of toy data with PCs as coordinates:




## c) Fully reconstructed data:



## c) Reconstructed data (only using xa1):




## c) Reconstructed data (only using xa2):



b) PCs of used image patches (shown as 8\*8 image patch)


<u>Category:</u> Nature <u>Shown PCs</u>: 24



- More horizontal and vertical lines
- More homogenous structure

b) PCs of used image patches (shown as 8\*8 image patch)

<u>Category:</u> Buildings <u>Shown PCs</u>: 24



- More diagonal lines
- More inhomogenous structure

b) PCs of used image patches (shown as 8\*8 image patch)



8

Shown PCs: 48

b) PCs of used image patches (shown as 8\*8 image patch)



8

Shown PCs: 48


#### a) Toy data:

#### **Used distributions:**

N([-0.5,-0.2],0.1)


N([0,0.6],0.1)

N([0.5,0],0.1)




#### b) Kernel PCA with RBF Kernel:

#### - Colored Lines are eigenvectors




## c) Used Test Grid with eigenvectors:

#### - Every point has a number



#### c) Projections of the eigenvectors:



- Projections values show a common behavior
- variances of projection values are all high enough to distinguish projection values
- sometimes one or two outliers occur which show an uncommon behaviour
- -> The RBF Kernel is just an estimation for the scalar products!
  Outliers can occur!