SINGLE - FAMILY DETACHED SPECIFICATIONS

CLASS A

The materials listed below are typical of a Class A house. Variations from these specifications can be found. Substitute materials of equivalent price and quality may be used in place of the materials listed below. The pricing examples and the adjustments and additions section contain types of variations which normally require adjustments. **NOTE**: The single- family sections, include base interior wall height of 10 feet for each floor. For each foot of variation, add to or deduct from that portion of the residence base cost only: 4% for all residence exterior masonry walls, including brick and stone veneers; 3% for siding exterior walls. See Page 4 for further information and calculations.

EXTERIOR WALLS: either A or B

A) WOOD FRAME with siding of:
- Aluminum
- Wood
- Vinyl
- Brick veneer
- Native stone/foreign stone
- BASIC WALL STRUCTURE includes:
  - Building paper
  - 25/32” insulation board
  - 2” x 4” studs, 16” o.c. or
  - (alternate) 2” x 6” studs, 24” o.c.
  - 3 1/2” or 6” batt insulation
  - Plaster, three coats on lath
  - Interior surface painted, three coats
  - Two exterior doors with sidelights
  - Two aluminum storm and screen doors

B) MASONRY CONSTRUCTION
- Stucco on 12” concrete block
- Rigid insulation board
- Plaster, three coats on lath on furring
- Interior surface painted, three coats
- Two exterior doors with side lights
- Two aluminum storm and screen doors

WINDOWS: (12% of wall area)
- Wood casement with insulated glass and screen or vinyl-clad, double pane insulating glass

ROOF:
- 6/12 pitch
- Slate
- Felt
- 1” x 6” boards
- 2” x 8” rafters, 16” o.c.
- 2’ -0” overhang and soffit
- Gutters and downspouts

INTERIOR PARTITIONS AND FINISH:
- 8’ high walls
- Plaster, three coats, two sides
- Painted, three coats, two sides
- 2” x 4” studs, 16” o.c.
- Hardwood trim
- Panel doors
- Closet shelving

FLOOR FINISH:
- 40% carpet with pad and underlayment
- 30% hardwood, sanded and sealed
- 15% ceramic tile
- 10% vinyl tile with underlayment
- 5% slate

CEILING:
- Plaster, three coats on lath
- Painted, two coats
- 12” insulation
- 2” x 10” joists, 16” o.c.

EXCAVATION:
- 8’ basement

BASEMENT WALLS:
- 12” reinforced concrete, 8’ high
- 12” x 24” footings
- Waterproofing
- Perimeter insulation
- Drain tile, two sides

BASEMENT FLOOR:
- 6” gravel base
- 6” concrete floor
- Wire mesh
- Vapor barrier

FLOOR CONSTRUCTION:
- Felt lining
- 5/8” plywood
- 2” x 12” joists, 16” o.c.
- Bridging
- 8” steel I-beam
- 4” diameter steel posts

HEATING AND AIR CONDITIONING:
- Gas fired forced air furnace with cold air returns
- Block chimney

ELECTRIC:
- 200-Ampere, 110/220-Volt system
- BX wiring
- Unfinished area, Non-metallic

PLUMBING:
- Colored fixtures:
- Two lavatory
- One water closet
- One bathtub
- One shower stall
- One double-compartment kitchen sink
- One double-compartment laundry tub
- One 80-gallon water heater
- One floor drain

BUILT-IN UNITS:
- Hardwood kitchen cabinets:
- 25’ base with ceramic tile tops
- 13’ wall mounted, 30” high
- 8’ wall mounted, 18” high
- Vanity cabinet
- Closed-riser basement stairs

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

CLASS A














© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.









© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

CLASS A
1 STORY

SQUARE FOOT COSTS

Ground Area	FRAME			MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Native Stone	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
900	298.02	323.02	354.02	304.02	-8.50	-47.00	-55.50	**900**
950	297.45	321.95	352.95	302.95	-8.00	-45.25	-53.75	**950**
1000	296.96	320.96	351.96	301.96	-7.50	-43.50	-52.00	**1000**
1050	297.22	320.72	351.22	302.22	-7.31	-42.94	-51.44	**1050**
1100	297.55	320.55	350.55	302.55	-7.13	-42.38	-50.88	**1100**
1150	297.43	320.43	349.93	302.43	-6.94	-41.81	-50.31	**1150**
1200	297.35	320.35	349.35	302.35	-6.75	-41.25	-49.75	**1200**
1250	297.01	320.01	348.51	302.01	-6.66	-40.88	-49.38	**1250**
1300	296.70	319.70	347.70	301.70	-6.56	-40.50	-49.00	**1300**
1350	296.42	318.92	346.92	301.42	-6.47	-40.13	-48.63	**1350**
1400	296.17	318.17	346.17	301.17	-6.38	-39.75	-48.25	**1400**
1450	295.95	317.45	345.45	300.95	-6.28	-39.38	-47.88	**1450**
1500	295.75	316.75	344.75	300.75	-6.19	-39.00	-47.50	**1500**
1550	295.07	316.07	343.57	300.07	-6.09	-38.63	-47.13	**1550**
1600	294.41	315.41	342.41	299.41	-6.00	-38.25	-46.75	**1600**
1650	293.99	314.99	341.99	298.99	-5.94	-38.09	-46.59	**1650**
1700	293.58	314.58	341.58	298.58	-5.88	-37.94	-46.44	**1700**
1750	293.69	314.19	340.69	298.19	-5.81	-37.78	-46.28	**1750**
1800	293.81	313.81	339.81	297.81	-5.75	-37.63	-46.13	**1800**
1850	292.94	313.44	338.94	297.44	-5.69	-37.47	-45.97	**1850**
1900	292.08	313.08	338.08	297.08	-5.63	-37.31	-45.81	**1900**
1950	291.74	312.24	337.24	296.74	-5.56	-37.16	-45.66	**1950**
2000	291.40	311.40	336.40	296.40	-5.50	-37.00	-45.50	**2000**
2050	291.01	311.01	335.51	295.51	-5.28	-36.78	-45.28	**2050**
2100	290.62	310.62	334.62	294.62	-5.06	-36.56	-45.06	**2100**
2150	290.25	309.75	334.25	294.25	-4.84	-36.34	-44.84	**2150**
2200	289.88	308.88	333.88	293.88	-4.63	-36.13	-44.63	**2200**
2250	289.02	308.02	333.02	293.52	-4.41	-35.91	-44.41	**2250**
2300	288.17	307.17	332.17	293.17	-4.19	-35.69	-44.19	**2300**
2350	287.82	306.82	331.32	292.32	-3.97	-35.47	-43.97	**2350**
2400	287.47	306.47	330.47	291.47	-3.75	-35.25	-43.75	**2400**
2450	286.73	305.73	329.73	291.23	-3.75	-35.13	-43.63	**2450**
2500	285.99	304.99	328.99	290.99	-3.75	-35.00	-43.50	**2500**
2550	285.75	304.25	328.25	290.25	-3.75	-34.88	-43.38	**2550**
2600	285.52	303.52	327.52	289.52	-3.75	-34.75	-43.25	**2600**
2650	285.29	303.29	326.79	289.29	-3.75	-34.63	-43.13	**2650**
2700	285.07	303.07	326.07	289.07	-3.75	-34.50	-43.00	**2700**
2750	284.35	302.35	325.35	288.35	-3.75	-34.38	-42.88	**2750**
2800	283.63	301.63	324.63	287.63	-3.75	-34.25	-42.75	**2800**
2850	283.42	300.92	323.92	286.92	-3.72	-34.13	-42.63	**2850**
2900	283.21	300.21	323.21	286.21	-3.69	-34.00	-42.50	**2900**
2950	282.50	300.00	322.50	286.00	-3.66	-33.88	-42.38	**2950**
3000	281.80	299.80	321.80	285.80	-3.63	-33.75	-42.25	**3000**
3050	281.09	299.09	321.09	285.09	-3.59	-33.63	-42.13	**3050**
3100	280.39	298.39	320.39	284.39	-3.56	-33.50	-42.00	**3100**
3150	280.20	297.70	319.70	284.20	-3.53	-33.38	-41.88	**3150**
3200	280.00	297.00	319.00	284.00	-3.50	-33.25	-41.75	**3200**
3250	279.25	296.75	318.25	283.25	-3.50	-33.06	-41.56	**3250**
3300	278.49	296.49	317.49	282.49	-3.50	-32.88	-41.38	**3300**
3350	278.24	295.74	316.74	281.74	-3.50	-32.69	-41.19	**3350**
3400	277.99	294.99	315.99	280.99	-3.50	-32.50	-41.00	**3400**
3450	277.24	294.24	315.74	280.74	-3.50	-32.31	-40.81	**3450**
3500	276.50	293.50	315.50	280.50	-3.50	-32.13	-40.63	**3500**
3550	276.25	292.75	314.75	279.75	-3.50	-31.94	-40.44	**3550**
3600	276.01	292.01	314.01	279.01	-3.50	-31.75	-40.25	**3600**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

SQUARE FOOT COSTS

CLASS A
1+ STORY

Ground Area	FRAME			MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Native Stone	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
900	311.19	334.73	367.64	315.83	-8.50	-47.00	-55.50	**900**
950	310.42	333.63	366.04	314.97	-8.00	-45.25	-53.75	**950**
1000	309.74	332.60	364.52	314.19	-7.50	-43.50	-52.00	**1000**
1050	309.76	332.30	363.82	314.13	-7.31	-42.94	-51.44	**1050**
1100	309.84	332.06	363.18	314.13	-7.13	-42.38	-50.88	**1100**
1150	309.59	331.54	362.27	313.81	-6.94	-41.81	-50.31	**1150**
1200	309.39	331.07	361.41	313.54	-6.75	-41.25	-49.75	**1200**
1250	309.14	330.56	360.57	313.22	-6.66	-40.88	-49.38	**1250**
1300	308.92	330.10	359.77	312.94	-6.56	-40.50	-49.00	**1300**
1350	308.53	329.49	358.84	312.49	-6.47	-40.13	-48.63	**1350**
1400	308.16	328.91	357.94	312.06	-6.38	-39.75	-48.25	**1400**
1450	307.66	328.20	356.95	311.51	-6.28	-39.38	-47.88	**1450**
1500	307.18	327.51	355.98	310.98	-6.19	-39.00	-47.50	**1500**
1550	306.60	326.75	354.96	310.36	-6.09	-38.63	-47.13	**1550**
1600	306.05	326.01	353.96	309.76	-6.00	-38.25	-46.75	**1600**
1650	305.63	325.42	353.13	309.31	-5.94	-38.09	-46.59	**1650**
1700	305.23	324.84	352.32	308.87	-5.88	-37.94	-46.44	**1700**
1750	304.78	324.23	351.49	308.37	-5.81	-37.78	-46.28	**1750**
1800	304.34	323.63	350.67	307.88	-5.75	-37.63	-46.13	**1800**
1850	303.86	322.99	349.82	307.36	-5.69	-37.47	-45.97	**1850**
1900	303.39	322.37	348.99	306.85	-5.63	-37.31	-45.81	**1900**
1950	302.88	321.72	348.14	306.31	-5.56	-37.16	-45.66	**1950**
2000	302.38	321.08	347.31	305.77	-5.50	-37.00	-45.50	**2000**
2050	301.80	320.37	346.41	305.15	-5.28	-36.78	-45.28	**2050**
2100	301.23	319.67	345.52	304.54	-5.06	-36.56	-45.06	**2100**
2150	300.63	318.94	344.63	303.92	-4.84	-36.34	-44.84	**2150**
2200	300.05	318.22	343.75	303.30	-4.63	-36.13	-44.63	**2200**
2250	299.43	317.50	342.86	302.66	-4.41	-35.91	-44.41	**2250**
2300	298.83	316.78	341.98	302.03	-4.19	-35.69	-44.19	**2300**
2350	298.22	316.06	341.11	301.40	-3.97	-35.47	-43.97	**2350**
2400	297.62	315.36	340.25	300.78	-3.75	-35.25	-43.75	**2400**
2450	297.10	314.73	339.48	300.23	-3.75	-35.13	-43.63	**2450**
2500	296.58	314.11	338.70	299.69	-3.75	-35.00	-43.50	**2500**
2550	296.07	313.49	337.94	299.14	-3.75	-34.88	-43.38	**2550**
2600	295.55	312.87	337.19	298.59	-3.75	-34.75	-43.25	**2600**
2650	295.04	312.25	336.44	298.06	-3.75	-34.63	-43.13	**2650**
2700	294.53	311.64	335.70	297.54	-3.75	-34.50	-43.00	**2700**
2750	294.02	311.04	334.97	297.00	-3.75	-34.38	-42.88	**2750**
2800	293.51	310.44	334.25	296.46	-3.75	-34.25	-42.75	**2800**
2850	292.99	309.84	333.53	295.92	-3.72	-34.13	-42.63	**2850**
2900	292.46	309.25	332.81	295.38	-3.69	-34.00	-42.50	**2900**
2950	291.95	308.64	332.09	294.85	-3.66	-33.88	-42.38	**2950**
3000	291.44	308.04	331.38	294.32	-3.63	-33.75	-42.25	**3000**
3050	290.95	307.47	330.69	293.80	-3.59	-33.63	-42.13	**3050**
3100	290.45	306.90	330.00	293.29	-3.56	-33.50	-42.00	**3100**
3150	289.96	306.32	329.31	292.78	-3.53	-33.38	-41.88	**3150**
3200	289.46	305.74	328.62	292.26	-3.50	-33.25	-41.75	**3200**
3250	288.91	305.11	327.89	291.68	-3.50	-33.06	-41.56	**3250**
3300	288.35	304.48	327.17	291.10	-3.50	-32.88	-41.38	**3300**
3350	287.79	303.84	326.44	290.52	-3.50	-32.69	-41.19	**3350**
3400	287.24	303.21	325.71	289.95	-3.50	-32.50	-41.00	**3400**
3450	286.70	302.60	325.00	289.39	-3.50	-32.31	-40.81	**3450**
3500	286.15	301.99	324.29	288.83	-3.50	-32.13	-40.63	**3500**
3550	285.60	301.38	323.59	288.27	-3.50	-31.94	-40.44	**3550**
3600	285.06	300.77	322.89	287.72	-3.50	-31.75	-40.25	**3600**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

CLASS A
1 1/4 STORY

SQUARE FOOT COSTS

Ground Area	FRAME			MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Native Stone	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
900	343.13	368.23	403.36	347.97	-8.50	-47.00	-49.12	**900**
950	341.73	366.48	401.11	346.49	-8.00	-45.23	-47.36	**950**
1000	340.47	364.86	399.00	345.13	-7.50	-43.50	-45.63	**1000**
1050	340.42	364.46	398.10	344.99	-7.31	-42.92	-45.05	**1050**
1100	340.48	364.16	397.30	344.95	-7.13	-42.38	-44.50	**1100**
1150	340.54	363.87	396.52	344.93	-6.94	-41.80	-43.93	**1150**
1200	340.70	363.67	395.81	344.99	-6.75	-41.25	-43.38	**1200**
1250	339.99	362.73	394.56	344.23	-6.65	-40.86	-42.99	**1250**
1300	339.36	361.86	393.38	343.54	-6.56	-40.50	-42.63	**1300**
1350	338.73	361.00	392.20	342.85	-6.47	-40.11	-42.24	**1350**
1400	338.15	360.19	391.08	342.22	-6.38	-39.75	-41.87	**1400**
1450	337.57	359.38	389.95	341.58	-6.28	-39.36	-41.49	**1450**
1500	337.05	358.62	388.88	341.00	-6.19	-39.00	-41.12	**1500**
1550	336.52	357.86	387.79	340.41	-6.09	-38.62	-40.74	**1550**
1600	336.03	357.14	386.76	339.87	-6.00	-38.25	-40.37	**1600**
1650	335.39	356.33	385.72	339.18	-5.94	-38.08	-40.21	**1650**
1700	334.79	355.56	384.72	338.54	-5.87	-37.94	-40.06	**1700**
1750	334.18	354.79	383.72	337.89	-5.81	-37.77	-39.90	**1750**
1800	333.61	354.05	382.75	337.27	-5.75	-37.63	-39.75	**1800**
1850	333.02	353.30	381.77	336.65	-5.69	-37.46	-39.59	**1850**
1900	332.47	352.58	380.82	336.05	-5.63	-37.31	-39.44	**1900**
1950	331.91	351.86	379.87	335.45	-5.56	-37.15	-39.28	**1950**
2000	331.38	351.16	378.94	334.88	-5.50	-37.00	-39.12	**2000**
2050	330.65	350.30	377.90	334.12	-5.28	-36.77	-38.90	**2050**
2100	329.95	349.47	376.89	333.39	-5.06	-36.56	-38.69	**2100**
2150	329.24	348.63	375.87	332.65	-4.84	-36.34	-38.46	**2150**
2200	328.55	347.82	374.87	331.93	-4.63	-36.13	-38.25	**2200**
2250	327.86	346.99	373.87	331.21	-4.41	-35.90	-38.03	**2250**
2300	327.18	346.19	372.88	330.50	-4.19	-35.69	-37.81	**2300**
2350	326.50	345.38	371.89	329.79	-3.97	-35.46	-37.59	**2350**
2400	325.83	344.58	370.92	329.10	-3.75	-35.25	-37.38	**2400**
2450	325.22	343.86	370.05	328.46	-3.75	-35.12	-37.25	**2450**
2500	324.62	343.16	369.21	327.83	-3.75	-35.00	-37.13	**2500**
2550	324.02	342.45	368.35	327.20	-3.75	-34.87	-37.00	**2550**
2600	323.43	341.76	367.51	326.59	-3.75	-34.75	-36.87	**2600**
2650	322.84	341.06	366.67	325.97	-3.75	-34.62	-36.75	**2650**
2700	322.26	340.37	365.84	325.36	-3.75	-34.50	-36.62	**2700**
2750	321.67	339.68	365.00	324.74	-3.75	-34.37	-36.50	**2750**
2800	321.10	339.00	364.18	324.14	-3.75	-34.25	-36.37	**2800**
2850	320.51	338.33	363.38	323.53	-3.72	-34.12	-36.25	**2850**
2900	319.94	337.66	362.60	322.94	-3.69	-34.00	-36.12	**2900**
2950	319.35	337.00	361.81	322.33	-3.66	-33.87	-36.00	**2950**
3000	318.78	336.34	361.04	321.74	-3.63	-33.75	-35.87	**3000**
3050	318.21	335.68	360.26	321.14	-3.59	-33.62	-35.75	**3050**
3100	317.64	335.03	359.49	320.55	-3.56	-33.50	-35.63	**3100**
3150	317.07	334.37	358.71	319.96	-3.53	-33.37	-35.50	**3150**
3200	316.51	333.72	357.95	319.38	-3.50	-33.25	-35.38	**3200**
3250	315.89	333.03	357.15	318.74	-3.50	-33.06	-35.18	**3250**
3300	315.29	332.35	356.37	318.11	-3.50	-32.88	-35.00	**3300**
3350	314.68	331.66	355.57	317.48	-3.50	-32.68	-34.81	**3350**
3400	314.07	330.98	354.79	316.86	-3.50	-32.50	-34.63	**3400**
3450	313.47	330.30	354.00	316.23	-3.50	-32.31	-34.43	**3450**
3500	312.87	329.63	353.22	315.61	-3.50	-32.13	-34.25	**3500**
3550	312.26	328.95	352.44	314.98	-3.50	-31.93	-34.06	**3550**
3600	311.67	328.27	351.66	314.37	-3.50	-31.75	-33.88	**3600**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

SQUARE FOOT COSTS

CLASS A
1 1/2 STORY

Ground Area	FRAME			MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Native Stone	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
900	393.64	422.14	461.14	399.64	-8.50	-47.00	-51.25	**900**
950	392.57	420.32	458.57	398.57	-8.00	-45.25	-49.50	**950**
1000	391.58	418.58	456.08	397.58	-7.50	-43.50	-47.75	**1000**
1050	390.72	417.34	454.09	396.72	-7.31	-42.94	-47.19	**1050**
1100	389.92	416.17	452.17	395.92	-7.13	-42.38	-46.63	**1100**
1150	389.17	415.05	450.30	395.17	-6.94	-41.81	-46.06	**1150**
1200	388.47	413.97	448.47	394.47	-6.75	-41.25	-45.50	**1200**
1250	387.63	412.75	446.88	393.25	-6.66	-40.88	-45.13	**1250**
1300	386.82	411.57	445.32	392.07	-6.56	-40.50	-44.75	**1300**
1350	386.04	410.42	443.79	390.92	-6.47	-40.12	-44.37	**1350**
1400	385.29	409.29	442.29	389.79	-6.38	-39.75	-44.00	**1400**
1450	384.20	408.20	440.82	388.70	-6.28	-39.37	-43.62	**1450**
1500	383.12	407.12	439.37	387.62	-6.19	-39.00	-43.25	**1500**
1550	382.07	406.07	437.94	386.57	-6.09	-38.63	-42.87	**1550**
1600	381.03	405.03	436.53	385.53	-6.00	-38.25	-42.50	**1600**
1650	380.23	403.86	435.36	384.73	-5.94	-38.09	-42.34	**1650**
1700	379.45	402.70	434.20	383.95	-5.88	-37.94	-42.19	**1700**
1750	378.68	401.56	433.06	383.18	-5.81	-37.78	-42.03	**1750**
1800	377.93	400.43	431.93	382.43	-5.75	-37.63	-41.88	**1800**
1850	377.18	399.31	430.43	381.31	-5.69	-37.47	-41.72	**1850**
1900	376.45	398.20	428.95	380.20	-5.63	-37.31	-41.56	**1900**
1950	375.73	397.11	427.48	379.11	-5.56	-37.16	-41.41	**1950**
2000	375.02	396.02	426.02	378.02	-5.50	-37.00	-41.25	**2000**
2050	373.88	394.88	424.88	377.25	-5.28	-36.78	-41.03	**2050**
2100	372.74	393.74	423.74	376.49	-5.06	-36.56	-40.81	**2100**
2150	371.62	392.62	422.62	375.74	-4.84	-36.34	-40.59	**2150**
2200	370.50	391.50	421.50	375.00	-4.63	-36.13	-40.38	**2200**
2250	369.77	390.39	420.39	373.89	-4.41	-35.91	-40.16	**2250**
2300	369.04	389.29	419.29	372.79	-4.19	-35.69	-39.94	**2300**
2350	368.31	388.19	418.19	371.69	-3.97	-35.47	-39.72	**2350**
2400	367.59	387.09	417.09	370.59	-3.75	-35.25	-39.50	**2400**
2450	366.60	386.47	415.72	369.97	-3.75	-35.13	-39.38	**2450**
2500	365.61	385.86	414.36	369.36	-3.75	-35.00	-39.25	**2500**
2550	364.62	385.25	413.00	368.75	-3.75	-34.88	-39.13	**2550**
2600	363.64	384.64	411.64	368.14	-3.75	-34.75	-39.00	**2600**
2650	363.04	383.66	410.66	367.16	-3.75	-34.63	-38.88	**2650**
2700	362.44	382.69	409.69	366.19	-3.75	-34.50	-38.75	**2700**
2750	361.84	381.72	408.72	365.22	-3.75	-34.38	-38.63	**2750**
2800	361.25	380.75	407.75	364.25	-3.75	-34.25	-38.50	**2800**
2850	360.29	379.79	406.79	363.66	-3.72	-34.13	-38.37	**2850**
2900	359.33	378.83	405.83	363.08	-3.69	-34.00	-38.25	**2900**
2950	358.37	377.87	404.87	362.50	-3.66	-33.88	-38.12	**2950**
3000	357.42	376.92	403.92	361.92	-3.63	-33.75	-38.00	**3000**
3050	356.84	376.34	402.96	360.96	-3.59	-33.63	-37.88	**3050**
3100	356.26	375.76	402.01	360.01	-3.56	-33.50	-37.75	**3100**
3150	355.69	375.19	401.07	359.07	-3.53	-33.38	-37.62	**3150**
3200	355.12	374.62	400.12	358.12	-3.50	-33.25	-37.50	**3200**
3250	354.30	373.62	398.93	357.30	-3.50	-33.06	-37.31	**3250**
3300	353.49	372.61	397.74	356.49	-3.50	-32.88	-37.13	**3300**
3350	352.67	371.61	396.55	355.67	-3.50	-32.69	-36.94	**3350**
3400	351.86	370.61	395.36	354.86	-3.50	-32.50	-36.75	**3400**
3450	351.05	369.61	394.18	354.05	-3.50	-32.31	-36.56	**3450**
3500	350.24	368.62	392.99	353.24	-3.50	-32.12	-36.37	**3500**
3550	349.44	367.62	391.81	352.44	-3.50	-31.94	-36.19	**3550**
3600	348.63	366.63	390.63	351.63	-3.50	-31.75	-36.00	**3600**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

CLASS A
1 3/4 STORY

SQUARE FOOT COSTS

Ground Area	FRAME			MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Native Stone	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
900	446.46	474.39	516.69	450.88	-8.50	-47.00	-53.37	**900**
950	444.06	471.54	513.19	448.38	-8.00	-45.24	-51.61	**950**
1000	441.78	468.81	509.82	446.00	-7.50	-43.50	-49.87	**1000**
1050	440.72	467.30	507.67	444.84	-7.31	-42.93	-49.30	**1050**
1100	439.75	465.89	505.61	443.78	-7.13	-42.37	-48.75	**1100**
1150	438.81	464.50	503.58	442.73	-6.94	-41.80	-48.18	**1150**
1200	437.94	463.18	501.62	441.77	-6.75	-41.25	-47.62	**1200**
1250	436.53	461.51	499.57	440.30	-6.65	-40.87	-47.24	**1250**
1300	435.19	459.90	497.59	438.90	-6.56	-40.50	-46.88	**1300**
1350	433.86	458.30	495.61	437.51	-6.47	-40.12	-46.49	**1350**
1400	432.58	456.75	493.69	436.17	-6.38	-39.75	-46.12	**1400**
1450	431.30	455.21	491.77	434.83	-6.28	-39.37	-45.74	**1450**
1500	430.06	453.71	489.89	433.53	-6.19	-39.00	-45.38	**1500**
1550	428.83	452.21	488.02	432.24	-6.09	-38.62	-44.99	**1550**
1600	427.63	450.75	486.18	430.99	-6.00	-38.25	-44.62	**1600**
1650	426.48	449.41	484.56	429.80	-5.94	-38.09	-44.46	**1650**
1700	425.37	448.10	482.98	428.64	-5.87	-37.94	-44.31	**1700**
1750	424.25	446.79	481.40	427.48	-5.81	-37.78	-44.15	**1750**
1800	423.16	445.51	479.84	426.35	-5.75	-37.63	-44.00	**1800**
1850	422.06	444.23	478.28	425.21	-5.69	-37.46	-43.84	**1850**
1900	420.99	442.97	476.75	424.11	-5.63	-37.31	-43.69	**1900**
1950	419.92	441.71	475.21	422.99	-5.56	-37.15	-43.53	**1950**
2000	418.87	440.47	473.70	421.91	-5.50	-37.00	-43.38	**2000**
2050	417.74	439.20	472.21	420.75	-5.28	-36.78	-43.15	**2050**
2100	416.64	437.95	470.75	419.61	-5.06	-36.56	-42.94	**2100**
2150	415.52	436.69	469.28	418.47	-4.84	-36.34	-42.72	**2150**
2200	414.43	435.46	467.83	417.34	-4.63	-36.13	-42.50	**2200**
2250	413.33	434.22	466.38	416.22	-4.41	-35.90	-42.28	**2250**
2300	412.25	432.99	464.94	415.10	-4.19	-35.69	-42.06	**2300**
2350	411.17	431.76	463.50	413.99	-3.97	-35.46	-41.84	**2350**
2400	410.10	430.55	462.07	412.89	-3.75	-35.25	-41.62	**2400**
2450	409.16	429.49	460.84	411.92	-3.75	-35.12	-41.50	**2450**
2500	408.23	428.44	459.62	410.97	-3.75	-35.00	-41.38	**2500**
2550	407.30	427.39	458.39	410.02	-3.75	-34.87	-41.25	**2550**
2600	406.39	426.35	457.18	409.08	-3.75	-34.75	-41.13	**2600**
2650	405.47	425.31	455.97	408.13	-3.75	-34.62	-41.00	**2650**
2700	404.56	424.28	454.76	407.20	-3.75	-34.50	-40.88	**2700**
2750	403.65	423.24	453.55	406.26	-3.75	-34.37	-40.75	**2750**
2800	402.75	422.22	452.36	405.33	-3.75	-34.25	-40.63	**2800**
2850	401.89	421.26	451.25	404.45	-3.72	-34.12	-40.50	**2850**
2900	401.03	420.31	450.16	403.58	-3.69	-34.00	-40.38	**2900**
2950	400.18	419.35	449.06	402.70	-3.66	-33.87	-40.25	**2950**
3000	399.33	418.40	447.97	401.83	-3.62	-33.75	-40.12	**3000**
3050	398.48	417.45	446.88	400.96	-3.59	-33.62	-40.00	**3050**
3100	397.64	416.51	445.79	400.10	-3.56	-33.50	-39.88	**3100**
3150	396.79	415.57	444.70	399.24	-3.53	-33.37	-39.75	**3150**
3200	395.96	414.63	443.63	398.38	-3.50	-33.25	-39.62	**3200**
3250	394.56	413.07	441.83	396.94	-3.50	-33.06	-39.44	**3250**
3300	393.16	411.52	440.05	395.52	-3.50	-32.88	-39.25	**3300**
3350	391.76	409.96	438.26	394.08	-3.50	-32.68	-39.06	**3350**
3400	390.37	408.41	436.48	392.66	-3.50	-32.50	-38.88	**3400**
3450	388.98	406.85	434.70	391.23	-3.50	-32.31	-38.69	**3450**
3500	387.59	405.31	432.93	389.81	-3.50	-32.13	-38.50	**3500**
3550	386.20	403.76	431.15	388.39	-3.50	-31.93	-38.31	**3550**
3600	384.82	402.21	429.37	386.97	-3.50	-31.75	-38.13	**3600**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

SQUARE FOOT COSTS

CLASS A
2 STORY

Ground Area	FRAME			MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Native Stone	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
900	514.56	560.56	616.56	518.56	-8.50	-47.00	-55.50	**900**
950	511.99	555.99	611.99	515.99	-8.00	-45.25	-53.75	**950**
1000	507.50	553.50	609.50	511.50	-7.50	-43.50	-52.00	**1000**
1050	506.26	550.26	606.26	510.26	-7.31	-42.94	-51.44	**1050**
1100	505.09	547.09	603.09	509.09	-7.13	-42.38	-50.88	**1100**
1150	501.97	545.97	599.97	507.97	-6.94	-41.81	-50.31	**1150**
1200	500.89	542.89	596.89	504.89	-6.75	-41.25	-49.75	**1200**
1250	500.05	540.05	596.05	504.05	-6.66	-40.88	-49.37	**1250**
1300	497.24	539.24	593.24	501.24	-6.56	-40.50	-49.00	**1300**
1350	496.46	536.46	590.46	500.46	-6.47	-40.13	-48.62	**1350**
1400	493.71	533.71	587.71	499.71	-6.38	-39.75	-48.25	**1400**
1450	492.99	532.99	584.99	496.99	-6.28	-39.38	-47.87	**1450**
1500	490.29	530.29	582.29	496.29	-6.19	-39.00	-47.50	**1500**
1550	489.61	527.61	579.61	493.61	-6.09	-38.63	-47.13	**1550**
1600	486.95	524.95	578.95	492.95	-6.00	-38.25	-46.75	**1600**
1650	486.53	524.53	576.53	490.53	-5.94	-38.09	-46.59	**1650**
1700	484.12	522.12	574.12	490.12	-5.88	-37.94	-46.44	**1700**
1750	481.73	519.73	571.73	487.73	-5.81	-37.78	-46.28	**1750**
1800	481.35	519.35	569.35	487.35	-5.75	-37.63	-46.13	**1800**
1850	478.98	516.98	568.98	484.98	-5.69	-37.47	-45.97	**1850**
1900	478.62	514.62	566.62	484.62	-5.63	-37.31	-45.81	**1900**
1950	476.28	514.28	564.28	482.28	-5.56	-37.16	-45.66	**1950**
2000	475.94	511.94	561.94	481.94	-5.50	-37.00	-45.50	**2000**
2050	473.55	509.55	561.55	479.55	-5.28	-36.78	-45.28	**2050**
2100	473.16	509.16	559.16	479.16	-5.06	-36.56	-45.06	**2100**
2150	470.79	506.79	556.79	476.79	-4.84	-36.34	-44.84	**2150**
2200	470.42	506.42	554.42	476.42	-4.63	-36.13	-44.63	**2200**
2250	468.06	504.06	554.06	474.06	-4.41	-35.91	-44.41	**2250**
2300	467.71	501.71	551.71	473.71	-4.19	-35.69	-44.19	**2300**
2350	465.36	501.36	549.36	471.36	-3.97	-35.47	-43.97	**2350**
2400	465.01	499.01	549.01	471.01	-3.75	-35.25	-43.75	**2400**
2450	462.77	498.77	546.77	468.77	-3.75	-35.13	-43.63	**2450**
2500	462.53	496.53	544.53	468.53	-3.75	-35.00	-43.50	**2500**
2550	461.29	495.29	543.29	467.29	-3.75	-34.88	-43.37	**2550**
2600	460.06	494.06	542.06	466.06	-3.75	-34.75	-43.25	**2600**
2650	458.83	492.83	540.83	464.83	-3.75	-34.63	-43.12	**2650**
2700	457.61	491.61	539.61	463.61	-3.75	-34.50	-43.00	**2700**
2750	456.39	490.39	538.39	462.39	-3.75	-34.38	-42.87	**2750**
2800	455.17	489.17	537.17	461.17	-3.75	-34.25	-42.75	**2800**
2850	454.46	487.96	535.96	460.46	-3.72	-34.13	-42.62	**2850**
2900	453.75	486.75	534.75	459.75	-3.69	-34.00	-42.50	**2900**
2950	453.04	485.54	533.54	459.04	-3.66	-33.88	-42.37	**2950**
3000	452.34	484.34	532.34	458.34	-3.63	-33.75	-42.25	**3000**
3050	451.33	483.13	530.93	457.33	-3.59	-33.63	-42.13	**3050**
3100	450.33	481.93	529.53	456.33	-3.56	-33.50	-42.00	**3100**
3150	449.34	480.74	528.14	455.34	-3.53	-33.38	-41.87	**3150**
3200	448.34	479.54	526.74	454.34	-3.50	-33.25	-41.75	**3200**
3250	447.29	478.29	525.29	453.29	-3.50	-33.06	-41.56	**3250**
3300	446.23	477.03	523.83	452.23	-3.50	-32.88	-41.38	**3300**
3350	445.18	475.78	522.38	451.18	-3.50	-32.69	-41.19	**3350**
3400	444.13	474.53	520.93	450.13	-3.50	-32.50	-41.00	**3400**
3450	443.08	473.28	519.48	449.08	-3.50	-32.31	-40.81	**3450**
3500	442.04	472.04	518.04	448.04	-3.50	-32.13	-40.63	**3500**
3550	437.79	467.79	513.79	443.79	-3.50	-31.94	-40.44	**3550**
3600	433.55	463.55	509.55	439.55	-3.50	-31.75	-40.25	**3600**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

CLASS A BI-LEVEL

SQUARE FOOT COSTS

Ground Area	FRAME			MASONRY	LOWER LEVEL ADJUSTMENTS				Ground Area
	Siding	Brick Veneer	Native Stone	Block Walls	20% Finish	40% Finish	60% Finish	80% Finish	
900	412.03	437.03	472.03	416.03	-61.20	-45.90	-30.60	0.00	**900**
950	410.92	435.42	469.42	414.42	-61.00	-45.75	-30.50	0.00	**950**
1000	409.91	433.91	466.91	412.91	-60.80	-45.60	-30.40	0.00	**1000**
1050	409.32	432.82	465.82	412.32	-60.70	-45.53	-30.35	0.00	**1050**
1100	408.80	431.80	464.80	411.80	-60.60	-45.45	-30.30	0.00	**1100**
1150	407.86	430.86	463.36	411.36	-60.50	-45.38	-30.25	0.00	**1150**
1200	406.98	429.98	461.98	410.98	-60.40	-45.30	-30.20	0.00	**1200**
1250	406.47	429.47	460.97	410.47	-60.40	-45.30	-30.20	0.00	**1250**
1300	406.01	429.01	460.01	410.01	-60.40	-45.30	-30.20	0.00	**1300**
1350	405.59	428.09	458.59	409.09	-60.40	-45.30	-30.20	0.00	**1350**
1400	405.21	427.21	457.21	408.21	-60.40	-45.30	-30.20	0.00	**1400**
1450	404.37	426.37	456.37	407.87	-60.40	-45.30	-30.20	0.00	**1450**
1500	403.55	425.55	455.55	407.55	-60.40	-45.30	-30.20	0.00	**1500**
1550	402.77	424.27	454.27	406.27	-60.40	-45.30	-30.20	0.00	**1550**
1600	402.01	423.01	453.01	405.01	-60.40	-45.30	-30.20	0.00	**1600**
1650	401.43	422.43	451.93	404.43	-60.35	-45.26	-30.18	0.00	**1650**
1700	400.87	421.87	450.87	403.87	-60.30	-45.23	-30.15	0.00	**1700**
1750	400.33	420.83	449.83	403.33	-60.25	-45.19	-30.13	0.00	**1750**
1800	399.81	419.81	448.81	402.81	-60.20	-45.15	-30.10	0.00	**1800**
1850	399.31	419.31	447.81	402.31	-60.15	-45.11	-30.08	0.00	**1850**
1900	398.82	418.82	446.82	401.82	-60.10	-45.08	-30.05	0.00	**1900**
1950	397.84	417.84	445.34	400.84	-60.05	-45.04	-30.03	0.00	**1950**
2000	396.88	416.88	443.88	399.88	-60.00	-45.00	-30.00	0.00	**2000**
2050	396.42	415.92	442.92	398.92	-60.00	-45.00	-30.00	0.00	**2050**
2100	395.98	414.98	441.98	397.98	-60.00	-45.00	-30.00	0.00	**2100**
2150	395.05	414.05	441.05	397.55	-60.00	-45.00	-30.00	0.00	**2150**
2200	394.13	413.13	440.13	397.13	-60.00	-45.00	-30.00	0.00	**2200**
2250	393.72	412.22	439.22	396.22	-60.00	-45.00	-30.00	0.00	**2250**
2300	393.32	411.32	438.32	395.32	-60.00	-45.00	-30.00	0.00	**2300**
2350	392.42	410.92	437.42	394.42	-60.00	-45.00	-30.00	0.00	**2350**
2400	391.54	410.54	436.54	393.54	-60.00	-45.00	-30.00	0.00	**2400**
2450	390.75	409.75	435.75	393.25	-60.00	-45.00	-30.00	0.00	**2450**
2500	389.97	408.97	434.97	392.97	-60.00	-45.00	-30.00	0.00	**2500**
2550	389.69	408.19	433.69	392.19	-60.00	-45.00	-30.00	0.00	**2550**
2600	389.43	407.43	432.43	391.43	-60.00	-45.00	-30.00	0.00	**2600**
2650	388.66	406.66	431.66	390.66	-60.00	-45.00	-30.00	0.00	**2650**
2700	387.90	405.90	430.90	389.90	-60.00	-45.00	-30.00	0.00	**2700**
2750	387.15	405.15	430.15	389.65	-60.00	-45.00	-30.00	0.00	**2750**
2800	386.40	404.40	429.40	389.40	-60.00	-45.00	-30.00	0.00	**2800**
2850	386.09	403.59	428.59	388.59	-59.95	-44.96	-29.98	0.00	**2850**
2900	385.79	402.79	427.79	387.79	-59.90	-44.93	-29.95	0.00	**2900**
2950	384.99	401.99	426.99	386.99	-59.85	-44.89	-29.93	0.00	**2950**
3000	384.20	401.20	426.20	386.20	-59.80	-44.85	-29.90	0.00	**3000**
3050	383.41	400.41	425.41	385.41	-59.75	-44.81	-29.88	0.00	**3050**
3100	382.62	399.62	424.62	384.62	-59.70	-44.78	-29.85	0.00	**3100**
3150	382.33	399.33	423.83	384.33	-59.65	-44.74	-29.83	0.00	**3150**
3200	382.05	399.05	423.05	384.05	-59.60	-44.70	-29.80	0.00	**3200**
3250	381.08	398.08	422.08	383.08	-59.45	-44.59	-29.73	0.00	**3250**
3300	380.12	397.12	421.12	382.12	-59.30	-44.48	-29.65	0.00	**3300**
3350	379.16	396.16	420.16	381.16	-59.15	-44.36	-29.58	0.00	**3350**
3400	378.20	395.20	419.20	380.20	-59.00	-44.25	-29.50	0.00	**3400**
3450	377.74	394.24	418.24	379.74	-58.85	-44.14	-29.43	0.00	**3450**
3500	377.29	393.29	417.29	379.29	-58.70	-44.03	-29.35	0.00	**3500**
3550	376.34	392.34	416.34	378.34	-58.55	-43.91	-29.28	0.00	**3550**
3600	375.39	391.39	415.39	377.39	-58.40	-43.80	-29.20	0.00	**3600**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

SQUARE FOOT COSTS

CLASS A TRI-LEVEL

Ground Area	FRAME			MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Native Stone	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
900	406.54	441.04	490.54	412.54	-8.50	-47.00	-51.25	**900**
950	404.72	439.22	487.22	410.72	-8.00	-45.25	-49.50	**950**
1000	402.98	437.48	483.98	408.98	-7.50	-43.50	-47.75	**1000**
1050	402.12	435.87	481.99	407.74	-7.31	-42.94	-47.19	**1050**
1100	401.32	434.32	480.07	406.57	-7.13	-42.38	-46.62	**1100**
1150	400.57	432.82	478.20	405.45	-6.94	-41.81	-46.06	**1150**
1200	399.87	431.37	476.37	404.37	-6.75	-41.25	-45.50	**1200**
1250	398.65	429.78	474.40	403.15	-6.66	-40.88	-45.12	**1250**
1300	397.47	428.22	472.47	401.97	-6.56	-40.50	-44.75	**1300**
1350	396.32	426.69	470.57	400.82	-6.47	-40.13	-44.38	**1350**
1400	395.19	425.19	468.69	399.69	-6.38	-39.75	-44.00	**1400**
1450	394.10	423.72	466.47	398.60	-6.28	-39.38	-43.63	**1450**
1500	393.02	422.27	464.27	397.52	-6.19	-39.00	-43.25	**1500**
1550	391.97	420.84	462.09	396.47	-6.09	-38.63	-42.88	**1550**
1600	390.93	419.43	459.93	395.43	-6.00	-38.25	-42.50	**1600**
1650	389.76	418.26	458.38	394.26	-5.94	-38.09	-42.34	**1650**
1700	388.60	417.10	456.85	393.10	-5.88	-37.94	-42.19	**1700**
1750	387.46	415.96	455.33	391.96	-5.81	-37.78	-42.03	**1750**
1800	386.33	414.83	453.83	390.83	-5.75	-37.63	-41.88	**1800**
1850	385.58	413.33	452.33	389.71	-5.69	-37.47	-41.72	**1850**
1900	384.85	411.85	450.85	388.60	-5.63	-37.31	-41.56	**1900**
1950	384.13	410.38	449.38	387.51	-5.56	-37.16	-41.41	**1950**
2000	383.42	408.92	447.92	386.42	-5.50	-37.00	-41.25	**2000**
2050	382.28	407.78	446.40	385.65	-5.28	-36.78	-41.03	**2050**
2100	381.14	406.64	444.89	384.89	-5.06	-36.56	-40.81	**2100**
2150	380.02	405.52	443.39	384.14	-4.84	-36.34	-40.59	**2150**
2200	378.90	404.40	441.90	383.40	-4.62	-36.12	-40.37	**2200**
2250	377.79	403.29	440.42	382.29	-4.41	-35.91	-40.16	**2250**
2300	376.69	402.19	438.94	381.19	-4.19	-35.69	-39.94	**2300**
2350	375.59	401.09	437.46	380.09	-3.97	-35.47	-39.72	**2350**
2400	374.49	399.99	435.99	378.99	-3.75	-35.25	-39.50	**2400**
2450	373.87	399.00	434.62	378.00	-3.75	-35.13	-39.38	**2450**
2500	373.26	398.01	433.26	377.01	-3.75	-35.00	-39.25	**2500**
2550	372.65	397.02	431.90	376.02	-3.75	-34.88	-39.12	**2550**
2600	372.04	396.04	430.54	375.04	-3.75	-34.75	-39.00	**2600**
2650	371.06	395.06	429.56	374.06	-3.75	-34.63	-38.87	**2650**
2700	370.09	394.09	428.59	373.09	-3.75	-34.50	-38.75	**2700**
2750	369.12	393.12	427.62	372.12	-3.75	-34.37	-38.62	**2750**
2800	368.15	392.15	426.65	371.15	-3.75	-34.25	-38.50	**2800**
2850	367.19	391.19	425.31	370.56	-3.72	-34.13	-38.37	**2850**
2900	366.23	390.23	423.98	369.98	-3.69	-34.00	-38.25	**2900**
2950	365.27	389.27	422.65	369.40	-3.66	-33.88	-38.13	**2950**
3000	364.32	388.32	421.32	368.82	-3.63	-33.75	-38.00	**3000**
3050	363.74	387.36	420.36	367.86	-3.59	-33.63	-37.88	**3050**
3100	363.16	386.41	419.41	366.91	-3.56	-33.50	-37.75	**3100**
3150	362.59	385.47	418.47	365.97	-3.53	-33.38	-37.63	**3150**
3200	362.02	384.52	417.52	365.02	-3.50	-33.25	-37.50	**3200**
3250	361.02	383.52	416.33	364.02	-3.50	-33.06	-37.31	**3250**
3300	360.01	382.51	415.14	363.01	-3.50	-32.88	-37.13	**3300**
3350	359.01	381.51	413.95	362.01	-3.50	-32.69	-36.94	**3350**
3400	358.01	380.51	412.76	361.01	-3.50	-32.50	-36.75	**3400**
3450	357.01	379.51	411.58	360.01	-3.50	-32.31	-36.56	**3450**
3500	356.02	378.52	410.39	359.02	-3.50	-32.13	-36.38	**3500**
3550	355.02	377.52	409.21	358.02	-3.50	-31.94	-36.19	**3550**
3600	354.03	376.53	408.03	357.03	-3.50	-31.75	-36.00	**3600**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

ADJUSTMENTS AND ADDITIONS

HEATING AND COOLING SYSTEM ADJUSTMENTS: Additions or deductions per sq. ft. of ground area.

	Number of Stories							
	1	1+	1 1/4	1 1/2	1 3/4	2	Bi	Tri
HEATING SYSTEMS								
Forced-warm-air, without return ducts, deduct.	-0.97	-0.97	-1.22	-1.46	-1.70	-1.94	-1.94	-1.46
Forced-hot-water/steam, add.	6.31	6.31	7.91	9.46	11.04	12.61	12.61	9.46
Electric wall heaters, baseboard type, deduct.	-1.24	-1.24	-1.55	-1.86	-2.17	-2.47	-2.47	-1.86
Electric, ceiling radiant, deduct.	-2.51	-2.51	-3.15	-3.76	-4.39	-5.02	-5.02	-3.76
Electric wall heaters, deduct.	-5.70	-5.70	-7.16	-8.56	-9.98	-11.41	-11.41	-8.56
Radiant (in-floor), add.	7.62	7.62	9.56	11.43	13.34	15.24	15.24	11.43
HEATING AND COOLING, COMBINED SYSTEMS								
Forced air, A/C using heating ducts, add.	11.23	11.23	14.09	16.85	19.66	22.47	22.47	16.85
Heat pump with supplemental heat, add.	8.61	8.61	10.80	12.91	15.06	17.21	17.21	12.91
Air conditioning only with separate ducts, add.	14.13	14.13	17.73	21.20	24.73	28.26	28.26	21.20
No heating, deduct.	-9.08	-9.08	-11.39	-13.62	-15.89	-18.16	-18.16	-13.62

Wood-burning unit added on to furnace: Add $5,076 to final cost of home. Includes materials and labor to connect to existing forced-air system. Extra chimney or flue costs which may be required by local codes are not included.

OVERHANGS

Add per square foot as follows:

Stories	Full Story	3/4	1/2
Siding and block.	$172.28	$127.38	$74.74
Brick veneer.	188.53	139.37	78.63

MICHIGAN BASEMENT

Michigan basements can frequently be estimated by using 1/2 of the crawl space deduction. Deduct for no concrete floor: $5.75 per square foot of basement area.

PLUMBING, SEWER AND WATER

Average cost per fixture.	$3,912
Extra bath, three fixtures.	12,323
Two fixtures.	8,215
Water softener, automatic.	2,510
Manual.	1,923
Solar water heating system with panels.	13,580
No plumbing, deduct.	-26,350
Extra toilet.	3,130
Extra sink.	2,060
Separate shower (ceramic tile).	3,534
Ceramic tile floor.	2,218
Ceramic tile wainscoting.	3,645
Ceramic tile tub alcove.	1,215
Bathroom vent fan.	509

WATER AND WASTE DISPOSAL

City water and sewer connections.	$4,955
Water well, 200 ft..	12,812
Septic system, 1,000 gallons.	6,422
2,000 gallons.	12,453

Locally derived costs should be entered on the front of the residential card.

MASONRY TRIM

Brick or equal, per sq. ft. of wall area.	$23.08
Brick, 4' high, per lin. ft..	92.26
Brick, full 1-story, per lin. ft..	184.52
Brick, full 2-story, per lin. ft..	369.03
Stone or equal, per sq. ft. of wall area.	54.38

BASEMENT FINISH

Costs per square foot of floor area:

Recreation room.	$34.49
Finished living area.	67.87
Walk-out, below grade, cost of door.	3,051
Walk-out, above grade, cost of door.	5,164

BUILT-INS

Appliance allowance, (if not itemized).	$9,402
Cook top, counter top, four burners.	1,845
Dishwasher, built-in.	1,721
Garbage disposal.	502
Heater, bathroom, without fan.	352
With fan.	509
Hot tub, with whirlpool, built-in.	12,271
Hood, range, unvented.	672
Vented.	1,076
Intercom system, master station.	1,278
Satellite.	222
Whirlpool tub (Jacuzzi).	17,167
Whirlpool tub when it replaces regular bathtub.	12,571
Oven, single, built-in.	2,993
Microwave.	1,519
Range, drop in, with standard oven.	2,223
With self cleaning oven.	3,338
Sauna with heater and controls.	15,661
Trash compactor.	1,265
Vacuum, central system.	3,136

CONVERSION FACTORS: For 2½, 3 and 3½ story Single-family Residences
Multiply the 2 story cost for the equivalent Ground Area by the following factors:
2½ story, use 1.16; 3 story, use 1.36; 3 1/2 story, use 1.52.

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

ADJUSTMENTS AND ADDITIONS

CLASS A

FIREPLACES

Inside chimney, 1 story.	$9,600
1½ and 2 story.	11,650
add for 2nd fireplace, same stack.	7,200
Two-sided fireplace.	13,450
Outside chimney, 1 story.	11,900
1½ and 2 story.	14,300
Prefabricated, 1 story.	5,650
Add if 2 story.	1,470
Heat-circulating device.	1,325
Raised hearth.	1,200
Wood burning stove, free standing, permanent.	5,400
Direct-vented (no chimney) gas fireplace.	6,800

PORCHES AND DECKS: COMPONENT GUIDE

	CPP	CCP	CSEP	CGEP	WPP	WCP	WSEP	WGEP
FOUNDATION	X	X	X	X	X	X	X	X
FOOTINGS	X	X	X	X	X	X	X	X
STEPS	X	X	X	X	X	X	X	X
RAILS OR KNEE WALL		X	X			X	X	
ROOF		X	X	X		X	X	X
CEILING		X	X	X		X	X	X
SCREEN ON STUD WALL			X				X	
STUD WALL W/ WINDOWS AND SCREENS				X				X

CONCRETE FLOOR with 42" Foundation / WOOD FLOOR with 42" Foundation

Size for Rates	PLATFORM PORCH CPP	COVERED PORCH CCP	SCREEN-ENCLOSED PORCH CSEP	GLASS ENCLOSED PORCH CGEP	PLATFORM PORCH WPP	COVERED PORCH WCP	SCREEN-ENCLOSED PORCH WSEP	GLASS-ENCLOSED PORCH WGEP	Size for Rates
25	39.50	92.00	163.00	233.00	72.50	125.00	196.00	266.00	**25**
50	35.75	84.50	135.00	182.00	67.50	116.00	167.00	213.00	**50**
75	35.00	83.00	126.00	165.00	57.00	105.00	148.00	187.00	**75**
100	34.25	81.00	120.00	155.00	46.75	93.50	133.00	168.00	**100**
125	33.38	79.64	114.96	145.40	44.50	91.00	127.00	158.00	**125**
150	32.50	78.50	111.00	138.00	42.25	88.50	121.00	148.00	**150**
175	31.63	77.00	107.74	132.55	40.13	86.00	116.50	141.50	**175**
200	30.75	76.00	105.00	128.00	38.00	83.50	112.00	135.00	**200**
250	29.13	73.25	100.23	121.25	33.63	78.25	105.00	126.50	**250**
300	27.50	71.00	96.50	116.00	29.25	73.00	98.00	118.00	**300**
350	27.42	70.76	96.16	115.59	29.10	72.78	97.69	117.67	**350**
400	27.34	70.55	95.86	115.23	28.95	72.56	97.39	117.33	**400**
450	27.27	70.37	95.60	114.92	28.80	72.33	97.08	117.00	**450**
500	27.19	70.21	95.37	114.64	28.65	72.11	96.78	116.67	**500**
550	27.11	70.06	95.16	114.39	28.50	71.89	96.47	116.33	**550**
600	27.03	69.93	94.97	114.16	28.35	71.67	96.17	116.00	**600**
650	26.96	69.80	94.79	113.95	28.20	71.44	95.86	115.67	**650**
700	26.88	69.69	94.63	113.75	28.05	71.22	95.56	115.33	**700**

ADD / DEDUCT / WOOD DECKS

Size for Rates	BASEMENT UNDER	SHALLOW FOUNDATION	TREATED WOOD	PINE OR SIMILAR	REDWOOD OR CEDAR	Size for Rates
25	39.05	-17.02	51.25	41.01	55.68	**25**
50	37.88	-12.45	38.21	30.51	42.90	**50**
75	37.16	-10.37	31.53	25.26	38.57	**75**
100	36.71	-9.06	28.04	22.43	33.25	**100**
125	36.32	-8.22	26.48	21.22	32.72	**125**
150	36.06	-7.56	24.88	19.94	30.85	**150**
175	35.79	-7.04	23.60	18.92	29.35	**175**
200	35.53	-6.65	22.69	18.13	27.64	**200**
250	35.21	-6.00	20.90	16.76	26.17	**250**
300	34.95	-5.54	19.64	15.75	24.67	**300**
350	34.69	-5.15	18.63	14.94	23.49	**350**
400	34.49	-4.82	17.80	14.28	22.49	**400**
450	34.30	-4.56	17.10	13.72	21.65	**450**
500	34.10	-4.37	16.50	13.24	20.93	**500**
550	33.97	-4.17	15.96	12.82	20.29	**550**
600	33.84	-4.04	15.50	12.44	19.73	**600**
650	33.71	-3.91	15.09	12.10	19.23	**650**
700	33.58	-3.72	14.71	11.80	18.78	**700**

For 2-story porches, add 22% for open porches and 60% for enclosed porches. Wood decks include posts on minimal footings, joists, girder, railings, decking, and up to four risers. For additional risers add $322 each. For wood decks with roofs, subtract the platform porch rate from the covered porch rate (at the appropriate size for rates) and add the difference to the appropriate wood deck rate.

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

ADJUSTMENTS AND ADDITIONS

GARAGES: Base costs include electric lighting.

On slab – 18" Foundation				On slab – 42" Foundation				
Size In Sq. Ft.	Siding	Block	Brick Veneer	Siding	Block	Brick Veneer	Finished Interior	Size In Sq. Ft.
240	99.50	105.23	115.01	106.02	113.58	122.38	15.52	**240**
308	92.32	97.60	106.08	98.19	105.04	112.67	14.54	**308**
352	88.67	93.69	101.58	94.21	100.73	107.78	14.08	**352**
400	85.35	90.17	97.47	90.56	96.82	103.34	13.63	**400**
440	83.26	87.89	94.87	88.22	94.28	100.41	13.30	**440**
480	81.37	85.87	92.45	86.13	92.00	97.87	13.04	**480**
528	79.35	83.72	89.98	83.91	89.58	95.13	12.78	**528**
576	77.59	81.83	87.69	81.96	87.43	92.65	12.52	**575**
600	76.74	80.91	86.72	81.04	86.46	91.54	12.39	**600**
624	75.96	80.13	85.67	80.13	85.54	90.43	12.26	**624**
800	71.07	75.11	79.61	74.72	79.94	83.72	11.54	**800**
864	69.57	73.61	77.91	73.09	78.17	81.89	11.28	**864**
1020	66.44	70.35	74.46	69.57	74.52	78.11	10.63	**1020**
Common wall deduction for attached garage								
1/2-wall	1,786	1,845	2,275	2,002	2,152	2,523	—	**1/2-wall**
1-wall	3,573	3,769	4,551	4,010	4,303	5,046	—	**1-wall**
1 1/2-wall	5,359	5,653	6,826	6,011	6,455	7,563	—	**1 1/2-wall**
2-wall	7,139	7,544	9,102	8,013	8,600	10,086	—	**2-wall**

No concrete floor, deduct per sq. ft. . . . . -$9.91

Base cost includes uninsulated single or double garage doors, depending on the size of the garage. For insulated doors, add per square foot of door:

Single. . . . . $9.78 Double. $7.24

Door opener, radio controlled add 822

For basement garage, add to residence:

1-car.	$3,195	2-car.	$4,499
1-1/2-car.	3,847	3-car.	6,161

For pole construction deduct 25% from 18" Foundation, Siding rate.

For living area above garage use overhang rates. Base cost contains forced-warm-air heat only. For other types of heating/cooling, use the 1-Story Heating and Cooling Adjustments for this square footage only.

For storage area above garage, add $27.64 per square foot (stairway, floorboards, electrical, 6-foot headroom).

BALCONIES (Airing)

(Cost per square foot of floor area:)

Wood floors. $50.50

Cement composition floor. 71.50

Add for roof. 47.00

BREEZEWAYS

Cost per square foot of floor area. Includes roof, ceiling, floor and walls. Heat not included.

	FINISHED INTERIOR	UNFINISHED INTERIOR
Framed wall, solid.	$140.11	$105.10
knee wall w/ glass and screen panel. . .	154.20	121.86
Screen only.	109.01	78.24

CARPORTS

Cost per square foot of area covered. Includes roof structure and cover, posts, bracing, paint and concrete slab.

Aluminum, corrugated. $20.60

Composition shingles. 24.25

Built-up tar and gravel. 25.82

Wood shingles. 27.58

Clay tile. 40.16

Concrete tile. 45.44

Fiberglass. 20.08

DRIVES, WALKS AND PATIOS

(Cost per square foot of floor area:)

Crushed rock. $2.99

Asphalt paving. 4.63

Asphalt paving w/sealer. 5.34

Concrete paving 3-1/2". 9.92

4". 10.47

4" reinforced. 14.17

5" reinforced. 15.28

Brick on 2" sand base. 28.47

Flagstone on 2" sand base. 35.59

Patio blocks on 2" sand base. 25.02

Please note that the above costs are valid for areas of 100 to 1,000 square feet. For areas less than 100 square feet, add from 10% to 100% per square foot. For areas greater than 1,000 square feet, deduct from 10% to 30% per square foot.

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

GREENHOUSES

The following are average costs per square foot for stock residential even span and lean-to greenhouses. Both greenhouses include a foundation and vents. No electrical, heating, or watering devices are included. The even span is free standing with four walls and a door on the gable end. The lean-to shares one wall with an adjoining building. Use the lump sum adjustment to further refine the cost.

SQUARE FOOT COSTS:
Per square foot of floor area.

AREA SQ. FT.	EVEN SPAN	LEAN-TO
50	$140.00	149.00
100	121.00	122.00
150	110.00	110.00
200	104.00	103.00
250	99.00	96.00
300	94.50	91.00
400	88.00	83.00
600	81.50	75.50
800	75.50	70.00
1,000	72.00	----

SQUARE FOOT ADJUSTMENTS:
Make the following adjustments to the square foot costs above.

Professional labor	(base)
Amateur workmanship	-20%
Custom Installation	+25%
Planting benches	$19.20
Partitions, glazed, per square foot of partition	$23.35
Not tempered	(base)
Tempered glass	+25%
Tinted glass	+15%
Insulate Glass	+60%
Pipe frame	-25%
Polyethylene Cover	-20%

LUMP SUM ADJUSTMENTS: Make the following Lump Sum additions as necessary.

AREA SQ. FT.	PLAIN GABLE END WALL DEDUCTION
50	$510
100	1,060
150	1,060
200	1,320
250	1,320
300	1,320
400	1,790
600	1,790
800	1,790
1,000	2,290

For gable end doors, add	$2,120
Heaters	1,670
Humidifiers	2,330
Coolers	2,575
Ventilating fans	1,160

SOLAR ROOMS


The following are average costs per square foot for three-sided lean-to glass solar rooms with curved eaves attached to a permanent structure used for living space or commercial applications. Costs include one end wall door, foundations and vents or windows. Floor, heat, electrical and plumbing are not included.

SQUARE FOOT COSTS:
Per square foot of floor area.

AREA SQ. FT.	COST
50	$416.83
100	346.18
150	310.86
200	296.73
250	275.53
300	268.47
400	247.27
600	226.08
800	204.88
1,000	197.82

ADJUSTMENTS

Extra tall bays	+15%
Laminated wood framing	+10%
Straight eaves	-7%
Custom designed	+50%
For corner hips and valleys, add per square ft.	$70.64
For decorative lights incorporated into frame members, add per linear foot	40.27
For built-in shades, add per square foot	38.85
For motorized operation, add per operator	2,925



SOLAR ROOM/GREENHOUSE
CURVED-EAVE LEAN-TO

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.