SINGLE - FAMILY DETACHED SPECIFICATIONS

CLASS B

The materials listed below are typical of a Class B house. Variations from these specifications can be found. Substitute materials of equivalent price and quality may be used in place of the materials listed below. The pricing examples and the adjustments and additions section contain types of variations which normally require adjustments. **NOTE**: The single- family sections, include base interior wall height of 8 feet for each floor. For each foot of variation, add to or deduct from that portion of the residence base cost only: 4% for all residence exterior masonry walls, including brick and stone veneers; 3% for siding exterior walls. See Page 4 for further information and calculations.

EXTERIOR WALLS: either A or B

A) WOOD FRAME with siding of:
- Aluminum
- Wood
- Vinyl
- Brick veneer
- Native stone/foreign stone
- BASIC WALL STRUCTURE includes:
  - Building paper
  - 25/32” insulation board
  - 2” x 4” studs, 16” o.c. or
  - (alternate) 2” x 6” studs, 24” o.c.
  - 3 1/2” or 6” batt insulation
  - Skim coat plaster on 5/8” drywall
  - Interior surface painted, two coats
  - Two exterior doors
  - Two aluminum storm and screen doors

B) MASONRY CONSTRUCTION
- Stucco on 12” concrete block
- Rigid insulation board
- Skim coat plaster on 5/8” drywall on furring
- Interior surface painted, two coats
- Two exterior doors
- Two aluminum storm and screen doors

WINDOWS: (12% of wall area)
- Wood casement with insulated glass and screens or vinyl-clad, double-pane insulating glass

ROOF:
- 5/12 pitch
- 290# asphalt shingle
- Felt
- 5/8” plywood
- 2” x 8” rafters, 16” o.c.
- 2’ -0” overhang and soffit
- Gutters and downspouts

INTERIOR PARTITIONS AND FINISH:
- 8’ walls
- Skim coat plaster on 5/8” drywall
- Painted, two coats, two sides
- 2” x 4” studs, 16” o.c.
- Hardwood trim
- Panel doors
- Closet shelving

FLOOR FINISH:
- 60% carpet with pad and underlayment
- 20% hardwood, sanded and sealed
- 15% vinyl tile with underlayment
- 5% ceramic tile

CEILING:
- Skim coat plaster on 5/8" drywall
- Painted, two coats
- 10" insulation
- 2" x 8" joists, 16" o.c.

EXCAVATION:
- 8' basement

BASEMENT WALLS:
- 12" reinforced concrete, 8' high
- 12" x 24" footings
- Waterproofing
- Perimeter insulation
- Drain tile, two sides

BASEMENT FLOOR:
- 6" gravel base
- 6" concrete floor
- Wire mesh
- Vapor barrier

FLOOR CONSTRUCTION:
- Felt lining
- 5/8" plywood
- 2" x 12" joists, 16" o.c.
- Bridging
- 8" steel I-beam
- 4" diameter steel posts

HEATING AND AIR CONDITIONING:
- Gas fired forced air furnace with cold-air returns
- Block chimney

ELECTRIC:
- 200-Ampere, 110/220-Volt system
- Romex wiring
- Unfinished area, Non-metallic

PLUMBING:
- Colored fixtures:
- One lavatory
- One water closet
- One bathtub with shower
- One double-compartment kitchen sink
- One double-compartment laundry tub
- One 80-gallon water heater
- One floor drain

BUILT-IN UNITS:
- Hardwood kitchen cabinets:
- 18' base with ceramic tile tops
- 12' wall mounted, 30" high
- 8' wall mounted, 18" high
- Vanity cabinet
- Open-riser basement stairs

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

CLASS B














© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.









© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

CLASS B
1 STORY

SQUARE FOOT COSTS

Ground Area	FRAME			MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Native Stone	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	204.93	228.93	257.93	212.93	-10.25	-52.50	-59.80	**400**
450	208.72	231.97	259.97	216.47	-9.81	-50.75	-58.05	**450**
500	213.15	235.65	262.65	220.65	-9.38	-49.00	-56.30	**500**
550	214.54	236.29	262.79	221.79	-8.94	-47.25	-54.55	**550**
600	216.29	237.29	263.29	223.29	-8.50	-45.50	-52.80	**600**
650	216.87	237.87	262.87	223.87	-8.31	-44.56	-51.86	**650**
700	217.66	238.66	262.66	224.66	-8.13	-43.63	-50.93	**700**
750	218.12	238.12	261.62	224.62	-7.94	-42.69	-49.99	**750**
800	218.72	237.72	260.72	224.72	-7.75	-41.75	-49.05	**800**
850	218.05	237.05	259.55	224.05	-7.44	-40.94	-48.24	**850**
900	217.48	236.48	258.48	223.48	-7.13	-40.13	-47.43	**900**
950	216.99	235.49	257.49	222.99	-6.81	-39.31	-46.61	**950**
1000	216.57	234.57	256.57	222.57	-6.50	-38.50	-45.80	**1000**
1050	216.08	234.08	255.08	222.08	-6.44	-38.06	-45.36	**1050**
1100	215.65	233.65	253.65	221.65	-6.38	-37.63	-44.93	**1100**
1150	215.25	232.75	252.75	221.25	-6.31	-37.19	-44.49	**1150**
1200	214.89	231.89	251.89	220.89	-6.25	-36.75	-44.05	**1200**
1250	214.70	231.20	251.20	220.20	-6.16	-36.44	-43.74	**1250**
1300	214.53	230.53	250.53	219.53	-6.06	-36.13	-43.43	**1300**
1350	213.89	229.89	249.39	218.89	-5.97	-35.81	-43.11	**1350**
1400	213.27	229.27	248.27	218.27	-5.88	-35.50	-42.80	**1400**
1450	212.67	228.67	247.17	217.67	-5.78	-35.19	-42.49	**1450**
1500	212.09	228.09	246.09	217.09	-5.69	-34.88	-42.18	**1500**
1550	211.53	227.03	245.03	216.53	-5.59	-34.56	-41.86	**1550**
1600	210.98	225.98	243.98	215.98	-5.50	-34.25	-41.55	**1600**
1650	210.64	225.64	243.14	215.14	-5.47	-34.13	-41.43	**1650**
1700	210.31	225.31	242.31	214.31	-5.44	-34.00	-41.30	**1700**
1750	209.49	224.49	241.49	213.99	-5.41	-33.88	-41.18	**1750**
1800	208.68	223.68	240.68	213.68	-5.38	-33.75	-41.05	**1800**
1850	208.38	222.88	239.88	212.88	-5.34	-33.63	-40.93	**1850**
1900	208.09	222.09	239.09	212.09	-5.31	-33.50	-40.80	**1900**
1950	207.81	221.81	238.31	211.81	-5.28	-33.38	-40.68	**1950**
2000	207.54	221.54	237.54	211.54	-5.25	-33.25	-40.55	**2000**
2050	206.71	220.71	236.71	210.71	-5.06	-33.06	-40.36	**2050**
2100	205.89	219.89	235.89	209.89	-4.88	-32.88	-40.18	**2100**
2150	205.57	219.07	235.07	209.57	-4.69	-32.69	-39.99	**2150**
2200	205.26	218.26	234.26	209.26	-4.50	-32.50	-39.80	**2200**
2250	204.46	217.96	233.96	208.46	-4.31	-32.31	-39.61	**2250**
2300	203.66	217.66	233.66	207.66	-4.13	-32.13	-39.43	**2300**
2350	203.36	216.86	232.86	207.36	-3.94	-31.94	-39.24	**2350**
2400	203.07	216.07	232.07	207.07	-3.75	-31.75	-39.05	**2400**
2450	202.35	215.35	231.35	206.35	-3.72	-31.63	-38.93	**2450**
2500	201.63	214.63	230.63	205.63	-3.69	-31.50	-38.80	**2500**
2550	201.41	214.41	229.91	205.41	-3.66	-31.38	-38.68	**2550**
2600	201.20	214.20	229.20	205.20	-3.63	-31.25	-38.55	**2600**
2650	200.49	213.49	228.49	204.49	-3.59	-31.13	-38.43	**2650**
2700	199.79	212.79	227.79	203.79	-3.56	-31.00	-38.30	**2700**
2750	199.58	212.08	227.08	203.58	-3.53	-30.88	-38.18	**2750**
2800	199.38	211.38	226.38	203.38	-3.50	-30.75	-38.05	**2800**
2850	198.56	211.06	225.56	202.56	-3.44	-30.50	-37.80	**2850**
2900	197.74	210.74	224.74	201.74	-3.38	-30.25	-37.55	**2900**
2950	197.42	209.92	223.92	200.92	-3.31	-30.00	-37.30	**2950**
3000	197.11	209.11	223.11	200.11	-3.25	-29.75	-37.05	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

SQUARE FOOT COSTS

CLASS B
1+ STORY

Ground Area	FRAME			MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Native Stone	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	217.91	240.07	270.40	224.30	-10.25	-52.50	-59.80	**400**
450	221.25	242.62	271.86	227.37	-9.81	-50.75	-58.05	**450**
500	225.24	245.81	273.96	231.09	-9.38	-49.00	-56.30	**500**
550	226.23	246.19	273.52	231.88	-8.94	-47.25	-54.55	**550**
600	227.58	246.93	273.44	233.02	-8.50	-45.50	-52.80	**600**
650	228.15	247.01	272.84	233.43	-8.31	-44.56	-51.86	**650**
700	228.94	247.30	272.46	234.06	-8.13	-43.63	-50.93	**700**
750	228.80	246.76	271.35	233.78	-7.94	-42.69	-49.99	**750**
800	228.80	246.35	270.38	233.64	-7.75	-41.75	-49.05	**800**
850	228.35	245.56	269.12	233.09	-7.44	-40.94	-48.24	**850**
900	228.00	244.87	267.96	232.63	-7.13	-40.13	-47.43	**900**
950	227.30	243.85	266.54	231.82	-6.81	-39.31	-46.61	**950**
1000	226.67	242.90	265.18	231.07	-6.50	-38.50	-45.80	**1000**
1050	226.15	242.13	264.05	230.48	-6.44	-38.06	-45.36	**1050**
1100	225.68	241.41	262.97	229.94	-6.38	-37.63	-44.93	**1100**
1150	225.05	240.54	261.78	229.22	-6.31	-37.19	-44.49	**1150**
1200	224.46	239.71	260.64	228.53	-6.25	-36.75	-44.05	**1200**
1250	223.88	238.92	259.55	227.88	-6.16	-36.44	-43.74	**1250**
1300	223.32	238.16	258.49	227.26	-6.06	-36.13	-43.43	**1300**
1350	222.68	237.32	257.41	226.56	-5.97	-35.81	-43.11	**1350**
1400	222.06	236.52	256.35	225.88	-5.88	-35.50	-42.80	**1400**
1450	221.39	235.68	255.26	225.16	-5.78	-35.19	-42.49	**1450**
1500	220.73	234.85	254.19	224.46	-5.69	-34.88	-42.18	**1500**
1550	220.03	233.99	253.12	223.71	-5.59	-34.56	-41.86	**1550**
1600	219.35	233.14	252.06	222.97	-5.50	-34.25	-41.55	**1600**
1650	218.84	232.48	251.20	222.41	-5.47	-34.13	-41.43	**1650**
1700	218.34	231.82	250.35	221.85	-5.44	-34.00	-41.30	**1700**
1750	217.82	231.16	249.49	221.27	-5.41	-33.88	-41.18	**1750**
1800	217.30	230.50	248.65	220.69	-5.38	-33.75	-41.05	**1800**
1850	216.77	229.85	247.82	220.13	-5.34	-33.63	-40.93	**1850**
1900	216.24	229.21	246.99	219.57	-5.31	-33.50	-40.80	**1900**
1950	215.72	228.56	246.18	219.00	-5.28	-33.38	-40.68	**1950**
2000	215.20	227.91	245.38	218.43	-5.25	-33.25	-40.55	**2000**
2050	214.60	227.20	244.53	217.80	-5.06	-33.06	-40.36	**2050**
2100	214.01	226.50	243.69	217.18	-4.88	-32.88	-40.18	**2100**
2150	213.42	225.80	242.85	216.55	-4.69	-32.69	-39.99	**2150**
2200	212.83	225.11	242.02	215.93	-4.50	-32.50	-39.80	**2200**
2250	212.25	224.44	241.20	215.33	-4.31	-32.31	-39.61	**2250**
2300	211.68	223.77	240.39	214.74	-4.13	-32.13	-39.43	**2300**
2350	211.10	223.09	239.60	214.12	-3.94	-31.94	-39.24	**2350**
2400	210.52	222.42	238.81	213.50	-3.75	-31.75	-39.05	**2400**
2450	210.01	221.83	238.10	212.97	-3.72	-31.63	-38.93	**2450**
2500	209.51	221.23	237.39	212.45	-3.69	-31.50	-38.80	**2500**
2550	209.02	220.65	236.69	211.92	-3.66	-31.38	-38.68	**2550**
2600	208.52	220.08	235.99	211.40	-3.63	-31.25	-38.55	**2600**
2650	208.03	219.50	235.30	210.87	-3.59	-31.13	-38.43	**2650**
2700	207.53	218.93	234.62	210.34	-3.56	-31.00	-38.30	**2700**
2750	207.04	218.37	233.95	209.84	-3.53	-30.88	-38.18	**2750**
2800	206.55	217.81	233.29	209.33	-3.50	-30.75	-38.05	**2800**
2850	205.95	217.13	232.52	208.71	-3.44	-30.50	-37.80	**2850**
2900	205.36	216.46	231.75	208.08	-3.38	-30.25	-37.55	**2900**
2950	204.76	215.78	230.98	207.45	-3.31	-30.00	-37.30	**2950**
3000	204.17	215.11	230.22	206.83	-3.25	-29.75	-37.05	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

CLASS B
1 1/4 STORY

SQUARE FOOT COSTS

Ground Area	FRAME			MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Native Stone	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	242.58	265.81	297.60	249.21	-10.25	-52.50	-54.33	**400**
450	241.71	264.34	295.30	248.14	-9.80	-50.70	-52.54	**450**
500	241.63	263.64	293.77	247.85	-9.38	-49.00	-50.82	**500**
550	241.90	263.30	292.60	247.92	-8.93	-47.22	-49.05	**550**
600	242.61	263.40	291.87	248.43	-8.50	-45.50	-47.33	**600**
650	244.33	264.50	292.14	249.94	-8.31	-44.54	-46.36	**650**
700	246.33	265.89	292.70	251.73	-8.13	-43.63	-45.45	**700**
750	248.42	267.37	293.36	253.63	-7.93	-42.66	-44.49	**750**
800	250.72	269.06	294.22	255.72	-7.75	-41.75	-43.58	**800**
850	249.54	267.57	292.32	254.44	-7.43	-40.92	-42.75	**850**
900	248.50	266.24	290.57	253.30	-7.13	-40.13	-41.95	**900**
950	247.49	264.93	288.85	252.19	-6.81	-39.30	-41.12	**950**
1000	246.60	263.73	287.24	251.19	-6.50	-38.50	-40.33	**1000**
1050	246.09	262.93	286.02	250.59	-6.44	-38.05	-39.88	**1050**
1100	245.67	262.21	284.89	250.07	-6.38	-37.63	-39.45	**1100**
1150	245.27	261.51	283.77	249.57	-6.31	-37.17	-39.00	**1150**
1200	244.93	260.87	282.72	249.13	-6.25	-36.75	-38.58	**1200**
1250	244.08	259.82	281.41	248.21	-6.15	-36.43	-38.25	**1250**
1300	243.29	258.83	280.16	247.35	-6.06	-36.13	-37.95	**1300**
1350	242.49	257.84	278.90	246.49	-5.97	-35.80	-37.63	**1350**
1400	241.75	256.89	277.70	245.67	-5.88	-35.50	-37.33	**1400**
1450	241.00	255.95	276.49	244.86	-5.78	-35.18	-37.00	**1450**
1500	240.30	255.04	275.33	244.09	-5.69	-34.88	-36.70	**1500**
1550	239.59	254.13	274.16	243.31	-5.59	-34.55	-36.38	**1550**
1600	238.92	253.26	273.02	242.57	-5.50	-34.25	-36.08	**1600**
1650	238.26	252.46	272.03	241.86	-5.47	-34.12	-35.94	**1650**
1700	237.63	251.70	271.07	241.19	-5.44	-34.00	-35.83	**1700**
1750	236.99	250.93	270.11	240.51	-5.41	-33.87	-35.69	**1750**
1800	236.39	250.18	269.17	239.86	-5.38	-33.75	-35.58	**1800**
1850	235.77	249.43	268.23	239.21	-5.34	-33.62	-35.44	**1850**
1900	235.19	248.71	267.31	238.58	-5.31	-33.50	-35.33	**1900**
1950	234.59	247.97	266.39	237.94	-5.28	-33.37	-35.19	**1950**
2000	234.02	247.26	265.48	237.33	-5.25	-33.25	-35.08	**2000**
2050	233.34	246.47	264.55	236.61	-5.06	-33.06	-34.88	**2050**
2100	232.68	245.70	263.64	235.91	-4.88	-32.88	-34.70	**2100**
2150	232.02	244.93	262.72	235.21	-4.69	-32.68	-34.51	**2150**
2200	231.38	244.17	261.82	234.53	-4.50	-32.50	-34.33	**2200**
2250	230.72	243.41	260.92	233.84	-4.31	-32.31	-34.13	**2250**
2300	230.09	242.66	260.03	233.17	-4.12	-32.13	-33.95	**2300**
2350	229.44	241.91	259.13	232.48	-3.94	-31.93	-33.76	**2350**
2400	228.82	241.17	258.25	231.82	-3.75	-31.75	-33.58	**2400**
2450	228.25	240.51	257.48	231.22	-3.72	-31.62	-33.45	**2450**
2500	227.69	239.88	256.72	230.64	-3.69	-31.50	-33.33	**2500**
2550	227.13	239.23	255.95	230.05	-3.66	-31.37	-33.20	**2550**
2600	226.58	238.60	255.20	229.48	-3.63	-31.25	-33.08	**2600**
2650	226.02	237.96	254.45	228.90	-3.59	-31.12	-32.95	**2650**
2700	225.48	237.33	253.70	228.33	-3.56	-31.00	-32.83	**2700**
2750	224.93	236.70	252.95	227.75	-3.53	-30.87	-32.70	**2750**
2800	224.39	236.08	252.21	227.19	-3.50	-30.75	-32.58	**2800**
2850	223.67	235.27	251.27	226.44	-3.44	-30.50	-32.32	**2850**
2900	222.96	234.47	250.35	225.70	-3.37	-30.25	-32.08	**2900**
2950	222.25	233.66	249.42	224.95	-3.31	-30.00	-31.82	**2950**
3000	221.54	232.87	248.50	224.22	-3.25	-29.75	-31.58	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

SQUARE FOOT COSTS

CLASS B
1 1/2 STORY

Ground Area	FRAME			MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Native Stone	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	286.83	312.33	340.83	295.08	-10.25	-52.50	-56.15	**400**
450	286.74	311.49	338.86	294.80	-9.81	-50.75	-54.40	**450**
500	287.29	311.29	337.54	295.17	-9.38	-49.00	-52.65	**500**
550	288.31	311.56	336.69	296.00	-8.94	-47.25	-50.90	**550**
600	289.68	312.18	336.18	297.18	-8.50	-45.50	-49.15	**600**
650	288.76	310.51	334.14	295.89	-8.31	-44.56	-48.21	**650**
700	288.05	309.05	332.30	294.80	-8.13	-43.63	-47.28	**700**
750	287.51	307.76	330.64	293.89	-7.94	-42.69	-46.34	**750**
800	287.11	306.61	329.11	293.11	-7.75	-41.75	-45.40	**800**
850	285.82	304.95	326.70	291.45	-7.44	-40.94	-44.59	**850**
900	284.63	303.38	324.38	289.88	-7.13	-40.13	-43.78	**900**
950	283.51	301.89	322.14	288.39	-6.81	-39.31	-42.96	**950**
1000	282.47	300.47	319.97	286.97	-6.50	-38.50	-42.15	**1000**
1050	281.10	298.73	318.23	285.60	-6.44	-38.06	-41.71	**1050**
1100	279.79	297.04	316.54	284.29	-6.38	-37.63	-41.28	**1100**
1150	278.52	295.40	314.90	283.02	-6.31	-37.19	-40.84	**1150**
1200	277.29	293.79	313.29	281.79	-6.25	-36.75	-40.40	**1200**
1250	276.22	292.34	311.47	280.72	-6.16	-36.44	-40.09	**1250**
1300	275.17	290.92	309.67	279.67	-6.06	-36.13	-39.78	**1300**
1350	274.16	289.53	307.91	278.66	-5.97	-35.81	-39.46	**1350**
1400	273.16	288.16	306.16	277.66	-5.88	-35.50	-39.15	**1400**
1450	272.19	287.19	304.81	276.69	-5.78	-35.19	-38.84	**1450**
1500	271.24	286.24	303.49	275.74	-5.69	-34.88	-38.53	**1500**
1550	270.30	285.30	302.17	274.80	-5.59	-34.56	-38.21	**1550**
1600	269.38	284.38	300.88	273.88	-5.50	-34.25	-37.90	**1600**
1650	268.28	283.28	299.41	272.78	-5.47	-34.13	-37.78	**1650**
1700	267.20	282.20	297.95	271.70	-5.44	-34.00	-37.65	**1700**
1750	266.13	281.13	296.51	270.63	-5.41	-33.88	-37.53	**1750**
1800	265.07	280.07	295.07	269.57	-5.38	-33.75	-37.40	**1800**
1850	264.40	279.03	294.03	268.53	-5.34	-33.62	-37.28	**1850**
1900	263.74	277.99	292.99	267.49	-5.31	-33.50	-37.15	**1900**
1950	263.08	276.96	291.96	266.46	-5.28	-33.38	-37.03	**1950**
2000	262.43	275.93	290.93	265.43	-5.25	-33.25	-36.90	**2000**
2050	261.35	274.85	289.85	264.73	-5.06	-33.06	-36.71	**2050**
2100	260.28	273.78	288.78	264.03	-4.88	-32.88	-36.53	**2100**
2150	259.22	272.72	287.72	263.34	-4.69	-32.69	-36.34	**2150**
2200	258.16	271.66	286.66	262.66	-4.50	-32.50	-36.15	**2200**
2250	257.48	270.60	285.60	261.60	-4.31	-32.31	-35.96	**2250**
2300	256.80	269.55	284.55	260.55	-4.13	-32.13	-35.78	**2300**
2350	256.13	268.51	283.51	259.51	-3.94	-31.94	-35.59	**2350**
2400	255.47	267.47	282.47	258.47	-3.75	-31.75	-35.40	**2400**
2450	254.68	266.87	281.49	257.87	-3.72	-31.63	-35.28	**2450**
2500	253.90	266.27	280.52	257.27	-3.69	-31.50	-35.15	**2500**
2550	253.12	265.68	279.56	256.68	-3.66	-31.38	-35.03	**2550**
2600	252.35	265.10	278.60	256.10	-3.63	-31.25	-34.90	**2600**
2650	251.76	264.14	277.64	255.32	-3.59	-31.13	-34.78	**2650**
2700	251.18	263.18	276.68	254.56	-3.56	-31.00	-34.65	**2700**
2750	250.60	262.23	275.73	253.79	-3.53	-30.88	-34.53	**2750**
2800	250.03	261.28	274.78	253.03	-3.50	-30.75	-34.40	**2800**
2850	249.14	260.58	273.71	252.14	-3.44	-30.50	-34.15	**2850**
2900	248.26	259.89	272.64	251.26	-3.38	-30.25	-33.90	**2900**
2950	247.38	259.19	271.57	250.38	-3.31	-30.00	-33.65	**2950**
3000	246.50	258.50	270.50	249.50	-3.25	-29.75	-33.40	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

CLASS B
1 3/4 STORY

SQUARE FOOT COSTS

Ground Area	FRAME			MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Native Stone	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	331.05	354.24	385.55	337.14	-10.25	-52.50	-57.98	**400**
450	328.41	350.94	381.34	334.29	-9.81	-50.72	-56.20	**450**
500	326.51	348.38	377.88	332.19	-9.38	-49.00	-54.48	**500**
550	325.00	346.20	374.80	330.47	-8.93	-47.23	-52.70	**550**
600	323.91	344.45	372.14	329.17	-8.50	-45.50	-50.98	**600**
650	323.84	343.71	370.50	328.88	-8.31	-44.54	-50.02	**650**
700	324.04	343.24	369.12	328.87	-8.13	-43.63	-49.10	**700**
750	324.35	342.89	367.87	328.98	-7.93	-42.67	-48.15	**750**
800	324.85	342.72	366.80	329.26	-7.75	-41.75	-47.23	**800**
850	322.77	340.32	363.95	327.08	-7.44	-40.92	-46.40	**850**
900	320.82	338.04	361.23	325.02	-7.13	-40.13	-45.60	**900**
950	318.91	335.81	358.56	323.01	-6.81	-39.30	-44.78	**950**
1000	317.11	333.68	355.99	321.10	-6.50	-38.50	-43.98	**1000**
1050	315.71	331.95	353.82	319.59	-6.44	-38.05	-43.53	**1050**
1100	314.38	330.30	351.72	318.16	-6.38	-37.63	-43.10	**1100**
1150	313.08	328.67	349.65	316.75	-6.31	-37.18	-42.66	**1150**
1200	311.83	327.10	347.64	315.40	-6.25	-36.75	-42.23	**1200**
1250	310.40	325.46	345.72	313.90	-6.15	-36.43	-41.91	**1250**
1300	309.02	323.86	343.84	312.45	-6.06	-36.13	-41.60	**1300**
1350	307.65	322.27	341.98	311.01	-5.97	-35.80	-41.28	**1350**
1400	306.32	320.72	340.16	309.61	-5.87	-35.50	-40.98	**1400**
1450	304.99	319.18	338.34	308.21	-5.78	-35.18	-40.66	**1450**
1500	303.70	317.67	336.55	306.85	-5.69	-34.88	-40.35	**1500**
1550	302.41	316.17	334.77	305.49	-5.59	-34.56	-40.03	**1550**
1600	301.15	314.69	333.02	304.16	-5.50	-34.25	-39.73	**1600**
1650	300.07	313.46	331.59	303.03	-5.47	-34.12	-39.60	**1650**
1700	299.01	312.26	330.19	301.93	-5.44	-34.00	-39.48	**1700**
1750	297.96	311.06	328.78	300.83	-5.41	-33.87	-39.35	**1750**
1800	296.92	309.88	327.41	299.75	-5.38	-33.75	-39.23	**1800**
1850	295.89	308.69	326.02	298.68	-5.34	-33.62	-39.10	**1850**
1900	294.87	307.53	324.66	297.62	-5.31	-33.50	-38.98	**1900**
1950	293.85	306.37	323.30	296.56	-5.28	-33.37	-38.85	**1950**
2000	292.85	305.22	321.95	295.51	-5.25	-33.25	-38.73	**2000**
2050	291.85	304.11	320.68	294.47	-5.06	-33.06	-38.53	**2050**
2100	290.87	303.01	319.43	293.45	-4.88	-32.88	-38.35	**2100**
2150	289.88	301.91	318.17	292.43	-4.69	-32.68	-38.16	**2150**
2200	288.90	300.82	316.93	291.42	-4.50	-32.50	-37.98	**2200**
2250	287.93	299.73	315.68	290.40	-4.31	-32.31	-37.78	**2250**
2300	286.96	298.65	314.45	289.40	-4.13	-32.13	-37.60	**2300**
2350	286.00	297.57	313.21	288.40	-3.94	-31.93	-37.41	**2350**
2400	285.04	296.51	311.99	287.41	-3.75	-31.75	-37.23	**2400**
2450	284.21	295.58	310.94	286.55	-3.72	-31.62	-37.10	**2450**
2500	283.38	294.67	309.91	285.70	-3.69	-31.50	-36.98	**2500**
2550	282.55	293.75	308.87	284.84	-3.66	-31.37	-36.85	**2550**
2600	281.74	292.84	307.84	284.00	-3.63	-31.25	-36.73	**2600**
2650	280.92	291.93	306.81	283.15	-3.59	-31.12	-36.60	**2650**
2700	280.11	291.03	305.79	282.31	-3.56	-31.00	-36.48	**2700**
2750	279.29	290.13	304.77	281.47	-3.53	-30.87	-36.35	**2750**
2800	278.49	289.23	303.76	280.64	-3.50	-30.75	-36.23	**2800**
2850	277.68	288.35	302.79	279.81	-3.44	-30.50	-35.97	**2850**
2900	276.88	287.49	301.84	279.00	-3.38	-30.25	-35.72	**2900**
2950	276.09	286.61	300.88	278.18	-3.31	-30.00	-35.47	**2950**
3000	275.29	285.75	299.93	277.37	-3.25	-29.75	-35.23	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

SQUARE FOOT COSTS

CLASS B
2 STORY

Ground Area	FRAME			MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Native Stone	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	390.03	434.03	484.03	404.03	-10.25	-52.50	-59.80	**400**
450	391.07	431.07	481.07	405.07	-9.81	-50.75	-58.05	**450**
500	390.75	428.75	476.75	402.75	-9.38	-49.00	-56.30	**500**
550	388.89	426.89	472.89	400.89	-8.94	-47.25	-54.55	**550**
600	387.39	423.39	467.39	399.39	-8.50	-45.50	-52.80	**600**
650	384.97	420.97	464.97	396.97	-8.31	-44.56	-51.86	**650**
700	382.76	418.76	460.76	394.76	-8.13	-43.63	-50.93	**700**
750	380.72	414.72	456.72	390.72	-7.94	-42.69	-49.99	**750**
800	378.82	412.82	452.82	388.82	-7.75	-41.75	-49.05	**800**
850	377.15	409.15	449.15	387.15	-7.44	-40.94	-48.24	**850**
900	373.58	405.58	445.58	383.58	-7.13	-40.13	-47.43	**900**
950	372.09	404.09	442.09	382.09	-6.81	-39.31	-46.61	**950**
1000	368.67	400.67	438.67	378.67	-6.50	-38.50	-45.80	**1000**
1050	367.68	397.68	435.68	377.68	-6.44	-38.06	-45.36	**1050**
1100	364.75	394.75	432.75	374.75	-6.38	-37.63	-44.93	**1100**
1150	363.85	393.85	429.85	373.85	-6.31	-37.19	-44.49	**1150**
1200	360.99	390.99	426.99	370.99	-6.25	-36.75	-44.05	**1200**
1250	360.30	388.30	424.30	368.30	-6.16	-36.44	-43.74	**1250**
1300	357.63	387.63	421.63	367.63	-6.06	-36.13	-43.43	**1300**
1350	356.99	384.99	418.99	364.99	-5.97	-35.81	-43.11	**1350**
1400	354.37	382.37	416.37	364.37	-5.88	-35.50	-42.80	**1400**
1450	353.77	381.77	413.77	361.77	-5.78	-35.19	-42.49	**1450**
1500	351.19	379.19	411.19	359.19	-5.69	-34.88	-42.18	**1500**
1550	350.63	376.63	408.63	358.63	-5.59	-34.56	-41.86	**1550**
1600	348.08	376.08	408.08	356.08	-5.50	-34.25	-41.55	**1600**
1650	347.74	373.74	405.74	355.74	-5.47	-34.13	-41.43	**1650**
1700	345.41	371.41	403.41	353.41	-5.44	-34.00	-41.30	**1700**
1750	345.09	371.09	401.09	353.09	-5.41	-33.88	-41.18	**1750**
1800	342.78	368.78	400.78	350.78	-5.38	-33.75	-41.05	**1800**
1850	342.48	366.48	398.48	350.48	-5.34	-33.63	-40.93	**1850**
1900	340.19	366.19	396.19	348.19	-5.31	-33.50	-40.80	**1900**
1950	339.91	363.91	393.91	347.91	-5.28	-33.38	-40.68	**1950**
2000	339.64	363.64	393.64	345.64	-5.25	-33.25	-40.55	**2000**
2050	337.31	361.31	391.31	345.31	-5.06	-33.06	-40.36	**2050**
2100	336.99	360.99	388.99	342.99	-4.88	-32.88	-40.18	**2100**
2150	334.67	358.67	388.67	342.67	-4.69	-32.69	-39.99	**2150**
2200	334.36	358.36	386.36	340.36	-4.50	-32.50	-39.80	**2200**
2250	332.06	356.06	384.06	340.06	-4.31	-32.31	-39.61	**2250**
2300	331.76	355.76	383.76	337.76	-4.13	-32.13	-39.43	**2300**
2350	331.46	353.46	381.46	337.46	-3.94	-31.94	-39.24	**2350**
2400	329.17	353.17	381.17	335.17	-3.75	-31.75	-39.05	**2400**
2450	328.95	350.95	378.95	334.95	-3.72	-31.63	-38.93	**2450**
2500	326.73	350.73	376.73	334.73	-3.69	-31.50	-38.80	**2500**
2550	326.51	349.51	375.51	333.51	-3.66	-31.38	-38.68	**2550**
2600	326.30	348.30	374.30	332.30	-3.63	-31.25	-38.55	**2600**
2650	325.09	347.09	373.09	331.09	-3.59	-31.13	-38.43	**2650**
2700	323.89	345.89	371.89	329.89	-3.56	-31.00	-38.30	**2700**
2750	322.68	344.68	370.68	328.68	-3.53	-30.88	-38.18	**2750**
2800	321.48	343.48	369.48	327.48	-3.50	-30.75	-38.05	**2800**
2850	320.41	342.16	368.16	326.66	-3.44	-30.50	-37.80	**2850**
2900	319.34	340.84	366.84	325.84	-3.38	-30.25	-37.55	**2900**
2950	318.27	339.52	365.52	325.02	-3.31	-30.00	-37.30	**2950**
3000	317.21	338.21	364.21	324.21	-3.25	-29.75	-37.05	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

CLASS B
BI-LEVEL

SQUARE FOOT COSTS

Ground Area	FRAME			MASONRY	LOWER LEVEL ADJUSTMENTS				Ground Area
	Siding	Brick Veneer	Native Stone	Block Walls	20% Finish	40% Finish	60% Finish	80% Finish	
400	300.96	331.96	368.96	311.96	-55.60	-41.70	-27.80	0.00	**400**
450	302.06	332.06	368.06	312.56	-55.00	-41.25	-27.50	0.00	**450**
500	304.04	333.04	368.04	314.04	-54.40	-40.80	-27.20	0.00	**500**
550	303.66	331.66	366.16	313.16	-53.80	-40.35	-26.90	0.00	**550**
600	303.76	330.76	364.76	312.76	-53.20	-39.90	-26.60	0.00	**600**
650	303.29	329.79	362.79	312.29	-52.80	-39.60	-26.40	0.00	**650**
700	303.11	329.11	361.11	312.11	-52.40	-39.30	-26.20	0.00	**700**
750	302.16	327.66	358.66	310.66	-52.00	-39.00	-26.00	0.00	**750**
800	301.41	326.41	356.41	309.41	-51.60	-38.70	-25.80	0.00	**800**
850	300.18	324.68	354.18	308.18	-51.40	-38.55	-25.70	0.00	**850**
900	299.08	323.08	352.08	307.08	-51.20	-38.40	-25.60	0.00	**900**
950	298.09	321.59	350.09	306.09	-51.00	-38.25	-25.50	0.00	**950**
1000	297.19	320.19	348.19	305.19	-50.80	-38.10	-25.40	0.00	**1000**
1050	296.38	318.88	346.88	303.88	-50.70	-38.03	-25.35	0.00	**1050**
1100	295.63	317.63	345.63	302.63	-50.60	-37.95	-25.30	0.00	**1100**
1150	294.44	316.44	343.94	301.44	-50.50	-37.88	-25.25	0.00	**1150**
1200	293.30	315.30	342.30	300.30	-50.40	-37.80	-25.20	0.00	**1200**
1250	292.34	314.34	340.84	299.34	-50.30	-37.73	-25.15	0.00	**1250**
1300	291.41	313.41	339.41	298.41	-50.20	-37.65	-25.10	0.00	**1300**
1350	290.52	312.02	337.52	297.52	-50.10	-37.58	-25.05	0.00	**1350**
1400	289.67	310.67	335.67	296.67	-50.00	-37.50	-25.00	0.00	**1400**
1450	288.84	309.84	334.34	295.84	-49.90	-37.43	-24.95	0.00	**1450**
1500	288.04	309.04	333.04	295.04	-49.80	-37.35	-24.90	0.00	**1500**
1550	287.26	307.76	331.76	293.76	-49.70	-37.28	-24.85	0.00	**1550**
1600	286.50	306.50	330.50	292.50	-49.60	-37.20	-24.80	0.00	**1600**
1650	285.51	305.51	329.51	292.01	-49.55	-37.16	-24.78	0.00	**1650**
1700	284.55	304.55	328.55	291.55	-49.50	-37.13	-24.75	0.00	**1700**
1750	284.09	303.59	327.59	290.59	-49.45	-37.09	-24.73	0.00	**1750**
1800	283.65	302.65	326.65	289.65	-49.40	-37.05	-24.70	0.00	**1800**
1850	282.73	301.73	325.23	289.23	-49.35	-37.01	-24.68	0.00	**1850**
1900	281.81	300.81	323.81	288.81	-49.30	-36.98	-24.65	0.00	**1900**
1950	281.41	300.41	322.91	287.91	-49.25	-36.94	-24.63	0.00	**1950**
2000	281.02	300.02	322.02	287.02	-49.20	-36.90	-24.60	0.00	**2000**
2050	280.08	299.08	321.08	286.08	-49.15	-36.86	-24.58	0.00	**2050**
2100	279.14	298.14	320.14	285.14	-49.10	-36.83	-24.55	0.00	**2100**
2150	278.72	297.22	319.22	284.72	-49.05	-36.79	-24.53	0.00	**2150**
2200	278.30	296.30	318.30	284.30	-49.00	-36.75	-24.50	0.00	**2200**
2250	277.39	295.39	316.89	283.39	-48.95	-36.71	-24.48	0.00	**2250**
2300	276.49	294.49	315.49	282.49	-48.90	-36.68	-24.45	0.00	**2300**
2350	276.09	293.59	314.59	281.59	-48.85	-36.64	-24.43	0.00	**2350**
2400	275.70	292.70	313.70	280.70	-48.80	-36.60	-24.40	0.00	**2400**
2450	274.94	291.94	312.94	280.44	-48.80	-36.60	-24.40	0.00	**2450**
2500	274.19	291.19	312.19	280.19	-48.80	-36.60	-24.40	0.00	**2500**
2550	273.44	290.44	311.44	279.44	-48.80	-36.60	-24.40	0.00	**2550**
2600	272.69	289.69	310.69	278.69	-48.80	-36.60	-24.40	0.00	**2600**
2650	272.45	289.45	309.95	277.95	-48.80	-36.60	-24.40	0.00	**2650**
2700	272.22	289.22	309.22	277.22	-48.80	-36.60	-24.40	0.00	**2700**
2750	271.49	288.49	308.49	276.99	-48.80	-36.60	-24.40	0.00	**2750**
2800	270.76	287.76	307.76	276.76	-48.80	-36.60	-24.40	0.00	**2800**
2850	270.16	286.66	306.66	275.66	-48.60	-36.45	-24.30	0.00	**2850**
2900	269.56	285.56	305.56	274.56	-48.40	-36.30	-24.20	0.00	**2900**
2950	268.47	284.47	304.47	273.47	-48.20	-36.15	-24.10	0.00	**2950**
3000	267.38	283.38	303.38	272.38	-48.00	-36.00	-24.00	0.00	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

SQUARE FOOT COSTS

CLASS B TRI-LEVEL

Ground Area	FRAME			MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Native Stone	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	297.63	329.13	368.13	308.13	-10.25	-52.50	-56.15	**400**
450	297.91	328.29	366.16	308.04	-9.81	-50.75	-54.40	**450**
500	298.84	328.09	364.84	308.59	-9.38	-49.00	-52.65	**500**
550	300.24	328.36	363.99	309.61	-8.94	-47.25	-50.90	**550**
600	301.98	328.98	363.48	310.98	-8.50	-45.50	-49.15	**600**
650	301.06	327.69	361.06	309.69	-8.31	-44.56	-48.21	**650**
700	300.35	326.60	358.85	308.60	-8.12	-43.63	-47.28	**700**
750	299.81	325.69	356.81	307.69	-7.94	-42.69	-46.34	**750**
800	299.41	324.91	354.91	306.91	-7.75	-41.75	-45.40	**800**
850	297.75	322.87	352.87	305.25	-7.44	-40.94	-44.59	**850**
900	296.18	320.93	350.93	303.68	-7.13	-40.13	-43.78	**900**
950	294.69	319.06	349.06	302.19	-6.81	-39.31	-42.96	**950**
1000	293.27	317.27	347.27	300.77	-6.50	-38.50	-42.15	**1000**
1050	292.28	315.90	345.15	299.78	-6.44	-38.06	-41.71	**1050**
1100	291.34	314.59	343.09	298.84	-6.38	-37.63	-41.28	**1100**
1150	290.45	313.32	341.07	297.95	-6.31	-37.19	-40.84	**1150**
1200	289.59	312.09	339.09	297.09	-6.25	-36.75	-40.40	**1200**
1250	288.52	310.64	337.64	295.64	-6.16	-36.44	-40.09	**1250**
1300	287.47	309.22	336.22	294.22	-6.06	-36.13	-39.78	**1300**
1350	286.46	307.83	334.83	292.83	-5.97	-35.81	-39.46	**1350**
1400	285.46	306.46	333.46	291.46	-5.88	-35.50	-39.15	**1400**
1450	284.11	305.11	331.74	290.49	-5.78	-35.19	-38.84	**1450**
1500	282.79	303.79	330.04	289.54	-5.69	-34.88	-38.53	**1500**
1550	281.47	302.47	328.35	288.60	-5.59	-34.56	-38.21	**1550**
1600	280.18	301.18	326.68	287.68	-5.50	-34.25	-37.90	**1600**
1650	279.46	300.08	325.21	286.58	-5.47	-34.13	-37.77	**1650**
1700	278.75	299.00	323.75	285.50	-5.44	-34.00	-37.65	**1700**
1750	278.06	297.93	322.31	284.43	-5.41	-33.87	-37.53	**1750**
1800	277.37	296.87	320.87	283.37	-5.38	-33.75	-37.40	**1800**
1850	276.70	295.83	319.83	282.70	-5.34	-33.63	-37.28	**1850**
1900	276.04	294.79	318.79	282.04	-5.31	-33.50	-37.15	**1900**
1950	275.38	293.76	317.76	281.38	-5.28	-33.38	-37.03	**1950**
2000	274.73	292.73	316.73	280.73	-5.25	-33.25	-36.90	**2000**
2050	273.65	292.03	315.65	279.65	-5.06	-33.06	-36.71	**2050**
2100	272.58	291.33	314.58	278.58	-4.88	-32.88	-36.53	**2100**
2150	271.52	290.64	313.52	277.52	-4.69	-32.69	-36.34	**2150**
2200	270.46	289.96	312.46	276.46	-4.50	-32.50	-36.15	**2200**
2250	269.78	288.90	311.40	275.40	-4.31	-32.31	-35.96	**2250**
2300	269.10	287.85	310.35	274.35	-4.13	-32.13	-35.78	**2300**
2350	268.43	286.81	309.31	273.31	-3.94	-31.94	-35.59	**2350**
2400	267.77	285.77	308.27	272.27	-3.75	-31.75	-35.40	**2400**
2450	267.17	284.79	307.29	271.67	-3.72	-31.63	-35.28	**2450**
2500	266.57	283.82	306.32	271.07	-3.69	-31.50	-35.15	**2500**
2550	265.98	282.86	305.36	270.48	-3.66	-31.38	-35.03	**2550**
2600	265.40	281.90	304.40	269.90	-3.63	-31.25	-34.90	**2600**
2650	264.44	281.31	303.44	269.31	-3.59	-31.13	-34.78	**2650**
2700	263.48	280.73	302.48	268.73	-3.56	-31.00	-34.65	**2700**
2750	262.53	280.15	301.53	268.15	-3.53	-30.87	-34.53	**2750**
2800	261.58	279.58	300.58	267.58	-3.50	-30.75	-34.40	**2800**
2850	260.88	278.51	299.51	266.51	-3.44	-30.50	-34.15	**2850**
2900	260.19	277.44	298.44	265.44	-3.38	-30.25	-33.90	**2900**
2950	259.49	276.37	297.37	264.37	-3.31	-30.00	-33.65	**2950**
3000	258.80	275.30	296.30	263.30	-3.25	-29.75	-33.40	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

ADJUSTMENTS AND ADDITIONS

HEATING AND COOLING SYSTEM ADJUSTMENTS: Additions or deductions per sq. ft. of ground area.

	Number of Stories							
	1	1+	1 1/4	1 1/2	1 3/4	2	Bi	Tri
HEATING SYSTEMS								
Forced-warm-air, without return ducts, deduct.	-1.00	-1.00	-1.26	-1.51	-1.76	-2.01	-2.01	-1.51
Forced-hot-water/steam, add.	5.60	5.60	7.02	8.39	9.79	11.19	11.19	8.39
Electric wall heaters, baseboard type, deduct.	-1.05	-1.05	-1.32	-1.57	-1.84	-2.10	-2.10	-1.57
Electric, ceiling radiant, deduct.	-2.09	-2.09	-2.62	-3.14	-3.66	-4.18	-4.18	-3.14
Electric wall heaters, deduct.	-4.94	-4.94	-6.20	-7.41	-8.65	-9.89	-9.89	-7.41
Radiant (in-floor), add.	6.57	6.57	8.25	9.86	11.50	13.15	13.15	9.86
HEATING AND COOLING, COMBINED SYSTEMS								
Forced air, A/C using heating ducts, add.	10.07	10.07	12.63	15.10	17.62	20.14	20.14	15.10
Heat pump with supplemental heat, add.	7.45	7.45	9.34	11.17	13.04	14.90	14.90	11.17
Air conditioning only with separate ducts, add.	12.55	12.55	15.74	18.83	21.96	25.10	25.10	18.83
No heating, deduct.	-7.99	-7.99	-10.02	-11.98	-13.98	-15.98	-15.98	-11.98

Wood-burning unit added on to furnace: Add $4,284 to final cost of home. Includes materials and labor to connect to existing forced-air system. Extra chimney or flue costs which may be required by local codes are not included.

OVERHANGS

Add per square foot as follows:

Stories	Full Story	3/4	1/2
Siding and block.	$116.91	$84.42	$49.14
Brick veneer.	133.42	89.49	50.75

MICHIGAN BASEMENT

Michigan basements can frequently be estimated by using 1/2 of the crawl space deduction. Deduct for no concrete floor: $5.41 per square foot of basement area.

PLUMBING, SEWER AND WATER

Average cost per fixture.	$3,162
Extra bath, three fixtures.	9,976
Two fixtures.	6,650
Water softener, automatic.	2,458
Manual.	1,760
Solar water heating system with panels.	11,885
No plumbing, deduct.	-17,115
Extra toilet.	2,536
Extra sink.	1,656
Separate shower (ceramic tile).	3,032
Ceramic tile floor.	1,824
Ceramic tile wainscoting.	3,235
Ceramic tile tub alcove.	1,080
Bathroom vent fan.	417

WATER AND WASTE DISPOSAL

City water and sewer connections.	$4,271
Water well 200 ft..	11,997
Septic system 1,000 gallon.	5,835
2,000 gallon.	11,377

Locally derived costs should be entered on the front of the residential card.

MASONRY TRIM

Brick or equal, per sq. ft. of wall area.	$21.12
Brick, 4' high, per lin. ft..	84.63
Brick, full 1-story, per lin. ft..	169.26
Brick, full 2-story, per lin. ft..	338.52
Stone or equal, per sq. ft. of wall area.	49.03

BASEMENT FINISH

Costs per square foot of floor area:

Recreation room.	$29.41
Finished living area.	56.53
Walk-out, below grade, cost of door.	2,647
Walk-out, above grade, cost of door.	4,290

BUILT-INS

Appliance allowance, (if not itemized).	$6,650
Cook top, counter top, four burners.	1,480
Dishwasher, built-in.	1,402
Garbage disposal.	424
Heater, bathroom, without fan.	306
With fan.	443
Hot tub, with whirlpool, built-in.	10,575
Hood, range, unvented.	554
Vented.	913
Intercom system, master station.	1,121
Satellite.	202
Whirlpool tub (Jacuzzi).	13,985
Whirlpool tub when it replaces regular bathtub.	10,399
Oven, single, built-in.	2,432
Microwave.	1,095
Range, drop in, with standard oven.	1,917
With self cleaning oven.	2,810
Sauna with heater and controls.	12,544
Trash compactor.	1,148
Vacuum, central system.	2,980

CONVERSION FACTORS: For 2½, 3, and 3½ story Single-family Residences
Multiply the 2 story cost for the equivalent Ground Area by the following factors:
2½ story, use 1.16; 3 story, use 1.36; 3½ story, use 1.52.

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

FIREPLACES

Inside chimney, 1 story	$8,425
1½ and 2 story	10,300
add for 2nd fireplace, same stack	6,450
Two-sided fireplace	11,875
Outside chimney, 1 story	10,425
1½ and 2 story	12,575
Prefabricated, 1 story	4,750
Add if 2 story	1,180
Heat-circulating device	1,150
Raised hearth	945
Wood burning stove, free standing, permanent	4,525
Direct-vented (no chimney) gas fireplace	5,650

PORCHES AND DECKS: COMPONENT GUIDE

	CPP	CCP	CSEP	CGEP	WPP	WCP	WSEP	WGEP
FOUNDATION	X	X	X	X	X	X	X	X
FOOTINGS	X	X	X	X	X	X	X	X
STEPS	X	X	X	X	X	X	X	X
RAILS OR KNEE WALL		X	X			X	X	
ROOF		X	X	X		X	X	X
CEILING		X	X	X		X	X	X
SCREEN ON STUD WALL			X				X	
STUD WALL W/ WINDOWS AND SCREENS				X				X

CONCRETE FLOOR with 42" Foundation

Size for Rates	PLATFORM PORCH CPP	COVERED PORCH CCP	SCREEN-ENCLOSED PORCH CSEP	GLASS ENCLOSED PORCH CGEP
25	36.25	70.50	129.00	187.00
50	32.25	63.00	104.00	143.00
75	31.00	61.00	96.50	129.00
100	29.75	59.00	91.50	120.00
125	29.00	57.63	87.01	112.08
150	28.25	56.50	83.50	106.00
175	27.50	55.08	80.78	101.64
200	26.75	54.00	78.50	98.00
250	25.27	51.51	74.28	91.78
300	23.80	49.50	71.00	87.00
350	23.72	49.33	70.76	86.73
400	23.64	49.18	70.55	86.49
450	23.57	49.05	70.37	86.28
500	23.49	48.93	70.21	86.10
550	23.41	48.83	70.06	85.93
600	23.33	48.73	69.93	85.78
650	23.26	48.65	69.80	85.64
700	23.18	48.56	69.69	85.51

WOOD FLOOR with 42" Foundation

PLATFORM PORCH WPP	COVERED PORCH WCP	SCREEN-ENCLOSED PORCH WSEP	GLASS-ENCLOSED PORCH WGEP	Size for Rates
68.50	102.00	161.00	219.00	25
60.50	91.00	132.00	171.00	50
51.00	81.00	116.00	149.00	75
41.75	71.00	103.00	132.00	100
39.75	68.50	98.00	124.00	125
37.75	66.00	93.00	116.00	150
35.75	63.75	89.25	110.50	175
33.75	61.50	85.50	105.00	200
29.75	56.50	79.25	97.00	250
25.75	51.50	73.00	89.00	300
25.60	51.28	72.69	88.67	350
25.45	51.06	72.39	88.33	400
25.30	50.83	72.08	88.00	450
25.15	50.61	71.78	87.67	500
25.00	50.39	71.47	87.33	550
24.85	50.17	71.17	87.00	600
24.70	49.94	70.86	86.67	650
24.55	49.72	70.56	86.33	700

ADD / DEDUCT

Size for Rates	ADD BASEMENT UNDER	DEDUCT SHALLOW FOUNDATION
25	34.36	-16.82
50	33.38	-12.32
75	32.86	-10.24
100	32.47	-9.00
125	32.14	-8.15
150	31.88	-7.50
175	31.69	-6.98
200	31.56	-6.59
250	31.23	-5.93
300	31.04	-5.48
350	30.84	-5.09
400	30.64	-4.76
450	30.51	-4.56
500	30.38	-4.30
550	30.25	-4.17
600	30.12	-3.98
650	30.06	-3.85
700	29.93	-3.72

For 2-story porches, add 22% for open porches and 60% for enclosed porches. Wood decks include posts on minimal footings, joists, girder, railings, decking, and up to four risers. For additional risers add $256 each. For wood decks with roofs, subtract the platform porch rate from the covered porch rate (at the appropriate size for rates) and add the difference to the appropriate wood deck rate.

WOOD DECKS

TREATED WOOD	PINE OR SIMILAR	REDWOOD OR CEDAR	Size for Rates
48.70	38.99	52.88	25
36.25	28.95	40.62	50
29.93	23.94	36.50	75
26.54	21.19	31.49	100
25.14	20.11	30.94	125
23.62	18.89	29.17	150
22.40	17.92	27.75	175
21.52	17.21	26.15	200
19.83	15.87	24.72	250
18.63	14.90	23.30	300
17.68	14.14	22.17	350
16.89	13.51	21.23	400
16.22	12.97	20.45	450
15.65	12.52	19.76	500
15.15	12.11	19.16	550
14.70	11.76	18.62	600
14.30	11.45	18.15	650
13.95	11.16	17.72	700

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

ADJUSTMENTS AND ADDITIONS

GARAGES: Base costs include electric lighting.

On slab – 18" Foundation				On slab – 42" Foundation				
Size In Sq. Ft.	Siding	Block	Brick Veneer	Siding	Block	Brick Veneer	Finished Interior	Size In Sq. Ft.
240	77.20	86.91	95.26	84.11	95.52	103.21	13.43	**240**
308	70.74	78.89	86.19	76.94	86.46	93.24	12.45	**308**
352	67.55	74.91	81.70	73.35	82.02	88.28	12.00	**352**
400	64.61	71.26	77.65	70.09	77.91	83.78	11.54	**400**
440	62.85	69.11	75.18	68.07	75.50	81.04	11.21	**440**
480	61.22	67.22	73.02	66.24	73.28	78.63	11.02	**480**
528	59.53	65.13	70.68	64.35	71.00	76.09	10.76	**528**
576	58.03	63.37	68.66	62.66	68.92	73.81	10.50	**575**
600	57.31	62.53	67.74	61.87	68.00	72.83	10.37	**600**
624	56.66	61.74	66.90	61.09	67.16	71.85	10.30	**624**
800	52.68	57.25	61.74	56.66	62.01	66.18	9.65	**800**
864	51.44	55.75	60.05	55.22	60.31	64.29	9.39	**864**
1020	48.90	52.68	56.59	52.36	56.85	60.44	8.80	**1020**
Common wall deduction for attached garage								
1/2-wall	1,493	1,708	1,989	1,708	2,015	2,236	—	**1/2-wall**
1-wall	2,980	3,495	3,984	3,416	4,023	4,473	—	**1-wall**
1 1/2-wall	4,473	5,242	5,972	5,125	6,038	6,709	—	**1 1/2-wall**
2-wall	5,959	6,989	7,961	6,833	8,052	8,945	—	**2-wall**

No concrete floor, deduct per sq. ft. . . . . -$8.74

Base cost includes uninsulated single or double garage doors, depending on the size of the garage. For insulated doors, add per square foot of door:

Single. . . . . $8.22 Double. $6.13

Door opener, radio controlled add 730

For basement garage, add to residence:

1-car. . . . . $2,934 2-car. $4,173
1 1/2-car. 3,553 3-car. 5,672

For pole construction deduct 25% from 18" Foundation Siding rate.

For living area above garage use overhang rates. (Base cost contains forced-warm-air heat only. For other types of heating/cooling, use the 1-Story Heating and Cooling Adjustments for this square footage only).

For storage area above garage, add $20.67 per square foot (stairway, floorboards, electrical, 6-foot headroom).

BALCONIES (Airing)

(Costs per square foot of floor area:)

Wood floors. $44.25
Cement composition floor. 63.00
Add for roof. 29.25

BREEZEWAYS

Cost per square foot of floor area. Includes roof, ceiling, floor and walls. Heat not included.

	FINISHED INTERIOR	UNFINISHED INTERIOR
Framed wall, solid.	$105.82	$79.15
knee wall w/ glass and screen panel. . .	121.79	97.60
Screen only.	79.94	57.31

CARPORTS

Cost per square foot of area covered. Includes roof structure and cover, posts, bracing, paint and concrete slab.

Aluminum, corrugated. $18.45
Composition shingles. 21.52
Built-up tar and gravel. 22.69
Wood shingles. 24.45
Fiberglass. 18.00

DRIVES, WALKS AND PATIOS

(Costs per square foot of floor area:)

Crushed rock. $2.80
Asphalt paving. 4.20
Asphalt paving w/sealer. 4.80
Concrete paving 3 1/2". 9.00
4". 9.46
4" reinforced. 12.35
5" reinforced. 13.27
Brick on 2" sand base. 25.41
Flagstone on 2" sand base. 31.19
Patio blocks on 2" sand base. 22.24

Please note that the above costs are valid for areas of 100 to 1,000 square feet. For areas less than 100 square feet, add from 10% to 100% per square foot. For areas greater than 1,000 square feet, deduct from 10% to 30% per square foot.

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

ADJUSTMENTS AND ADDITIONS

GREENHOUSES

The following are average costs per square foot for stock residential even span and lean-to greenhouses. Both greenhouses include a foundation and vents. No electrical, heating, or watering devices are included. The even span is free standing with four walls and a door on the gable end. The lean-to shares one wall with an adjoining building. Use the lump sum adjustment to further refine the cost.

SQUARE FOOT COSTS:
Per square foot of floor area.

AREA SQ. FT.	EVEN SPAN	LEAN-TO
50	$131.00	$137.00
100	112.00	113.00
150	102.00	101.00
200	96.50	94.50
250	92.00	88.50
300	88.00	84.00
400	82.00	77.00
600	75.50	69.50
800	70.50	64.50
1,000	67.00	----

SQUARE FOOT ADJUSTMENTS:
Make the following adjustments to the square foot costs above.

Professional labor	(base)
Amateur workmanship	-20%
Custom Installation	+25%
Planting benches	$16.35
Partitions, glazed, per square foot of partition	$22.20
Not tempered	(base)
Tempered glass	+25%
Tinted glass	+15%
Insulate Glass	+60%
Pipe frame	-25%
Polyethylene Cover	-20%

LUMP SUM ADJUSTMENTS: Make the following Lump Sum additions as necessary.

AREA SQ. FT.	PLAIN GABLE END WALL DEDUCTION
50	$485
100	1,011
150	1,011
200	1,267
250	1,267
300	1,267
400	1,695
600	1,695
800	1,695
1,000	2,159

For gable end doors, add	$1,846
Heaters	1,550
Humidifiers	1,980
Coolers	2,400
Ventilating fans	1,020

SOLAR ROOMS


The following are average costs per square foot for three-sided lean-to glass solar rooms with curved eaves attached to a permanent structure used for living space or commercial applications. Costs include one end wall door, foundations and vents or windows. Floor, heat, electrical and plumbing are not included.

SQUARE FOOT COSTS:
Per square foot of floor area.

AREA SQ. FT.	COST
50	$353.63
100	293.50
150	264.24
200	251.03
250	234.44
300	226.77
400	209.64
600	191.44
800	174.32
1,000	167.17

ADJUSTMENTS

Extra tall bays	+15%
Laminated wood framing	+10%
Straight eaves	-7%
Custom designed	+50%
For corner hips and valleys, add per square ft.	$64.95
For decorative lights incorporated into frame members, add per linear foot	37.81
For built-in shades, add per square foot	34.61
For motorized operation, add per operator	2,574



SOLAR ROOM/GREENHOUSE
CURVED-EAVE LEAN-TO

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.