SINGLE - FAMILY DETACHED SPECIFICATIONS

CLASS BC

The materials listed below are typical of a Class BC house. Variations from these specifications can be found. Substitute materials of equivalent price and quality may be used in place of the materials listed below. The pricing examples and the adjustments and additions section contain types of variations which normally require adjustments. **NOTE**: The single- family sections, include base interior wall height of 8 feet for each floor. For each foot of variation, add to or deduct from that portion of the residence base cost only: 4% for all residence exterior masonry walls, including brick and stone veneers; 3% for siding exterior walls. See Page 4 for further information and calculations.

EXTERIOR WALLS: either A or B

A) WOOD FRAME with siding of:
- Aluminum
- Wood
- Vinyl
- Brick veneer
- BASIC WALL STRUCTURE includes:
  - Building paper
  - 25/32" insulation board
  - 2" x 4" studs, 16" o.c. or
  - (alternate) 2" x 6" studs, 24" o.c.
  - 3 1/2" or 6" batt insulation
  - Skim coat plaster on 1/2" drywall
  - Interior surface painted, two coats
  - Two exterior doors
  - Two aluminum storm and screen doors
  - B) MASONRY CONSTRUCTION
  - Stucco on 8" concrete block
  - Rigid insulation board
  - Skim coat plaster on 1/2" drywall on furring
  - Interior surface painted, two coats
  - Two exterior doors
  - Two aluminum storm and screen doors

WINDOWS: (12% of wall area)
- Wood double-hung w/ aluminum storms/screens
- or vinyl-clad, double-pane insulating glass

ROOF:
- 4/12 pitch
- 290# asphalt shingle
- Felt
- 5/8" plywood
- 2" x 6" rafters, 16" o.c.
- 2'-0" overhang and soffit
- Gutters and downspouts

INTERIOR PARTITIONS AND FINISH:
- 8' high walls
- Skim coat plaster on 1/2" drywall
- Painted, two coats, two sides
- 2" x 4" studs, 16" o.c.
- Hardwood trim
- Panel doors
- Closet shelving

FLOOR FINISH:
- 60% carpet with pad and underlayment
- 20% hardwood, sanded and sealed
- 15% vinyl tile with underlayment
- 5% ceramic tile

CEILING:
- Skim coat plaster on 1/2” drywall
- Painted, two coats
- 8” insulation
- 2” x 8” joists, 16” o.c.

EXCAVATION:
- 11-course basement

BASEMENT WALLS:
- 11-course, 12” concrete block
- 8” x 24” footings
- Waterproofing
- Perimeter insulations
- Drain tile, one side

BASEMENT FLOOR:
- 6” gravel base
- 5” concrete floor
- Wire mesh
- Vapor barrier

FLOOR CONSTRUCTION:
- Felt lining
- 5/8” plywood
- 2” x 10” joists, 16” o.c.
- Bridging
- 8” steel I-beam
- 4” diameter steel posts

HEATING AND AIR CONDITIONING:
- Gas fired forced air furnace with cold-air returns
- Block chimney

ELECTRIC:
- 150-Ampere, 110/220-Volt system
- Romex wiring
- Unfinished area, Non-metallic

PLUMBING:
- White fixtures:
- One lavatory
- One water closet
- One bathtub with shower
- One double-compartment kitchen sink
- One double-compartment laundry tub
- One 50-gallon water heater
- One floor drain

BUILT-IN UNITS:
- Wood veneer kitchen cabinets:
- 18’ base with laminated plastic tops
- 11’ wall mounted, 30” high
- 8’ wall mounted, 18” high
- Vanity cabinet
- Open-riser basement stairs

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

CLASS BC














© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.









© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

CLASS BC
1 STORY

SQUARE FOOT COSTS

Ground Area	FRAME		MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	193.55	214.05	204.55	-9.50	-47.00	-53.30	**400**
450	194.41	214.16	204.91	-9.06	-45.44	-51.74	**450**
500	195.73	214.73	205.73	-8.63	-43.88	-50.18	**500**
550	195.15	213.65	205.15	-8.19	-42.31	-48.61	**550**
600	194.81	212.81	204.81	-7.75	-40.75	-47.05	**600**
650	194.43	211.93	203.93	-7.50	-39.94	-46.24	**650**
700	194.19	211.19	203.19	-7.25	-39.13	-45.43	**700**
750	193.58	210.08	202.58	-7.00	-38.31	-44.61	**750**
800	193.07	209.07	202.07	-6.75	-37.50	-43.80	**800**
850	192.27	208.27	201.27	-6.56	-36.81	-43.11	**850**
900	191.53	207.53	200.53	-6.38	-36.13	-42.43	**900**
950	190.86	206.36	199.36	-6.19	-35.44	-41.74	**950**
1000	190.23	205.23	198.23	-6.00	-34.75	-41.05	**1000**
1050	189.39	203.89	197.39	-5.88	-34.31	-40.61	**1050**
1100	188.59	202.59	196.59	-5.75	-33.88	-40.18	**1100**
1150	187.82	201.82	195.32	-5.63	-33.44	-39.74	**1150**
1200	187.08	201.08	194.08	-5.50	-33.00	-39.30	**1200**
1250	186.55	200.05	193.55	-5.44	-32.75	-39.05	**1250**
1300	186.04	199.04	193.04	-5.38	-32.50	-38.80	**1300**
1350	185.06	198.56	192.56	-5.31	-32.25	-38.55	**1350**
1400	184.08	198.08	192.08	-5.25	-32.00	-38.30	**1400**
1450	183.63	197.13	191.13	-5.19	-31.75	-38.05	**1450**
1500	183.19	196.19	190.19	-5.13	-31.50	-37.80	**1500**
1550	182.76	195.26	189.26	-5.06	-31.25	-37.55	**1550**
1600	182.34	194.34	188.34	-5.00	-31.00	-37.30	**1600**
1650	181.55	193.55	188.05	-4.97	-30.88	-37.18	**1650**
1700	180.78	192.78	187.78	-4.94	-30.75	-37.05	**1700**
1750	180.51	192.51	187.01	-4.91	-30.63	-36.93	**1750**
1800	180.25	192.25	186.25	-4.88	-30.50	-36.80	**1800**
1850	179.50	191.50	186.00	-4.84	-30.38	-36.68	**1850**
1900	178.76	190.76	185.76	-4.81	-30.25	-36.55	**1900**
1950	178.52	190.02	185.02	-4.78	-30.13	-36.43	**1950**
2000	178.29	189.29	184.29	-4.75	-30.00	-36.30	**2000**
2050	177.53	188.53	183.53	-4.59	-29.84	-36.14	**2050**
2100	176.78	187.78	182.78	-4.44	-29.69	-35.99	**2100**
2150	176.53	187.53	182.53	-4.28	-29.53	-35.83	**2150**
2200	176.28	187.28	182.28	-4.13	-29.38	-35.68	**2200**
2250	175.54	186.54	181.54	-3.97	-29.22	-35.52	**2250**
2300	174.81	185.81	180.81	-3.81	-29.06	-35.36	**2300**
2350	174.57	185.07	180.07	-3.66	-28.91	-35.21	**2350**
2400	174.34	184.34	179.34	-3.50	-28.75	-35.05	**2400**
2450	173.64	184.14	179.14	-3.47	-28.63	-34.93	**2450**
2500	172.95	183.95	178.95	-3.45	-28.50	-34.80	**2500**
2550	172.76	183.26	178.26	-3.43	-28.38	-34.68	**2550**
2600	172.57	182.57	177.57	-3.40	-28.25	-34.55	**2600**
2650	171.89	181.89	177.39	-3.38	-28.13	-34.43	**2650**
2700	171.20	181.20	177.20	-3.35	-28.00	-34.30	**2700**
2750	171.02	181.02	176.52	-3.32	-27.88	-34.18	**2750**
2800	170.84	180.84	175.84	-3.30	-27.75	-34.05	**2800**
2850	170.10	180.10	175.60	-3.25	-27.56	-33.86	**2850**
2900	169.36	179.36	175.36	-3.20	-27.38	-33.68	**2900**
2950	168.88	178.63	174.63	-3.15	-27.19	-33.49	**2950**
3000	168.39	177.89	173.89	-3.10	-27.00	-33.30	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

SQUARE FOOT COSTS

CLASS BC
1+ STORY

Ground Area	FRAME		MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	206.51	224.23	214.79	-9.50	-47.00	-53.30	**400**
450	206.85	223.89	214.82	-9.06	-45.44	-51.74	**450**
500	207.65	224.02	215.31	-8.63	-43.88	-50.18	**500**
550	206.84	222.69	214.26	-8.19	-42.31	-48.61	**550**
600	206.29	221.61	213.46	-7.75	-40.75	-47.05	**600**
650	205.67	220.55	212.65	-7.50	-39.94	-46.24	**650**
700	205.19	219.65	211.99	-7.25	-39.13	-45.43	**700**
750	204.25	218.36	210.89	-7.00	-38.31	-44.61	**750**
800	203.41	217.17	209.90	-6.75	-37.50	-43.80	**800**
850	202.43	215.89	208.78	-6.56	-36.81	-43.11	**850**
900	201.52	214.67	207.73	-6.38	-36.13	-42.43	**900**
950	200.45	213.34	206.53	-6.19	-35.44	-41.74	**950**
1000	199.43	212.05	205.37	-6.00	-34.75	-41.05	**1000**
1050	198.53	210.94	204.38	-5.88	-34.31	-40.61	**1050**
1100	197.67	209.86	203.42	-5.75	-33.88	-40.18	**1100**
1150	196.77	208.75	202.42	-5.63	-33.44	-39.74	**1150**
1200	195.89	207.65	201.45	-5.50	-33.00	-39.30	**1200**
1250	195.16	206.75	200.64	-5.44	-32.75	-39.05	**1250**
1300	194.44	205.86	199.84	-5.38	-32.50	-38.80	**1300**
1350	193.70	204.94	199.02	-5.31	-32.25	-38.55	**1350**
1400	192.98	204.05	198.22	-5.25	-32.00	-38.30	**1400**
1450	192.24	203.16	197.42	-5.19	-31.75	-38.05	**1450**
1500	191.52	202.30	196.63	-5.13	-31.50	-37.80	**1500**
1550	190.79	201.43	195.84	-5.06	-31.25	-37.55	**1550**
1600	190.08	200.58	195.06	-5.00	-31.00	-37.30	**1600**
1650	189.48	199.86	194.41	-4.97	-30.88	-37.18	**1650**
1700	188.90	199.14	193.76	-4.94	-30.75	-37.05	**1700**
1750	188.32	198.44	193.12	-4.91	-30.63	-36.93	**1750**
1800	187.75	197.75	192.49	-4.88	-30.50	-36.80	**1800**
1850	187.17	197.07	191.87	-4.84	-30.38	-36.68	**1850**
1900	186.60	196.39	191.25	-4.81	-30.25	-36.55	**1900**
1950	186.04	195.72	190.65	-4.78	-30.13	-36.43	**1950**
2000	185.48	195.05	190.05	-4.75	-30.00	-36.30	**2000**
2050	184.91	194.38	189.43	-4.59	-29.84	-36.14	**2050**
2100	184.34	193.72	188.81	-4.44	-29.69	-35.99	**2100**
2150	183.77	193.06	188.20	-4.28	-29.53	-35.83	**2150**
2200	183.19	192.40	187.59	-4.13	-29.38	-35.68	**2200**
2250	182.63	191.77	187.00	-3.97	-29.22	-35.52	**2250**
2300	182.08	191.14	186.41	-3.81	-29.06	-35.36	**2300**
2350	181.54	190.51	185.83	-3.66	-28.91	-35.21	**2350**
2400	181.01	189.88	185.26	-3.50	-28.75	-35.05	**2400**
2450	180.51	189.31	184.72	-3.48	-28.63	-34.93	**2450**
2500	180.02	188.73	184.19	-3.45	-28.50	-34.80	**2500**
2550	179.53	188.17	183.66	-3.42	-28.38	-34.68	**2550**
2600	179.04	187.61	183.14	-3.40	-28.25	-34.55	**2600**
2650	178.56	187.07	182.63	-3.38	-28.13	-34.43	**2650**
2700	178.09	186.52	182.12	-3.35	-28.00	-34.30	**2700**
2750	177.62	185.99	181.62	-3.32	-27.88	-34.18	**2750**
2800	177.15	185.46	181.12	-3.30	-27.75	-34.05	**2800**
2850	176.63	184.88	180.57	-3.25	-27.56	-33.86	**2850**
2900	176.11	184.30	180.03	-3.20	-27.38	-33.68	**2900**
2950	175.59	183.72	179.49	-3.15	-27.19	-33.49	**2950**
3000	175.08	183.15	178.95	-3.10	-27.00	-33.30	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

CLASS BC
1 1/4 STORY

SQUARE FOOT COSTS

Ground Area	FRAME		MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	226.95	245.44	235.59	-9.50	-47.00	-48.58	**400**
450	224.84	242.79	233.24	-9.05	-45.40	-46.98	**450**
500	223.31	240.73	231.47	-8.62	-43.88	-45.45	**500**
550	222.01	238.91	229.94	-8.18	-42.28	-43.86	**550**
600	221.06	237.43	228.75	-7.75	-40.75	-42.33	**600**
650	220.98	236.82	228.42	-7.50	-39.91	-41.49	**650**
700	221.11	236.42	228.32	-7.25	-39.13	-40.70	**700**
750	221.31	236.09	228.28	-7.00	-38.29	-39.87	**750**
800	221.66	235.91	228.39	-6.75	-37.50	-39.08	**800**
850	220.25	234.24	226.86	-6.56	-36.80	-38.37	**850**
900	218.95	232.68	225.44	-6.38	-36.13	-37.70	**900**
950	217.67	231.14	224.03	-6.18	-35.42	-37.00	**950**
1000	216.48	229.68	222.72	-6.00	-34.75	-36.33	**1000**
1050	215.54	228.48	221.66	-5.87	-34.30	-35.88	**1050**
1100	214.67	227.35	220.67	-5.75	-33.88	-35.45	**1100**
1150	213.80	226.22	219.68	-5.62	-33.43	-35.00	**1150**
1200	212.99	225.15	218.74	-5.50	-33.00	-34.58	**1200**
1250	212.09	224.08	217.77	-5.44	-32.74	-34.32	**1250**
1300	211.24	223.06	216.84	-5.38	-32.50	-34.08	**1300**
1350	210.38	222.04	215.91	-5.31	-32.24	-33.82	**1350**
1400	209.56	221.05	215.02	-5.25	-32.00	-33.58	**1400**
1450	208.74	220.06	214.12	-5.19	-31.74	-33.32	**1450**
1500	207.95	219.10	213.25	-5.13	-31.50	-33.08	**1500**
1550	207.16	218.14	212.38	-5.06	-31.24	-32.82	**1550**
1600	206.39	217.20	211.54	-5.00	-31.00	-32.58	**1600**
1650	205.71	216.40	210.80	-4.97	-30.87	-32.44	**1650**
1700	205.05	215.62	210.09	-4.94	-30.75	-32.33	**1700**
1750	204.39	214.84	209.37	-4.91	-30.62	-32.19	**1750**
1800	203.75	214.08	208.67	-4.88	-30.50	-32.07	**1800**
1850	203.10	213.31	207.97	-4.84	-30.37	-31.94	**1850**
1900	202.48	212.56	207.28	-4.81	-30.25	-31.83	**1900**
1950	201.84	211.81	206.59	-4.78	-30.12	-31.70	**1950**
2000	201.23	211.07	205.92	-4.75	-30.00	-31.58	**2000**
2050	200.59	210.34	205.24	-4.59	-29.84	-31.41	**2050**
2100	199.98	209.63	204.58	-4.44	-29.69	-31.26	**2100**
2150	199.35	208.91	203.91	-4.28	-29.53	-31.10	**2150**
2200	198.74	208.21	203.26	-4.12	-29.38	-30.95	**2200**
2250	198.12	207.50	202.60	-3.97	-29.21	-30.79	**2250**
2300	197.52	206.81	201.96	-3.81	-29.06	-30.64	**2300**
2350	196.91	206.11	201.31	-3.66	-28.90	-30.48	**2350**
2400	196.32	205.42	200.67	-3.50	-28.75	-30.33	**2400**
2450	195.77	204.80	200.09	-3.47	-28.62	-30.20	**2450**
2500	195.24	204.20	199.53	-3.45	-28.50	-30.08	**2500**
2550	194.70	203.59	198.96	-3.42	-28.37	-29.95	**2550**
2600	194.17	202.99	198.40	-3.40	-28.25	-29.83	**2600**
2650	193.64	202.38	197.83	-3.37	-28.12	-29.70	**2650**
2700	193.11	201.79	197.28	-3.35	-28.00	-29.58	**2700**
2750	192.58	201.18	196.72	-3.32	-27.87	-29.45	**2750**
2800	192.06	200.59	196.17	-3.30	-27.75	-29.33	**2800**
2850	191.44	199.89	195.50	-3.25	-27.56	-29.13	**2850**
2900	190.83	199.19	194.85	-3.20	-27.38	-28.95	**2900**
2950	190.22	198.49	194.19	-3.15	-27.18	-28.76	**2950**
3000	189.61	197.80	193.55	-3.10	-27.00	-28.58	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

SQUARE FOOT COSTS

CLASS BC
1 1/2 STORY

Ground Area	FRAME		MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	248.11	270.61	259.36	-9.50	-47.00	-50.15	**400**
450	246.85	268.41	257.72	-9.06	-45.44	-48.59	**450**
500	246.05	266.67	256.55	-8.63	-43.88	-47.03	**500**
550	245.59	265.27	255.71	-8.19	-42.31	-45.46	**550**
600	245.38	264.13	255.13	-7.75	-40.75	-43.90	**600**
650	244.05	262.24	253.62	-7.50	-39.94	-43.09	**650**
700	242.88	260.51	252.26	-7.25	-39.13	-42.28	**700**
750	241.84	258.90	251.02	-7.00	-38.31	-41.46	**750**
800	240.89	257.39	249.89	-6.75	-37.50	-40.65	**800**
850	239.58	255.71	248.21	-6.56	-36.81	-39.96	**850**
900	238.35	254.10	246.60	-6.38	-36.13	-39.28	**900**
950	237.17	252.55	245.05	-6.19	-35.44	-38.59	**950**
1000	236.04	251.04	243.54	-6.00	-34.75	-37.90	**1000**
1050	234.83	249.46	242.33	-5.88	-34.31	-37.46	**1050**
1100	233.66	247.91	241.16	-5.75	-33.88	-37.03	**1100**
1150	232.51	246.39	240.01	-5.63	-33.44	-36.59	**1150**
1200	231.40	244.90	238.90	-5.50	-33.00	-36.15	**1200**
1250	230.49	243.81	237.81	-5.44	-32.75	-35.90	**1250**
1300	229.61	242.73	236.73	-5.37	-32.50	-35.65	**1300**
1350	228.75	241.68	235.68	-5.31	-32.25	-35.40	**1350**
1400	227.90	240.65	234.65	-5.25	-32.00	-35.15	**1400**
1450	226.88	239.44	233.63	-5.19	-31.75	-34.90	**1450**
1500	225.88	238.25	232.63	-5.12	-31.50	-34.65	**1500**
1550	224.88	237.07	231.63	-5.06	-31.25	-34.40	**1550**
1600	223.90	235.90	230.65	-5.00	-31.00	-34.15	**1600**
1650	223.24	235.06	229.81	-4.97	-30.88	-34.03	**1650**
1700	222.59	234.22	228.97	-4.94	-30.75	-33.90	**1700**
1750	221.95	233.39	228.14	-4.91	-30.63	-33.78	**1750**
1800	221.32	232.57	227.32	-4.88	-30.50	-33.65	**1800**
1850	220.51	231.76	226.51	-4.84	-30.38	-33.53	**1850**
1900	219.70	230.95	225.70	-4.81	-30.25	-33.40	**1900**
1950	218.90	230.15	224.90	-4.78	-30.13	-33.28	**1950**
2000	218.10	229.35	224.10	-4.75	-30.00	-33.15	**2000**
2050	217.47	228.53	223.28	-4.59	-29.84	-32.99	**2050**
2100	216.84	227.72	222.47	-4.44	-29.69	-32.84	**2100**
2150	216.22	226.91	221.66	-4.28	-29.53	-32.68	**2150**
2200	215.60	226.10	220.85	-4.13	-29.38	-32.53	**2200**
2250	214.98	225.30	220.23	-3.97	-29.22	-32.37	**2250**
2300	214.37	224.50	219.62	-3.81	-29.06	-32.21	**2300**
2350	213.76	223.70	219.01	-3.66	-28.91	-32.06	**2350**
2400	213.16	222.91	218.41	-3.50	-28.75	-31.90	**2400**
2450	212.40	222.15	217.65	-3.47	-28.63	-31.78	**2450**
2500	211.64	221.39	216.89	-3.45	-28.50	-31.65	**2500**
2550	210.89	220.64	216.14	-3.43	-28.38	-31.53	**2550**
2600	210.14	219.89	215.39	-3.40	-28.25	-31.40	**2600**
2650	209.58	219.33	214.83	-3.38	-28.13	-31.28	**2650**
2700	209.02	218.77	214.27	-3.35	-28.00	-31.15	**2700**
2750	208.46	218.21	213.71	-3.33	-27.88	-31.03	**2750**
2800	207.91	217.66	213.16	-3.30	-27.75	-30.90	**2800**
2850	207.29	216.85	212.54	-3.25	-27.56	-30.71	**2850**
2900	206.68	216.05	211.93	-3.20	-27.38	-30.53	**2900**
2950	206.07	215.26	211.32	-3.15	-27.19	-30.34	**2950**
3000	205.46	214.46	210.71	-3.10	-27.00	-30.15	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

CLASS BC
1 3/4 STORY

SQUARE FOOT COSTS

Ground Area	FRAME		MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	286.45	306.16	294.86	-9.50	-47.00	-51.73	**400**
450	283.44	302.50	291.58	-9.06	-45.41	-50.14	**450**
500	280.98	299.38	288.85	-8.63	-43.88	-48.60	**500**
550	278.78	296.54	286.39	-8.18	-42.29	-47.02	**550**
600	276.90	294.01	284.24	-7.75	-40.75	-45.48	**600**
650	275.91	292.37	282.99	-7.50	-39.92	-44.65	**650**
700	275.12	290.92	281.93	-7.25	-39.13	-43.85	**700**
750	274.42	289.56	280.96	-7.00	-38.30	-43.03	**750**
800	273.84	288.34	280.12	-6.75	-37.50	-42.22	**800**
850	271.96	286.14	278.11	-6.56	-36.80	-41.53	**850**
900	270.18	284.03	276.20	-6.38	-36.13	-40.85	**900**
950	268.43	281.96	274.32	-6.19	-35.43	-40.15	**950**
1000	266.75	279.96	272.51	-6.00	-34.75	-39.48	**1000**
1050	265.34	278.23	270.97	-5.87	-34.30	-39.03	**1050**
1100	263.99	276.55	269.49	-5.75	-33.88	-38.60	**1100**
1150	262.65	274.89	268.02	-5.62	-33.43	-38.16	**1150**
1200	261.36	273.28	266.60	-5.50	-33.00	-37.73	**1200**
1250	260.15	271.86	265.30	-5.44	-32.74	-37.47	**1250**
1300	258.97	270.48	264.05	-5.38	-32.50	-37.23	**1300**
1350	257.80	269.11	262.79	-5.31	-32.24	-36.97	**1350**
1400	256.66	267.77	261.57	-5.25	-32.00	-36.73	**1400**
1450	255.52	266.43	260.35	-5.19	-31.74	-36.47	**1450**
1500	254.41	265.11	259.15	-5.12	-31.50	-36.23	**1500**
1550	253.30	263.80	257.96	-5.06	-31.24	-35.97	**1550**
1600	252.21	262.51	256.79	-5.00	-31.00	-35.73	**1600**
1650	251.30	261.45	255.82	-4.97	-30.87	-35.60	**1650**
1700	250.42	260.42	254.87	-4.94	-30.75	-35.47	**1700**
1750	249.53	259.38	253.92	-4.91	-30.62	-35.35	**1750**
1800	248.66	258.37	252.99	-4.88	-30.50	-35.23	**1800**
1850	247.78	257.35	252.06	-4.84	-30.37	-35.10	**1850**
1900	246.93	256.34	251.14	-4.81	-30.25	-34.98	**1900**
1950	246.06	255.33	250.22	-4.78	-30.12	-34.85	**1950**
2000	245.22	254.34	249.31	-4.75	-30.00	-34.73	**2000**
2050	244.40	253.42	248.45	-4.59	-29.84	-34.57	**2050**
2100	243.60	252.51	247.61	-4.44	-29.69	-34.41	**2100**
2150	242.79	251.59	246.75	-4.28	-29.53	-34.25	**2150**
2200	241.99	250.69	245.91	-4.12	-29.38	-34.10	**2200**
2250	241.19	249.78	245.07	-3.97	-29.22	-33.94	**2250**
2300	240.40	248.89	244.24	-3.81	-29.06	-33.79	**2300**
2350	239.61	247.99	243.40	-3.66	-28.90	-33.63	**2350**
2400	238.83	247.10	242.58	-3.50	-28.75	-33.48	**2400**
2450	238.14	246.32	241.85	-3.47	-28.62	-33.35	**2450**
2500	237.47	245.55	241.14	-3.45	-28.50	-33.23	**2500**
2550	236.79	244.78	240.42	-3.42	-28.37	-33.10	**2550**
2600	236.12	244.02	239.71	-3.40	-28.25	-32.98	**2600**
2650	235.44	243.25	238.99	-3.37	-28.12	-32.85	**2650**
2700	234.78	242.49	238.29	-3.35	-28.00	-32.73	**2700**
2750	234.11	241.73	237.58	-3.32	-27.87	-32.60	**2750**
2800	233.45	240.97	236.88	-3.30	-27.75	-32.48	**2800**
2850	232.81	240.28	236.21	-3.25	-27.56	-32.29	**2850**
2900	232.18	239.59	235.56	-3.20	-27.38	-32.10	**2900**
2950	231.55	238.90	234.90	-3.15	-27.18	-31.91	**2950**
3000	230.93	238.22	234.25	-3.10	-27.00	-31.72	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

SQUARE FOOT COSTS

CLASS BC
2 STORY

Ground Area	FRAME		MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	336.59	380.59	358.59	-9.50	-47.00	-53.30	**400**
450	334.70	376.70	354.70	-9.06	-45.44	-51.74	**450**
500	332.27	371.27	351.27	-8.63	-43.88	-50.18	**500**
550	329.19	368.19	348.19	-8.19	-42.31	-48.61	**550**
600	326.35	363.35	345.35	-7.75	-40.75	-47.05	**600**
650	324.47	359.47	341.47	-7.50	-39.94	-46.24	**650**
700	321.73	355.73	339.73	-7.25	-39.13	-45.43	**700**
750	320.12	352.12	336.12	-7.00	-38.31	-44.61	**750**
800	317.61	348.61	332.61	-6.75	-37.50	-43.80	**800**
850	315.31	345.31	331.31	-6.56	-36.81	-43.11	**850**
900	313.07	342.07	328.07	-6.38	-36.13	-42.43	**900**
950	310.90	338.90	324.90	-6.19	-35.44	-41.74	**950**
1000	308.77	337.77	323.77	-6.00	-34.75	-41.05	**1000**
1050	306.93	334.93	320.93	-5.88	-34.31	-40.61	**1050**
1100	305.13	332.13	318.13	-5.75	-33.88	-40.18	**1100**
1150	303.36	329.36	317.36	-5.63	-33.44	-39.74	**1150**
1200	301.62	326.62	314.62	-5.50	-33.00	-39.30	**1200**
1250	300.09	324.09	312.09	-5.44	-32.75	-39.05	**1250**
1300	298.58	323.58	310.58	-5.38	-32.50	-38.80	**1300**
1350	297.10	321.10	309.10	-5.31	-32.25	-38.55	**1350**
1400	295.62	318.62	307.62	-5.25	-32.00	-38.30	**1400**
1450	294.17	318.17	306.17	-5.19	-31.75	-38.05	**1450**
1500	292.73	315.73	304.73	-5.13	-31.50	-37.80	**1500**
1550	291.30	313.30	303.30	-5.06	-31.25	-37.55	**1550**
1600	289.88	312.88	300.88	-5.00	-31.00	-37.30	**1600**
1650	288.59	310.59	299.59	-4.97	-30.88	-37.18	**1650**
1700	288.32	308.32	298.32	-4.94	-30.75	-37.05	**1700**
1750	287.05	307.05	297.05	-4.91	-30.63	-36.93	**1750**
1800	285.79	305.79	295.79	-4.88	-30.50	-36.80	**1800**
1850	284.54	304.54	294.54	-4.84	-30.38	-36.68	**1850**
1900	283.30	303.30	293.30	-4.81	-30.25	-36.55	**1900**
1950	282.06	302.06	292.06	-4.78	-30.13	-36.43	**1950**
2000	281.83	300.83	291.83	-4.75	-30.00	-36.30	**2000**
2050	280.57	299.57	290.57	-4.59	-29.84	-36.14	**2050**
2100	279.32	298.32	289.32	-4.44	-29.69	-35.99	**2100**
2150	278.07	297.07	288.07	-4.28	-29.53	-35.83	**2150**
2200	277.82	295.82	286.82	-4.13	-29.38	-35.68	**2200**
2250	276.58	294.58	285.58	-3.97	-29.22	-35.52	**2250**
2300	275.35	293.35	284.35	-3.81	-29.06	-35.36	**2300**
2350	275.11	292.11	284.11	-3.66	-28.91	-35.21	**2350**
2400	273.88	290.88	282.88	-3.50	-28.75	-35.05	**2400**
2450	272.68	289.68	281.68	-3.48	-28.63	-34.93	**2450**
2500	272.49	288.49	280.49	-3.45	-28.50	-34.80	**2500**
2550	271.30	287.30	279.80	-3.42	-28.38	-34.68	**2550**
2600	270.11	286.11	279.11	-3.40	-28.25	-34.55	**2600**
2650	269.43	285.18	278.18	-3.38	-28.13	-34.43	**2650**
2700	268.74	284.24	277.24	-3.35	-28.00	-34.30	**2700**
2750	268.06	283.31	276.31	-3.32	-27.88	-34.18	**2750**
2800	267.38	282.38	275.38	-3.30	-27.75	-34.05	**2800**
2850	266.64	281.39	274.39	-3.25	-27.56	-33.86	**2850**
2900	265.90	280.40	273.40	-3.20	-27.38	-33.68	**2900**
2950	265.17	279.42	272.42	-3.15	-27.19	-33.49	**2950**
3000	264.43	278.43	271.43	-3.10	-27.00	-33.30	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

CLASS BC
BI-LEVEL

SQUARE FOOT COSTS

Ground Area	FRAME		MASONRY	LOWER LEVEL FINISH ADJUSTMENTS				Ground Area
	Siding	Brick Veneer	Block Walls	20% Finish	40% Finish	60% Finish	80% Finish	
400	286.20	317.20	301.20	-50.40	-37.80	-25.20	0.00	**400**
450	284.65	314.15	299.15	-49.90	-37.43	-24.95	0.00	**450**
500	283.77	311.77	297.77	-49.40	-37.05	-24.70	0.00	**500**
550	281.39	308.39	294.89	-48.90	-36.68	-24.45	0.00	**550**
600	279.37	305.37	292.37	-48.40	-36.30	-24.20	0.00	**600**
650	277.51	303.01	290.01	-48.00	-36.00	-24.00	0.00	**650**
700	275.86	300.86	287.86	-47.60	-35.70	-23.80	0.00	**700**
750	273.90	298.40	285.90	-47.20	-35.40	-23.60	0.00	**750**
800	272.08	296.08	284.08	-46.80	-35.10	-23.40	0.00	**800**
850	270.13	293.63	281.63	-46.50	-34.88	-23.25	0.00	**850**
900	268.27	291.27	279.27	-46.20	-34.65	-23.10	0.00	**900**
950	266.50	289.00	277.50	-45.90	-34.43	-22.95	0.00	**950**
1000	264.80	286.80	275.80	-45.60	-34.20	-22.80	0.00	**1000**
1050	263.29	285.29	274.29	-45.60	-34.20	-22.80	0.00	**1050**
1100	261.83	283.83	272.83	-45.60	-34.20	-22.80	0.00	**1100**
1150	260.91	282.41	271.41	-45.60	-34.20	-22.80	0.00	**1150**
1200	260.04	281.04	270.04	-45.60	-34.20	-22.80	0.00	**1200**
1250	258.76	279.26	268.76	-45.50	-34.13	-22.75	0.00	**1250**
1300	257.51	277.51	267.51	-45.40	-34.05	-22.70	0.00	**1300**
1350	256.79	276.29	266.29	-45.30	-33.98	-22.65	0.00	**1350**
1400	256.10	275.10	265.10	-45.20	-33.90	-22.60	0.00	**1400**
1450	254.93	273.93	263.93	-45.10	-33.83	-22.55	0.00	**1450**
1500	253.77	272.77	262.77	-45.00	-33.75	-22.50	0.00	**1500**
1550	252.64	271.64	261.64	-44.90	-33.68	-22.45	0.00	**1550**
1600	251.52	270.52	260.52	-44.80	-33.60	-22.40	0.00	**1600**
1650	250.60	269.10	259.60	-44.75	-33.56	-22.38	0.00	**1650**
1700	249.70	267.70	258.70	-44.70	-33.53	-22.35	0.00	**1700**
1750	248.81	266.81	257.81	-44.65	-33.49	-22.33	0.00	**1750**
1800	247.93	265.93	256.93	-44.60	-33.45	-22.30	0.00	**1800**
1850	247.56	265.06	256.06	-44.55	-33.41	-22.28	0.00	**1850**
1900	247.20	264.20	255.20	-44.50	-33.38	-22.25	0.00	**1900**
1950	246.35	263.35	254.35	-44.45	-33.34	-22.23	0.00	**1950**
2000	245.51	262.51	253.51	-44.40	-33.30	-22.20	0.00	**2000**
2050	244.64	261.64	253.14	-44.35	-33.26	-22.18	0.00	**2050**
2100	243.78	260.78	252.78	-44.30	-33.23	-22.15	0.00	**2100**
2150	242.93	259.93	251.93	-44.25	-33.19	-22.13	0.00	**2150**
2200	242.08	259.08	251.08	-44.20	-33.15	-22.10	0.00	**2200**
2250	241.74	258.24	250.24	-44.15	-33.11	-22.08	0.00	**2250**
2300	241.41	257.41	249.41	-44.10	-33.08	-22.05	0.00	**2300**
2350	240.58	256.58	248.58	-44.05	-33.04	-22.03	0.00	**2350**
2400	239.75	255.75	247.75	-44.00	-33.00	-22.00	0.00	**2400**
2450	238.90	254.90	246.90	-43.90	-32.93	-21.95	0.00	**2450**
2500	238.05	254.05	246.05	-43.80	-32.85	-21.90	0.00	**2500**
2550	237.20	253.20	245.20	-43.70	-32.78	-21.85	0.00	**2550**
2600	236.36	252.36	244.36	-43.60	-32.70	-21.80	0.00	**2600**
2650	236.02	251.52	243.52	-43.50	-32.63	-21.75	0.00	**2650**
2700	235.69	250.69	242.69	-43.40	-32.55	-21.70	0.00	**2700**
2750	234.86	249.86	242.36	-43.30	-32.48	-21.65	0.00	**2750**
2800	234.03	249.03	242.03	-43.20	-32.40	-21.60	0.00	**2800**
2850	233.14	248.14	241.14	-43.10	-32.33	-21.55	0.00	**2850**
2900	232.26	247.26	240.26	-43.00	-32.25	-21.50	0.00	**2900**
2950	231.87	246.37	239.37	-42.90	-32.18	-21.45	0.00	**2950**
3000	231.49	245.49	238.49	-42.80	-32.10	-21.40	0.00	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

SQUARE FOOT COSTS

CLASS BC TRI-LEVEL

Ground Area	FRAME		MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	272.04	308.04	290.04	-9.50	-47.00	-50.15	**400**
450	270.40	304.52	287.27	-9.06	-45.44	-48.59	**450**
500	269.22	301.47	284.97	-8.63	-43.88	-47.03	**500**
550	268.39	298.76	283.01	-8.19	-42.31	-45.46	**550**
600	267.80	296.30	281.30	-7.75	-40.75	-43.90	**600**
650	265.92	293.67	279.42	-7.50	-39.94	-43.09	**650**
700	264.18	291.18	277.68	-7.25	-39.13	-42.28	**700**
750	262.57	288.82	276.07	-7.00	-38.31	-41.46	**750**
800	261.06	286.56	274.56	-6.75	-37.50	-40.65	**800**
850	259.38	284.13	272.51	-6.56	-36.81	-39.96	**850**
900	257.77	281.77	270.52	-6.38	-36.13	-39.28	**900**
950	256.22	279.47	268.60	-6.19	-35.44	-38.59	**950**
1000	254.72	277.22	266.72	-6.00	-34.75	-37.90	**1000**
1050	253.51	275.26	265.13	-5.88	-34.31	-37.46	**1050**
1100	252.33	273.33	263.58	-5.75	-33.88	-37.03	**1100**
1150	251.19	271.44	262.06	-5.63	-33.44	-36.59	**1150**
1200	250.07	269.57	260.57	-5.50	-33.00	-36.15	**1200**
1250	248.79	268.29	259.29	-5.44	-32.75	-35.90	**1250**
1300	247.53	267.03	258.03	-5.38	-32.50	-35.65	**1300**
1350	246.30	265.80	256.80	-5.31	-32.25	-35.40	**1350**
1400	245.07	264.57	255.57	-5.25	-32.00	-35.15	**1400**
1450	244.06	262.99	254.37	-5.19	-31.75	-34.90	**1450**
1500	243.05	261.43	253.18	-5.13	-31.50	-34.65	**1500**
1550	242.06	259.87	252.00	-5.06	-31.25	-34.40	**1550**
1600	241.08	258.33	250.83	-5.00	-31.00	-34.15	**1600**
1650	240.23	257.29	249.79	-4.97	-30.88	-34.03	**1650**
1700	239.39	256.27	248.77	-4.94	-30.75	-33.90	**1700**
1750	238.57	255.25	247.75	-4.91	-30.63	-33.78	**1750**
1800	237.74	254.24	246.74	-4.88	-30.50	-33.65	**1800**
1850	236.93	253.24	245.74	-4.84	-30.38	-33.53	**1850**
1900	236.12	252.25	244.75	-4.81	-30.25	-33.40	**1900**
1950	235.32	251.26	243.76	-4.78	-30.13	-33.28	**1950**
2000	234.53	250.28	242.78	-4.75	-30.00	-33.15	**2000**
2050	233.71	249.27	241.77	-4.59	-29.84	-32.99	**2050**
2100	232.89	248.27	240.77	-4.44	-29.69	-32.84	**2100**
2150	232.08	247.27	239.77	-4.28	-29.53	-32.68	**2150**
2200	231.27	246.27	238.77	-4.13	-29.38	-32.53	**2200**
2250	230.47	245.28	237.97	-3.97	-29.22	-32.37	**2250**
2300	229.67	244.30	237.17	-3.81	-29.06	-32.21	**2300**
2350	228.87	243.31	236.37	-3.66	-28.91	-32.06	**2350**
2400	228.08	242.33	235.58	-3.50	-28.75	-31.90	**2400**
2450	227.51	241.38	234.82	-3.47	-28.63	-31.77	**2450**
2500	226.94	240.44	234.07	-3.45	-28.50	-31.65	**2500**
2550	226.38	239.50	233.31	-3.42	-28.38	-31.53	**2550**
2600	225.81	238.56	232.56	-3.40	-28.25	-31.40	**2600**
2650	225.06	237.81	231.81	-3.38	-28.13	-31.28	**2650**
2700	224.32	237.07	231.07	-3.35	-28.00	-31.15	**2700**
2750	223.57	236.32	230.32	-3.32	-27.87	-31.03	**2750**
2800	222.83	235.58	229.58	-3.30	-27.75	-30.90	**2800**
2850	222.22	234.78	228.97	-3.25	-27.56	-30.71	**2850**
2900	221.60	233.98	228.35	-3.20	-27.38	-30.53	**2900**
2950	220.99	233.18	227.74	-3.15	-27.19	-30.34	**2950**
3000	220.38	232.38	227.13	-3.10	-27.00	-30.15	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

ADJUSTMENTS AND ADDITIONS

HEATING AND COOLING SYSTEM ADJUSTMENTS: Additions or deductions per sq. ft. of ground area.

	Number of Stories							
	1	1+	1 1/4	1 1/2	1 3/4	2	Bi	Tri
HEATING SYSTEMS								
Forced-warm-air, without return ducts, deduct.	-1.02	-1.02	-1.28	-1.53	-1.78	-2.04	-2.04	-1.53
Forced-hot-water/steam, add.	5.03	5.03	6.31	7.55	8.80	10.06	10.06	7.55
Electric wall heaters, baseboard type, deduct.	-0.90	-0.90	-1.13	-1.35	-1.57	-1.80	-1.80	-1.35
Electric, ceiling radiant, deduct.	-1.76	-1.76	-2.21	-2.64	-3.08	-3.52	-3.52	-2.64
Electric wall heaters, deduct.	-4.34	-4.34	-5.44	-6.51	-7.59	-8.67	-8.67	-6.51
Radiant (in-floor), add.	5.74	5.74	7.21	8.62	10.05	11.49	11.49	8.62
HEATING AND COOLING, COMBINED SYSTEMS								
Forced air, A/C using heating ducts, add.	9.14	9.14	11.47	13.72	16.00	18.29	18.29	13.72
Heat pump with supplemental heat, add.	6.53	6.53	8.19	9.80	11.43	13.06	13.06	9.80
Air conditioning only with separate ducts, add.	11.30	11.30	14.18	16.95	19.78	22.60	22.60	16.95
No heating, deduct.	-7.12	-7.12	-8.94	-10.68	-12.47	-14.25	-14.25	-10.68

Wood-burning unit added on to furnace: Add $3,672 to final cost of home. Includes materials and labor to connect to existing forced-air system. Extra chimney or flue costs which may be required by local codes are not included.

OVERHANGS

Add per square foot as follows:

Stories	Full Story	3/4	1/2
Siding and block.	$103.58	$74.14	$42.55
Brick veneer.	113.35	79.15	44.55

MICHIGAN BASEMENT

Michigan basements can frequently be estimated by using 1/2 of the crawl space deduction. Deduct for no concrete floor: $5.18 per square foot of basement area.

PLUMBING, SEWER AND WATER

Average cost per fixture.	$2,073
Extra bath, three fixtures.	6,520
Two fixtures.	4,368
Water softener, automatic.	2,406
Manual.	1,663
Solar water heating system with panels.	10,540
No plumbing, deduct.	-12,726
Extra toilet.	2,093
Extra sink.	1,343
Separate shower (fiberglass).	2,641
Ceramic tile floor.	1,521
Ceramic tile wainscotting.	2,910
Ceramic tile tub alcove.	970
Bathroom vent fan.	346

WATER AND WASTE DISPOSAL

City water and sewer connections.	$3,716
Water well 200 ft..	11,377
Septic system 1,000 gallons.	5,379
2,000 gallons.	10,562

Locally derived costs should be entered on the front of the residential card.

MASONRY TRIM

Brick or equal, per sq. ft. of wall area.	$19.43
Brick 4' high, per lin. ft..	77.65
Brick full 1-story, per lin. ft..	155.24
Brick full 2-story, per lin. ft..	310.48
Stone or equal, per sq. ft. of wall area.	44.21

BASEMENT FINISH

Costs per square foot of floor area:

Recreation room.	$26.54
Finished living area.	52.03
Walk-out, below grade, cost of door.	2,315
Walk-out, above grade, cost of door.	3,553

BUILT-INS

Appliance allowance, (if not itemized).	$3,860
Cook top, counter top, four burners.	1,180
Dishwasher, built-in.	1,141
Garbage disposal.	352
Heater, bathroom, without fan.	274
With fan.	391
Hot tub, with whirlpool, built-in.	9,232
Hood, range, unvented.	463
Vented.	776
Intercom system, master station.	985
Satellite.	183
Whirlpool tub (Jacuzzi).	11,547
Whirlpool tub when it replaces regular bathtub.	8,939
Oven, single, built-in.	1,976
Microwave.	789
Range, drop in, with standard oven.	1,656
With self cleaning oven.	2,367
Sauna with heater and controls.	10,047
Trash compactor.	1,043
Vacuum, central system.	2,823

CONVERSION FACTORS: For 2 1/2, 3, and 3 1/2 story Single-family Residences
Multiply the 2 story cost for the equivalent Ground Area by the following factors:
2 1/2 story, use 1.16; 3 story, use 1.36; 3 1/2 story, use 1.52.

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

FIREPLACES

Inside chimney, 1 story.	$7,425
1 1/2 and 2 story.	9,100
add for 2nd fireplace, same stack.	5,800
Two-sided fireplace.	10,500
Outside chimney, 1 story.	9,125
1 1/2 and 2 story.	11,075
Prefabricated, 1 story.	4,000
Add if 2 story.	960
Heat-circulating device.	1,000
Raised hearth.	755
Wood burning stove, free standing, permanent.	3,800
Direct-vented (no chimney) gas fireplace.	4,700

PORCHES AND DECKS: COMPONENT GUIDE

	CPP	CCP	CSEP	CGEP	WPP	WCP	WSEP	WGEP
FOUNDATION	X	X	X	X	X	X	X	X
FOOTINGS	X	X	X	X	X	X	X	X
STEPS	X	X	X	X	X	X	X	X
RAILS OR KNEE WALL		X	X			X	X	
ROOF		X	X	X		X	X	X
CEILING		X	X	X		X	X	X
SCREEN ON STUD WALL			X				X	
STUD WALL W/ WINDOWS AND SCREENS				X				X

CONCRETE FLOOR with 42" Foundation / WOOD FLOOR with 42" Foundation

Size for Rates	PLATFORM PORCH CPP	COVERED PORCH CCP	SCREEN-ENCLOSED PORCH CSEP	GLASS ENCLOSED PORCH CGEP	PLATFORM PORCH WPP	COVERED PORCH WCP	SCREEN-ENCLOSED PORCH WSEP	GLASS-ENCLOSED PORCH WGEP	Size for Rates
25	34.00	65.00	114.00	164.00	64.50	95.50	145.00	195.00	**25**
50	29.50	57.50	92.50	125.00	54.00	81.50	117.00	150.00	**50**
75	28.00	55.00	85.00	113.00	45.75	72.50	103.00	130.00	**75**
100	26.25	52.50	80.00	105.00	37.50	63.50	91.00	116.00	**100**
125	25.63	51.41	76.35	97.93	35.63	61.25	86.50	108.50	**125**
150	25.00	50.50	73.50	92.50	33.75	59.00	82.00	101.00	**150**
175	24.32	49.12	71.05	88.68	31.88	56.75	78.50	96.50	**175**
200	23.65	48.25	69.00	85.50	30.00	54.50	75.00	92.00	**200**
250	22.27	45.76	65.06	80.13	26.38	50.13	69.50	84.75	**250**
300	20.90	43.75	62.00	76.00	22.75	45.75	64.00	77.50	**300**
350	20.82	43.61	61.79	75.73	22.60	45.53	63.69	77.17	**350**
400	20.74	43.49	61.62	75.49	22.45	45.31	63.39	76.83	**400**
450	20.67	43.39	61.46	75.28	22.30	45.08	63.08	76.50	**450**
500	20.59	43.30	61.32	75.09	22.15	44.86	62.78	76.17	**500**
550	20.51	43.21	61.20	74.93	22.00	44.64	62.47	75.83	**550**
600	20.43	43.14	61.08	74.77	21.85	44.42	62.17	75.50	**600**
650	20.36	43.07	60.98	74.63	21.70	44.19	61.86	75.17	**650**
700	20.28	43.00	60.88	74.50	21.55	43.97	61.56	74.83	**700**

ADD / DEDUCT / WOOD DECKS

Size for Rates	BASEMENT UNDER	SHALLOW FOUNDATION	TREATED WOOD	PINE OR SIMILAR	REDWOOD OR CEDAR	Size for Rates
25	30.97	-16.69	46.88	37.49	50.86	**25**
50	30.12	-12.19	34.82	27.84	38.99	**50**
75	29.67	-10.11	28.75	23.00	35.09	**75**
100	29.34	-8.87	25.43	20.34	30.19	**100**
125	29.08	-8.02	24.12	19.31	29.74	**125**
150	28.82	-7.37	22.66	18.14	28.04	**150**
175	28.69	-6.91	21.50	17.20	26.67	**175**
200	28.49	-6.45	20.67	16.50	25.10	**200**
250	28.23	-5.87	19.03	15.22	23.76	**250**
300	28.04	-5.41	17.86	14.29	22.39	**300**
350	27.91	-5.02	16.95	13.56	21.29	**350**
400	27.71	-4.76	16.20	12.95	20.39	**400**
450	27.58	-4.50	15.54	12.44	19.64	**450**
500	27.45	-4.30	15.00	12.00	18.97	**500**
550	27.38	-4.11	14.51	11.61	18.40	**550**
600	27.25	-3.91	14.08	11.27	17.88	**600**
650	27.19	-3.78	13.71	10.97	17.42	**650**
700	27.12	-3.65	13.37	10.69	17.02	**700**

For 2-story porches, add 22% for open porches and 60% for enclosed porches. Wood decks include posts on minimal footings, joists, girder, railings, decking, and up to four risers. For additional risers add $203 each. For wood decks with roofs, subtract the platform porch rate from the covered porch rate (at the appropriate size for rates) and add the difference to the appropriate wood deck rate.

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

ADJUSTMENTS AND ADDITIONS

GARAGES: Base costs include electric lighting.

On slab – 18" Foundation				On slab – 42" Foundation				
Size In Sq. Ft.	Siding	Block	Brick Veneer	Siding	Block	Brick Veneer	Finished Interior	Size In Sq. Ft.
240	63.18	72.31	83.98	69.69	81.57	91.35	11.61	**240**
308	58.16	66.31	76.61	64.00	74.39	83.20	10.95	**308**
352	55.62	63.31	72.96	61.14	70.87	79.15	10.56	**352**
400	53.33	60.57	69.63	58.52	67.61	75.50	10.24	**400**
440	51.83	58.75	67.42	56.83	65.46	73.02	10.04	**440**
480	50.53	57.18	65.46	55.32	63.64	70.81	9.85	**480**
528	49.16	55.49	63.37	53.70	61.61	68.53	9.65	**528**
576	47.92	53.99	61.55	52.26	59.85	66.50	9.52	**575**
600	47.34	53.27	60.70	51.61	59.01	65.53	9.45	**600**
624	46.75	52.62	59.85	50.96	58.22	64.61	9.32	**624**
800	43.36	48.51	54.83	47.06	53.33	58.94	8.87	**800**
864	42.71	47.66	53.79	46.25	52.36	57.83	8.80	**864**
1020	41.21	45.84	51.57	44.57	50.27	55.35	8.54	**1020**
Common wall deduction for attached garage								
1/2-wall	1,239	1,500	1,897	1,460	1,806	2,145	—	**1/2-wall**
1-wall	2,484	3,084	3,801	2,921	3,612	4,290	—	**1-wall**
1 1/2-wall	3,723	4,623	5,698	4,381	5,418	6,435	—	**1 1/2-wall**
2-wall	4,962	6,161	7,596	5,835	7,224	8,580	—	**2-wall**

No concrete floor, deduct per sq. ft. . . . . -$7.82

Base cost includes uninsulated single or double garage doors, depending on the size of the garage. For insulated doors, add per square foot of door:

Single. . . . . $6.85 Double. $5.09

Door opener, radio controlled add. 652

For basement garage, add to residence:

1-car.	$2,738	2-car.	$3,879
1-1/2-car.	3,325	3-car.	5,281

For pole construction deduct 25% from 18" Foundation, Siding rate.

For living area above garage use overhang rates. Base cost contains forced-warm-air heat only. For other types of heating/cooling, use the 1-Story Heating and Cooling Adjustments for this square footage only.

For storage area above garage, add $17.15 per square foot (stairway, floorboards, electrical, 6-foot headroom).

BALCONIES (Airing)

(Cost per square foot of floor area:)

Wood floors. $39.50

Cement composition floor. 56.50

Add for roof. 26.25

BREEZEWAYS

Cost per square foot of floor area. Includes roof, ceiling, floor and walls. Heat not included.

	FINISHED INTERIOR	UNFINISHED INTERIOR
Framed wall, solid.	$90.11	$69.05
knee wall w/ glass and screen panel. . .	107.45	88.80
Screen only.	68.00	50.79

CARPORTS

Cost per square foot of area covered. Includes roof structure and cover, posts, bracing, paint and concrete slab.

Aluminum, corrugated. $16.76

Composition shingles. 19.30

Built-up tar and gravel. 20.28

Wood shingles. 21.97

Fiberglass. 16.37

DRIVES, WALKS AND PATIOS

(Cost per square foot of floor area:)

Crushed rock. $2.65

Asphalt paving. 3.85

Asphalt paving w/sealer. 4.37

Concrete paving 3-1/2". 8.27

4". 8.66

4" reinforced. 10.91

5" reinforced. 11.68

Brick on 2" sand base. 22.98

Flagstone on 2" sand base. 27.70

Patio blocks on 2" sand base. 20.03

Please note that the above costs are valid for areas of 100 to 1,000 square feet. For areas less than 100 square feet, add from 10% to 100% per square foot. For areas greater than 1,000 square feet, deduct from 10% to 30% per square foot.

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

GREENHOUSES

The following are average costs per square foot for stock residential even span and lean-to greenhouses. Both greenhouses include a foundation and vents. No electrical, heating, or watering devices are included. The even span is free standing with four walls and a door on the gable end. The lean-to shares one wall with an adjoining building. Use the lump sum adjustment to further refine the cost.

SQUARE FOOT COSTS:
Per square foot of floor area.

AREA SQ. FT.	EVEN SPAN	LEAN-TO
50	$121.00	$125.00
100	104.00	103.00
150	95.00	92.50
200	89.50	86.50
250	85.00	81.00
300	81.50	77.00
400	76.00	70.50
600	70.00	64.00
800	65.50	59.00
1,000	62.00	----

SQUARE FOOT ADJUSTMENTS:
Make the following adjustments to the square foot costs above.

Professional labor	(base)
Amateur workmanship	-20%
Custom Installation	+25%
Planting benches	$13.55
Partitions, glazed, per square foot of partition	$21.05
Not tempered	(base)
Tempered glass	+25%
Tinted glass	+15%
Insulate Glass	+60%
Pipe frame	-25%
Polyethylene Cover	-20%

LUMP SUM ADJUSTMENTS: Make the following Lump Sum additions as necessary.

AREA SQ. FT.	PLAIN GABLE END WALL DEDUCTION
50	$461
100	965
150	965
200	1,215
250	1,215
300	1,215
400	1,605
600	1,605
800	1,605
1,000	2,036

For gable end doors, add	$1,608
Heaters	1,420
Humidifiers	1,640
Coolers	2,210
Ventilating fans	880

SOLAR ROOMS


The following are average costs per square foot for three-sided lean-to glass solar rooms with curved eaves attached to a permanent structure used for living space or commercial applications. Costs include one end wall door, foundations and vents or windows. Floor, heat, electrical and plumbing are not included.

SQUARE FOOT COSTS:
Per square foot of floor area.

AREA SQ. FT.	COST
50	$300.02
100	248.84
150	224.62
200	212.38
250	199.48
300	191.54
400	177.74
600	162.12
800	148.30
1,000	141.28

ADJUSTMENTS

Extra tall bays	+15%
Laminated wood framing	+10%
Straight eaves	-7%
Custom designed	+50%
For corner hips and valleys, add per square ft.	$59.25
For decorative lights incorporated into frame members, add per linear foot	35.36
For built-in shades, add per square foot	30.37
For motorized operation, add per operator	2,224



SOLAR ROOM/GREENHOUSE
CURVED-EAVE LEAN-TO

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.