SINGLE - FAMILY DETACHED SPECIFICATIONS

CLASS C

The materials listed below are typical of a Class C house. Variations from these specifications can be found. Substitute materials of equivalent price and quality may be used in place of the materials listed below. The pricing examples and the adjustments and additions section contain types of variations which normally require adjustments. **NOTE**: The single- family sections, include base interior wall height of 8 feet for each floor. For each foot of variation, add to or deduct from that portion of the residence base cost only: 4% for all residence exterior masonry walls, including brick and stone veneers; 3% for siding exterior walls. See Page 4 for further information and calculations.

EXTERIOR WALLS: either A or B

A) WOOD FRAME with siding of:
- Aluminum
- Wood
- Vinyl
- Cement fiber (asbestos)
- Brick veneer
- BASIC WALL STRUCTURE includes:
  - Building paper
  - 1/2” insulation board
  - 2” x 4” studs, 16” o.c. or
  - (alternate) 2” x 6” studs, 16” o.c.
  - 3 1/2” or 6” batt insulation
  - 1/2” drywall
  - Interior surface painted, two coats
  - Two exterior doors
  - One aluminum storm and screen door

B) MASONRY CONSTRUCTION
- Stucco on 8” concrete block
- Rigid insulation board
- 1/2” drywall on furring
- Interior surface painted, two coats
- Two exterior doors
- One aluminum storm and screen

WINDOWS: (12% of wall area)
- Wood double hung
- Aluminum storm and screen door

ROOF:
- 4/12 pitch
- 235# asphalt shingle
- Felt
- 1/2” plywood
- 2” x 6” rafters, 16” o.c.
- 1’ - 0” overhang and soffit
- Gutters and downspouts

INTERIOR PARTITIONS AND FINISH:
- 8’ high walls
- 1/2” drywall, two sides
- Painted, two coats, two sides
- 2” x 4” studs, 16” o.c.
- Softwood trim
- Flush, hollow-core doors
- Closet shelving

FLOOR FINISH:

80% softwood or carpet w/ pad and underlayment

20% vinyl sheet with underlayment

CEILING:
- 1/2” drywall
- Painted, two coats
- 12” insulation
- 2” x 8” Joists, 16” o.c.

EXCAVATION:
- 11 course basement

BASEMENT WALLS:
- 11 course, 8” concrete block
- 8” x 24” footings
- Waterproofing
- Perimeter insulation
- Drain tile, one side

BASEMENT FLOOR:
- 4” gravel base
- 4” concrete floor
- Vapor barrier

FLOOR CONSTRUCTION:
- Felt lining
- 3/4” plywood
- 2” x 10” Joists, 16” o.c.
- Bridging
- 8” steel I-beam
- 3” diameter steel posts

HEATING AND AIR CONDITIONING:
- Gas fired forced air furnace with cold-air returns
- Block chimney

ELECTRIC:
- 200-Ampere, 110/220-Volt system
- Romex wiring
- Unfinished area, Non-metallic

PLUMBING:
- White fixtures:
- One lavatory
- One water closet
- One bathtub with shower
- One double-compartment kitchen sink
- One double-compartment laundry tub
- One 40-gallon water heater
- One floor drain

BUILT-IN UNITS:
- Wood veneer kitchen cabinets:
- 16’ base with laminated plastic tops
- 10’ wall mounted, 30” high
- 6’ wall mounted, 18” high
- Vanity cabinet
- Open-riser basement stairs

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

CLASS C














© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.









© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

CLASS C
1 STORY

SQUARE FOOT COSTS

Ground Area	FRAME		MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	174.60	188.60	183.60	-8.00	-38.75	-43.16	**400**
450	172.37	186.12	181.12	-7.44	-37.31	-41.72	**450**
500	170.45	183.95	178.95	-6.88	-35.88	-40.29	**500**
550	168.25	181.00	176.50	-6.31	-34.44	-38.85	**550**
600	166.23	178.23	174.23	-5.75	-33.00	-37.41	**600**
650	165.08	176.58	172.58	-5.75	-32.56	-36.97	**650**
700	164.03	175.03	171.03	-5.75	-32.13	-36.54	**700**
750	162.57	173.57	169.57	-5.75	-31.69	-36.10	**750**
800	161.17	172.17	168.17	-5.75	-31.25	-35.66	**800**
850	159.95	170.70	166.70	-5.59	-30.69	-35.10	**850**
900	158.77	169.27	165.27	-5.43	-30.13	-34.54	**900**
950	157.39	167.39	163.89	-5.26	-29.56	-33.97	**950**
1000	156.03	165.53	162.53	-5.10	-29.00	-33.41	**1000**
1050	155.21	164.46	161.46	-5.01	-28.69	-33.10	**1050**
1100	154.40	163.40	160.40	-4.92	-28.38	-32.79	**1100**
1150	153.37	162.37	159.37	-4.84	-28.06	-32.47	**1150**
1200	152.36	161.36	158.36	-4.75	-27.75	-32.16	**1200**
1250	151.42	160.42	157.17	-4.65	-27.50	-31.91	**1250**
1300	150.50	159.50	156.00	-4.55	-27.25	-31.66	**1300**
1350	149.85	158.35	155.10	-4.45	-27.00	-31.41	**1350**
1400	149.20	157.20	154.20	-4.35	-26.75	-31.16	**1400**
1450	148.31	156.31	153.31	-4.25	-26.50	-30.91	**1450**
1500	147.43	155.43	152.43	-4.15	-26.25	-30.66	**1500**
1550	146.57	154.32	151.57	-4.05	-26.00	-30.41	**1550**
1600	145.70	153.20	150.70	-3.95	-25.75	-30.16	**1600**
1650	145.29	152.54	150.29	-3.96	-25.69	-30.10	**1650**
1700	144.88	151.88	149.88	-3.96	-25.63	-30.04	**1700**
1750	144.22	151.47	149.22	-3.97	-25.56	-29.97	**1750**
1800	143.57	151.07	148.57	-3.97	-25.50	-29.91	**1800**
1850	143.17	150.42	147.92	-3.98	-25.44	-29.85	**1850**
1900	142.78	149.78	147.28	-3.99	-25.38	-29.79	**1900**
1950	142.14	149.14	146.64	-3.99	-25.31	-29.72	**1950**
2000	141.51	148.51	146.01	-4.00	-25.25	-29.66	**2000**
2050	141.07	147.82	145.57	-3.92	-25.13	-29.54	**2050**
2100	140.64	147.14	145.14	-3.84	-25.01	-29.42	**2100**
2150	140.21	146.71	144.46	-3.76	-24.89	-29.30	**2150**
2200	139.78	146.28	143.78	-3.68	-24.78	-29.19	**2200**
2250	139.36	145.61	143.36	-3.59	-24.66	-29.07	**2250**
2300	138.94	144.94	142.94	-3.51	-24.54	-28.95	**2300**
2350	138.27	144.52	142.52	-3.43	-24.42	-28.83	**2350**
2400	137.60	144.10	142.10	-3.35	-24.30	-28.71	**2400**
2450	137.21	143.46	141.46	-3.32	-24.21	-28.62	**2450**
2500	136.82	142.82	140.82	-3.30	-24.11	-28.52	**2500**
2550	136.43	142.43	140.43	-3.28	-24.02	-28.43	**2550**
2600	136.05	142.05	140.05	-3.25	-23.93	-28.34	**2600**
2650	135.66	141.41	139.66	-3.22	-23.83	-28.24	**2650**
2700	135.28	140.78	139.28	-3.20	-23.74	-28.15	**2700**
2750	134.90	140.40	138.65	-3.17	-23.64	-28.05	**2750**
2800	134.52	140.02	138.02	-3.15	-23.55	-27.96	**2800**
2850	134.07	139.57	137.57	-3.10	-23.39	-27.80	**2850**
2900	133.63	139.13	137.13	-3.05	-23.23	-27.64	**2900**
2950	133.18	138.68	136.68	-3.00	-23.06	-27.47	**2950**
3000	132.74	138.24	136.24	-2.95	-22.90	-27.31	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

SQUARE FOOT COSTS

CLASS C
1+ STORY

Ground Area	FRAME		MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	182.86	194.87	190.76	-8.00	-38.75	-43.16	**400**
450	180.50	191.95	188.02	-7.44	-37.31	-41.72	**450**
500	178.44	189.34	185.59	-6.88	-35.88	-40.29	**500**
550	176.01	186.48	182.85	-6.31	-34.44	-38.85	**550**
600	173.74	183.78	180.29	-5.75	-33.00	-37.41	**600**
650	172.32	182.01	178.63	-5.75	-32.56	-36.97	**650**
700	171.01	180.33	177.08	-5.75	-32.13	-36.54	**700**
750	169.63	178.67	175.50	-5.75	-31.69	-36.10	**750**
800	168.31	177.08	173.99	-5.75	-31.25	-35.66	**800**
850	166.87	175.39	172.39	-5.59	-30.69	-35.10	**850**
900	165.47	173.74	170.82	-5.42	-30.13	-34.54	**900**
950	164.09	172.15	169.29	-5.26	-29.56	-33.97	**950**
1000	162.74	170.59	167.79	-5.10	-29.00	-33.41	**1000**
1050	161.67	169.32	166.59	-5.01	-28.69	-33.10	**1050**
1100	160.61	168.08	165.42	-4.93	-28.38	-32.79	**1100**
1150	159.59	166.89	164.28	-4.84	-28.06	-32.47	**1150**
1200	158.58	165.72	163.15	-4.75	-27.75	-32.16	**1200**
1250	157.64	164.65	162.12	-4.65	-27.50	-31.91	**1250**
1300	156.72	163.59	161.10	-4.55	-27.25	-31.66	**1300**
1350	155.85	162.58	160.14	-4.45	-27.00	-31.41	**1350**
1400	154.99	161.57	159.18	-4.35	-26.75	-31.16	**1400**
1450	154.13	160.61	158.25	-4.25	-26.50	-30.91	**1450**
1500	153.28	159.65	157.33	-4.15	-26.25	-30.66	**1500**
1550	152.48	158.73	156.45	-4.05	-26.00	-30.41	**1550**
1600	151.69	157.81	155.58	-3.95	-25.75	-30.16	**1600**
1650	151.09	157.12	154.91	-3.96	-25.69	-30.10	**1650**
1700	150.51	156.43	154.24	-3.96	-25.63	-30.04	**1700**
1750	149.94	155.78	153.62	-3.97	-25.56	-29.97	**1750**
1800	149.38	155.12	153.00	-3.97	-25.50	-29.91	**1800**
1850	148.84	154.49	152.40	-3.98	-25.44	-29.85	**1850**
1900	148.30	153.86	151.81	-3.99	-25.38	-29.79	**1900**
1950	147.78	153.27	151.23	-3.99	-25.31	-29.72	**1950**
2000	147.27	152.68	150.66	-4.00	-25.25	-29.66	**2000**
2050	146.72	152.05	150.06	-3.92	-25.13	-29.54	**2050**
2100	146.17	151.43	149.45	-3.84	-25.01	-29.42	**2100**
2150	145.63	150.82	148.87	-3.76	-24.89	-29.30	**2150**
2200	145.10	150.22	148.29	-3.68	-24.78	-29.19	**2200**
2250	144.59	149.64	147.74	-3.59	-24.66	-29.07	**2250**
2300	144.08	149.07	147.18	-3.51	-24.54	-28.95	**2300**
2350	143.59	148.50	146.64	-3.43	-24.42	-28.83	**2350**
2400	143.09	147.94	146.10	-3.35	-24.30	-28.71	**2400**
2450	142.62	147.42	145.60	-3.32	-24.21	-28.62	**2450**
2500	142.16	146.90	145.11	-3.30	-24.11	-28.52	**2500**
2550	141.72	146.41	144.63	-3.28	-24.02	-28.43	**2550**
2600	141.29	145.91	144.15	-3.25	-23.93	-28.34	**2600**
2650	140.86	145.42	143.68	-3.22	-23.83	-28.24	**2650**
2700	140.43	144.93	143.22	-3.20	-23.74	-28.15	**2700**
2750	140.02	144.48	142.76	-3.18	-23.64	-28.05	**2750**
2800	139.61	144.02	142.30	-3.15	-23.55	-27.96	**2800**
2850	139.12	143.49	141.80	-3.10	-23.39	-27.80	**2850**
2900	138.64	142.96	141.30	-3.05	-23.23	-27.64	**2900**
2950	138.18	142.44	140.80	-3.00	-23.06	-27.47	**2950**
3000	137.72	141.93	140.30	-2.95	-22.90	-27.31	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

CLASS C
1 1/4 STORY

SQUARE FOOT COSTS

Ground Area	FRAME		MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	197.90	210.21	205.95	-8.00	-38.75	-39.85	**400**
450	194.66	206.53	202.42	-7.43	-37.28	-38.39	**450**
500	191.81	203.26	199.28	-6.88	-35.88	-36.98	**500**
550	189.12	200.13	196.28	-6.31	-34.41	-35.52	**550**
600	186.65	197.23	193.52	-5.75	-33.00	-34.10	**600**
650	185.26	195.40	191.83	-5.75	-32.54	-33.65	**650**
700	184.02	193.73	190.30	-5.75	-32.13	-33.23	**700**
750	182.82	192.09	188.80	-5.75	-31.67	-32.78	**750**
800	181.72	190.56	187.40	-5.75	-31.25	-32.35	**800**
850	180.13	188.76	185.67	-5.58	-30.67	-31.78	**850**
900	178.62	187.04	184.02	-5.43	-30.13	-31.23	**900**
950	177.11	185.32	182.37	-5.26	-29.55	-30.65	**950**
1000	175.66	183.67	180.78	-5.10	-29.00	-30.10	**1000**
1050	174.47	182.27	179.45	-5.01	-28.68	-29.78	**1050**
1100	173.32	180.92	178.16	-4.92	-28.38	-29.48	**1100**
1150	172.17	179.56	176.87	-4.84	-28.05	-29.16	**1150**
1200	171.07	178.25	175.63	-4.75	-27.75	-28.85	**1200**
1250	170.08	177.13	174.55	-4.65	-27.49	-28.60	**1250**
1300	169.13	176.04	173.51	-4.55	-27.25	-28.35	**1300**
1350	168.17	174.95	172.47	-4.45	-26.99	-28.10	**1350**
1400	167.24	173.89	171.45	-4.35	-26.75	-27.85	**1400**
1450	166.30	172.82	170.43	-4.25	-26.49	-27.60	**1450**
1500	165.39	171.78	169.43	-4.15	-26.25	-27.35	**1500**
1550	164.48	170.73	168.42	-4.05	-25.99	-27.10	**1550**
1600	163.58	169.70	167.44	-3.95	-25.75	-26.85	**1600**
1650	162.95	168.97	166.74	-3.96	-25.68	-26.78	**1650**
1700	162.34	168.27	166.06	-3.96	-25.63	-26.73	**1700**
1750	161.73	167.55	165.38	-3.97	-25.56	-26.66	**1750**
1800	161.13	166.86	164.71	-3.97	-25.50	-26.60	**1800**
1850	160.53	166.16	164.04	-3.98	-25.43	-26.54	**1850**
1900	159.94	165.47	163.38	-3.99	-25.38	-26.48	**1900**
1950	159.34	164.78	162.71	-3.99	-25.31	-26.41	**1950**
2000	158.76	164.10	162.06	-4.00	-25.25	-26.35	**2000**
2050	158.18	163.45	161.44	-3.92	-25.13	-26.23	**2050**
2100	157.61	162.81	160.82	-3.84	-25.01	-26.12	**2100**
2150	157.04	162.16	160.20	-3.76	-24.89	-25.99	**2150**
2200	156.47	161.53	159.59	-3.67	-24.78	-25.88	**2200**
2250	155.90	160.89	158.97	-3.59	-24.65	-25.76	**2250**
2300	155.35	160.26	158.37	-3.51	-24.54	-25.64	**2300**
2350	154.78	159.62	157.76	-3.43	-24.41	-25.52	**2350**
2400	154.23	159.00	157.16	-3.35	-24.30	-25.40	**2400**
2450	153.75	158.46	156.63	-3.32	-24.20	-25.31	**2450**
2500	153.28	157.93	156.12	-3.30	-24.11	-25.22	**2500**
2550	152.80	157.40	155.60	-3.27	-24.01	-25.12	**2550**
2600	152.34	156.87	155.09	-3.25	-23.93	-25.03	**2600**
2650	151.87	156.34	154.58	-3.22	-23.83	-24.93	**2650**
2700	151.40	155.82	154.07	-3.20	-23.74	-24.84	**2700**
2750	150.93	155.29	153.56	-3.17	-23.64	-24.74	**2750**
2800	150.47	154.77	153.06	-3.15	-23.55	-24.65	**2800**
2850	149.91	154.14	152.45	-3.10	-23.38	-24.49	**2850**
2900	149.35	153.53	151.86	-3.05	-23.23	-24.33	**2900**
2950	148.78	152.91	151.25	-3.00	-23.06	-24.16	**2950**
3000	148.23	152.29	150.66	-2.95	-22.90	-24.00	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

SQUARE FOOT COSTS

CLASS C
1 1/2 STORY

Ground Area	FRAME		MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	217.62	231.87	219.87	-8.00	-38.75	-40.96	**400**
450	214.83	228.33	217.27	-7.44	-37.31	-39.52	**450**
500	212.35	225.10	214.97	-6.88	-35.88	-38.08	**500**
550	210.09	222.09	212.90	-6.31	-34.44	-36.64	**550**
600	208.00	219.25	211.00	-5.75	-33.00	-35.21	**600**
650	206.29	217.35	209.48	-5.75	-32.56	-34.77	**650**
700	204.68	215.56	208.06	-5.75	-32.13	-34.33	**700**
750	203.15	213.84	206.72	-5.75	-31.69	-33.89	**750**
800	201.69	212.19	205.44	-5.75	-31.25	-33.46	**800**
850	200.16	210.29	203.91	-5.59	-30.69	-32.89	**850**
900	198.67	208.42	202.42	-5.43	-30.13	-32.33	**900**
950	197.22	206.60	200.97	-5.26	-29.56	-31.77	**950**
1000	195.81	204.81	199.56	-5.10	-29.00	-31.21	**1000**
1050	194.67	203.29	198.42	-5.01	-28.69	-30.89	**1050**
1100	193.55	201.80	197.30	-4.92	-28.38	-30.58	**1100**
1150	192.46	200.33	196.21	-4.84	-28.06	-30.27	**1150**
1200	191.38	198.88	195.13	-4.75	-27.75	-29.96	**1200**
1250	190.20	197.70	194.32	-4.65	-27.50	-29.71	**1250**
1300	189.03	196.53	193.53	-4.55	-27.25	-29.46	**1300**
1350	187.87	195.37	192.75	-4.45	-27.00	-29.21	**1350**
1400	186.72	194.22	191.97	-4.35	-26.75	-28.96	**1400**
1450	185.96	193.27	191.02	-4.25	-26.50	-28.71	**1450**
1500	185.21	192.33	190.08	-4.15	-26.25	-28.46	**1500**
1550	184.47	191.40	189.15	-4.05	-26.00	-28.21	**1550**
1600	183.73	190.48	188.23	-3.95	-25.75	-27.96	**1600**
1650	183.00	189.75	187.69	-3.96	-25.69	-27.89	**1650**
1700	182.28	189.03	187.15	-3.96	-25.63	-27.83	**1700**
1750	181.56	188.31	186.62	-3.97	-25.56	-27.77	**1750**
1800	180.84	187.59	186.09	-3.97	-25.50	-27.71	**1800**
1850	180.32	186.89	185.39	-3.98	-25.44	-27.64	**1850**
1900	179.81	186.18	184.68	-3.99	-25.38	-27.58	**1900**
1950	179.29	185.48	183.98	-3.99	-25.31	-27.52	**1950**
2000	178.79	184.79	183.29	-4.00	-25.25	-27.46	**2000**
2050	178.04	184.04	182.72	-3.92	-25.13	-27.34	**2050**
2100	177.29	183.29	182.17	-3.84	-25.01	-27.22	**2100**
2150	176.55	182.55	181.61	-3.76	-24.89	-27.10	**2150**
2200	175.81	181.81	181.06	-3.67	-24.78	-26.98	**2200**
2250	175.26	181.07	180.51	-3.59	-24.66	-26.86	**2250**
2300	174.71	180.34	179.96	-3.51	-24.54	-26.74	**2300**
2350	174.17	179.60	179.42	-3.43	-24.42	-26.62	**2350**
2400	173.62	178.87	178.87	-3.35	-24.30	-26.51	**2400**
2450	173.11	178.36	178.55	-3.33	-24.21	-26.41	**2450**
2500	172.59	177.84	178.22	-3.30	-24.11	-26.32	**2500**
2550	172.08	177.33	177.89	-3.28	-24.02	-26.22	**2550**
2600	171.57	176.82	177.57	-3.25	-23.93	-26.13	**2600**
2650	171.25	176.31	177.06	-3.22	-23.83	-26.04	**2650**
2700	170.93	175.81	176.56	-3.20	-23.74	-25.94	**2700**
2750	170.61	175.30	176.05	-3.17	-23.64	-25.85	**2750**
2800	170.29	174.79	175.54	-3.15	-23.55	-25.76	**2800**
2850	169.72	174.22	174.97	-3.10	-23.39	-25.59	**2850**
2900	169.15	173.65	174.40	-3.05	-23.23	-25.43	**2900**
2950	168.58	173.08	173.83	-3.00	-23.06	-25.27	**2950**
3000	168.01	172.51	173.26	-2.95	-22.90	-25.11	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

CLASS C
1 3/4 STORY

SQUARE FOOT COSTS

Ground Area	FRAME		MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	245.16	257.00	245.62	-8.00	-38.75	-42.06	**400**
450	241.52	252.90	242.23	-7.43	-37.29	-40.60	**450**
500	238.24	249.17	239.21	-6.88	-35.88	-39.18	**500**
550	235.14	245.61	236.36	-6.31	-34.42	-37.73	**550**
600	232.24	242.26	233.72	-5.75	-33.00	-36.31	**600**
650	230.44	240.00	232.17	-5.75	-32.55	-35.86	**650**
700	228.77	237.88	230.76	-5.75	-32.13	-35.43	**700**
750	227.15	235.80	229.40	-5.75	-31.68	-34.98	**750**
800	225.63	233.82	228.13	-5.75	-31.25	-34.56	**800**
850	223.81	231.78	226.43	-5.59	-30.68	-33.99	**850**
900	222.05	229.80	224.81	-5.42	-30.13	-33.43	**900**
950	220.31	227.84	223.19	-5.26	-29.55	-32.86	**950**
1000	218.63	225.93	221.64	-5.10	-29.00	-32.31	**1000**
1050	217.20	224.28	220.33	-5.01	-28.68	-31.99	**1050**
1100	215.82	222.67	219.08	-4.93	-28.38	-31.68	**1100**
1150	214.44	221.07	217.82	-4.84	-28.06	-31.36	**1150**
1200	213.09	219.50	216.60	-4.75	-27.75	-31.06	**1200**
1250	211.95	218.21	215.53	-4.65	-27.49	-30.80	**1250**
1300	210.84	216.96	214.49	-4.55	-27.25	-30.56	**1300**
1350	209.73	215.70	213.45	-4.45	-26.99	-30.30	**1350**
1400	208.64	214.46	212.43	-4.35	-26.75	-30.06	**1400**
1450	207.55	213.23	211.41	-4.25	-26.49	-29.80	**1450**
1500	206.48	212.01	210.41	-4.15	-26.25	-29.56	**1500**
1550	205.40	210.79	209.40	-4.05	-26.00	-29.30	**1550**
1600	204.35	209.59	208.42	-3.95	-25.75	-29.06	**1600**
1650	203.59	208.73	207.72	-3.96	-25.68	-28.99	**1650**
1700	202.85	207.89	207.04	-3.96	-25.63	-28.93	**1700**
1750	202.11	207.05	206.36	-3.97	-25.56	-28.87	**1750**
1800	201.37	206.22	205.68	-3.97	-25.50	-28.81	**1800**
1850	200.64	205.38	205.01	-3.98	-25.43	-28.74	**1850**
1900	199.92	204.56	204.35	-3.99	-25.38	-28.68	**1900**
1950	199.19	203.73	203.68	-3.99	-25.31	-28.62	**1950**
2000	198.48	202.92	203.02	-4.00	-25.25	-28.56	**2000**
2050	197.80	202.17	202.39	-3.92	-25.13	-28.44	**2050**
2100	197.14	201.42	201.76	-3.84	-25.01	-28.32	**2100**
2150	196.47	200.68	201.13	-3.76	-24.89	-28.20	**2150**
2200	195.81	199.94	200.52	-3.68	-24.78	-28.08	**2200**
2250	195.14	199.20	199.89	-3.59	-24.65	-27.96	**2250**
2300	194.49	198.47	199.28	-3.51	-24.54	-27.85	**2300**
2350	193.83	197.74	198.66	-3.43	-24.42	-27.72	**2350**
2400	193.18	197.01	198.05	-3.35	-24.30	-27.61	**2400**
2450	192.62	196.38	197.52	-3.32	-24.20	-27.51	**2450**
2500	192.07	195.77	197.00	-3.30	-24.11	-27.42	**2500**
2550	191.51	195.14	196.47	-3.27	-24.02	-27.32	**2550**
2600	190.97	194.53	195.95	-3.25	-23.93	-27.23	**2600**
2650	190.41	193.91	195.43	-3.22	-23.83	-27.14	**2650**
2700	189.87	193.30	194.92	-3.20	-23.74	-27.05	**2700**
2750	189.32	192.68	194.40	-3.17	-23.64	-26.95	**2750**
2800	188.78	192.07	193.88	-3.15	-23.55	-26.86	**2800**
2850	188.24	191.50	193.38	-3.10	-23.39	-26.69	**2850**
2900	187.72	190.94	192.88	-3.05	-23.23	-26.53	**2900**
2950	187.19	190.37	192.37	-3.00	-23.06	-26.37	**2950**
3000	186.66	189.80	191.88	-2.95	-22.90	-26.21	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

SQUARE FOOT COSTS

CLASS C
2 STORY

Ground Area	FRAME		MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	282.65	316.65	301.65	-8.00	-38.75	-43.16	**400**
450	277.67	309.67	294.67	-7.44	-37.31	-41.72	**450**
500	273.00	303.00	289.00	-6.88	-35.88	-40.29	**500**
550	268.55	296.55	282.55	-6.31	-34.44	-38.85	**550**
600	264.28	291.28	277.28	-5.75	-33.00	-37.41	**600**
650	261.13	286.13	273.13	-5.75	-32.56	-36.97	**650**
700	258.08	282.08	270.08	-5.75	-32.13	-36.54	**700**
750	256.12	278.12	266.12	-5.75	-31.69	-36.10	**750**
800	253.22	275.22	262.22	-5.75	-31.25	-35.66	**800**
850	250.25	271.25	259.25	-5.59	-30.69	-35.10	**850**
900	248.32	268.32	256.32	-5.42	-30.13	-34.54	**900**
950	245.44	264.44	253.44	-5.26	-29.56	-33.97	**950**
1000	243.58	261.58	250.58	-5.10	-29.00	-33.41	**1000**
1050	241.01	259.01	248.01	-5.01	-28.69	-33.10	**1050**
1100	239.45	256.45	245.45	-4.93	-28.38	-32.79	**1100**
1150	236.92	253.92	242.92	-4.84	-28.06	-32.47	**1150**
1200	235.41	251.41	241.41	-4.75	-27.75	-32.16	**1200**
1250	233.97	249.97	238.97	-4.65	-27.50	-31.91	**1250**
1300	232.55	247.55	236.55	-4.55	-27.25	-31.66	**1300**
1350	231.15	245.15	235.15	-4.45	-27.00	-31.41	**1350**
1400	228.75	243.75	232.75	-4.35	-26.75	-31.16	**1400**
1450	227.36	241.36	231.36	-4.25	-26.50	-30.91	**1450**
1500	225.98	239.98	229.98	-4.15	-26.25	-30.66	**1500**
1550	224.62	237.62	227.62	-4.05	-26.00	-30.41	**1550**
1600	223.25	236.25	226.25	-3.95	-25.75	-30.16	**1600**
1650	222.09	235.09	225.09	-3.96	-25.69	-30.10	**1650**
1700	220.93	233.93	223.93	-3.96	-25.63	-30.04	**1700**
1750	219.77	231.77	222.77	-3.97	-25.56	-29.97	**1750**
1800	219.62	230.62	220.62	-3.97	-25.50	-29.91	**1800**
1850	218.47	229.47	219.47	-3.98	-25.44	-29.85	**1850**
1900	217.33	228.33	218.33	-3.99	-25.38	-29.79	**1900**
1950	216.19	227.19	217.19	-3.99	-25.31	-29.72	**1950**
2000	215.06	226.06	216.06	-4.00	-25.25	-29.66	**2000**
2050	214.87	224.87	214.87	-3.92	-25.13	-29.54	**2050**
2100	213.69	223.69	213.69	-3.84	-25.01	-29.42	**2100**
2150	212.51	222.51	213.51	-3.76	-24.89	-29.30	**2150**
2200	211.33	221.33	212.33	-3.67	-24.78	-29.19	**2200**
2250	211.16	220.16	211.16	-3.59	-24.66	-29.07	**2250**
2300	209.99	218.99	209.99	-3.51	-24.54	-28.95	**2300**
2350	208.82	217.82	208.82	-3.43	-24.42	-28.83	**2350**
2400	208.65	216.65	207.65	-3.35	-24.30	-28.71	**2400**
2450	207.51	215.51	207.51	-3.32	-24.21	-28.62	**2450**
2500	206.37	215.37	206.37	-3.30	-24.11	-28.52	**2500**
2550	205.73	214.23	205.23	-3.28	-24.02	-28.43	**2550**
2600	205.10	213.10	204.10	-3.25	-23.93	-28.34	**2600**
2650	204.46	212.21	203.46	-3.23	-23.83	-28.24	**2650**
2700	203.83	211.33	202.83	-3.20	-23.74	-28.15	**2700**
2750	203.20	210.45	202.20	-3.18	-23.64	-28.05	**2750**
2800	202.57	209.57	201.57	-3.15	-23.55	-27.96	**2800**
2850	201.87	208.62	200.62	-3.10	-23.39	-27.80	**2850**
2900	201.18	207.68	199.68	-3.05	-23.23	-27.64	**2900**
2950	200.48	206.73	198.73	-3.00	-23.06	-27.47	**2950**
3000	199.79	205.79	197.79	-2.95	-22.90	-27.31	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

CLASS C
BI-LEVEL

SQUARE FOOT COSTS

Ground Area	FRAME		MASONRY	LOWER LEVEL FINISH ADJUSTMENTS				Ground Area
	Siding	Brick Veneer	Block Walls	20% Finish	40% Finish	60% Finish	80% Finish	
400	239.52	258.52	248.52	-35.00	-26.25	-17.50	0.00	**400**
450	235.11	253.61	244.11	-34.50	-25.88	-17.25	0.00	**450**
500	231.17	249.17	240.17	-34.00	-25.50	-17.00	0.00	**500**
550	227.07	244.57	236.07	-33.50	-25.13	-16.75	0.00	**550**
600	223.23	240.23	232.23	-33.00	-24.75	-16.50	0.00	**600**
650	220.59	236.59	229.09	-32.50	-24.38	-16.25	0.00	**650**
700	218.10	233.10	226.10	-32.00	-24.00	-16.00	0.00	**700**
750	215.73	230.23	223.73	-31.50	-23.63	-15.75	0.00	**750**
800	213.46	227.46	221.46	-31.00	-23.25	-15.50	0.00	**800**
850	211.16	225.16	219.16	-30.90	-23.18	-15.45	0.00	**850**
900	208.92	222.92	216.92	-30.80	-23.10	-15.40	0.00	**900**
950	207.24	220.74	215.24	-30.70	-23.03	-15.35	0.00	**950**
1000	205.60	218.60	213.60	-30.60	-22.95	-15.30	0.00	**1000**
1050	204.39	216.89	211.89	-30.60	-22.95	-15.30	0.00	**1050**
1100	203.21	215.21	210.21	-30.60	-22.95	-15.30	0.00	**1100**
1150	201.56	214.06	209.06	-30.60	-22.95	-15.30	0.00	**1150**
1200	199.95	212.95	207.95	-30.60	-22.95	-15.30	0.00	**1200**
1250	198.88	211.38	206.38	-30.58	-22.93	-15.29	0.00	**1250**
1300	197.84	209.84	204.84	-30.55	-22.91	-15.28	0.00	**1300**
1350	196.82	208.32	203.82	-30.53	-22.89	-15.26	0.00	**1350**
1400	195.82	206.82	202.82	-30.50	-22.88	-15.25	0.00	**1400**
1450	194.83	205.83	201.83	-30.48	-22.86	-15.24	0.00	**1450**
1500	193.85	204.85	200.85	-30.45	-22.84	-15.23	0.00	**1500**
1550	192.89	203.39	199.39	-30.43	-22.82	-15.21	0.00	**1550**
1600	191.94	201.94	197.94	-30.40	-22.80	-15.20	0.00	**1600**
1650	191.06	201.06	197.06	-30.28	-22.71	-15.14	0.00	**1650**
1700	190.19	200.19	196.19	-30.15	-22.61	-15.08	0.00	**1700**
1750	189.33	199.33	195.33	-30.03	-22.52	-15.01	0.00	**1750**
1800	188.48	198.48	194.48	-29.90	-22.43	-14.95	0.00	**1800**
1850	187.63	197.63	193.63	-29.78	-22.33	-14.89	0.00	**1850**
1900	186.79	196.79	192.79	-29.65	-22.24	-14.83	0.00	**1900**
1950	185.96	195.96	191.96	-29.53	-22.14	-14.76	0.00	**1950**
2000	185.13	195.13	191.13	-29.40	-22.05	-14.70	0.00	**2000**
2050	184.41	193.91	190.66	-29.40	-22.05	-14.70	0.00	**2050**
2100	183.69	192.69	190.19	-29.40	-22.05	-14.70	0.00	**2100**
2150	183.23	192.23	189.48	-29.40	-22.05	-14.70	0.00	**2150**
2200	182.77	191.77	188.77	-29.40	-22.05	-14.70	0.00	**2200**
2250	182.07	191.07	188.07	-29.40	-22.05	-14.70	0.00	**2250**
2300	181.37	190.37	187.37	-29.40	-22.05	-14.70	0.00	**2300**
2350	180.92	189.67	186.67	-29.40	-22.05	-14.70	0.00	**2350**
2400	180.48	188.98	185.98	-29.40	-22.05	-14.70	0.00	**2400**
2450	179.78	188.28	185.53	-29.38	-22.03	-14.69	0.00	**2450**
2500	179.09	187.59	185.09	-29.35	-22.01	-14.68	0.00	**2500**
2550	178.65	186.90	184.40	-29.33	-21.99	-14.66	0.00	**2550**
2600	178.21	186.21	183.71	-29.30	-21.98	-14.65	0.00	**2600**
2650	177.52	185.77	183.27	-29.28	-21.96	-14.64	0.00	**2650**
2700	176.84	185.34	182.84	-29.25	-21.94	-14.63	0.00	**2700**
2750	176.41	184.66	182.16	-29.23	-21.92	-14.61	0.00	**2750**
2800	175.98	183.98	181.48	-29.20	-21.90	-14.60	0.00	**2800**
2850	175.51	183.51	181.01	-29.20	-21.90	-14.60	0.00	**2850**
2900	175.05	183.05	180.55	-29.20	-21.90	-14.60	0.00	**2900**
2950	174.33	182.33	180.08	-29.20	-21.90	-14.60	0.00	**2950**
3000	173.62	181.62	179.62	-29.20	-21.90	-14.60	0.00	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

SQUARE FOOT COSTS

CLASS C TRI-LEVEL

Ground Area	FRAME		MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	230.54	248.54	242.54	-8.00	-38.75	-40.96	**400**
450	226.81	244.06	238.06	-7.44	-37.31	-39.52	**450**
500	223.39	239.89	233.89	-6.87	-35.88	-38.08	**500**
550	220.19	235.94	229.94	-6.31	-34.44	-36.64	**550**
600	217.17	232.17	226.17	-5.75	-33.00	-35.21	**600**
650	214.89	229.52	223.33	-5.75	-32.56	-34.77	**650**
700	212.72	226.97	220.60	-5.75	-32.13	-34.33	**700**
750	210.63	224.51	217.94	-5.75	-31.69	-33.89	**750**
800	208.61	222.11	215.36	-5.75	-31.25	-33.46	**800**
850	206.70	219.83	213.08	-5.59	-30.69	-32.89	**850**
900	204.84	217.59	210.84	-5.43	-30.13	-32.33	**900**
950	203.01	215.39	208.64	-5.26	-29.56	-31.77	**950**
1000	201.22	213.22	206.47	-5.10	-29.00	-31.21	**1000**
1050	199.71	211.52	204.77	-5.01	-28.69	-30.89	**1050**
1100	198.22	209.84	203.09	-4.92	-28.38	-30.58	**1100**
1150	196.75	208.19	201.44	-4.84	-28.06	-30.27	**1150**
1200	195.30	206.55	199.80	-4.75	-27.75	-29.96	**1200**
1250	194.11	204.99	198.24	-4.65	-27.50	-29.71	**1250**
1300	192.94	203.44	196.69	-4.55	-27.25	-29.46	**1300**
1350	191.79	201.91	195.16	-4.45	-27.00	-29.21	**1350**
1400	190.64	200.39	193.64	-4.35	-26.75	-28.96	**1400**
1450	189.50	199.06	192.50	-4.25	-26.50	-28.71	**1450**
1500	188.37	197.75	191.37	-4.15	-26.25	-28.46	**1500**
1550	187.26	196.44	190.26	-4.05	-26.00	-28.21	**1550**
1600	186.14	195.14	189.14	-3.95	-25.75	-27.96	**1600**
1650	185.23	194.23	188.04	-3.96	-25.69	-27.89	**1650**
1700	184.32	193.32	186.94	-3.96	-25.63	-27.83	**1700**
1750	183.41	192.41	185.85	-3.97	-25.56	-27.77	**1750**
1800	182.51	191.51	184.76	-3.98	-25.50	-27.71	**1800**
1850	181.80	190.80	184.05	-3.98	-25.44	-27.64	**1850**
1900	181.10	190.10	183.35	-3.99	-25.38	-27.58	**1900**
1950	180.40	189.40	182.65	-3.99	-25.31	-27.52	**1950**
2000	179.70	188.70	181.95	-4.00	-25.25	-27.46	**2000**
2050	178.95	187.76	181.01	-3.92	-25.13	-27.34	**2050**
2100	178.21	186.83	180.08	-3.84	-25.01	-27.22	**2100**
2150	177.46	185.90	179.15	-3.76	-24.89	-27.10	**2150**
2200	176.72	184.97	178.22	-3.68	-24.78	-26.98	**2200**
2250	176.17	184.24	177.49	-3.59	-24.66	-26.86	**2250**
2300	175.63	183.50	176.75	-3.51	-24.54	-26.74	**2300**
2350	175.08	182.77	176.02	-3.43	-24.42	-26.62	**2350**
2400	174.54	182.04	175.29	-3.35	-24.30	-26.51	**2400**
2450	173.84	181.34	174.59	-3.33	-24.21	-26.41	**2450**
2500	173.13	180.63	173.88	-3.30	-24.11	-26.32	**2500**
2550	172.43	179.93	173.18	-3.28	-24.02	-26.22	**2550**
2600	171.74	179.24	172.49	-3.25	-23.93	-26.13	**2600**
2650	171.23	178.54	171.79	-3.23	-23.83	-26.04	**2650**
2700	170.72	177.85	171.10	-3.20	-23.74	-25.94	**2700**
2750	170.21	177.15	170.40	-3.17	-23.64	-25.85	**2750**
2800	169.71	176.46	169.71	-3.15	-23.55	-25.76	**2800**
2850	169.14	175.89	169.14	-3.10	-23.39	-25.59	**2850**
2900	168.57	175.32	168.57	-3.05	-23.23	-25.43	**2900**
2950	168.00	174.75	168.00	-3.00	-23.06	-25.27	**2950**
3000	167.43	174.18	167.43	-2.95	-22.90	-25.11	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

ADJUSTMENTS AND ADDITIONS

HEATING AND COOLING SYSTEM ADJUSTMENTS: Additions or deductions per sq. ft. of ground area.

	Number of Stories							
	1	1+	1 1/4	1 1/2	1 3/4	2	Bi	Tri
HEATING SYSTEMS								
Forced-warm-air, without return ducts, deduct.	-1.01	-1.01	-1.26	-1.51	-1.76	-2.01	-2.01	-1.51
Forced-hot-water/steam, add.	4.15	4.15	5.20	6.22	7.26	8.29	8.29	6.22
Electric wall heaters, baseboard type, deduct.	-0.67	-0.67	-0.84	-1.01	-1.17	-1.34	-1.34	-1.01
Electric, ceiling radiant, deduct.	-1.26	-1.26	-1.57	-1.88	-2.20	-2.51	-2.51	-1.88
Electric wall heaters, deduct.	-3.40	-3.40	-4.26	-5.10	-5.95	-6.80	-6.80	-5.10
Radiant (in-floor), add.	4.47	4.47	5.61	6.71	7.82	8.94	8.94	6.71
HEATING AND COOLING, COMBINED SYSTEMS								
Forced air, A/C using heating ducts, add.	7.69	7.69	9.64	11.53	13.45	15.37	15.37	11.53
Heat pump with supplemental heat, add.	5.12	5.12	6.42	7.68	8.96	10.24	10.24	7.68
Air conditioning only with separate ducts, add.	9.34	9.34	11.72	14.01	16.35	18.68	18.68	14.01
No heating, deduct.	-5.78	-5.78	-7.25	-8.67	-10.11	-11.55	-11.55	-8.67

Wood-burning unit added on to furnace: Add $2,755.00 to final cost of home. Includes materials and labor to connect to existing forced air system. Extra chimney or flue costs which may be required by local codes are not included.

OVERHANGS

Add per square foot as follows:

Stories	Full Story	3/4	1/2
Siding and block.	$85.92	$66.94	$37.19
Brick veneer.	91.78	70.81	37.75

MICHIGAN BASEMENT

Michigan basements can frequently be estimated by using 1/2 of the crawl space deduction. Deduct for no concrete floor: $4.81 per square foot of basement area.

PLUMBING, SEWER AND WATER

Average cost per fixture.	$1,408
Extra bath, three fixtures.	4,434
Two fixtures.	2,967
Water softener, automatic.	2,302
Manual.	1,500
Solar water heating system with panels.	8,455
No plumbing, deduct.	-8,915
Extra toilet.	1,454
Extra sink.	906
Separate shower (fiberglass).	1,297
Ceramic tile floor.	1,078
Ceramic tile wainscotting.	2,395
Ceramic tile tub alcove.	800
Bathroom vent fan.	241

WATER AND WASTE DISPOSAL

City water and sewer connections.	$2,901
Water well 200 ft..	10,432
Septic system 1,000 gallons.	4,642
2,000 gallons.	9,226

Locally derived costs should be entered on the front of the residential card.

MASONRY TRIM

Brick or equal, per sq. ft. of wall area.	$16.30
Brick 4' high, per lin. ft..	65.33
Brick full 1-story, per lin. ft..	130.60
Brick full 2-story, per lin. ft..	261.26
Stone or equal, per sq. ft. of wall area.	35.99

BASEMENT FINISH

Costs per square foot of floor area:

Recreation room.	$18.78
Finished living area.	34.82
Walk-out, below grade, cost of door.	1,813
Walk-out, above grade, cost of door.	2,517

BUILT-INS

Appliance allowance, (if not itemized).	$2,686
Cook top, counter top, four burners.	756
Dishwasher, built-in.	756
Garbage disposal.	254
Heater, bathroom, without fan.	209
With fan.	306
Hot tub, with whirlpool, built-in.	7,179
Hood, range, unvented.	319
Vented.	554
Intercom system, master station.	756
Satellite.	156
Whirlpool tub (Jacuzzi).	8,033
Whirlpool tub when it replaces regular bathtub.	6,435
Oven, single, built-in.	1,304
Microwave.	411
Range, drop in, with standard oven.	1,232
With self cleaning oven.	1,676
Sauna with heater and controls.	6,448
Trash compactor.	861
Vacuum, central system.	2,536

CONVERSION FACTORS: For 2 1/2, 3, and 3 1/2 story Single-family Residences
Multiply the 2 story cost for the equivalent Ground Area by the following factors:
2 1/2 story, use 1.16; 3 story, use 1.36; 3 1/2 story, use 1.52.

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

ADJUSTMENTS AND ADDITIONS

CLASS C

FIREPLACES

Inside chimney, 1 story	$5,725
1 1/2 and 2 story	7,125
add for 2nd fireplace, same stack	4,675
Two-sided fireplace	8,200
Outside chimney, 1 story	6,975
1 1/2 and 2 story	8,575
Prefabricated, 1 story	2,825
Add if 2 story	640
Heat-circulating device	750
Raised hearth	490
Wood burning stove, free standing (permanent type)	2,700
Direct-vented (no chimney) gas fireplace	3,250

PORCHES AND DECKS: COMPONENT GUIDE

	CPP	CCP	CSEP	CGEP	WPP	WCP	WSEP	WGEP
FOUNDATION	X	X	X	X	X	X	X	X
FOOTINGS	X	X	X	X	X	X	X	X
STEPS	X	X	X	X	X	X	X	X
RAILS OR KNEE WALL		X	X			X	X	
ROOF		X	X	X		X	X	X
CEILING		X	X	X		X	X	X
SCREEN ON STUD WALL			X				X	
STUD WALL W/ WINDOWS AND SCREENS				X				X

CONCRETE FLOOR with 42" Foundation / WOOD FLOOR with 42" Foundation

Size for Rates	PLATFORM PORCH CPP	COVERED PORCH CCP	SCREEN-ENCLOSED PORCH CSEP	GLASS ENCLOSED PORCH CGEP	PLATFORM PORCH WPP	COVERED PORCH WCP	SCREEN-ENCLOSED PORCH WSEP	GLASS-ENCLOSED PORCH WGEP	Size for Rates
25	30.00	54.00	94.50	130.00	57.50	81.50	122.00	157.00	**25**
50	25.00	46.25	74.50	97.50	43.25	64.50	92.50	116.00	**50**
75	23.00	43.50	67.50	87.00	36.50	57.00	81.00	100.00	**75**
100	21.00	40.75	62.50	80.00	30.00	49.75	71.50	89.00	**100**
125	20.43	39.65	59.41	74.62	28.50	47.75	67.75	83.25	**125**
150	19.85	38.75	57.00	70.50	27.00	45.75	64.00	77.50	**150**
175	19.30	37.62	54.82	67.50	25.43	43.88	61.00	73.75	**175**
200	18.75	37.00	53.00	65.00	23.85	42.00	58.00	70.00	**200**
250	17.63	34.92	49.90	60.47	20.78	38.13	53.38	64.25	**250**
300	16.50	33.25	47.50	57.00	17.70	34.25	48.75	58.50	**300**
350	16.42	33.13	47.33	56.83	17.55	34.03	48.44	58.17	**350**
400	16.34	33.03	47.18	56.68	17.40	33.81	48.14	57.83	**400**
450	16.27	32.93	47.05	56.55	17.25	33.58	47.83	57.50	**450**
500	16.19	32.85	46.93	56.44	17.10	33.36	47.53	57.17	**500**
550	16.11	32.78	46.83	56.33	16.95	33.14	47.22	56.83	**550**
600	16.03	32.71	46.73	56.24	16.80	32.92	46.92	56.50	**600**
650	15.96	32.65	46.65	56.15	16.65	32.69	46.61	56.17	**650**
700	15.88	32.60	46.56	56.07	16.50	32.47	46.31	55.83	**700**

ADD / DEDUCT / WOOD DECKS

Size for Rates	BASEMENT UNDER	SHALLOW FOUNDATION	TREATED WOOD	PINE OR SIMILAR	REDWOOD OR CEDAR	Size for Rates
25	25.82	-16.30	44.34	35.47	47.99	**25**
50	25.17	-11.87	32.86	26.28	36.58	**50**
75	24.78	-9.91	27.16	21.70	32.97	**75**
100	24.45	-8.67	23.93	19.10	28.36	**100**
125	24.25	-7.82	22.78	18.19	27.89	**125**
150	24.12	-7.24	21.40	17.08	26.28	**150**
175	23.93	-6.72	20.29	16.20	24.98	**175**
200	23.80	-6.32	19.36	15.52	23.54	**200**
250	23.60	-5.74	17.96	14.33	22.25	**250**
300	23.47	-5.28	16.86	13.46	20.96	**300**
350	23.34	-4.89	16.00	12.75	19.93	**350**
400	23.21	-4.63	15.27	12.18	19.08	**400**
450	23.08	-4.37	14.67	11.70	18.36	**450**
500	23.02	-4.17	14.15	11.28	17.73	**500**
550	22.89	-3.98	13.69	10.91	17.19	**550**
600	22.82	-3.85	13.29	10.59	16.70	**600**
650	22.75	-3.72	12.92	10.30	16.27	**650**
700	22.69	-3.59	12.61	10.04	15.88	**700**

For 2-story porches, add 22% for open porches and 60% for enclosed porches. Wood decks include posts on minimal footings, joists, girder, railings, decking, and up to four risers. For additional risers add $131 each. For wood decks with roofs, subtract the platform porch rate from the covered porch rate (at the appropriate size for rates) and add the difference to the appropriate wood deck rate.

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

ADJUSTMENTS AND ADDITIONS

GARAGES: Base costs include electric lighting.

On slab – 18" Foundation				On slab – 42" Foundation				
Size In Sq. Ft.	Siding	Block	Brick Veneer	Siding	Block	Brick Veneer	Finished Interior	Size In Sq. Ft.
240	48.77	50.73	61.09	55.09	59.07	68.20	9.91	**240**
308	44.53	46.23	55.42	50.14	53.59	61.68	9.32	**308**
352	42.45	44.01	52.62	47.66	50.86	58.48	9.06	**352**
400	40.49	41.99	50.01	45.44	48.38	55.55	8.80	**400**
440	39.32	40.75	48.44	44.08	46.88	53.72	8.67	**440**
480	38.34	39.64	47.01	42.84	45.51	52.09	8.48	**480**
528	37.23	38.53	45.51	41.53	44.08	50.40	8.35	**528**
576	36.25	37.49	44.21	40.36	42.84	48.90	8.22	**575**
600	35.79	36.97	43.62	39.84	42.25	48.18	8.08	**600**
624	35.40	36.58	43.03	39.38	41.66	47.53	8.08	**624**
800	32.93	33.97	39.64	36.45	38.47	43.68	7.76	**800**
864	32.34	33.38	38.92	35.79	37.75	42.84	7.63	**864**
1020	31.23	32.21	37.42	34.49	36.32	41.08	7.50	**1020**
Common wall deduction for attached garage								
1/2-wall	1,037	1,343	1,447	1,258	1,650	1,689	—	**1/2-wall**
1-wall	2,080	2,764	2,888	2,517	3,299	3,384	—	**1-wall**
1 1/2-wall	3,117	4,147	4,336	3,775	4,949	5,073	—	**1 1/2-wall**
2-wall	4,160	5,535	5,777	5,033	6,592	6,761	—	**2-wall**

No concrete floor, deduct per sq. ft. . . . . -$6.45

Base cost includes uninsulated single or double garage doors, depending on the size of the garage. For insulated doors, add per square foot of door:

Single: . . . . . $4.82 Double: $3.59

Door opener, radio controlled add. 522

For basement garage, add to residence:

1-car.	$2,478	2-car.	$3,456
1-1/2-car.	2,967	3-car.	4,662

For pole construction deduct 25% from 18" Foundation, Siding rate.

For living area above garage use overhang rates. Base cost contains forced-warm-air heat only. For other types of heating/cooling, use the 1-Story Heating and Cooling Adjustments for this square footage only.

For storage area above garage, add $13.11 per square foot (stairway, floorboards, electrical, 6-foot headroom).

BALCONIES (Airing)

(Cost per square foot of floor area:)

Wood floors. $32.00

Cement composition floor. 46.25

Add for roof. 19.70

BREEZEWAYS

Cost per square foot of floor area. Includes roof, ceiling, floor and walls. Heat not included.

	FINISHED INTERIOR	UNFINISHED INTERIOR
Framed wall, solid.	$66.83	$51.96
knee wall w/ glass and screen panel. . .	85.87	73.09
Screen only.	51.05	39.58

CARPORTS

Cost per square foot of area covered. Includes roof structure and cover, posts, bracing, paint and concrete slab.

Aluminum, corrugated. $14.15

Composition shingles. 15.91

Built-up tar and gravel. 16.43

Wood shingles. 18.06

Fiberglass. 13.76

DRIVES, WALKS AND PATIOS

(Cost per square foot of floor area:)

Crushed rock. $2.43

Asphalt paving. 3.31

Asphalt paving w/sealer. 3.70

Concrete paving 3-1/2". 7.13

4". 7.41

4" reinforced. 8.69

5" reinforced. 9.24

Brick on 2" sand base. 19.17

Flagstone on 2" sand base. 22.29

Patio blocks on 2" sand base. 16.58

Please note that the above costs are valid for areas of 100 to 1,000 square feet. For areas less than 100 square feet, add from 10% to 100% per square foot. For areas greater than 1,000 square feet, deduct from 10% to 30% per square foot.

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

GREENHOUSES

The following are average costs per square foot for stock residential even span and lean-to greenhouses. Both greenhouses include a foundation and vents. No electrical, heating, or watering devices are included. The even span is free standing with four walls and a door on the gable end. The lean-to shares one wall with an adjoining building. Use the lump sum adjustment to further refine the cost.

SQUARE FOOT COSTS:
Per square foot of floor area.

AREA SQ. FT.	EVEN SPAN	LEAN-TO
50	$105.00	$105.00
100	89.50	87.00
150	82.00	78.00
200	77.00	73.00
250	73.00	68.00
300	70.00	65.50
400	66.00	60.50
600	60.50	54.00
800	57.00	50.00
1,000	53.50	----

SQUARE FOOT ADJUSTMENTS:
Make the following adjustments to the square foot costs above.

Professional labor	(base)
Amateur workmanship	-20%
Custom Installation	+25%
Planting benches	$9.56
Partitions, glazed, per square foot of partition	$19.00
Not tempered	(base)
Tempered glass	+25%
Tinted glass	+15%
Insulate Glass	+60%
Pipe frame	-25%
Polyethylene Cover	-20%

LUMP SUM ADJUSTMENTS: Make the following Lump Sum additions as necessary.

AREA SQ. FT.	PLAIN GABLE END WALL DEDUCTION
50	$417
100	879
150	879
200	1,119
250	1,119
300	1,119
400	1,439
600	1,439
800	1,439
1,000	1,811

For gable end doors, add	$1,220
Heaters	1,210
Humidifiers	1,150
Coolers	1,900
Ventilating fans	670

SOLAR ROOMS


The following are average costs per square foot for three-sided lean-to glass solar rooms with curved eaves attached to a permanent structure used for living space or commercial applications. Costs include one end wall door, foundations and vents or windows. Floor, heat, electrical and plumbing are not included.

SQUARE FOOT COSTS:
Per square foot of floor area.

AREA SQ. FT.	COST
50	$215.94
100	178.87
150	162.31
200	152.01
250	144.42
300	136.65
400	127.76
600	116.26
800	107.35
1,000	100.90

ADJUSTMENTS

Extra tall bays	+15%
Laminated wood framing	+10%
Straight eaves	-7%
Custom designed	+50%
For corner hips and valleys, add per square ft.	$ 49.69
For decorative lights incorporated into frame members, add per linear foot	31.05
For built-in shades, add per square foot	23.76
For motorized operation, add per operator	1,691



SOLAR ROOM/GREENHOUSE
CURVED-EAVE LEAN-TO

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.