SINGLE - FAMILY DETACHED SPECIFICATIONS

CLASS D

The materials listed below are typical of a Class D house. Variations from these specifications can be found. Substitute materials of equivalent price and quality may be used in place of the materials listed below. The pricing examples and the adjustments and additions section contain types of variations which normally require adjustments. **NOTE:** The single-family sections, include base interior wall height of 8 feet for each floor. For each foot of variation, add to or deduct from that portion of the residence base cost only: 4% for all residence exterior masonry walls, including brick and stone veneers; 3% for siding exterior walls. See Page 4 for further information and calculations.

EXTERIOR WALLS: either A or B

A) WOOD FRAME with siding of:
- Aluminum
- Wood
- Vinyl
- Cement fiber
- Asphalt
- Brick veneer

BASIC WALL STRUCTURE includes:
- Building paper
- 1/2” insulation board
- 3 1/2” batt insulation
- 2” x 4” studs, 16” o.c.
- 3/8” drywall
- Interior surface painted, one coat
- Two exterior doors
- One aluminum storm and screen door

B) MASONRY CONSTRUCTION
- 8” Concrete block
- Interior surface painted, one coat
- Two exterior doors
- One aluminum storm and screen door

WINDOWS: (10% of wall area)
- Wood double hung

ROOF:
- 4/12 pitch
- 210# asphalt shingle
- Felt
- 1/2” oriented strand board
- 2” x 4” truss, 24” o.c.

INTERIOR PARTITIONS AND FINISH:
- 8’ high walls
- 3/8” drywall, two sides
- Painted, one coat, two sides
- 2” x 4” studs, 16” o.c.
- Softwood trim
- Flush, hollow-core doors

FLOOR FINISH:
- 80% softwood or carpet w/ pad and underlayment
- 20% linoleum or vinyl sheet with underlayment

CEILING:
- 3/8” drywall
- Painted, one coat
- 12” insulation

EXCAVATION:
- 10-course basement

BASEMENT WALLS:
- 10-course, 8” concrete block
- 8” x 16” footings
- Waterproofing
- Perimeter insulation
- Drain tile, one side

BASEMENT FLOOR:
- 3” gravel base
- 3” concrete floor

FLOOR CONSTRUCTION:
- 1/2” plywood
- 2” x 8” joists, 16” o.c.
- Bridging
- Wood beam
- Wood posts

HEATING AND AIR CONDITIONING:
- Gas fired forced air furnace with cold air return ducts

ELECTRIC:
- 100-Ampere, 110/220-Volt system
- Romex wiring
- Unfinished area, Non-metallic

PLUMBING:
- White fixtures:
- One lavatory
- One water closet
- One bathtub with shower
- One single-compartment kitchen sink
- One 30-gallon water heater
- One floor drain

BUILT-IN UNITS:
- Laminated plastic kitchen cabinets:
- 12’ base with laminated plastic top
- 8’ wall mounted, 30” high
- 2’ wall mounted, 18” high
- Open-riser basement stairs

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

CLASS D














© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.









© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

CLASS D
1 STORY

SQUARE FOOT COSTS

Ground Area	FRAME		MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	151.10	159.60	155.10	-6.75	-32.50	-36.05	**400**
450	147.78	156.03	151.78	-6.44	-31.50	-35.05	**450**
500	144.63	152.63	148.63	-6.13	-30.50	-34.05	**500**
550	141.84	149.34	145.59	-5.81	-29.50	-33.05	**550**
600	139.15	146.15	142.65	-5.50	-28.50	-32.05	**600**
650	137.02	143.77	140.52	-5.36	-28.00	-31.55	**650**
700	134.95	141.45	138.45	-5.22	-27.50	-31.05	**700**
750	133.17	139.42	136.67	-5.09	-27.00	-30.55	**750**
800	131.43	137.43	134.93	-4.95	-26.50	-30.05	**800**
850	129.74	135.49	133.24	-4.78	-26.03	-29.58	**850**
900	128.07	133.57	131.57	-4.60	-25.55	-29.10	**900**
950	126.67	131.92	129.92	-4.43	-25.08	-28.63	**950**
1000	125.29	130.29	128.29	-4.25	-24.60	-28.15	**1000**
1050	123.89	128.89	127.14	-4.18	-24.34	-27.89	**1050**
1100	122.50	127.50	126.00	-4.10	-24.08	-27.63	**1100**
1150	121.37	126.37	124.87	-4.03	-23.81	-27.36	**1150**
1200	120.26	125.26	123.76	-3.95	-23.55	-27.10	**1200**
1250	119.47	123.97	122.72	-3.89	-23.36	-26.91	**1250**
1300	118.69	122.69	121.69	-3.83	-23.18	-26.73	**1300**
1350	117.67	121.92	120.67	-3.76	-22.99	-26.54	**1350**
1400	116.66	121.16	119.66	-3.70	-22.80	-26.35	**1400**
1450	115.90	120.15	118.90	-3.64	-22.61	-26.16	**1450**
1500	115.14	119.14	118.14	-3.58	-22.43	-25.98	**1500**
1550	114.39	118.14	117.39	-3.51	-22.24	-25.79	**1550**
1600	113.64	117.14	116.64	-3.45	-22.05	-25.60	**1600**
1650	113.01	116.51	116.01	-3.43	-21.98	-25.53	**1650**
1700	112.39	115.89	115.39	-3.40	-21.90	-25.45	**1700**
1750	111.76	115.26	114.76	-3.38	-21.83	-25.38	**1750**
1800	111.14	114.64	114.14	-3.35	-21.75	-25.30	**1800**
1850	110.52	114.02	113.52	-3.33	-21.68	-25.23	**1850**
1900	109.90	113.40	112.90	-3.30	-21.60	-25.15	**1900**
1950	109.29	112.79	112.29	-3.27	-21.53	-25.08	**1950**
2000	108.68	112.18	111.68	-3.25	-21.45	-25.00	**2000**
2050	108.24	111.49	110.99	-3.14	-21.29	-24.84	**2050**
2100	107.79	110.79	110.29	-3.04	-21.14	-24.69	**2100**
2150	107.11	110.11	109.86	-2.93	-20.98	-24.53	**2150**
2200	106.42	109.42	109.42	-2.82	-20.83	-24.38	**2200**
2250	105.98	108.98	108.73	-2.72	-20.67	-24.22	**2250**
2300	105.55	108.55	108.05	-2.61	-20.51	-24.06	**2300**
2350	104.86	107.86	107.61	-2.51	-20.36	-23.91	**2350**
2400	104.18	107.18	107.18	-2.40	-20.20	-23.75	**2400**
2450	103.84	106.59	106.59	-2.38	-20.13	-23.68	**2450**
2500	103.50	106.00	106.00	-2.36	-20.06	-23.61	**2500**
2550	103.15	105.65	105.65	-2.34	-19.99	-23.54	**2550**
2600	102.81	105.31	105.31	-2.33	-19.93	-23.48	**2600**
2650	102.47	104.97	104.97	-2.31	-19.86	-23.41	**2650**
2700	102.13	104.63	104.63	-2.29	-19.79	-23.34	**2700**
2750	101.80	104.05	104.30	-2.27	-19.72	-23.27	**2750**
2800	101.46	103.46	103.96	-2.25	-19.65	-23.20	**2800**
2850	100.83	103.08	103.58	-2.22	-19.54	-23.09	**2850**
2900	100.20	102.70	103.20	-2.20	-19.43	-22.98	**2900**
2950	99.82	102.32	102.57	-2.18	-19.31	-22.86	**2950**
3000	99.44	101.94	101.94	-2.15	-19.20	-22.75	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

SQUARE FOOT COSTS

CLASS D
1+ STORY

Ground Area	FRAME		MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	157.43	164.24	159.87	-6.75	-32.50	-36.05	**400**
450	153.95	160.35	156.36	-6.44	-31.50	-35.05	**450**
500	150.64	156.61	153.01	-6.13	-30.50	-34.05	**500**
550	147.62	153.29	149.97	-5.81	-29.50	-33.05	**550**
600	144.68	150.06	147.02	-5.50	-28.50	-32.05	**600**
650	142.49	147.62	144.81	-5.36	-28.00	-31.55	**650**
700	140.35	145.23	142.65	-5.22	-27.50	-31.05	**700**
750	138.40	143.08	140.68	-5.09	-27.00	-30.55	**750**
800	136.47	140.96	138.74	-4.95	-26.50	-30.05	**800**
850	134.73	139.05	136.98	-4.78	-26.03	-29.58	**850**
900	133.02	137.17	135.25	-4.60	-25.55	-29.10	**900**
950	131.43	135.43	133.64	-4.43	-25.08	-28.63	**950**
1000	129.86	133.70	132.05	-4.25	-24.60	-28.15	**1000**
1050	128.59	132.31	130.77	-4.18	-24.34	-27.89	**1050**
1100	127.33	130.93	129.51	-4.10	-24.08	-27.63	**1100**
1150	126.16	129.66	128.32	-4.03	-23.81	-27.36	**1150**
1200	125.00	128.39	127.15	-3.95	-23.55	-27.10	**1200**
1250	123.99	127.27	126.12	-3.89	-23.36	-26.91	**1250**
1300	122.98	126.16	125.11	-3.83	-23.18	-26.73	**1300**
1350	122.04	125.14	124.15	-3.76	-22.99	-26.54	**1350**
1400	121.11	124.12	123.21	-3.70	-22.80	-26.35	**1400**
1450	120.22	123.15	122.32	-3.64	-22.61	-26.16	**1450**
1500	119.33	122.19	121.43	-3.58	-22.43	-25.98	**1500**
1550	118.51	121.29	120.59	-3.51	-22.24	-25.79	**1550**
1600	117.69	120.39	119.75	-3.45	-22.05	-25.60	**1600**
1650	117.01	119.65	119.07	-3.43	-21.98	-25.53	**1650**
1700	116.33	118.91	118.39	-3.40	-21.90	-25.45	**1700**
1750	115.69	118.21	117.75	-3.38	-21.83	-25.38	**1750**
1800	115.06	117.51	117.10	-3.35	-21.75	-25.30	**1800**
1850	114.46	116.85	116.49	-3.33	-21.68	-25.23	**1850**
1900	113.87	116.20	115.88	-3.30	-21.60	-25.15	**1900**
1950	113.31	115.59	115.31	-3.27	-21.53	-25.08	**1950**
2000	112.75	114.98	114.74	-3.25	-21.45	-25.00	**2000**
2050	112.11	114.30	114.11	-3.14	-21.29	-24.84	**2050**
2100	111.48	113.62	113.49	-3.04	-21.14	-24.69	**2100**
2150	110.88	112.98	112.89	-2.93	-20.98	-24.53	**2150**
2200	110.28	112.34	112.29	-2.83	-20.83	-24.38	**2200**
2250	109.70	111.72	111.70	-2.72	-20.67	-24.22	**2250**
2300	109.12	111.10	111.11	-2.61	-20.51	-24.06	**2300**
2350	108.58	110.51	110.55	-2.51	-20.36	-23.91	**2350**
2400	108.03	109.91	109.99	-2.40	-20.20	-23.75	**2400**
2450	107.59	109.43	109.54	-2.38	-20.13	-23.68	**2450**
2500	107.14	108.95	109.09	-2.36	-20.06	-23.61	**2500**
2550	106.72	108.48	108.65	-2.34	-19.99	-23.54	**2550**
2600	106.29	108.01	108.22	-2.33	-19.93	-23.48	**2600**
2650	105.87	107.57	107.80	-2.31	-19.86	-23.41	**2650**
2700	105.44	107.13	107.37	-2.29	-19.79	-23.34	**2700**
2750	105.05	106.69	106.97	-2.27	-19.72	-23.27	**2750**
2800	104.66	106.26	106.57	-2.25	-19.65	-23.20	**2800**
2850	104.22	105.80	106.14	-2.23	-19.54	-23.09	**2850**
2900	103.79	105.34	105.71	-2.20	-19.43	-22.98	**2900**
2950	103.37	104.89	105.28	-2.18	-19.31	-22.86	**2950**
3000	102.95	104.44	104.85	-2.15	-19.20	-22.75	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

CLASS D
1 1/4 STORY

SQUARE FOOT COSTS

Ground Area	FRAME		MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	167.60	174.34	170.28	-6.75	-32.50	-33.39	**400**
450	164.17	170.61	166.82	-6.43	-31.47	-32.36	**450**
500	160.96	167.11	163.59	-6.13	-30.50	-31.39	**500**
550	157.82	163.66	160.41	-5.81	-29.48	-30.37	**550**
600	154.82	160.36	157.38	-5.50	-28.50	-29.39	**600**
650	152.34	157.57	154.87	-5.36	-27.98	-28.87	**650**
700	149.95	154.89	152.46	-5.22	-27.50	-28.39	**700**
750	147.57	152.20	150.05	-5.08	-26.99	-27.88	**750**
800	145.26	149.59	147.71	-4.95	-26.50	-27.39	**800**
850	143.55	147.74	145.99	-4.77	-26.01	-26.90	**850**
900	141.89	145.94	144.31	-4.60	-25.55	-26.44	**900**
950	140.22	144.14	142.64	-4.42	-25.06	-25.95	**950**
1000	138.60	142.38	141.00	-4.25	-24.60	-25.49	**1000**
1050	137.18	140.82	139.57	-4.17	-24.33	-25.22	**1050**
1100	135.79	139.30	138.17	-4.10	-24.08	-24.96	**1100**
1150	134.40	137.76	136.76	-4.02	-23.80	-24.69	**1150**
1200	133.03	136.26	135.39	-3.95	-23.55	-24.44	**1200**
1250	132.03	135.17	134.37	-3.89	-23.36	-24.24	**1250**
1300	131.05	134.11	133.38	-3.83	-23.18	-24.06	**1300**
1350	130.06	133.03	132.39	-3.76	-22.98	-23.87	**1350**
1400	129.10	131.98	131.41	-3.70	-22.80	-23.69	**1400**
1450	128.13	130.92	130.42	-3.64	-22.61	-23.49	**1450**
1500	127.17	129.87	129.45	-3.58	-22.43	-23.31	**1500**
1550	126.20	128.82	128.48	-3.51	-22.23	-23.12	**1550**
1600	125.26	127.78	127.52	-3.45	-22.05	-22.94	**1600**
1650	124.58	127.04	126.83	-3.42	-21.97	-22.86	**1650**
1700	123.92	126.32	126.16	-3.40	-21.90	-22.79	**1700**
1750	123.24	125.59	125.48	-3.37	-21.82	-22.71	**1750**
1800	122.59	124.87	124.82	-3.35	-21.75	-22.64	**1800**
1850	121.92	124.14	124.15	-3.32	-21.67	-22.56	**1850**
1900	121.27	123.42	123.49	-3.30	-21.60	-22.49	**1900**
1950	120.61	122.70	122.82	-3.27	-21.52	-22.41	**1950**
2000	119.96	121.99	122.16	-3.25	-21.45	-22.34	**2000**
2050	119.32	121.31	121.52	-3.14	-21.29	-22.18	**2050**
2100	118.70	120.65	120.89	-3.04	-21.14	-22.03	**2100**
2150	118.07	119.98	120.25	-2.93	-20.98	-21.87	**2150**
2200	117.45	119.31	119.63	-2.82	-20.83	-21.71	**2200**
2250	116.82	118.64	118.99	-2.72	-20.67	-21.55	**2250**
2300	116.21	117.98	118.37	-2.61	-20.51	-21.40	**2300**
2350	115.58	117.32	117.74	-2.51	-20.35	-21.24	**2350**
2400	114.97	116.66	117.11	-2.40	-20.20	-21.09	**2400**
2450	114.51	116.17	116.65	-2.38	-20.13	-21.02	**2450**
2500	114.07	115.68	116.20	-2.36	-20.06	-20.95	**2500**
2550	113.62	115.19	115.74	-2.34	-19.99	-20.88	**2550**
2600	113.17	114.71	115.29	-2.32	-19.93	-20.81	**2600**
2650	112.72	114.22	114.84	-2.31	-19.85	-20.74	**2650**
2700	112.28	113.74	114.39	-2.29	-19.79	-20.68	**2700**
2750	111.83	113.26	113.93	-2.27	-19.72	-20.60	**2750**
2800	111.39	112.78	113.48	-2.25	-19.65	-20.54	**2800**
2850	110.88	112.23	112.97	-2.22	-19.53	-20.42	**2850**
2900	110.37	111.68	112.46	-2.20	-19.43	-20.31	**2900**
2950	109.86	111.13	111.95	-2.17	-19.31	-20.20	**2950**
3000	109.35	110.59	111.44	-2.15	-19.20	-20.09	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

SQUARE FOOT COSTS

CLASS D
1 1/2 STORY

Ground Area	FRAME		MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	189.04	198.79	194.29	-6.75	-32.50	-34.28	**400**
450	185.16	194.35	190.23	-6.44	-31.50	-33.28	**450**
500	181.45	190.07	186.32	-6.13	-30.50	-32.28	**500**
550	177.85	185.91	182.54	-5.81	-29.50	-31.28	**550**
600	174.35	181.85	178.85	-5.50	-28.50	-30.28	**600**
650	172.16	179.47	176.66	-5.36	-28.00	-29.78	**650**
700	170.02	177.15	174.52	-5.22	-27.50	-29.28	**700**
750	167.93	174.87	172.43	-5.09	-27.00	-28.78	**750**
800	165.87	172.62	170.37	-4.95	-26.50	-28.28	**800**
850	164.24	170.62	168.74	-4.78	-26.03	-27.80	**850**
900	162.64	168.64	167.14	-4.60	-25.55	-27.33	**900**
950	161.06	166.68	165.56	-4.43	-25.08	-26.85	**950**
1000	159.49	164.74	163.99	-4.25	-24.60	-26.38	**1000**
1050	158.34	163.40	162.65	-4.18	-24.34	-26.11	**1050**
1100	157.20	162.07	161.32	-4.10	-24.08	-25.85	**1100**
1150	156.07	160.76	160.01	-4.02	-23.81	-25.59	**1150**
1200	154.95	159.45	158.70	-3.95	-23.55	-25.33	**1200**
1250	154.10	158.60	158.04	-3.89	-23.36	-25.14	**1250**
1300	153.26	157.76	157.39	-3.82	-23.18	-24.95	**1300**
1350	152.43	156.93	156.74	-3.76	-22.99	-24.76	**1350**
1400	151.60	156.10	156.10	-3.70	-22.80	-24.58	**1400**
1450	150.59	154.90	154.90	-3.64	-22.61	-24.39	**1450**
1500	149.59	153.71	153.71	-3.57	-22.43	-24.20	**1500**
1550	148.59	152.52	152.52	-3.51	-22.24	-24.01	**1550**
1600	147.59	151.34	151.34	-3.45	-22.05	-23.83	**1600**
1650	146.71	150.46	150.46	-3.43	-21.98	-23.75	**1650**
1700	145.83	149.58	149.58	-3.40	-21.90	-23.68	**1700**
1750	144.96	148.71	148.71	-3.38	-21.83	-23.60	**1750**
1800	144.09	147.84	147.84	-3.35	-21.75	-23.53	**1800**
1850	143.40	146.97	147.15	-3.32	-21.68	-23.45	**1850**
1900	142.72	146.10	146.47	-3.30	-21.60	-23.38	**1900**
1950	142.05	145.23	145.80	-3.28	-21.53	-23.30	**1950**
2000	141.37	144.37	145.12	-3.25	-21.45	-23.23	**2000**
2050	140.62	143.62	144.37	-3.14	-21.29	-23.07	**2050**
2100	139.86	142.86	143.61	-3.04	-21.14	-22.91	**2100**
2150	139.11	142.11	142.86	-2.93	-20.98	-22.76	**2150**
2200	138.36	141.36	142.11	-2.82	-20.83	-22.60	**2200**
2250	137.62	140.62	141.37	-2.72	-20.67	-22.44	**2250**
2300	136.87	139.87	140.62	-2.61	-20.51	-22.29	**2300**
2350	136.12	139.12	139.87	-2.51	-20.36	-22.13	**2350**
2400	135.38	138.38	139.13	-2.40	-20.20	-21.98	**2400**
2450	134.91	137.72	138.47	-2.38	-20.13	-21.91	**2450**
2500	134.44	137.07	137.82	-2.36	-20.06	-21.84	**2500**
2550	133.97	136.41	137.16	-2.34	-19.99	-21.77	**2550**
2600	133.51	135.76	136.51	-2.33	-19.93	-21.70	**2600**
2650	132.86	135.11	136.04	-2.31	-19.86	-21.63	**2650**
2700	132.20	134.45	135.58	-2.29	-19.79	-21.56	**2700**
2750	131.55	133.80	135.12	-2.27	-19.72	-21.49	**2750**
2800	130.90	133.15	134.65	-2.25	-19.65	-21.43	**2800**
2850	130.40	132.65	134.15	-2.23	-19.54	-21.31	**2850**
2900	129.89	132.14	133.64	-2.20	-19.43	-21.20	**2900**
2950	129.39	131.64	133.14	-2.18	-19.31	-21.09	**2950**
3000	128.88	131.13	132.63	-2.15	-19.20	-20.98	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

CLASS D
1 3/4 STORY

SQUARE FOOT COSTS

Ground Area	FRAME		MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	208.93	216.61	212.54	-6.75	-32.50	-35.16	**400**
450	205.18	212.51	208.77	-6.43	-31.48	-34.14	**450**
500	201.64	208.61	205.20	-6.13	-30.50	-33.16	**500**
550	198.18	204.79	201.71	-5.81	-29.48	-32.15	**550**
600	194.85	201.10	198.34	-5.50	-28.50	-31.16	**600**
650	192.05	197.94	195.52	-5.36	-27.99	-30.65	**650**
700	189.33	194.86	192.77	-5.22	-27.50	-30.16	**700**
750	186.63	191.81	190.04	-5.09	-26.99	-29.65	**750**
800	183.99	188.80	187.37	-4.95	-26.50	-29.16	**800**
850	182.34	186.99	185.71	-4.77	-26.02	-28.68	**850**
900	180.73	185.23	184.09	-4.60	-25.55	-28.21	**900**
950	179.12	183.46	182.47	-4.42	-25.07	-27.73	**950**
1000	177.55	181.73	180.89	-4.25	-24.60	-27.26	**1000**
1050	176.19	180.21	179.52	-4.17	-24.33	-26.99	**1050**
1100	174.86	178.72	178.18	-4.10	-24.08	-26.74	**1100**
1150	173.52	177.22	176.83	-4.02	-23.81	-26.47	**1150**
1200	172.21	175.75	175.51	-3.95	-23.55	-26.21	**1200**
1250	170.90	174.33	174.19	-3.89	-23.36	-26.02	**1250**
1300	169.62	172.94	172.88	-3.83	-23.18	-25.84	**1300**
1350	168.33	171.54	171.58	-3.76	-22.98	-25.65	**1350**
1400	167.05	170.15	170.29	-3.70	-22.80	-25.46	**1400**
1450	165.78	168.76	168.99	-3.64	-22.61	-25.27	**1450**
1500	164.51	167.39	167.71	-3.57	-22.43	-25.09	**1500**
1550	163.24	166.01	166.42	-3.51	-22.23	-24.90	**1550**
1600	161.99	164.65	165.15	-3.45	-22.05	-24.71	**1600**
1650	161.09	163.67	164.24	-3.42	-21.97	-24.63	**1650**
1700	160.20	162.70	163.34	-3.40	-21.90	-24.56	**1700**
1750	159.31	161.73	162.43	-3.37	-21.82	-24.48	**1750**
1800	158.42	160.76	161.54	-3.35	-21.75	-24.41	**1800**
1850	157.54	159.80	160.63	-3.32	-21.67	-24.33	**1850**
1900	156.66	158.84	159.74	-3.30	-21.60	-24.26	**1900**
1950	155.77	157.88	158.85	-3.27	-21.52	-24.18	**1950**
2000	154.90	156.92	157.96	-3.25	-21.45	-24.11	**2000**
2050	154.10	156.06	157.15	-3.14	-21.29	-23.95	**2050**
2100	153.30	155.20	156.34	-3.04	-21.14	-23.80	**2100**
2150	152.50	154.34	155.53	-2.93	-20.98	-23.64	**2150**
2200	151.71	153.49	154.73	-2.83	-20.83	-23.49	**2200**
2250	150.91	152.63	153.92	-2.72	-20.67	-23.33	**2250**
2300	150.12	151.78	153.12	-2.61	-20.51	-23.18	**2300**
2350	149.33	150.93	152.32	-2.51	-20.35	-23.02	**2350**
2400	148.54	150.08	151.52	-2.40	-20.20	-22.86	**2400**
2450	147.94	149.44	150.92	-2.38	-20.13	-22.79	**2450**
2500	147.34	148.81	150.32	-2.36	-20.06	-22.73	**2500**
2550	146.74	148.18	149.72	-2.34	-19.99	-22.65	**2550**
2600	146.15	147.54	149.13	-2.32	-19.93	-22.59	**2600**
2650	145.55	146.91	148.53	-2.31	-19.85	-22.52	**2650**
2700	144.96	146.28	147.94	-2.29	-19.79	-22.45	**2700**
2750	144.36	145.65	147.34	-2.27	-19.72	-22.38	**2750**
2800	143.77	145.02	146.75	-2.25	-19.65	-22.31	**2800**
2850	143.27	144.46	146.22	-2.22	-19.54	-22.20	**2850**
2900	142.76	143.91	145.69	-2.20	-19.43	-22.09	**2900**
2950	142.26	143.35	145.16	-2.17	-19.31	-21.97	**2950**
3000	141.76	142.80	144.63	-2.15	-19.20	-21.86	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

SQUARE FOOT COSTS

CLASS D
2 STORY

Ground Area	FRAME		MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	234.56	251.56	241.56	-6.75	-32.50	-36.05	**400**
450	229.74	243.74	235.74	-6.44	-31.50	-35.05	**450**
500	225.09	238.09	231.09	-6.13	-30.50	-34.05	**500**
550	219.55	231.55	226.55	-5.81	-29.50	-33.05	**550**
600	216.11	227.11	223.11	-5.50	-28.50	-32.05	**600**
650	212.23	222.23	219.23	-5.36	-28.00	-31.55	**650**
700	209.41	218.41	216.41	-5.22	-27.50	-31.05	**700**
750	206.63	214.63	213.63	-5.09	-27.00	-30.55	**750**
800	202.89	210.89	210.89	-4.95	-26.50	-30.05	**800**
850	201.20	208.20	208.20	-4.78	-26.03	-29.58	**850**
900	198.53	204.53	205.53	-4.60	-25.55	-29.10	**900**
950	195.88	201.88	203.88	-4.43	-25.08	-28.63	**950**
1000	193.25	199.25	201.25	-4.25	-24.60	-28.15	**1000**
1050	191.85	196.85	199.85	-4.17	-24.34	-27.89	**1050**
1100	189.46	194.46	197.46	-4.10	-24.08	-27.63	**1100**
1150	188.08	192.08	196.08	-4.03	-23.81	-27.36	**1150**
1200	186.72	190.72	194.72	-3.95	-23.55	-27.10	**1200**
1250	184.43	188.43	192.43	-3.89	-23.36	-26.91	**1250**
1300	183.15	186.15	191.15	-3.83	-23.18	-26.73	**1300**
1350	181.88	184.88	189.88	-3.76	-22.99	-26.54	**1350**
1400	180.62	183.62	188.62	-3.70	-22.80	-26.35	**1400**
1450	179.36	181.36	187.36	-3.64	-22.61	-26.16	**1450**
1500	178.10	180.10	186.10	-3.58	-22.43	-25.98	**1500**
1550	176.85	178.85	184.85	-3.51	-22.24	-25.79	**1550**
1600	175.60	177.60	183.60	-3.45	-22.05	-25.60	**1600**
1650	174.47	175.47	182.47	-3.42	-21.98	-25.53	**1650**
1700	173.35	174.35	181.35	-3.40	-21.90	-25.45	**1700**
1750	172.22	173.22	180.22	-3.38	-21.83	-25.38	**1750**
1800	171.10	172.10	179.10	-3.35	-21.75	-25.30	**1800**
1850	169.98	170.98	178.98	-3.32	-21.68	-25.23	**1850**
1900	169.86	169.86	177.86	-3.30	-21.60	-25.15	**1900**
1950	168.75	168.75	176.75	-3.28	-21.53	-25.08	**1950**
2000	167.64	167.64	175.64	-3.25	-21.45	-25.00	**2000**
2050	166.45	166.45	175.45	-3.14	-21.29	-24.84	**2050**
2100	166.25	166.25	174.25	-3.04	-21.14	-24.69	**2100**
2150	165.07	165.07	173.07	-2.93	-20.98	-24.53	**2150**
2200	163.88	163.88	172.88	-2.82	-20.83	-24.38	**2200**
2250	163.69	162.69	171.69	-2.72	-20.67	-24.22	**2250**
2300	162.51	161.51	170.51	-2.61	-20.51	-24.06	**2300**
2350	161.32	161.32	170.32	-2.51	-20.36	-23.91	**2350**
2400	161.14	160.14	169.14	-2.40	-20.20	-23.75	**2400**
2450	160.05	159.05	169.05	-2.38	-20.13	-23.68	**2450**
2500	159.96	158.46	167.96	-2.36	-20.06	-23.61	**2500**
2550	159.11	157.61	167.36	-2.34	-19.99	-23.54	**2550**
2600	158.27	156.77	166.77	-2.32	-19.93	-23.48	**2600**
2650	157.68	156.06	166.18	-2.31	-19.86	-23.41	**2650**
2700	157.09	155.34	165.59	-2.29	-19.79	-23.34	**2700**
2750	156.51	154.63	165.01	-2.27	-19.72	-23.27	**2750**
2800	155.92	153.92	164.42	-2.25	-19.65	-23.20	**2800**
2850	155.29	153.29	163.79	-2.22	-19.54	-23.09	**2850**
2900	154.66	152.66	163.16	-2.20	-19.43	-22.98	**2900**
2950	154.03	152.03	162.53	-2.17	-19.31	-22.86	**2950**
3000	153.40	151.40	161.90	-2.15	-19.20	-22.75	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

CLASS D
BI-LEVEL

SQUARE FOOT COSTS

Ground Area	FRAME		MASONRY	LOWER LEVEL FINISH ADJUSTMENTS				Ground Area
	Siding	Brick Veneer	Block Walls	20% Finish	40% Finish	60% Finish	80% Finish	
400	197.05	206.05	204.05	-26.60	-19.95	-13.30	0.00	**400**
450	192.23	200.73	199.23	-26.30	-19.73	-13.15	0.00	**450**
500	187.69	195.69	194.69	-26.00	-19.50	-13.00	0.00	**500**
550	183.87	191.62	190.37	-25.70	-19.28	-12.85	0.00	**550**
600	180.20	187.70	186.20	-25.40	-19.05	-12.70	0.00	**600**
650	177.03	184.28	183.03	-25.00	-18.75	-12.50	0.00	**650**
700	173.96	180.96	179.96	-24.60	-18.45	-12.30	0.00	**700**
750	171.21	177.96	177.21	-24.20	-18.15	-12.10	0.00	**750**
800	168.53	175.03	174.53	-23.80	-17.85	-11.90	0.00	**800**
850	166.61	172.61	172.36	-23.75	-17.81	-11.88	0.00	**850**
900	164.73	170.23	170.23	-23.70	-17.78	-11.85	0.00	**900**
950	162.89	168.14	168.14	-23.65	-17.74	-11.83	0.00	**950**
1000	161.08	166.08	166.08	-23.60	-17.70	-11.80	0.00	**1000**
1050	159.38	164.38	164.38	-23.45	-17.59	-11.73	0.00	**1050**
1100	157.70	162.70	162.70	-23.30	-17.48	-11.65	0.00	**1100**
1150	156.30	161.05	161.30	-23.15	-17.36	-11.58	0.00	**1150**
1200	154.91	159.41	159.91	-23.00	-17.25	-11.50	0.00	**1200**
1250	153.48	157.98	158.73	-22.95	-17.21	-11.48	0.00	**1250**
1300	152.07	156.57	157.57	-22.90	-17.18	-11.45	0.00	**1300**
1350	151.17	155.42	156.42	-22.85	-17.14	-11.43	0.00	**1350**
1400	150.29	154.29	155.29	-22.80	-17.10	-11.40	0.00	**1400**
1450	149.16	153.16	154.16	-22.75	-17.06	-11.38	0.00	**1450**
1500	148.04	152.04	153.04	-22.70	-17.03	-11.35	0.00	**1500**
1550	147.18	150.93	151.93	-22.65	-16.99	-11.33	0.00	**1550**
1600	146.32	149.82	150.82	-22.60	-16.95	-11.30	0.00	**1600**
1650	145.27	149.02	150.02	-22.50	-16.88	-11.25	0.00	**1650**
1700	144.23	148.23	149.23	-22.40	-16.80	-11.20	0.00	**1700**
1750	143.44	147.19	148.19	-22.30	-16.73	-11.15	0.00	**1750**
1800	142.66	146.16	147.16	-22.20	-16.65	-11.10	0.00	**1800**
1850	141.88	145.38	146.38	-22.10	-16.58	-11.05	0.00	**1850**
1900	141.11	144.61	145.61	-22.00	-16.50	-11.00	0.00	**1900**
1950	140.33	143.83	144.83	-21.90	-16.43	-10.95	0.00	**1950**
2000	139.57	143.07	144.07	-21.80	-16.35	-10.90	0.00	**2000**
2050	138.85	142.35	143.35	-21.80	-16.35	-10.90	0.00	**2050**
2100	138.13	141.63	142.63	-21.80	-16.35	-10.90	0.00	**2100**
2150	137.67	140.92	141.92	-21.80	-16.35	-10.90	0.00	**2150**
2200	137.21	140.21	141.21	-21.80	-16.35	-10.90	0.00	**2200**
2250	136.50	139.50	140.75	-21.80	-16.35	-10.90	0.00	**2250**
2300	135.79	138.79	140.29	-21.80	-16.35	-10.90	0.00	**2300**
2350	135.09	138.09	139.59	-21.80	-16.35	-10.90	0.00	**2350**
2400	134.38	137.38	138.88	-21.80	-16.35	-10.90	0.00	**2400**
2450	134.02	136.77	138.27	-21.80	-16.35	-10.90	0.00	**2450**
2500	133.66	136.16	137.66	-21.80	-16.35	-10.90	0.00	**2500**
2550	133.30	135.80	137.30	-21.80	-16.35	-10.90	0.00	**2550**
2600	132.94	135.44	136.94	-21.80	-16.35	-10.90	0.00	**2600**
2650	132.33	134.83	136.33	-21.80	-16.35	-10.90	0.00	**2650**
2700	131.73	134.23	135.73	-21.80	-16.35	-10.90	0.00	**2700**
2750	131.38	133.88	135.38	-21.80	-16.35	-10.90	0.00	**2750**
2800	131.02	133.52	135.02	-21.80	-16.35	-10.90	0.00	**2800**
2850	130.63	132.88	134.63	-21.80	-16.35	-10.90	0.00	**2850**
2900	130.23	132.23	134.23	-21.80	-16.35	-10.90	0.00	**2900**
2950	129.59	131.84	133.59	-21.80	-16.35	-10.90	0.00	**2950**
3000	128.95	131.45	132.95	-21.80	-16.35	-10.90	0.00	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

SQUARE FOOT COSTS

CLASS D TRI-LEVEL

Ground Area	FRAME		MASONRY	BASEMENT ADJUSTMENTS			Ground Area
	Siding	Brick Veneer	Block Walls	Wood Basement	Crawl Space Only	Slab on Grade Only	
400	193.30	203.05	200.05	-6.75	-32.50	-34.28	**400**
450	189.05	198.24	195.61	-6.44	-31.50	-33.28	**450**
500	184.96	193.58	191.33	-6.13	-30.50	-32.28	**500**
550	180.99	189.05	187.17	-5.81	-29.50	-31.28	**550**
600	177.11	184.61	183.11	-5.50	-28.50	-30.28	**600**
650	174.35	181.67	180.17	-5.36	-28.00	-29.78	**650**
700	171.66	178.78	177.28	-5.23	-27.50	-29.28	**700**
750	169.00	175.94	174.44	-5.09	-27.00	-28.78	**750**
800	166.38	173.13	171.63	-4.95	-26.50	-28.28	**800**
850	164.38	170.75	169.44	-4.78	-26.03	-27.80	**850**
900	162.40	168.40	167.28	-4.60	-25.55	-27.33	**900**
950	160.44	166.07	165.13	-4.43	-25.08	-26.85	**950**
1000	158.50	163.75	163.00	-4.25	-24.60	-26.38	**1000**
1050	156.97	162.03	161.28	-4.18	-24.34	-26.11	**1050**
1100	155.46	160.33	159.58	-4.10	-24.08	-25.85	**1100**
1150	153.95	158.64	157.89	-4.03	-23.81	-25.59	**1150**
1200	152.46	156.96	156.21	-3.95	-23.55	-25.33	**1200**
1250	151.05	155.55	154.99	-3.89	-23.36	-25.14	**1250**
1300	149.65	154.15	153.77	-3.82	-23.18	-24.95	**1300**
1350	148.25	152.75	152.56	-3.76	-22.99	-24.76	**1350**
1400	146.86	151.36	151.36	-3.70	-22.80	-24.58	**1400**
1450	145.85	150.16	150.16	-3.64	-22.61	-24.39	**1450**
1500	144.85	148.97	148.97	-3.57	-22.43	-24.20	**1500**
1550	143.85	147.78	147.78	-3.51	-22.24	-24.01	**1550**
1600	142.85	146.60	146.60	-3.45	-22.05	-23.83	**1600**
1650	141.97	145.72	145.72	-3.43	-21.98	-23.75	**1650**
1700	141.09	144.84	144.84	-3.40	-21.90	-23.68	**1700**
1750	140.22	143.97	143.97	-3.38	-21.83	-23.60	**1750**
1800	139.35	143.10	143.10	-3.35	-21.75	-23.53	**1800**
1850	138.66	142.23	142.41	-3.33	-21.68	-23.45	**1850**
1900	137.98	141.36	141.73	-3.30	-21.60	-23.38	**1900**
1950	137.31	140.49	141.06	-3.28	-21.53	-23.30	**1950**
2000	136.63	139.63	140.38	-3.25	-21.45	-23.23	**2000**
2050	135.88	138.88	139.63	-3.14	-21.29	-23.07	**2050**
2100	135.12	138.12	138.87	-3.04	-21.14	-22.91	**2100**
2150	134.37	137.37	138.12	-2.93	-20.98	-22.76	**2150**
2200	133.62	136.62	137.37	-2.82	-20.83	-22.60	**2200**
2250	132.88	135.88	136.63	-2.72	-20.67	-22.44	**2250**
2300	132.13	135.13	135.88	-2.61	-20.51	-22.29	**2300**
2350	131.38	134.38	135.13	-2.51	-20.36	-22.13	**2350**
2400	130.64	133.64	134.39	-2.40	-20.20	-21.98	**2400**
2450	130.17	132.98	133.73	-2.38	-20.13	-21.91	**2450**
2500	129.70	132.33	133.08	-2.36	-20.06	-21.84	**2500**
2550	129.23	131.67	132.42	-2.34	-19.99	-21.77	**2550**
2600	128.77	131.02	131.77	-2.32	-19.93	-21.70	**2600**
2650	128.30	130.55	131.30	-2.31	-19.86	-21.63	**2650**
2700	127.84	130.09	130.84	-2.29	-19.79	-21.56	**2700**
2750	127.38	129.63	130.38	-2.27	-19.72	-21.49	**2750**
2800	126.91	129.16	129.91	-2.25	-19.65	-21.43	**2800**
2850	126.41	128.47	129.41	-2.22	-19.54	-21.31	**2850**
2900	125.90	127.78	128.90	-2.20	-19.43	-21.20	**2900**
2950	125.40	127.08	128.40	-2.18	-19.31	-21.09	**2950**
3000	124.89	126.39	127.89	-2.15	-19.20	-20.98	**3000**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

ADJUSTMENTS AND ADDITIONS

HEATING AND COOLING SYSTEM ADJUSTMENTS: Additions or deductions per sq. ft. of ground area.

	Number of Stories							
	1	1+	1 1/4	1 1/2	1 3/4	2	Bi	Tri
HEATING SYSTEMS								
Forced-warm-air, without return ducts, deduct.	-0.98	-0.98	-1.23	-1.47	-1.72	-1.96	-1.96	-1.47
Forced-hot-water/steam, add.	3.47	3.47	4.35	5.21	6.07	6.94	6.94	5.21
Electric wall heaters, baseboard type, deduct.	-0.50	-0.50	-0.63	-0.75	-0.88	-1.00	-1.00	-0.75
Electric, ceiling radiant, deduct.	-0.88	-0.88	-1.10	-1.32	-1.54	-1.76	-1.76	-1.32
Electric wall heaters, deduct.	-2.69	-2.69	-3.37	-4.04	-4.71	-5.38	-5.38	-4.04
Radiant (in-floor), add.	3.53	3.53	4.43	5.30	6.18	7.06	7.06	5.30
Space heaters, deduct.	-2.82	-2.82	-3.54	-4.23	-4.94	-5.64	-5.64	-4.23
Wall or floor furnace, no ducts, deduct.	-2.43	-2.43	-3.05	-3.65	-4.25	-4.86	-4.86	-3.65
HEATING AND COOLING, COMBINED SYSTEMS								
Forced air, A/C using heating ducts, add.	6.56	6.56	8.23	9.84	11.48	13.12	13.12	9.84
Heat pump with supplemental heat, add.	4.07	4.07	5.11	6.11	7.12	8.14	8.14	6.11
Air conditioning only with separate ducts, add.	7.83	7.83	9.82	11.75	13.70	15.66	15.66	11.75
No heating, deduct.	-4.75	-4.75	-5.96	-7.13	-8.31	-9.50	-9.50	-7.13

Wood-burning unit added on to furnace: Add $2,102.50 to the final cost of home. Includes material and labor to connect to existing forced-air system. Extra chimney or flue costs which may be required by local codes are not included.

OVERHANGS

Add per square foot as follows:

Stories	Full Story	3/4	1/2
Siding and block.	66.67	56.01	34.68
Brick veneer.	72.69	59.71	36.22

MICHIGAN BASEMENT

Michigan basements can frequently be estimated by using 1/2 of the crawl space deduction. Deduct for no concrete floor: $4.54 per square foot of basement area.

HOUSE ON PIERS

When piers replace a full foundation wall, multiply the crawl space deduction by 1.45.

PLUMBING, SEWER AND WATER

Average cost per fixture.	$978
Extra bath, three fixtures.	3,097
Two fixtures.	2,054
Water softener, automatic.	2,204
Manual.	1,369
Solar water heating system with panels.	6,885
No plumbing, deduct.	-5,453
Extra toilet.	1,024
Extra sink.	619
Separate shower (fiberglass).	998
Ceramic tile floor.	775
Ceramic tile wainscoting.	2,005
Ceramic tile tub alcove.	670
Bathroom vent fan.	163

WATER AND WASTE DISPOSAL

City water and sewer connections.	$2,282
Water well 200 ft..	9,715
Septic system, 1,000 gallons.	4,068
2,000 gallons.	8,179

Locally derived costs should be entered on the front of the residential card.

MASONRY TRIM

Brick or equal, per sq. ft. of wall area.	$13.76
Brick 4' high, per lin. ft..	54.96
Brick, full 1-story, per lin. ft..	109.86
Brick, full 2-story, per lin. ft..	219.79
Stone or equal, per sq. ft. of wall area	29.27

BASEMENT FINISH

Costs per square foot of floor area:

Recreation room.	$17.60
Finished living area.	29.86
Walk-out, below grade, cost of door.	1,447
Walk-out, above grade, cost of door.	1,813

BUILT-INS

Appliance allowance, (if not itemized).	$1,591
Cooktop, countertop, four burners.	482
Dishwasher, built-in.	502
Garbage disposal.	176
Heater, bathroom, without fan.	163
With fan.	235
Hot tub, with whirlpool, built-in.	5,666
Hood, range, unvented.	222
Vented.	398
Intercom system, master station.	587
Satellite.	124
Whirlpool tub (Jacuzzi).	5,666
Whirlpool tub when it replaces regular bathtub	4,668
Oven, single, built-in.	861
Microwave.	215
Range, drop in, with standard oven.	913
With self cleaning oven.	1,187
Sauna with heater and controls.	4,140
Trash compactor.	711
Vacuum, central system.	2,282

CONVERSION FACTORS: For 2 1/2, 3 and 3 1/2 story Single-family Residences
Multiply the 2 story cost for the equivalent Ground Area by the following factors:
2 1/2 story, use 1.16; 3 story, use 1.36; 3 1/2-story, use 1.52.

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

ADJUSTMENTS AND ADDITIONS

CLASS D

FIREPLACES

Inside chimney, 1 story	$4,425
1 1/2 and 2 story	5,575
add for 2nd fireplace, same stack	3,750
Two sided fireplace	6,425
Outside chimney, 1 story	5,350
1 1/2 and 2 story	6,650
Prefabricated, 1 story	2,000
Add if 2 story	435
Heat-circulating device	550
Raised hearth	325
Wood burning stove, free standing permanent	1,900
Direct-vented (no chimney) gas fireplace	2,250

PORCHES AND DECKS: COMPONENT GUIDE

	CPP	CCP	CSEP	CGEP	WPP	WCP	WSEP	WGEP
FOUNDATION	X	X	X	X	X	X	X	X
FOOTINGS	X	X	X	X	X	X	X	X
STEPS	X	X	X	X	X	X	X	X
RAILS OR KNEE WALL		X	X			X	X	
ROOF		X	X	X		X	X	X
CEILING		X	X	X		X	X	X
SCREEN ON STUD WALL			X				X	
STUD WALL W/ WINDOWS AND SCREENS				X				X

CONCRETE FLOOR with 42" Foundation

WOOD FLOOR with 42" Foundation

Size for Rates	PLATFORM PORCH CPP	COVERED PORCH CCP	SCREEN-ENCLOSED PORCH CSEP	GLASS ENCLOSED PORCH CGEP	PLATFORM PORCH WPP	COVERED PORCH WCP	SCREEN-ENCLOSED PORCH WSEP	GLASS-ENCLOSED PORCH WGEP	Size for Rates
25	26.75	47.25	77.50	103.00	51.00	71.50	101.00	127.00	**25**
50	21.55	39.25	60.50	77.50	34.50	52.50	73.50	90.50	**50**
75	19.30	36.25	54.50	69.00	29.25	46.25	64.50	79.00	**75**
100	17.05	33.25	50.00	63.00	24.00	40.25	57.00	70.00	**100**
125	16.55	32.43	47.47	58.76	22.73	38.63	54.00	65.50	**125**
150	16.05	31.75	45.50	55.50	21.45	37.00	51.00	61.00	**150**
175	15.57	30.72	43.87	53.32	20.18	35.38	48.63	58.00	**175**
200	15.10	30.00	42.50	51.50	18.90	33.75	46.25	55.00	**200**
250	14.15	28.19	39.96	47.81	16.32	30.50	42.38	50.38	**250**
300	13.20	26.75	38.00	45.00	13.75	27.25	38.50	45.75	**300**
350	13.12	26.72	37.86	44.85	13.60	27.03	38.19	45.42	**350**
400	13.04	26.69	37.74	44.71	13.45	26.81	37.89	45.08	**400**
450	12.97	26.66	37.64	44.60	13.30	26.58	37.58	44.75	**450**
500	12.89	26.64	37.55	44.49	13.15	26.36	37.28	44.42	**500**
550	12.81	26.62	37.46	44.40	13.00	26.14	36.97	44.08	**550**
600	12.73	26.60	37.39	44.31	12.85	25.92	36.67	43.75	**600**
650	12.66	26.58	37.32	44.23	12.70	25.69	36.36	43.42	**650**
700	12.58	26.56	37.25	44.16	12.55	25.47	36.06	43.08	**700**

ADD / DEDUCT

Size for Rates	BASEMENT UNDER	SHALLOW FOUNDATION
25	21.65	-15.91
50	21.19	-11.61
75	20.86	-9.65
100	20.67	-8.48
125	20.54	-7.69
150	20.41	-7.04
175	20.28	-6.59
200	20.21	-6.19
250	20.08	-5.61
300	19.95	-5.15
350	19.82	-4.82
400	19.76	-4.50
450	19.63	-4.30
500	19.56	-4.11
550	19.49	-3.91
600	19.49	-3.78
650	19.43	-3.65
700	19.36	-3.52

For 2-story porches, add 22% for open porches and 60% for enclosed porches. Wood decks include posts on minimal footings, joists, girder, railings, decking, and up to four risers. For additional risers add $79 each. For wood decks with roofs, subtract the platform porch rate from the covered porch rate (at the appropriate size for rates) and add the difference to the appropriate wood deck rate.

WOOD DECKS

TREATED WOOD	PINE OR SIMILAR	REDWOOD OR CEDAR	Size for Rates
42.58	34.03	45.90	**25**
31.43	25.10	34.88	**50**
26.00	20.75	31.41	**75**
22.75	18.19	26.99	**100**
21.79	17.38	26.55	**125**
20.46	16.33	25.01	**150**
19.40	15.48	23.77	**175**
18.52	14.80	22.36	**200**
17.15	13.68	21.14	**250**
16.10	12.84	19.90	**300**
15.27	12.17	18.92	**350**
14.58	11.62	18.10	**400**
13.99	11.16	17.42	**450**
13.50	10.76	16.82	**500**
13.05	10.41	16.30	**550**
12.67	10.11	15.84	**600**
12.32	9.82	15.43	**650**
12.01	9.57	15.06	**700**

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

ADJUSTMENTS AND ADDITIONS

GARAGES: Base costs include electric lighting.

On slab – 18" Foundation				On slab – 42" Foundation				
Size In Sq. Ft.	Siding	Block	Brick Veneer	Siding	Block	Brick Veneer	Finished Interior	Size In Sq. Ft.
240	38.08	43.23	47.34	43.94	50.79	53.99	7.82	**240**
308	34.36	38.79	42.31	39.45	45.31	48.12	7.43	**308**
352	32.53	36.64	39.90	37.23	42.64	45.18	7.24	**352**
400	30.84	34.69	37.69	35.21	40.23	42.58	7.04	**400**
440	30.06	33.71	36.58	34.23	38.99	41.27	6.98	**440**
480	29.27	32.80	35.53	33.32	37.95	40.10	6.91	**480**
528	28.49	31.88	34.49	32.34	36.77	38.86	6.78	**528**
576	27.78	31.04	33.51	31.49	35.73	37.75	6.72	**575**
600	27.51	30.64	33.12	31.10	35.27	37.23	6.65	**600**
624	27.25	30.38	32.80	30.84	34.88	36.84	6.65	**624**
800	25.82	28.62	30.84	29.08	32.73	34.49	6.45	**800**
864	25.43	28.23	30.32	28.62	32.21	33.97	6.45	**864**
1020	24.71	27.32	29.34	27.71	31.17	32.73	6.32	**1020**
Common wall deduction for attached garage								
1/2-wall	861	1,050	1,187	1,082	1,317	1,434	—	**1/2-wall**
1-wall	1,728	2,106	2,380	2,165	2,634	2,869	—	**1-wall**
1 1/2-wall	2,588	3,156	3,566	3,247	3,958	4,303	—	**1 1/2-wall**
2-wall	3,456	4,212	4,753	4,329	5,275	5,738	—	**2-wall**

No concrete floor, deduct per sq. ft. . . . . -$5.41

Base cost includes uninsulated single or double garage doors, depending on the size of the garage. For insulated doors, add per square foot of door:

Single. . . . . $3.39 Double. $2.54

Door opener, radio controlled add. 411

For basement garage, add to residence:

1-car. . . . . $2,249 2-car. $3,130

1 1/2-car. 2,673 3-car. 4,173

For pole construction deduct 25% from 18" Foundation Siding rate.

For living area above garage use overhang rates. (Base cost contains forced-warm-air heat only. For other types of heating/cooling, use the 1-Story Heating and Cooling Adjustments for this square footage only).

For storage area above garage, add $10.11 per square foot (stairway, floorboards, electrical, 6-foot headroom).

BALCONIES (Airing)

(Costs per square foot of floor area:)

Wood floors. $26.25

Cement composition floor. 38.50

Add for roof. 16.35

BREEZEWAYS

Cost per square foot of floor area. Includes roof, ceiling, floor and walls. Heat not included.

	FINISHED INTERIOR	UNFINISHED INTERIOR
Framed wall, solid.	$51.44	$40.95
knee wall w/ glass and screen panel. .	71.07	62.46
Screen only.	39.71	32.27

CARPORTS

Cost per square foot of area covered. Includes roof structure and cover, posts, bracing, paint and concrete slab.

Aluminum, corrugated. $12.06

Composition shingles. 13.30

Built-up tar and gravel. 13.50

Wood shingles. 15.06

Fiberglass. 11.74

DRIVES, WALKS AND PATIOS

(Costs per square foot of floor area:)

Crushed rock. $2.26

Asphalt paving. 2.88

Asphalt paving w/sealer. 3.18

Concrete paving 3 1/2". 6.24

4". 6.43

4" reinforced. 7.01

5" reinforced. 7.41

Brick on 2" sand base. 16.23

Flagstone on 2" sand base. 18.19

Patio blocks on 2" sand base. 13.92

Please note that the above costs are valid for areas of 100 to 1,000 square feet. For areas less than 100 square feet, add from 10% to 100% per square foot. For areas greater than 1,000 square feet, deduct from 10% to 30% per square foot.

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

ADJUSTMENTS AND ADDITIONS

GREENHOUSES

The following are average costs per square foot for stock residential even span and lean-to greenhouses. Both greenhouses include a foundation and vents. No electrical, heating, or watering devices are included. The even span is free standing with four walls and a door on the gable end. The lean-to shares one wall with an adjoining building. Use the lump sum adjustment to further refine the cost.

SQUARE FOOT COSTS:
Per square foot of floor area.

AREA SQ. FT.	EVEN SPAN	LEAN-TO
50	91.00	88.00
100	77.00	73.50
150	70.50	66.00
200	66.00	61.50
250	62.50	57.50
300	60.50	55.50
400	57.00	51.50
600	52.00	45.75
800	49.50	42.25
1,000	46.25	-------

SQUARE FOOT ADJUSTMENTS:
Make the following adjustments to the square foot costs above.

Professional labor	(base)
Amateur workmanship	-20%
Custom Installation	+25%
Planting benches	$6.76
Partitions, glazed, per square foot of partition	$17.15
Not tempered	(base)
Tempered glass	+25%
Tinted glass	+15%
Insulate Glass	+60%
Pipe frame	-25%
Polyethylene Cover	-20%

LUMP SUM ADJUSTMENTS: Make the following Lump Sum additions as necessary.

AREA SQ. FT.	PLAIN GABLE END WALL DEDUCTION
50	$377
100	800
150	800
200	1,030
250	1,030
300	1,030
400	1,290
600	1,290
800	1,290
1,000	1,610

For gable end doors, add	$925
Heaters	1,030
Humidifiers	805
Coolers	1,630
Ventilating fans	510

SOLAR ROOMS


The following are average costs per square foot for three-sided lean-to glass solar rooms with curved eaves attached to a permanent structure used for living space or commercial applications. Costs include one end wall door, foundations and vents or windows. Floor, heat, electrical and plumbing are not included.

SQUARE FOOT COSTS:
Per square foot of floor area.

AREA SQ. FT.	COST
50	155.43
100	128.58
150	117.27
200	108.80
250	104.56
300	97.49
400	91.84
600	83.36
800	77.71
1,000	72.06

ADJUSTMENTS

Extra tall bays	+15%
Laminated wood framing	+10%
Straight eaves	-7%
Custom designed	+50%
For corner hips and valleys, add per square ft.	$41.68
For decorative lights incorporated into frame members, add per linear foot	27.27
For built-in shades, add per square foot	18.58
For motorized operation, add per operator	1,286



SOLAR ROOM/GREENHOUSE
CURVED-EAVE LEAN-TO

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.

© 2025 Marshall & Swift/Boeckh, LLC, all rights reserved.
Any reprinting, distribution, modification, reverse engineering, or creation of derivative works, is strictly prohibited.