

How to Set Up Vulnerability Detection in Wazuh for Threat Hunting

1- Definition

The vulnerability detection works like a system security guard that checks every software and tells us if the software is outdated or vulnerable.

It shows us vulnerabilities by taking the latest threat data from sources like **Wazuh CTI (Cyber Threat Intelligence)** platform, OS vendor advisories, and the **National Vulnerability Database (NVD)**

2- Step-by-Step Configuration & Navigation

A- Verify Agent Connection:

We need to make sure that our **Wazuh agents** like Windows, Linux, and others are connected to the Wazuh manager and are sending logs.

B- Configure the Wazuh Server:

We need to open the configuration file of the **Wazuh server or manager**. access the Wazuh manager configuration file here `/var/ossec/etc/ossec.conf`. Then locate the **vulnerability-detection** block and ensure the enabled setting is set to **yes** (it is enabled by default but should be manually checked if running an older setup).

```
<vulnerability-detection>
  <enabled>yes</enabled>
  <index-status>yes</index-status>
  <feed-update-interval>60m</feed-update-interval>
</vulnerability-detection>
```

NB: By default, it is already yes (enabled). If you are using an outdated version of Wazuh, it might be no. So, you have to manually set it to yes so that this module can be activated.

Analyze Results on the Wazuh Dashboard:

Click on vulnerability detection. Because we may have added or configured multiple machines, make sure to have some kind of vulnerability in your chosen machine, therefore, it is not showing you any data.


We have configured a vulnerable machine on our window endpoint. I will enable it.

It is showing us an eye-catching stat.



For example, we have 389 applications, apps, or software that are critically vulnerable.

With high severity, medium, or low, click on inventory.



The screenshot shows the Wazuh Vulnerability Detection interface. At the top, there's a navigation bar with 'Dashboard', 'Inventory', and 'Events'. Below it, a search bar and a 'Refresh' button are visible. The main area displays a table of vulnerabilities. The table has columns for 'agent.name', 'package.name', 'package.version', 'vulnerability.description', 'vulnerability.severity', and 'vulnerability.id'. The first row shows a vulnerability for 'Node.js' with a severity of 'High' and ID 'CVE-2025-59466'. The second row shows a vulnerability for 'Node.js' with a severity of 'High' and ID 'CVE-2025-51937'. The third row shows a vulnerability for 'Node.js' with a severity of 'High' and ID 'CVE-2025-59465'. The fourth row shows a vulnerability for 'Node.js' with a severity of 'High' and ID 'CVE-2025-55130'. The fifth row shows a vulnerability for 'Node.js' with a severity of 'High' and ID 'CVE-2025-55130'. The sixth row shows a vulnerability for 'Node.js' with a severity of 'High' and ID 'CVE-2025-55130'. The seventh row shows a vulnerability for 'Node.js' with a severity of 'High' and ID 'CVE-2025-55130'. The eighth row shows a vulnerability for 'Node.js' with a severity of 'High' and ID 'CVE-2025-55130'. The ninth row shows a vulnerability for 'Node.js' with a severity of 'High' and ID 'CVE-2025-55130'. The tenth row shows a vulnerability for 'Node.js' with a severity of 'High' and ID 'CVE-2025-55130'.

agent.name	package.name	package.version	vulnerability.description	vulnerability.severity	vulnerability.id
DESKTOP-J3GQ6K	Node.js	22.18.0	We have identified a bug in Node.js error handling...	High	CVE-2025-59466
DESKTOP-J3GQ6K	Node.js	22.18.0	A flaw in Node.js TLS error handling allows...	High	CVE-2025-51937
DESKTOP-J3GQ6K	Node.js	22.18.0	A malformed 'HTTP/2 HEADERS' frame can...	High	CVE-2025-59465
DESKTOP-J3GQ6K	Node.js	22.18.0	A flaw in Node.js's Permissions module allows...	High	CVE-2025-55130
DESKTOP-J3GQ6K	Node.js	22.18.0	A flaw in Node.js's permissions module allows...	Medium	CVE-2025-55132
DESKTOP-J3GQ6K	Microsoft Visual Studio 2019 Tools for Office...	10.0.50008	Visual Studio Tools for Office Runtime Spoof...	Medium	CVE-2022-36887
DESKTOP-J3GQ6K	Python 3.12.7 (64-bit)	3.12.7193.0	'ant-promise' and 'ant-promise'...	High	CVE-2025-7210
DESKTOP-J3GQ6K	Python 3.12.7 (64-bit)	3.12.7193.0	When loading a file, the file's module...	Medium	CVE-2025-55130
DESKTOP-J3GQ6K	Python 3.12.7 (64-bit)	3.12.7193.0	When loading a file, the file's module...	Medium	CVE-2025-13836

Here, it will show the list of all the applications or apps running on our vulnerable machine.

So, out of these, the first package, Node.js, is high.

Similarly, it will keep showing the vulnerabilities regarding these applications or packages here.


By clicking on vulnerability.id:



The screenshot shows a dropdown menu for 'vulnerability.id'. The first option is 'CVE-2025-59466', which is highlighted with a yellow circle. Other options include 'CVE-2026-21637', 'CVE-2025-59465', 'CVE-2025-55130', and 'CVE-2025-55130'.

vulnerability.id
CVE-2025-59466
CVE-2026-21637
CVE-2025-59465
CVE-2025-55130
CVE-2025-55130

It will take us to Wazuh CTI Cyber Threat Intelligence.



The screenshot shows the Wazuh CTI Cyber Threat Intelligence page for CVE-2025-59466. The page has a blue header with the Wazuh logo and navigation links. Below the header, there's a search bar and a filter section. The main content area shows the details of the vulnerability, including a description, a CVSS score of 7.5, and a list of affected packages. The CVSS score is displayed in a red circle with the text '7.5 High'. The affected packages are listed in a table with columns for 'Package', 'Version', and 'Severity'. The first package is 'Node.js' with version '22.18.0' and severity 'High'. The second package is 'Node.js' with version '22.18.0' and severity 'High'. The third package is 'Node.js' with version '22.18.0' and severity 'High'. The fourth package is 'Node.js' with version '22.18.0' and severity 'High'. The fifth package is 'Node.js' with version '22.18.0' and severity 'High'. The sixth package is 'Node.js' with version '22.18.0' and severity 'High'. The seventh package is 'Node.js' with version '22.18.0' and severity 'High'. The eighth package is 'Node.js' with version '22.18.0' and severity 'High'. The ninth package is 'Node.js' with version '22.18.0' and severity 'High'. The tenth package is 'Node.js' with version '22.18.0' and severity 'High'.

wazuh. Platform - Cloud CTI Documentation Services - Partners - Company - [Vulnerability](#) [Login](#)

Search

CVSS Score: 7.5 High

CVE-2025-59466

Published: 2025-12-01

Severity: High

Attack Complexity: High

Availability Impact: High

Confidentiality Impact: High

Integrity Impact: High

Attack Vector: Network

We have identified a bug in Node.js error handling where "Maximum call stack size exceeded" errors become uncatchable when 'async_hooks.createHook()' is enabled. Instead of reaching 'process.on('uncaughtException')', the process terminates, making the crash unrecoverable. Applications that rely on 'AsyncLocalStorage' (v22, v20) or 'async_hooks.createHook()' (v24, v22, v20) become vulnerable to denial of service crashes triggered by deep recursion under specific conditions.

Affected

And here, it is showing us its vulnerability (7.5) and its NVD National Database.

Here:

Affected

Source	Platforms	Vendor	Product	Version
NVD	All affected	Node.js	node.js	From 20.0.0 to 20.20.0 (excluding) +
Debian	Debian 12 Bookworm	Debian	libnode-dev	Up to 18.20.4+dfsg-1-deb12u2 (exclud...
Debian	Debian 12 Bookworm	Debian	libnode108	Up to 18.20.4+dfsg-1-deb12u2 (exclud...
Debian	Debian 12 Bookworm	Debian	libnode108-dbg-sym	Up to 18.20.4+dfsg-1-deb12u2 (exclud...
Debian	Debian 12 Bookworm	Debian	nodejs	Up to 18.20.4+dfsg-1-deb12u2 (exclud...

it is also showing us details on which distros are affected due to this vulnerability, which includes Debian, and it shows us its versions or flavors.

Here:

Metrics

Source	Score	Severity	Version	Vector
NVD	5.9	MEDIUM	CVSS3.0	CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:U/C:N/A/H
NVD	7.5	HIGH	CVSS3.1	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/A/H
Debian	-	NOT YET ASSIGNED	Other	-
AlmaLinux	5.9	MEDIUM	CVSS3.1	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/A/H
AlmaLinux	-	MODERATE	Other	-
Fedora	-	HIGH	Other	-
Oracle Linux	5.9	MEDIUM	CVSS3.1	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/A/H
Oracle Linux	-	IMPORTANT	Other	-
Red Hat	5.9	MEDIUM	CVSS3.1	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/A/H

We can check its metrics.

Plus here:

References

Source	URL
NVD	https://nodejs.org/en/blog/vulnerability/december-2025-security-releases
Debian	https://security-tracker.debian.org/tracker/CVE-2025-59466
AlmaLinux	https://access.redhat.com/security/cve/CVE-2025-59466
Fedora	https://bodhi.fedoraproject.org/updates/FEDORA-2026-5cd409edfa
Fedora	https://bodhi.fedoraproject.org/updates/FEDORA-2026-8663c5f961
Fedora	https://bodhi.fedoraproject.org/updates/FEDORA-2026-b7ad50870e

We can also check its references.