

# Network cutover runbook template

## Runbook: Network cutover (LB / DNS / firewall)

**SOW item 5.** Client network executes. Consultant drafted steps.

### When to use

- New prod Linux runtime gets **new private IP** behind existing LB/APIM
- Firewall allow-list updates for static IPs
- DNS points consumers to new endpoint
- **Not** hub/spoke rebuild (change order)

### Pre-requisites

| Item                                          | Owner         |
|-----------------------------------------------|---------------|
| Static IPs allocated (runner + runtime)       | Network       |
| <a href="#">EGRESS-ALLOW-LIST.md</a> approved | Network / CAB |
| NSG rules applied ( nsg-baseline )            | Platform      |
| Rollback DNS TTL documented                   | Network       |

## Wave template (per application)

| Step | Action                                                   | Owner    | Rollback       |
|------|----------------------------------------------------------|----------|----------------|
| 1    | Add <b>new backend</b> to LB/APIM pool (runtime IP:8080) | Network  | Remove backend |
| 2    | <b>Health probe</b> /health on 8080                      | Network  | Disable probe  |
| 3    | <b>Drain</b> old backend (if any)                        | Network  | Re-enable old  |
| 4    | Update <b>private DNS</b> if used                        | DNS team | Revert record  |
| 5    | Update <b>firewall</b> egress if new Snowflake path      | Network  | Revert rule    |
| 6    | <b>Smoke test</b> from consumer subnet                   | App      | —              |
| 7    | Remove old backend after 24h stable                      | Network  | —              |

## Firewall change packet (CAB)

Include for each rule:

| Field         | Example                       |
|---------------|-------------------------------|
| Source        | 10.1.2.20/32 (runtime static) |
| Destination   | *.snowflakecomputing.com      |
| Port          | 443                           |
| Justification | Prod Linux Dagster runtime    |
| Expiry        | N/A (permanent)               |
| Ticket        | CHG-XXXX                      |

## DNS cutover

| Record                   | Before | After                  | TTL                          |
|--------------------------|--------|------------------------|------------------------------|
| api.internal.example.com | old IP | runtime IP or LB front | <b>300s</b> for cutover week |

**Rollback:** Restore previous A record; TTL 300 limits propagation delay.

## Validation

```
# From jump host in consumer VNet
curl -vk https://api.internal.example.com/health
nslookup api.internal.example.com
```

| Test                     | Pass             |
|--------------------------|------------------|
| TLS terminates correctly | Cert valid       |
| Health 200               | Yes              |
| Snowflake egress         | App job succeeds |

## Escalation

| Level | Contact                         |
|-------|---------------------------------|
| L1    | Platform on-call                |
| L2    | Network (Patrick team)          |
| L3    | Firewall vendor / Azure support |

**Consultant:** Advisory during cutover window only.