

Registry & supply chain advisory (ACR Premium recommended)

Registry and supply chain — advisory decision (ACR)

SOW item 4 — environment improvement recommendation. **Opinionated default: ACR Premium** before UAT.

Decision summary

Option	Verdict	Use when
Azure Container Registry (Premium)	Recommended	UAT/prod path; banking private endpoint + RBAC
GitHub Container Registry (GHCR)	Transitional dev only	Phase 1 if ACR provisioning delayed — must migrate
Docker Hub / public registries	Reject	Audit and egress risk

ACR Premium — required capabilities

Capability	Setting
SKU	Premium
Admin user	Disabled
Public network	Disabled
Private endpoint	Required in app/build VNet
Content trust / signing	Enabled before prod
Quarantine policy	Enabled — scan before pull to runtime
Geo-replication	Prod registry only (optional DR)
Retention	Untagged >30d purge; keep 10 tags/app

Identity model

Principal	ACR role	Scope
Runner UAMI	AcrPush	Target repos only (gorobi , ingestion , apis , dagster)
Runtime UAMI	AcrPull	Same repos — no push
Developer (human)	AcrPush via PIM	Dev ACR only
CI workflow	OIDC federated credential	Optional alongside UAMI

Image lifecycle

flowchart LR

build[Runner podman build] --> push[ACR push git-sha tag]

push --> scan[Defender / Trivy gate]

scan --> uat[Deploy UAT runtime]

uat --> approve[Required reviewer]

approve --> prod[Retag / deploy prod]

Stage	Tag pattern	Mutable?
Dev build	gorobi:abc1234	No (immutable)
UAT pointer	gorobi:uat-latest	Yes
Prod pointer	gorobi:prod-latest	Yes
Release	gorobi:v1.2.3	No

GHCR migration path (if dev uses GHCR today)

Week	Action
1–2	Provision <code>acr-baseline</code> in dev sub
2	Update <code>build/images.manifest.json</code> ; dual-push dev only
3	Switch runtime pull to ACR on dev
4	Disable GHCR pull on UAT/prod paths
UAT gate	No GHCR references in UAT/prod workflows

Supply-chain controls (banking)

Control	Implementation
SBOM	Generate Syft SBOM in CI; store as workflow artifact
Provenance	SLSA Level 2 target — signed workflow + pinned actions
Base image pin	<code>FROM registry.redhat.io/ubi9/ubi:9.x</code> with digest in Dockerfile
Secret scan	Gitleaks in PR workflow
CRITICAL CVE	Block merge to <code>main</code> if CRITICAL in built image

Reference implementation

- Terraform: `infra/terraform/modules/acr-baseline/`
- Build: `build/scripts/build-push-images.sh`, `build/images.manifest.json`
- Workflow: `.github/workflows/build-images.yml`

Client sign-off: ☐ ACR Premium adopted ☐ GHCR exception documented

Industry references

Full map: [INDUSTRY-REFERENCES.md](#)

Topic	Source
ACR security	Container registry best practices · ACR authentication
Content trust	Container image trust
Vulnerability scanning	Defender for Containers
Container security	NIST SP 800-190
Supply chain	SLSA · OpenSSF
Base images	Red Hat UBI