Why the geometry of state space is non-Archimedean

p-Adic Topology

ZP Companion | Initial: April 2026 | Current: 1.21, October 2026

This companion explains the ideas in plain language with diagrams and real-world examples. It is not the formal document — every claim here restates a result already proved there. Consult that document for the authoritative mathematics.

Why p-Adic Geometry?

The standard choice for modeling distance — the real number line — is the wrong tool here. The real line is densely ordered: between any two distinct values there is always a third. This means there is no first nonzero step: for any candidate smallest distance ε, the value ε/2 is smaller and also positive. A framework that requires a definite first departure from null needs a geometry that can enforce one — the real line structurally cannot.

The 2-adic numbers take a different route. As a number system, $\mathbb{Q}_2$ also has no smallest nonzero element — you can always find something smaller. What changes is the topology: in $\mathbb{Q}_2$, zero is still a limit of nonzero elements — they can converge on it as closely as you like, so it is not isolated. What $\mathbb{Q}_2$ forbids is a continuous path: there is no continuous route from any nonzero element back to zero (Corollary C3). The space is totally disconnected, so the only way to reach zero is a discrete jump across a clopen gap, never a continuous slide — and that discrete jump is the Binary Snap. The gap is not enforced by the number system running out of small values. It is built into the geometry as a hard topological barrier. This is why $\mathbb{Q}_2$ — the 2-adic number field — is the natural mathematical language for a framework built on AX-B1 (the claim that a state either exists or it does not). Note: this framework makes no claims about physical cosmology. The framework concerns the logical structure of states — it is not a physical theory of how the universe began.

The key property

Mathematical object: 2-adic valuation $v_2(x)$.

What it measures in this framework: depth of binary structure — how many times 2 divides x.

The crucial point: 0 and any nonzero element lie in disjoint clopen sets of $\mathbb{Q}_2$. No continuous path connects them — the geometry enforces the binary gap.

Note on ε_0: ε_0 is a point of $\mathbb{Q}_2$, but not one with a fixed value you can look up — the 2-adic number system has no smallest nonzero size. ε_0 is the framework's name for the minimum viable departure from 0 of $\mathbb{Q}_2$, and it is located only by a rung: once a finest accessible valuation is chosen, any point at that valuation fills the role. The geometry provides the right topology; it does not fix the rung, and the rung does not fix the point.

What Is ZP-B Doing?

ZP-B puts the Zero Paradox on a specific geometric foundation: the 2-adic number field $\mathbb{Q}_2$. This is not standard Euclidean geometry. In $\mathbb{Q}_2$, closeness is 2-adic: two numbers are close when their difference is divisible by 2 many times over. The 2-adic valuation of zero, $v_2(0)$, is infinite, which places zero in a clopen class distinct from every nonzero element. It is not that zero is infinitely far away — 2-adic distances stay finite, and nonzero elements lie arbitrarily close to it — but that zero is cleanly walled off in its own clopen class, so any return would have to jump the gap rather than cross it continuously.

The starting point is a single axiom: AX-B1 (Binary Existence) — a state either exists or it does not. AX-B1 holds at every state with anything above it: each has a first distinct state above it, with nothing strictly between. A state with nothing above it owes no step. From AX-B1's two states (T0 Step 1), together with a minimality principle (MP-1), Theorem T0 proves the base is 2, so among the p-adic fields the framework uses $\mathbb{Q}_2$; that the geometry is p-adic at all is a motivated modelling choice. MP-1 itself is a design choice, the smallest base that encodes the two states with no unused digit, and not a theorem.

Real-world example — Light switch vs. dimmer

AX-B1 says existence is like a light switch: on or off, no dimmer. This is the foundational claim. From "binary only," together with MP-1, the base 2 follows mathematically; building a p-adic geometry on it is a modelling choice.


What Does "Non-Archimedean" Mean?

The title uses the term non-Archimedean, which simply means: the usual rule about distance does not apply. In ordinary geometry (Archimedean), if you take enough small steps you can travel any large distance — pile up enough pennies and you reach any amount. A non-Archimedean geometry breaks this: adding more small steps does not necessarily get you further. Distance is measured by a completely different rule — one based on divisibility by 2, not on cumulative size.

The practical consequence: in $\mathbb{Q}_2$, two points can be "far apart" even if their numerical difference looks small, and "close together" even if their numerical difference looks large. Closeness is about shared binary structure, not about proximity on the number line.

The Ultrametric: A Different Kind of Distance

In ordinary geometry the triangle inequality says: A-to-C $\leq$ A-to-B plus B-to-C. In $\mathbb{Q}_2$ a stronger law holds: A-to-C $\leq$ maximum of the two. This is the ultrametric. Every ball is simultaneously open and closed (clopen). There are no gradual boundaries — regions are entirely inside or entirely outside.



Two disjoint balls in $\mathbb{Q}_2$. They cannot overlap or gradually merge — completely separated. Every ball is both open and closed.

Real-world example — File folders on a computer


A file is either in a folder or it isn't — there's no "halfway in." Two files in completely different folder trees are maximally separated regardless of how similar their names are. This is ultrametric thinking: location in a hierarchy determines distance, not surface similarity.

The Ball Hierarchy Around Zero

The element $0 \in \mathbb{Q}_2$ is surrounded by nested clopen balls B(0,1), B(0,½), B(0,¼), ... getting smaller and smaller. While sequences of nonzero elements can approach 0 along these nested balls, 0 is clopen-separated from every nonzero element. To understand why, we need the concept of a 2-adic valuation.

The 2-adic valuation of a number counts how many times 2 divides it. For example: $12 = 4 \times 3 = 2^2 \times 3$, so its valuation is 2. The number 7 is not divisible by 2 at all, so its valuation is 0. In $\mathbb{Q}_2$, distance between two numbers is determined by their valuation: the more times 2 divides their difference, the closer they are. This is the opposite of ordinary intuition — high divisibility means proximity.

The element 0 has a special status: it is divisible by 2 an unlimited number of times ($0 = 2 \times 0 = 4 \times 0 = \ldots$ always). Its valuation is therefore infinite. This means 0 is at infinite "depth" in the hierarchy — no finite sequence of steps from the outside ever reaches it.



Balls in $\mathbb{Q}_2$ converging on 0 (amber). The ε_0 threshold (the size of any point at the chosen finest rung, not one fixed element of $\mathbb{Q}_2$) marks the Snap boundary. 0 is clopen-separated — no continuous path from outside ever reaches it.

Key Result: Total Disconnectedness (T5)

The only connected subsets of $\mathbb{Q}_2$ are single points. There are no curves, no paths, no continuous structures bridging regions. This is proven from the clopen ball structure — a theorem, not an assumption.

Key Result: The Snap is Topologically Irreversible (C3)

There is no continuous path from any non-zero point back to 0. This follows directly from total disconnectedness (T5). Irreversibility is a corollary of the geometry, not a postulate.

Note: sequences vs. continuous paths

Sequences of nonzero numbers can converge to 0 in $\mathbb{Q}_2$. For example, the numbers $(2/3)$, $(2/3)^2$, $(2/3)^3$, … have 2-adic norms 1/2, 1/4, 1/8, … approaching 0. This does not contradict C3. A sequence is a list of points; a continuous path is a curve connecting them. Total disconnectedness (T5) rules out continuous paths, not convergent sequences. The snap boundary is a barrier to paths, not to limits.

Real-world example — Crossing a river with no bridge

Imagine a world where rivers have no bridges and no fords. Once you're on one bank, there is literally no continuous path to the other. That's total disconnectedness. 0 is on one side; every nonzero element is on the other. The Snap is the only crossing, and it only goes one way.

Remember: The 2-adic structure — ultrametric, clopen balls, clopen separation of 0 — is fixed by the framework's axioms. ε_0 is a structural concept: a point of $\mathbb{Q}_2$ named by its rung rather than by a fixed value, filling the role of minimum departure from 0 relative to a chosen finest rung v ($\mathbb{Q}_2$ itself has no least nonzero step). Its size 2^{-v}, the Snap threshold, is set by that choice of rung; neither the point nor its threshold is a specific physical constant. The Zero Paradox is a structural argument, not a physical theory of our particular universe.