THE ZERO PARADOX

A Foreword for the General Reader

Initial: April 2026 | Current: 2.43, November 2026

I. THE QUESTION

Mathematics has always had a complicated relationship with zero. The word "zero" does not name a single object — it names a role, and that role is filled differently depending on the framework. In arithmetic, zero is the additive identity: the number that leaves everything unchanged when you add it. In set theory, zero is the empty set ∅: the foundation from which the hierarchy of numbers is constructed. In algebra — vector spaces, rings, modules — zero is the neutral element of addition, inheriting whatever structure the framework provides. In logic, the corresponding element is falsehood: the proposition that implies everything and is implied by nothing. In every case, zero occupies the same structural position: it is where things start.

This raises two questions that are easy to state and surprisingly hard to answer. The first is structural: what are the properties of that starting element itself? Not what comes after it — that is the story of mathematics as we know it. But the ground floor. The state before any state — called the bottom element (written $\bot$) of the framework's state semilattice. The second question is generative: across all these frameworks, is there a common account of what it means to transition from that bottom element to the first non-trivial state? Can that emergence be given a rigorous, multi-framework description?

These two questions are related but distinct. The first is about the properties of $\bot$. The second is about the transition $\bot \to \varepsilon_0$. The Zero Paradox framework addresses both.

> The central claim is this: zero is not the absence of mathematical structure. It is the unique minimal element of the induced partial order — the element below which no other state exists. The central theorem built on it is the Binary Snap, T-SNAP, proved with no Lean axioms (t_snap_derived, Section V); alongside it, the layers share one role, each layer supplying its own occupant (Section IV).

A note on the converse: one might observe that in any rich framework, zero is the trivial element — it inherits its structure from the framework around it. This is true, and it is not in conflict with ZP's thesis. The question ZP is asking is how minimal the framework needs to be before $\bot$ still has non-trivial properties. The answer, layer after layer, is: very minimal. That is the surprise.

II. THE ARCHITECTURE

The framework is built in layers, each self-contained within its own mathematical discipline, each contributing one dimension of the full picture. No layer is allowed to borrow from another until that other is internally closed.

The algebraic layer (ZP-A) works entirely within join-semilattice theory. It derives that $\bot$ is the global minimum of the induced partial order, and that any sequence of states generated by repeated joins is monotone. Monotonicity is a theorem here, not an assumption.

The topological layer (ZP-B) works within p-adic number theory. From the single axiom that the foundational distinction is binary, together with a minimality principle, it derives that the appropriate field is $\mathbb{Q}_2$, the 2-adic numbers. The field $\mathbb{Q}_2$ forces every ball to be clopen, which forces total disconnectedness, which makes the transition from zero to the first state topologically irreversible. This is proven, not assumed.

The information-theoretic layer (ZP-C) works within algorithmic information theory and discrete analysis on $\mathbb{Q}_2$. It introduces the incompressibility threshold and establishes the informational cost of the zero-to-first-state transition as exactly one bit. It also establishes that the act of execution is itself a state above c_0, the bottom element of the two-state machine carrier MachinePhase (c_1, the first running configuration), which allows the shape of the Binary Snap to be derived rather than assumed.

The Hilbert space layer (ZP-D) constructs an explicit map T from $\mathbb{Q}_2$ into a complex Hilbert space $H = \mathbb{C}^n$, with clopen separation in $\mathbb{Q}_2$ corresponding to orthogonality in H. T is proven to exist and to be unique up to unitary equivalence.

The bridge layer (ZP-E) is written last. It connects all prior frameworks, traces every cross-framework claim to specific theorems, and arrives at the closing result: the shape of the Binary Snap is a theorem, not an axiom, and that the Snap occurs follows from the occurrence commitment together with DA-1.

The category-theoretic layer (ZP-G) recasts the entire framework within category theory. It establishes the categorical zero — the initial object 0 — as the object with a unique morphism to every other object and no incoming morphisms from outside. The informational singularity at 0 is derived independently of the prior layers, converging on the same result from a structurally different direction.

ZP-H connects the categorical layer to each prior layer (lattice algebra, p-adic topology, information theory, Hilbert space) through four instantiation functors F_A to F_D. For F_A the lattice $\mathbb{N}$ under max, read as a category, has 0 initial. F_B, F_C and F_D have Lean functor terms running from the depth order on $\mathbb{N}$ into stand-in categories, and genuine-category versions bundled as mc1_correspondence (ZeroParadox/Multihomed/MC1Bridge.lean): there the stage-0 object is initial in the Hilbert-space and information realizations, and in the p-adic one the nested balls of $\mathbb{Q}_2$ intersect in {0}. That the layers describe one object is the reading MC-1 retires; what the functors carry is each layer's member of the bottom family.

The closure layer (ZP-I) proves T-IZ — the Inside Zero theorem: every maximal ascending chain in the state space converges, at its limit, to zero. Reading that limit as something filling the bottom role again is a commitment rather than a consequence; what is proved is the other half, that anything filling that role IS the bottom already there. Read as a closed cycle, the Snap produces states, states accumulate, and the accumulation returns to the bottom. Whether the bottom it returns to is a NEW one, rather than the one it

began at, is a modelling commitment (C-DA2) and not part of what T-IZ proves; in the 2-adic chart the arc comes back to the same zero.

The counterexample layer (ZP-F) establishes the negative boundary: in an ordered field, $\mathbb{R}$ and $\mathbb{Q}$ among them, 0 has no first step above it, AX-B1's form (f_snap_impossible, which, despite its name, states that no linearly ordered field has a least positive element). T-SNAP's shape does not need a first step: t_snap_given holds at a step taken in a densely ordered join-semilattice. ZP-F's proof is self-contained — no dependencies on the other layers. Q_2 does not restore the step: it is totally disconnected (padic_snaps, an instance Mathlib already supplies), which removes the topological obstruction and supplies no first step, since under the norm preorder its 0 is least and has no first step (ZeroParadox/BottomCannotBe.lean § ROLE).

The self-reference layer (ZP-J) proves T-EXEC: in any ZP-A lattice carrying the AFAStructure typeclass, whatever fills the Quine-atom role (the lattice encoding of the set Q = {Q}) is ⊥, axiom-free. CC-1 ($S_0 = \bot$) is restated as an equivalence, not forced: a sequence starts at a Quine atom exactly when it starts at ⊥, and on any lattice with a second point a valid sequence can start above ⊥. The layer also formalises the ZF+Foundation / ZF+AFA relationship and proves APG decoration uniqueness — every finite self-referential graph has at most one consistent decoration into the lattice.

The computational grounding layer (ZP-K) proves T-COMP: a three-way equivalence connecting the Quine atom, ⊥, and the join-identity element. Kleene's fixed point is not a fourth clause of it - the computational face enters as an assumption of the KleeneStructure class. da1_closed_concrete, the Lean counterpart of DA-1's structural Path 1, proves that c_0, the bottom of the two-state carrier MachinePhase, is a Quine atom; it mentions no code and no execution. DA-1's claim is that, given its precondition, instantiation at P_0 is an execution event moving the machine from c_0 to c_1; the precondition is what the occurrence commitment asserts, and DA-1 consumes it rather than proves it (ZP-E Section IV).

The incomputability convergence layer (ZP-L) establishes ε_0 — the first ordinal fixed point of ω^x — as the formal snap threshold. It connects ordinal arithmetic, p-adic convergence, and Rogers' fixed-point stability in a single canonical snap map. Its Lean development is ZeroParadox/Ordinal/Gentzen.lean.

The Kleene-ordinal bridge (ZP-M) constructs an explicit type bridge (MachinePhase → $\mathbb{Z}_2$), closes the free hypothesis gap from ZP-L, and co-proves the ordinal-2adic-phase triangle in a single theorem — the Kleene quine and ε_0 simultaneously witnessed in the same formal context.

III. THE FOUNDATIONAL COMMITMENTS

Every formal system rests on commitments it does not derive. The Zero Paradox framework is unusually explicit about its own. As of the current version, this framework introduces one novel axiom clause, and names it. Among the commitments stated explicitly: one substantive modeling commitment (AX-B1), two structural commitments (AX-G1, AX-G2) grounded in prior layers (AX-G2 where the category is built from an order) except for AX-G1's no-terminal half, which is ZP-G's own, two methodological principles, and one design commitment. CC-1 is a Conditional Claim that ZP-J restates rather than forces, CC-2 is a Forced Metatheoretic Commitment, and MC-1 names the bottom family rather than a commitment:

A note on metatheory: this framework is stated over ZF + AFA (Zermelo–Fraenkel set theory with Aczel's Anti-Foundation Axiom), not standard ZFC. AFA permits self-containing sets — in particular, sets x satisfying $x = \{x\}$. This matters only for CC-2 in the table below; every other result in this framework holds in standard ZF. Lean's model of sets with Foundation cannot host CC-2's set chart: there the Quine-atom role reads $x = \{x\}$, such a set would be a member of itself, which the Axiom of Regularity forbids (no set is self-membered, no_quine_atom), so no set occupies the role (zfset_quine_role_unoccupied). The Axiom of Choice is not assumed as a framework commitment, and the core does not use it: T-SNAP (t_snap_derived) depends on no Lean axioms at all (#print axioms is empty). Classical.choice does reach the realization layers, and not only by inheritance from Mathlib — the category-theory layer spends a bare classical written in framework source (fixedPointFree_of_nontrivial, in ZeroParadox/Category/Lawvere.lean), and that one is essential rather than incidental given a premise not proved in this corpus (that weak excluded middle is not derivable in Lean without choice; ZeroParadox/Category/ChoiceCannotBe.lean, Section IV), since wem_of_fixedPointFree derives weak excluded middle from the general fixed-point-free principle. Where a dependence comes from and whether it can be removed are independent questions: an inherited dependence can be essential too, on the corresponding premise for excluded middle (em_of_wellOrder_comparable, on Mathlib's InitialSeg.total). The measured footprints are a checkable artifact — ZeroParadox/AxiomProfile.lean, with ZP-K Section IV holding a dated measurement table for the computability layer.

ZF+Foundation and ZF+AFA are not two theories this work bridges — they are mutually exclusive foundational choices. Choosing one forecloses the other. The right image is a porthole, not a bridge: a wall that is solid and opaque everywhere except one piece of glass. The glass does not open. Through it, both frameworks share the same arithmetic fact. That object is zero. In the 2-adic integers, zero is divisible by 2 infinitely many times — a provable fact in standard ZF. In ZF+AFA, the same fact carries additional weight: infinite 2-adic divisibility is, in ZP's reading, the formal signature of a set that contains only itself. This work is built in ZF+AFA because the question it asks is about that second reading — what the arithmetic of zero means at the foundation, not just what it computes.

Label	Type	Statement
AX-B1	Modeling Commitment (the substantive one)	Binary Existence. A state either exists or it does not — existence is discrete/Boolean, not a continuum of partial existence. This is the framework's one substantive modeling commitment: the decide proof (ax_b1_distinct) verifies the two states are distinct given the two-element type, but the choice of a discrete alphabet over a continuum is the commitment itself, not what decide checks (in the reals 0 has no first step above it, AX-B1's form: f_snap_impossible, which, despite its name, states that no linearly ordered field has a least positive element).
AX-G1	Axiom	Initial Object Exists, and No Terminal Object. There is a starting point that reaches every object in exactly one way, and no end point that every object reaches in exactly one way. The starting point is not a novel commitment — the existence of $\bot$ as the bottom element of the ZP-A semilattice already guarantees it. The absence of an end point is ZP-G's own commitment: in ZP-A it is an optional hypothesis, which ZP-A's two-state carriers do not satisfy.

Label	Type	Statement
AX-G2	Axiom	Source Asymmetry. No morphism returns to the initial object from outside. Not a novel commitment where the category is built from an order: there a morphism into the bottom forces equality by antisymmetry (one instance: on the order of $\mathbb{N}$ there is no morphism $1 \to 0$, isEmpty_hom_one_to_zero), and in any category whose initial object is strict, every object not isomorphic to it has no morphism into it (ax_g2_from_strict_initial). It is not automatic in every category: in the Hilbert-space realization the zero morphism runs from each later stage back to the zero module at stage 0 (fD_has_return), and stage 1 is not a zero object (leaf_not_isZero). ZP-B C3 is its topological analogue: no path in Q_2 returns to 0.
MP-1	Principle	Minimality of Representation. The representational base must be the minimum sufficient base for AX-B1. Derives $p = 2$.
RP-1	Principle	Minimum Sufficient Probabilistic Representation. The probabilistic form of a binary state is a point-mass distribution.
DP-1	Design Commitment	Orthogonality. Clopen separation in Q_2 is represented by orthogonality in H. Chosen, not derived. Stated explicitly.
AX-1	Retired: shape → Theorem T-SNAP; the snap occurs given the occurrence commitment and DA-1	Binary Snap Causality. Previously an axiom, now retired. Its content was split in two: the shape of the Snap is proved, as Theorem T-SNAP (from L-RUN, TQ-IH and the bottom law, with no Lean axioms), and that the Snap occurs is stated separately: it follows from the occurrence commitment together with DA-1 (closed given DP-2). The occurrence commitment is stated in two charts, execution and slot, beside t_snap_given (ZeroParadox/Order/Snap.lean; indexed in ZeroParadox/Order/SnapCannotBe.lean § II and CLAIMS.md), the slot chart as the hypothesis hw of t_snap_of_fires_once, that the tape fires at some stage, beside the theorem trials_fires_once that firing has probability one, which names no tape (ZeroParadox/Information/CrossingTrials.lean § VIII). (tsnap_holds_but_nothing_moves shows T-SNAP does not carry occurrence.)
MC-1	The bottom family (not a commitment)	The four domain bottoms (ZP-A semilattice, ZP-B p-adic topology, ZP-C information theory, ZP-D Hilbert space) form one family, each a member characterized by shared criteria and the same diagonal fixed-point shape. Membership is proved per domain: mc1_correspondence (ZeroParadox/Multihomed/MC1Bridge.lean) bundles the realizations in three genuine categories (Hilbert space, information, p-adic topology); in ZP-H, F_B, F_C and F_D also have Lean functor terms into stand-in categories, and F_A is the lattice $\mathbb{N}$ under max read as a category. The former numerical identity — that the four are one object — is retired as ill-typed (object equality across categories does not typecheck and is not invariant under equivalence); what separates the members is proved property by property (seam_unique_among_named, ZeroParadox/Category/SeamUniqueness.lean, for the named bottoms, in a lattice with no top).

Label	Type	Statement
CC-1	Conditional Claim (restated in ZP-J, not forced)	$S_0 = \bot$. The initial state equals the bottom element $\bot$ of the state semilattice. T2 establishes $\bot \leq S_0$ unconditionally; the strengthening to equality is a modelling commitment. ZP-J restates it: in any AFAStructure lattice a sequence starts at a Quine atom exactly when it starts at $\bot$ (cc1_derived, t_exec_iff; axiom-free, Lean), so the choice of starting point is expressed through the Quine-atom role, not removed.
CC-2	Forced Metatheoretic Commitment	The Quine atom, a role: a point that steps to itself and to nothing else (the die, ZeroParadox/Die.lean; Aczel 1988, Example 1.3, pictures $\Omega = \{\Omega\}$ as one node with a loop), whose occupancy each chart settles by its own theorem, with no equation across charts. $\bot$ of the state semilattice occupies it under a self-application map that fixes $\bot$ and nothing else (selfApp_quine_role_iff); in a membership host whose distinguished element is its own only member and the only element so placed, the profile AFA gives, that element occupies it (quineAtomHost_quine_role_iff). In Lean's model of sets with Foundation, where the role reads $x = \{x\}$, no set occupies it, since such a set would be a member of itself, which Foundation (the Axiom of Regularity) forbids (zfset_quine_role_unoccupied, from no_quine_atom). That half is forced, and it runs one way: a host whose bottom is its own only member is not well-founded (quineAtomHost_not_wellFounded). Run backwards it selects no theory: which anti-foundation axiom to adopt is a further choice, and the framework adopts AFA as the canonical host (ZP-E Remark R-AFA). What remains a commitment is that a unique Quine atom is the right requirement to demand, and the choice of AFA among the axioms meeting it. Fixed-point content formally verified in ZFC by ZP-J (ScaleBridge). The set-theoretic interpretation is given in ZF+AFA.

IV. THE PARADOX

Zero — the bottom element $\bot$ of the state semilattice L, the element $0 \in Q_2$, the vector $T(0) \in H$, the initial object in C — is the foundational element of every layer of the framework. Algebraically, $\bot \leq x$ for all x in L. Topologically, 0 is the base of every ball in Q_2. In Hilbert space, T(0) is the anchor from which every state vector is built. Categorically, 0 is the unique object with a morphism to every other. Zero is not prior to the framework. It is structurally present within every element of it.

There is a deeper unity here than shared position. In each layer $\bot$ plays the same role, beyond being the starting element: the role of the element that refers to itself, with its occupant supplied per layer. In set theory under AFA it is the Quine atom, the role a set $x = \{x\}$ plays, a set whose only member is itself (in the die, a point that steps to itself and to nothing else, Section VII); in Lean's model of sets with Foundation, a setting that cannot host CC-2's set chart (Section III) and not one of the framework's layers, the role has no occupant (zfset_quine_role_unoccupied, Section VII). In computation the role is filled by a code from the Rogers / Kleene fixed-point theorem: for every computable transform f of codes there is a code c with eval (f c) = eval c (Rogers' form, computability_face_fixedPoint, ZeroParadox/Category/Lawvere.lean). Such a code is a term of another type than $\bot$ of the ZPSemilattice. The KleeneStructure class requires a code meeting a periodicity condition (botCode_is_quine); reading that code as the computational face of $\bot$ is the

commitment, not a theorem (ZeroParadox/Computability/Kleene.lean). In the 2-adic numbers it is the point infinitely divisible into itself, $v_2(0) = \infty$. In ZP-G's category it is the initial object, the source from which every arrow departs and to which none return (AX-G2); in the Hilbert-space realization, where the initial object is the zero module, the zero morphism does return to it. These are not loose analogies. The framework read them as faces of one object: a self-referential fixed point. It proves the lattice, 2-adic and categorical faces in their own domains and carries the computational one as a requirement; that they are one object is the reading the next paragraph retires.

Mathematics already has a name for this shape, and a theorem that unifies it: Lawvere's fixed-point theorem (1969) shows that Cantor's diagonal argument, Russell's paradox, the fixed-point lemma at the heart of Gödel's incompleteness, and Tarski's undefinability theorem are one move — the diagonal, the turn of a system back on itself. Yanofsky (2003) restated this in plain set-and-function terms and extended it across logic and computation, where it reaches Turing's halting argument and Kleene's recursion theorem. What is unusual in the Zero Paradox is its location. Self-reference is normally a ceiling phenomenon: it appears at the limits of a system, in the sentences a theory cannot prove about itself. Here it sits at the floor. For the faces formalized in ZP-R (Section III), Lawvere's theorem is the translation key between them, not a mechanism every face instantiates, and the self-application role is filled per face. Whether the faces are all one object is not an open question but a retired one: it is retired as ill-typed (object equality across categories does not typecheck and is not invariant under equivalence). What survives is the family.

> At the same time: zero is the unique point in the framework where the standard tools of mathematical description fail. Not by accident. Not by inadequacy of construction. By necessity.

V. THE RESOLUTION

The paradox is resolved — not dissolved. The resolution provides the correct tools for working at the boundary: the discrete operators of ZP-C, native to Q_2, requiring no smoothness.

Under these operators, finite paths through $Q_2 \setminus \{0\}$ are conservative. Non-conservation appears in the infinite regime: infinite sequences through the ball hierarchy approaching zero accumulate surprisal without bound. The surprisal field has a singularity at zero. Every infinite path toward the foundational element encounters unbounded informational content.

The framework lives at that boundary intentionally. Each layer arrives at the same boundary from its own direction. That convergence is the framework's central result. Alongside that convergence, the layers share one role, each layer supplying its own occupant (Section IV), and that sharing is not one theorem. The framework's central theorem is the Binary Snap, T-SNAP: in the two-state carrier MachinePhase, the step from its bottom element c_0 to c_1 is a valid join step to a different state, proved with no Lean axioms at all (t_snap_derived, ZeroParadox/Order/Snap.lean; the general form, which takes the start at $\bot$ and the occurrence at the first step as hypotheses, is t_snap_given). Density rules out a first step, AX-B1's form: an order is dense exactly when no element has one (axb1_fails_everywhere_iff_dense, ZeroParadox/Reals/OrderedField.lean, the corpus restatement of Mathlib's

denselyOrdered_iff_forall_not_covBy). In MachinePhase, c_1 is a first step above c_0 (t_snap_derived_cover, ZeroParadox/Order/Snap.lean); in an ordered field, ℝ and ℚ among them, no first step above 0 exists (f_snap_impossible, which, despite its name, states that no linearly ordered field has a least positive element); one element without a first step does not make an order dense. T-SNAP's shape does not need it: t_snap_given holds at a step taken in a densely ordered join-semilattice too. That the step occurs is the occurrence commitment (with DA-1, Section III), not something the theorem proves (t_snap_given takes it as a hypothesis).

> In a densely ordered field such as ℝ, the field's 0 has no first step above it (f_snap_impossible). In a discrete carrier it does: in the two-state carrier MachinePhase, c_1 is a first step above c_0, the ⊥ of MachinePhase (t_snap_derived_cover).

VI. WHAT THIS IS AND IS NOT

This is a rigorous mathematical framework. Every theorem is proved from stated axioms and principles. Every cross-framework claim is traced to specific theorems with explicit bridge axioms where required.

This is not a physical theory. The framework is instantiation-independent — its results hold for any structure satisfying the axioms, not for our universe specifically. ε_0 is a structural threshold defined by the framework's axioms, not a physical constant.

This is not a claim about consciousness, qualia, or the hard problem. The framework is silent on these questions.

The open commitments are honest. The one novel axiom clause is named: AX-G1's no-terminal half, ZP-G's own. One substantive modeling commitment (AX-B1), two structural commitments, two principles, and one design commitment are stated; CC-1 is a Conditional Claim restated in ZP-J, CC-2 is a Forced Metatheoretic Commitment, and MC-1 is the bottom family. The framework does not launder their status. AX-B1 — binary existence — is the framework's one substantive modeling commitment: that existence is discrete rather than a continuum of partial states. The decide proof (ax_b1_distinct) checks only that the two states are distinct given the two-element type; the discreteness choice itself is the commitment, and in an ordered field, ℝ among them, 0 has no first step above it (f_snap_impossible: no linearly ordered field has a least positive element), while T-SNAP's shape does not need one (t_snap_given). The theorems stand on their own axioms regardless.

VII. HOW THE ROLE READING GREW

The first paragraph of this Foreword says that the word zero does not name a single object, and that it names a role filled differently depending on the framework. That sentence has been in the Foreword since 19 April 2026, three days after the Foreword was first committed, and it has been in the Foreword of every release since the first, in May 2026. It is the earliest place we have found in this repository where zero itself is called a role, and at the time it was a plain-language observation. Two days later, on 21 April 2026, the Lean for ZP-E already characterised the ⊥ role inside one semilattice: ⊥ is the one element whose join with any

element returns that other element unchanged (da2_bottom_characterization, now in ZeroParadox/Order/Snap.lean).

The formal corpus took up the general form of the reading later, in three steps; the third, chart by chart, ran from October to 1 November 2026. In October 2026 the framework stated the general form in Lean: a bottom is a position in an ordered structure, a structure has at most one occupant of it and may have none, and one carrier with two different orders can have two different occupants (ZeroParadox/BottomCannotBe.lean, its ROLE section; for epsilon-zero, ε_0, ZeroParadox/Ordinal/Epsilon0CannotBe.lean, sections I-b and I-c). Later that month the die (ZeroParadox/Die.lean), a small common language of points and the steps between them, gave these roles one shared vocabulary. In it the self-referential role of Section IV is a point that steps to itself and to nothing else (in Markov-chain language, an absorbing state), and each setting, called a chart, answers by its own theorem whether some point fills that role. Some charts had such theorems in October; on 1 November 2026 the set-theoretic, lattice and coalgebra charts named next gained theirs. In Lean's model of sets, where a set steps to its members and Foundation holds, no set occupies the role (zfset_quine_role_unoccupied, ZeroParadox/Settheory/Wall.lean). In the final coalgebra of the identity functor, a one-element set (Rutten 2000, Example 10.2(1)), a point does (cofix_quine_role_occupied, ZeroParadox/Settheory/Coalgebra.lean); since the set has only one element, there the theorem restates the carrier rather than separating anything. On a join-semilattice whose self-application map is assumed to fix its least element $\bot$ and nothing else, exactly one point occupies the role (selfApp_seam_role_unique, ZeroParadox/Order/SeamSchema.lean), and that point is $\bot$ because the map fixes $\bot$. For a coalgebra of a polynomial functor, under its next-time operator exactly one subset of the carrier occupies the role exactly when the coalgebra is well-founded (seam_role_unique_iff_wellFounded, ZeroParadox/Category/RootCutDegeneracy.lean); that is how Adámek, Milius and Moss (2020, arXiv:1910.09401v2, Definition 4.3, after Taylor) define a well-founded coalgebra, so in that chart the theorem restates the definition.

The project's releases record the earlier stages of the same reading. A release of 10 June 2026 described $\bot$ as the same self-referential fixed point in every layer, presented as an identification; the next release, that same week, kept the literal cross-category identity as a chosen commitment; a release in July 2026 fenced the cross-domain identity as a type boundary (in ZP-Q). Each of those statements had to be written and kept consistent by hand. Stated as a role, there is no equation across charts left to fence: an equation between objects of different types does not typecheck, and each chart named above answers by a theorem that Lean checks; the computational face stays a commitment (Section IV). Each published release is a Zenodo snapshot with a permanent DOI, so every stage stays readable as it was published, and each correction reaches readers in a later release while the earlier statement stays on the record. That self-correction is part of what the releases record.

The role reading retires identity claims across charts, and only those. It does not retire the framework's commitments about the world. AX-B1, that existence is discrete rather than a continuum of partial states, remains the one substantive modeling commitment, and that the Binary Snap occurs remains the occurrence commitment (with DA-1, Section III). Whether the bottom element of the state space that an ascending chain returns to is a new one also remains a commitment (C-DA2, Section II).

VIII. A NOTE ON READING THE DOCUMENTS

The technical documents ZP-A through ZP-M are formatted as ontologies, not as discursive mathematical writing. Each claim appears in a labeled box with its status — Axiom, Principle, Design Commitment, Defined, Derived, Conditional, or Remark. Proofs are included inline. Open items are tracked explicitly.

A mathematician reading ZP-A will find it elementary — basic semilattice theory with clean proofs. The novelty is not in the mathematics of any single layer. It is in the discipline of the connections: the requirement that each layer be internally closed before any cross-framework claim is made.

The bridge document ZP-E is worth reading last, after the four constituent algebraic, topological, information-theoretic, and Hilbert space layers, because it earns its claims in the only way that counts — by pointing back to proofs that are already complete. ZP-H plays an analogous role for the category-theoretic side: read it after ZP-G.

The mathematics here is not new in its parts. Join-semilattices, p-adic numbers, Jensen-Shannon divergence, Hilbert space basis assignment, initial objects in category theory — these are established structures with well-understood properties. What is new is the conjunction: the claim that these structures, independently developed within their own disciplines, converge on the same foundational role, each with its own occupant, characterise the same transition, and illuminate the same paradox from different directions.

The answer, if the framework holds, is that zero is not the absence of everything. It is the presence of the minimum sufficient condition for everything — the one element that every state inherits, that every measurement is taken from, that every description presupposes, and that no description, in the standard sense, can reach.