

# 360 Marketing

Tool design document, submitted in support of an application for Basic access to the Google Ads API.

|                                     |                                                                                                                                                                                                    |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Company</b>                      | The Furniture Shack Pty Ltd                                                                                                                                                                        |
| <b>Websites advertised</b>          | <a href="https://www.thefurnitureshack.com.au/">https://www.thefurnitureshack.com.au/</a> — a Shopify store, <a href="https://thefurnitureshack.myshopify.com">thefurnitureshack.myshopify.com</a> |
| <b>Contact</b>                      | <a href="mailto:office@thefurnitureshack.com.au">office@thefurnitureshack.com.au</a>                                                                                                               |
| <b>Google Ads manager account</b>   | 235-908-4368                                                                                                                                                                                       |
| <b>Google Ads accounts accessed</b> | 821-497-7043 (The Furniture Shack), 108-381-7641                                                                                                                                                   |
| <b>Tool name</b>                    | 360 Marketing                                                                                                                                                                                      |
| <b>Tool type</b>                    | Internal reporting and budget-management tool. Not a product, not resold.                                                                                                                          |
| <b>Access requested</b>             | Basic                                                                                                                                                                                              |

## 1. Business model

We are a furniture retailer. We sell our own products directly to consumers through our own e-commerce store, which runs on Shopify, and we advertise only that store. Every Google Ads account this tool will touch is owned by us and promotes websites we own.

We do not manage advertising for any other business, we do not act as an agency, and we do not resell advertising, reporting, or API access to anyone. Revenue comes from selling furniture, not from the tool.

## 2. Tool access and use

360 Marketing is a self-hosted internal tool. Today it runs on the business owner's own computer and listens only on localhost; it is not published to the internet and has no public address. If it is later moved onto a private server for staff use, access will be restricted to named employees behind authentication. No client, agency, or third party will have access to the tool at any point.

### Who uses it

- The business owner, and in future a small number of our own staff responsible for buying media.
- Nobody outside the company. We have no external users and no plans for any.

### What they use it for

- Viewing spend, clicks, conversions and return for our own campaigns across Google Ads and our other advertising channels, side by side and in one currency.
- Comparing what each advertising platform reports against orders actually recorded in our Shopify store, so that a campaign is judged on sales we can see rather than on the platform's own conversion count.
- Deciding where to move budget: identifying campaigns that are spending without returning, and campaigns that are returning well and are limited by their daily budget.
- Pausing a campaign, or changing its daily budget, when the operator decides to act on what the reporting shows.

### 3. Tool design

The tool pulls metrics from the Google Ads API into a local database. The interface reads from that database rather than calling the API on every page view, so ordinary use produces no API traffic at all.

#### Data flow

| # | Stage        | What happens                                                                                                                                                                                                                             |
|---|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Authenticate | The operator signs in with their own Google account through the standard OAuth 2.0 consent flow, granting the <b>adwords</b> scope. Refresh tokens are stored encrypted; no service account or shared credential is used.                |
| 2 | Pull         | A sync requests a 90-day window of daily campaign, ad group and ad performance through <code>GoogleAdsService.SearchStream</code> , plus the account's own details. Each sync issues roughly five requests per account.                  |
| 3 | Normalise    | Figures are converted from micros to account currency and written into a local SQLite database in the same shape used for every other advertising channel, so that no part of the analysis is specific to one platform.                  |
| 4 | Match        | Orders pulled from our Shopify store are matched to campaigns by Google click identifier (GCLID) first, then campaign tagging, then source tagging. Unmatched revenue is reported as unmatched rather than distributed across campaigns. |
| 5 | Report       | The interface reads only from the local database. Spend, matched revenue, return on spend, cost per acquisition and gross profit are shown per channel, per campaign and per ad, over a date range the operator selects.                 |
| 6 | Act          | If the operator chooses, the tool writes back a campaign pause or a daily budget change. Writes never happen automatically; each one is a deliberate click on a named campaign, and is recorded in a local action log.                   |

#### Sync frequency

Syncing is currently started by hand from the interface, typically once or twice a day. We intend to add a scheduled sync that runs at most once per hour, and in practice expect to run it daily, since our reporting window is daily. There is no per-page-view API call and no polling loop.

#### Storage and security

- Data is held in a local SQLite database file on the machine running the tool. It is not sent to any third-party service and is not shared with anyone outside the company.
- OAuth tokens are encrypted at rest with AES-256-GCM under a key held in the environment, and are never returned to the browser or displayed in the interface.
- Only aggregate advertising performance and our own store's order records are stored. No personal data about consumers is retrieved from the Google Ads API.
- Because the tool is single-tenant and runs on our own hardware, there is no shared infrastructure and no other party's data in the same database.

## 4. API services called

The tool calls the Google Ads REST interface. The API version is resolved at runtime rather than pinned, so the tool moves off a version before it is sunset. The complete list of calls the tool makes is below; nothing else is used.

| Endpoint                                           | Service                                              | Purpose                                                                                                                                                                                                                           |
|----------------------------------------------------|------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GET <code>customers:listAccessibleCustomers</code> | <code>CustomerService.ListAccessibleCustomers</code> | Discover which of our own accounts the signed-in user can reach, so the operator can pick the right one. Read-only, called once per connection.                                                                                   |
| POST <code>googleAds:searchStream</code>           | <code>GoogleAdsService.SearchStream</code>           | All reporting. Read-only. Queries the <b>customer</b> , <b>campaign</b> , <b>campaign_budget</b> , <b>ad_group</b> and <b>ad_group_ad</b> resources, with <b>metrics</b> and <b>segments.date</b> , for a trailing 90-day window. |
| POST <code>campaigns:mutate</code>                 | <code>CampaignService.Mutate</code>                  | Pause one named campaign. Write. Only ever triggered by the operator clicking Pause on that campaign; never scheduled or automatic.                                                                                               |
| POST <code>campaignBudgets:mutate</code>           | <code>CampaignBudgetService.Mutate</code>            | Set the daily budget of one campaign. Write. Only ever triggered by the operator applying a proposed budget shown in the interface.                                                                                               |

### Fields retrieved

`campaign.id`, `campaign.name`, `campaign.status`, `campaign.advertising_channel_type`, `campaign.start_date`, `campaign.end_date`, `campaign_budget.amount_micros`, `ad_group.id`, `ad_group.name`, `ad_group.status`, `ad_group_ad.ad.id`, `ad_group_ad.ad.name`, `ad_group_ad.ad.type`, `ad_group_ad.ad.final_urls`, `ad_group_ad.ad.responsive_search_ad.headlines`, `ad_group_ad.ad.responsive_search_ad.descriptions`, `ad_group_ad.status`, `customer.id`, `customer.descriptive_name`, `customer.currency_code`, `customer.time_zone`, `metrics.impressions`, `metrics.clicks`, `metrics.cost_micros`, `metrics.conversions`, `metrics.conversions_value`, `metrics.video_views`, `segments.date`.

### Compliance

- The tool is for our own accounts only. It will not be offered to, sold to, or operated on behalf of any other advertiser.
- No Google Ads data is passed to any third party. Reports are read inside the business.
- Requests are rate-limited and retried with exponential backoff, honouring Retry-After; failed requests are not retried in a loop.
- We will comply with the Google Ads API Terms and the Required Minimum Functionality policy, and will keep the tool's API usage within the scope described in this document.

## 5. Screenshots

The tool is built and running. The screens below are from the working application; because our Google Cloud project is not yet approved for production accounts, they are populated with representative sample figures rather than live Google Ads data. Layout, calculations and controls are exactly as they will be with live data.

**360 Marketing** spend · sales · signal Overview Channels Campaigns Sales Actions Creative lab Inspiration Ask Connections

## Where the money went

30 days to 2026-09-15 · 2 channels · 53 attributed orders

AD SPEND

**\$22.9K**

▼ 1.1% vs prior half

TRACKED REVENUE

**\$80.5K**

▲ 12.6% vs prior half

RETURN ON SPEND

**3.52x**

Break-even 1.67x · target 3.0x

GROSS PROFIT

**\$25.4K**

At a 60% margin, after ad spend


DRAINING NOW

**\$0**

Per month, in campaigns that cannot pay for themselves

### Spend against tracked revenue

Both in the same currency, so they belong on one axis. Two scales on one plot invent a relationship that is not in the data.



### Spend by channel

Where the budget is going.



### Return by channel

The same channels, ranked by what they give back rather than what they take.



Break-even is 1.67x at your margin. Anything under that is selling at a loss no matter how large the revenue line looks.

### Do these first

Ranked by money, not by tidiness.

[Full list](#)

- Search — Outdoor Furniture: platform reports sales the store cannot see** **\$2,690 /mo**

The platform claims 7 conversions but no store order carries this campaign's click id or UTM. That is a tracking break far more often than it is a real gap — fix attribution before judging the campaign, because right now it cannot be judged at all.
- PMAX — Lounge & Sofas: winning and capped by its budget** **\$2,543 /mo**

ROAS of 4.14 on 14 orders, comfortably above the 3.0 target. Daily spend is sitting at 213 against a 220 cap, so demand is being turned away. Raise the cap 35% and watch CPA for a week. The estimate below already discounts for diminishing returns.
- Retargeting — Cart Abandon: winning and capped by its budget** **\$2,045 /mo**

ROAS of 7.05 on 12 orders, comfortably above the 3.0 target. Daily spend is sitting at 74 against a 75 cap, so demand is being turned away. Raise the cap 35% and watch CPA for a week. The estimate below already discounts for diminishing returns.
- Search — Brand: winning and capped by its budget** **\$1,679 /mo**

ROAS of 7.19 on 10 orders, comfortably above the 3.0 target. Daily spend is sitting at 59 against a 60 cap, so demand is being turned away. Raise the cap 35% and watch CPA for a week. The estimate below already discounts for diminishing returns.
- Prospecting — Lookalike 2%: below target return** **\$369 /mo**

ROAS of 2.20 against a 3.0 target. Profitable but not competitive with the best use of the same dollar.

### How much of this can you trust?

\$19.6K of store revenue — 20% of the total — arrived with no click id and no campaign tag. Some of that is genuinely organic, direct and email. Some of it is paid traffic whose tracking broke on the way in. Until that share comes down, every channel below is being judged on slightly less than the full picture, and the weakest-looking channels are the ones most likely to be underselling themselves. [See the attribution breakdown.](#)

Attributed revenue comes from matched store orders. Platform-reported revenue is each network marking its own homework — the two are never merged.

Overview — spend, revenue matched to store orders, return on spend and gross profit for the selected window, with the ranked list of what to act on first.

360 Marketing

spend · sales · signal

Overview

Channels

Campaigns

Sales

Actions

Creative lab

Inspiration

Ask

Connections

### Campaigns

6 campaigns across 2 channels · 30 days to 2026-09-15

#### Every campaign, ranked by spend

Proposed daily is what the optimiser would set if you let it rebalance the same total budget.


| CAMPAIGN                                                                                                                                                               | SPEND   | REVENUE | ORDERS | ROAS  | CPA   | PROFIT   | DAILY NOW | PROPOSED   | TREND | ACT                               |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|---------|--------|-------|-------|----------|-----------|------------|-------|-----------------------------------|
| <div><div></div><div>PMax — Lounge &amp; Sofas</div><div>Google Ads · PERFORMANCE_MAX</div></div>                                                                      | \$6,397 | \$26.5K | 14     | 4.14x | \$457 | \$9,477  | \$213     | \$299 +40% |       | <div>Pause</div> <div>Apply</div> |
| <div><div></div><div>Prospecting — Lookalike 2%</div><div>Meta Ads · CONVERSIONS</div></div> <div><div></div><div>below target return</div></div>                      | \$5,531 | \$12.2K | 8      | 2.20x | \$691 | \$1,768  | \$184     | \$111 -40% |       | <div>Pause</div> <div>Apply</div> |
| <div><div></div><div>Shopping — Dining Sets</div><div>Google Ads · SHOPPING</div></div>                                                                                | \$4,281 | \$13.5K | 9      | 3.16x | \$476 | \$3,828  | \$143     | \$169 +18% |       | <div>Pause</div> <div>Apply</div> |
| <div><div></div><div>Search — Outdoor Furniture</div><div>Google Ads · SEARCH</div></div> <div><div></div><div>platform reports sales the store cannot see</div></div> | \$2,690 | \$0     | 0      | 0.00x | —     | -\$2,690 | \$90      | stop -100% |       | <div>Pause</div>                  |
| <div><div></div><div>Retargeting — Cart Abandon</div><div>Meta Ads · CONVERSIONS</div></div>                                                                           | \$2,212 | \$15.6K | 12     | 7.05x | \$184 | \$7,147  | \$74      | \$103 +40% |       | <div>Pause</div> <div>Apply</div> |
| <div><div></div><div>Search — Brand</div><div>Google Ads · SEARCH</div></div>                                                                                          | \$1,768 | \$12.7K | 10     | 7.19x | \$177 | \$5,861  | \$59      | \$83 +40%  |       | <div>Pause</div> <div>Apply</div> |

#### How the proposed budgets were worked out


- Response curves use revenue = k x spend^0.7, so a doubling of spend is assumed to return about 1.62x the revenue, not 2x.
- Gross margin 60%, so break-even ROAS is 1.67.
- No campaign moves more than 40% in one step — these are estimates, and large jumps reset platform learning.
- Campaigns with fewer than 8 attributed orders are held at their current budget rather than resized on thin data.
- Curves are fitted through a single observed point per campaign. They are directionally useful, not a forecast — re-run after each change.

Attributed revenue comes from matched store orders. Platform-reported revenue is each network marking its own homework — the two are never merged.

Campaigns — every campaign ranked by spend, showing matched orders, return, cost per acquisition and profit. Pause and Apply are the only two write actions the tool performs, and both require this click.



Channels — the same figures aggregated per advertising platform, so Google Ads is compared against our other channels on identical definitions.



**360 Marketing** spend · sales · signal Overview Channels Campaigns Sales Actions Creative lab Inspiration Ask Connections

## Connections

3 connected · every platform normalises to the same daily rows, so adding one never changes how the analysis reads.

Sync everything

### Ad platforms

Connecting an account pulls campaigns, ad groups, creatives and 90 days of daily metrics.

#### ● Google Ads

Connected

Search, Performance Max, Display, YouTube and Shopping spend and conversions.

Needs `GOOGLE_ADS_CLIENT_ID`, `GOOGLE_ADS_CLIENT_SECRET` in the environment before it can connect.

Sync now

Disconnect

Change account ID

[API docs](#)

#### ● Meta Ads

Connected

Facebook, Instagram, Messenger and Audience Network campaigns.

Needs `META_ADS_CLIENT_ID`, `META_ADS_CLIENT_SECRET` in the environment before it can connect.

Sync now

Disconnect

Change account ID

[API docs](#)

#### ● OpenAI Ads

Not connected

Sponsored placements inside assistant conversations and search surfaces.

Not verified against live docs. Written against a declared contract, not published documentation. Verify the field names in `EXPECTED_SHAPE` against the live API before trusting production numbers.

Connect

[API docs](#)

#### ● LinkedIn Ads

Not connected

B2B sponsored content, message ads and lead gen forms.

Needs `LINKEDIN_ADS_CLIENT_ID`, `LINKEDIN_ADS_CLIENT_SECRET` in the environment before it can connect.

[API docs](#)

#### ● TikTok Ads

Not connected

In-feed video, Spark Ads and TopView placements.

Needs `TIKTOK_ADS_CLIENT_ID`, `TIKTOK_ADS_CLIENT_SECRET` in the environment before it can connect.

[API docs](#)

#### ● Microsoft Advertising

Not connected

Bing, Edge and the Microsoft Audience Network.

Not verified against live docs. Campaign management and reporting are SOAP services, so this connector needs a SOAP client plus a developer token rather than the shared JSON HTTP client.

Needs `MICROSOFT_ADS_CLIENT_ID`, `MICROSOFT_ADS_CLIENT_SECRET` in the environment before it can connect.

[API docs](#)

#### ● Reddit Ads

Not connected

Community-targeted promoted posts and conversation placements.

Not verified against live docs. OAuth is wired; the reporting mapping still needs to be written.

Needs `REDDIT_ADS_CLIENT_ID`, `REDDIT_ADS_CLIENT_SECRET` in the environment before it can connect.

[API docs](#)

#### ● X Ads

Not connected

Promoted posts and takeover placements on X.

Not verified against live docs. The Ads API uses OAuth 1.0a request signing for most endpoints, which needs its own signer.

Needs `X_ADS_CLIENT_ID`, `X_ADS_CLIENT_SECRET` in the environment before it can connect.

[API docs](#)

#### ● Amazon Ads

Not connected

Sponsored Products, Brands and Display across Amazon properties.

Not verified against live docs. Reporting is asynchronous: request a report, poll for completion, then download a gzipped payload. That polling loop is the remaining work.

Needs `AMAZON_ADS_CLIENT_ID`, `AMAZON_ADS_CLIENT_SECRET` in the environment before it can connect.

[API docs](#)

#### ● Pinterest Ads

Not connected

Shopping and idea-pin placements with long discovery windows.

Not verified against live docs. OAuth is wired; the analytics mapping still needs to be written.

Needs `PINTEREST_ADS_CLIENT_ID`, `PINTEREST_ADS_CLIENT_SECRET` in the environment before it can connect.

[API docs](#)

#### ● Snapchat Ads

Not connected

Vertical video and AR placements for younger audiences.

Not verified against live docs. OAuth is wired; the stats mapping still needs to be written.

Needs `SNAPCHAT_ADS_CLIENT_ID`, `SNAPCHAT_ADS_CLIENT_SECRET` in the environment before it can connect.

[API docs](#)

### Revenue and analytics

This half is what makes the other half trustworthy: without real orders, every channel is judged on its own marking.

#### ● Shopify

Connected

Store orders with landing pages and referrer data for attribution.

Replace key

Sync now

Disconnect

[API docs](#)

#### ● Stripe

Not connected

Payments and subscriptions, with UTMs read from charge metadata.

Connect

[API docs](#)

#### ● WooCommerce

Not connected

WordPress store orders over the REST API.

Connect

[API docs](#)

#### ● Google Analytics 4

Not connected

Session-level source, medium and campaign against purchase revenue.

Needs `GA4_CLIENT_ID`, `GA4_CLIENT_SECRET` in the environment before it can connect.

[API docs](#)

Attributed revenue comes from matched store orders. Platform-reported revenue is each network marking its own homework — the two are never merged.

Connections — where an account is authorised. Google Ads uses the standard OAuth consent flow; credentials are encrypted and never displayed again.