

Product Care

User Guides for the Product Care Implementation.

This section contains documentation for the Product Care suite of extensions, covering configuration, usage, and operational guidance.

PCG Pallet Shipping – Comprehensive User Guide

Publisher: Technology Management

Version: 27.3.0

Platform: Microsoft Dynamics 365 Business Central (Cloud)

Last Updated: May 2026

Table of Contents

1. [Introduction](#)
 2. [Key Features](#)
 3. [Prerequisites and Requirements](#)
 4. [Initial Setup](#)
 5. [Daily Operations](#)
 6. [Advanced Features](#)
 7. [Monitoring and Reporting](#)
 8. [Troubleshooting](#)
 9. [Best Practices](#)
 10. [Frequently Asked Questions](#)
 11. [Support and Resources](#)
-

Introduction

What is PCG Pallet Shipping?

PCG Pallet Shipping is a Business Central extension that revolutionizes warehouse shipment processing by enabling warehouse staff to organize shipment lines onto physical pallets, track them through scanning, and post shipments on a per-pallet basis. This granular control improves warehouse efficiency, reduces errors, and provides complete traceability throughout the shipping process.

Business Benefits

- **Improved Accuracy:** Physical pallet scanning ensures correct items are shipped
- **Enhanced Traceability:** Complete audit trail from pallet assignment to shipment posting
- **Operational Efficiency:** Post shipments incrementally as pallets are ready
- **Multi-Shipment Support:** Single pallets can span multiple warehouse shipments
- **Compliance Ready:** Device scanning and logging supports regulatory requirements
- **Integration Ready:** Seamless connection with carrier systems for label generation

How It Works

The extension integrates with Business Central's standard warehouse shipment process, adding three key capabilities:

1. **Pallet Assignment:** Group shipment lines onto numbered pallets, even across multiple warehouse shipments
 2. **Device Scanning:** Optional WMS+ device validation before posting
 3. **Pallet-Based Posting:** Ship one pallet at a time with full logging for each affected shipment
-

Key Features

Core Functionality

- **Automatic Pallet Numbering:** Generates unique pallet numbers from configurable number series
- **Multi-Line Assignment:** Assign multiple shipment lines to a single pallet in one operation
- **Multi-Shipment Pallets:** A single pallet can contain lines from multiple warehouse shipments
- **Device Integration:** Leverage WMS+ handheld devices for barcode scanning
- **Flexible Posting:** Post individual pallets with automatic handling of all associated warehouse shipments
- **Visual Indicators:** Green highlighting shows which lines have been assigned to pallets

Tracking and Audit

- **Pallet Shipment Entries:** Detailed record of every line-to-pallet assignment
- **Pallet Shipment Log:** Individual log entry for each warehouse shipment on a pallet
- **Device Tracking:** Records which device scanned each pallet and when
- **User Attribution:** Tracks who created entries and performed postings

Carrier Integration

- **Shipping Agent Integration:** Connects with Clever Shipping Agent Integration
 - **Automatic Label Generation:** Creates carrier labels based on shipping method
 - **Tracking Number Storage:** Preserves tracking numbers with pallet entries
 - **Multi-Carrier Support:** Works with DHL, FedEx, UPS, Royal Mail, and others
-

Prerequisites and Requirements

System Requirements

Before installing PCG Pallet Shipping, ensure your environment meets these requirements:

Required Extensions

The following Clever Dynamics extensions **must** be installed:

Extension	Minimum Version	Purpose
Clever Device Framework	8.0.2.132706	Provides device infrastructure
Clever WMS Devices	8.0.5.139213	Enables handheld device scanning
Clever Shipping Agent Integration	9.0.0.134016	Manages carrier label generation

Business Central Version

- **Platform:** Business Central Cloud
- **Application Version:** 27.3.0.0 or later

User Permissions

Users working with pallet shipping must have:

- **PCG Pallet Shipping** permission set (grants minimum required access)
- Standard warehouse permissions for creating and posting warehouse shipments
- WMS+ device permissions if scanning functionality is used

Data Setup Requirements

Before initial use, you must configure:

1. A **Number Series** for generating pallet numbers
2. At least one **Location** configured for warehouse management
3. **Shipping Agents** and **Shipping Methods** if using carrier integration

Initial Setup

Step 1: Configure Number Series

1. Search for **No. Series** and open the page
2. Create a new number series for pallets (e.g., **PALLET**)
3. Configure the series:
 - **Starting No.:** PAL00001
 - **Ending No.:** PAL99999
 - **Increment-by No.:** 1
 - Enable **Default Nos.** checkbox
4. Save the number series

Step 2: Access Sales & Receivables Setup

1. Use the search function (Alt + Q) and type **Sales & Receivables Setup**

2. Open the **Sales & Receivables Setup** page
3. Scroll down to locate the **Ship by Pallet** section

Step 3: Configure Default Quantity to Ship (Critical)

IMPORTANT: This step must be completed first.

1. Locate the **Default Quantity to Ship** field near the top of the setup page
2. Change the value to **Remainder**
3. **Why this matters:** When Ship by Pallet is enabled, the extension controls quantity to ship values per pallet. The system must start with the full remainder quantity, which is then adjusted by pallet assignments.

NOTE

The **Default Quantity to Ship** field cannot be changed while Ship by Pallet is enabled. You must disable the feature first, make the change, then re-enable it.

Step 4: Configure Ship by Pallet Settings

In the **Ship by Pallet** section, configure these fields:

Enable Ship by Pallet

- **Purpose:** Master switch that activates pallet shipping functionality
- **Setting:** Turn **ON** to enable the feature
- **Impact:** When enabled, the system displays pallet fields on warehouse shipments and enables pallet-based posting

Ship by Pallet Device ID Required

- **Purpose:** Controls whether WMS+ device scanning is mandatory before posting
- **Default:** ON (recommended for most warehouses)
- **When to disable:** If you don't have WMS+ devices or want manual pallet posting without scanning

Pallet Nos.

- **Purpose:** Specifies which number series generates pallet numbers
- **Setting:** Select the number series you created in Step 1 (e.g., **PALLET**)
- **Impact:** Each new pallet assignment will consume the next number from this series

Step 5: Verify Configuration

After completing setup:

1. The **Default Quantity to Ship** field should show **Remainder**
2. The **Enable Ship by Pallet** checkbox should be **enabled**
3. The **Pallet Nos.** field should reference your pallet number series
4. If **Ship by Pallet Device ID Required** is enabled, ensure WMS+ devices are configured

Visual Check: If the **Default Quantity to Ship** field appears in red, it indicates the value is not set to **Remainder** and must be corrected before proceeding.

Daily Operations

Creating a Warehouse Shipment

Warehouse shipments are created using Business Central's standard process. PCG Pallet Shipping extends this process but does not change the initial creation workflow.

1. Search for **Warehouse Shipments**
2. Create a new shipment from sales orders using **Get Source Documents** or other standard methods
3. The shipment lines will appear on the **Lines** FastTab

At this stage, no pallet assignments exist. Lines appear in normal formatting.

Assigning Lines to Pallets

Process Overview

Pallet assignment groups shipment lines onto a physical pallet and generates a unique pallet number for tracking. **New in Version 27.3:** A single pallet can now span multiple warehouse shipments, allowing for more flexible consolidation across shipments from different locations or customers.

Standard Assignment

1. Open the **Warehouse Shipment** you want to process
2. On the **Lines** subform, select one or more lines that should ship on the same pallet
 - **Tip:** Use Ctrl+Click to select multiple non-consecutive lines
 - **Tip:** Use Shift+Click to select a range of consecutive lines
3. Choose **Actions > Functions > Assign Pallet No.**
4. The system automatically:
 - Generates the next pallet number from your configured series
 - Creates a Pallet Shipment Entry for each selected line
 - Records the quantity, item, location, warehouse shipment, and user details
 - Updates the **Pallet Entries** column on each line
5. A confirmation message displays: "Pallet [X] assigned to [N] line(s)"
6. Lines with pallet entries are now **highlighted in green**

Multi-Pallet Scenarios

If your shipment requires multiple pallets:

1. Assign the first set of lines to Pallet 1 (as described above)
2. Select a different set of lines
3. Run **Assign Pallet No.** again – a new pallet number is generated
4. Repeat for additional pallets as needed

Each pallet gets a unique number and can be posted independently.

Multi-Shipment Pallets (NEW)

Version 27.3 introduces the ability to assign the same pallet number to lines from different warehouse shipments. This is useful when:

- Consolidating shipments from multiple locations onto one physical pallet
- Grouping orders from the same customer that span multiple warehouse shipments
- Optimizing freight by combining partial shipments

To create a multi-shipment pallet:

1. Open **Warehouse Shipment #1** and assign lines to a pallet (e.g., PAL00001)
2. Open **Warehouse Shipment #2**
3. Select lines that should ship on the same physical pallet
4. Manually enter **PAL00001** in the **Pallet No.** field instead of generating a new number
5. The system validates the pallet exists and creates entries linking both shipments to the same pallet

⊗ IMPORTANT

When posting a multi-shipment pallet, the system posts **all warehouse shipments** associated with that pallet. Each warehouse shipment receives its own **Pallet Shipment Log** entry. The posting operation is **all-or-nothing**: all shipments must post successfully or the entire operation fails.

Viewing Pallet Entries

- The **Pallet Entries** column shows how many pallet entries are assigned to each line
- Click the number to drill down and view the detailed pallet entry records
- You can see the pallet number, warehouse shipment number, quantities, device scan status, and posting status

Scanning Pallets with WMS+ Devices

If **Ship by Pallet Device ID Required** is enabled in setup, pallets must be scanned before posting.

Scanning Workflow

1. After assigning lines to pallets, warehouse staff uses a WMS+ handheld device
2. The device scans the pallet barcode or manually enters the pallet number
3. The Clever WMS Devices integration updates **all pallet entries** for that pallet number:
 - **Device ID:** Records which device performed the scan
 - **Scanned Date/Time:** Records the timestamp of the scan
4. Once scanned, the pallet is validated and ready for posting

Multi-Shipment Note: When scanning a pallet that spans multiple warehouse shipments, a single scan validates all entries across all shipments for that pallet.

Scan Verification

To verify a pallet has been scanned:

1. Open any shipment line associated with the pallet
2. Click the **Pallet Entries** count to drill down
3. Check that **Device ID** and **Scanned Date/Time** fields are populated
4. If these fields are empty, the pallet has not been scanned

Manual Override

If you need to post without scanning:

1. Go to **Sales & Receivables Setup**
2. Disable **Ship by Pallet Device ID Required**
3. Post the pallet(s)
4. Re-enable the setting afterward to restore scan enforcement

WARNING

Only administrators should have permission to modify this setup option.

Posting Shipments by Pallet

Single-Shipment Pallet Posting

1. Open the **Warehouse Shipment** with assigned pallets
2. Choose **Actions > Processing > Ship by Pallet**
 - This action is only available when at least one pallet entry exists
3. The system automatically:
 - Selects the first available (unposted) pallet
 - Validates device scan requirements (if enabled)

- Sets **Qty. to Ship** for all lines on that pallet
 - Posts the lines for that pallet
 - Creates a Pallet Shipment Log entry
 - Marks the pallet entries as posted
4. A confirmation message displays: *"Pallet [X] has been shipped successfully on warehouse shipment [Y]"*

Multi-Shipment Pallet Posting (NEW)

When posting a pallet that spans multiple warehouse shipments, the system handles all shipments automatically:

1. From **any** warehouse shipment containing the pallet, choose **Actions > Processing > Ship by Pallet**
2. The system:
 - Identifies **all warehouse shipments** associated with the pallet
 - Validates device scan requirements for all entries (if enabled)
 - Sets **Qty. to Ship** for all lines across all affected shipments
 - Posts **each warehouse shipment** in sequence
 - Creates a **separate Pallet Shipment Log entry** for each warehouse shipment
 - Marks all pallet entries as posted
3. A confirmation message displays: *"Pallet [X] has been shipped successfully. All [N] warehouse shipment(s) posted."*

⊗ CAUTION

Posting is **all-or-nothing**: if any warehouse shipment fails to post, the entire pallet operation fails. No partial posting across shipments is supported. If an error occurs, review the error message, correct the issue, and retry the entire pallet posting.

Posting Multiple Pallets

To post all pallets on a shipment:

1. Run **Ship by Pallet** for the first pallet
2. After successful posting, run **Ship by Pallet** again for the next pallet
3. Continue until all pallets are posted

Each pallet posts independently, allowing you to:

- Post one pallet immediately while preparing others
- Hold specific pallets if issues are discovered

- Stage partial shipments based on carrier pickup schedules

What Happens During Posting

When you post a pallet, the system performs these operations:

1. **Pallet Discovery:**

- Identifies the first unposted pallet on the current shipment
- Queries for **all warehouse shipments** associated with that pallet number

2. **Validation (per shipment):**

- Checks scan requirements are met for all entries
- Verifies quantities are greater than zero
- Confirms carrier label requirements (if applicable)

3. **Quantity Assignment (per shipment):**

- Reads quantity from each Pallet Shipment Entry
- Sets **Qty. to Ship** on corresponding warehouse shipment line
- Only lines for the selected pallet are affected per shipment

4. **Standard BC Posting (per shipment):**

- Business Central's standard shipment posting process executes for each warehouse shipment
- Sales shipment and item ledger entries are created
- Inventory is reduced at each location

5. **Audit Trail:**

- Pallet entries are marked as **Posted** across all shipments
- A **Pallet Shipment Log** entry is created for **each warehouse shipment**:
 - Pallet No. + Warehouse Shipment No. form composite primary key
 - Success status recorded per shipment
 - Number of lines posted per shipment
 - User and timestamp
 - Device ID used for scanning

6. **Posted Documents:**

- Each Posted Warehouse Shipment preserves:
 - Pallet number on each line
 - Device ID and scan timestamp
 - Link to Pallet Shipment Log entries

Advanced Features

Carrier Label Generation

PCG Pallet Shipping integrates with the Clever Shipping Agent Integration extension to automatically generate carrier shipping labels and tracking numbers.

Configuration

1. Ensure **Clever Shipping Agent Integration** extension is installed
2. Configure your shipping agents in Business Central (search for **Shipping Agents**)
3. For each agent, set up the carrier credentials and API connection following Clever Dynamics documentation
4. Configure shipping methods that require labels

How Labels Are Generated

1. When you post a pallet using **Ship by Pallet**, the system checks if the shipping method requires carrier labels
2. If yes, for each pallet line being posted:
 - The system calls the Clever Shipping Agent Integration
 - A consignment is created with the carrier
 - The carrier API returns a tracking number
 - The tracking number is stored in the Pallet Entry
3. Track numbers are visible on:
 - Posted warehouse shipment lines
 - Pallet entries
 - Pallet shipment log

Supported Carriers

The Clever Shipping Agent Integration supports multiple carriers including:

- DHL
- FedEx
- UPS
- Royal Mail
- TNT
- And others (see Clever Dynamics documentation)

Retrieving Tracking Numbers

From Warehouse Shipment Line:

1. Open Posted Warehouse Shipment
2. The "Package Tracking No." field shows the tracking number
3. Click "Pallet Log Entries" to see complete posting history

From Pallet Entries:

1. Search for "Pallet Entries"
2. Filter by pallet number or shipment number
3. View "Consignment No." field for tracking numbers

Multi-Customer Shipments

When a warehouse shipment contains lines for multiple customers, each customer's items can be grouped onto separate pallets:

1. Assign Customer A's lines to Pallet 1
2. Assign Customer B's lines to Pallet 2
3. Post each pallet independently
4. Each customer receives a separate shipment with distinct tracking

This ensures proper segregation and accurate customer-specific documentation.

Cross-Location Consolidation (NEW)

Version 27.3 enables consolidating shipments from different locations onto a single pallet.

Common scenarios:

Scenario 1: Multi-Location Order Fulfillment

- Customer orders items that stock at two different warehouses
- Business Central creates two warehouse shipments (one per location)
- Warehouse assigns both shipments to the same pallet number
- Posting the pallet automatically posts both warehouse shipments
- Customer receives one consolidated shipment

Scenario 2: Same-Day Pickup Optimization

- Carrier pickup scheduled for 3 PM
- Multiple warehouse shipments ready for the same customer
- Combine onto one pallet to reduce freight costs
- Post as a single pallet operation

Best Practices:

- Ensure carrier supports multi-origin shipments if crossing locations
- Verify shipping costs are calculated correctly for consolidated pallets
- Use distinct pallet numbers for different carriers or pickup times

Pallet Quantity Management

Splitting Quantities Across Pallets

If a single shipment line has a large quantity that spans multiple pallets:

Option 1: Manual Split

1. Split the warehouse shipment line into multiple rows (use standard BC line splitting)
2. Assign each split line to a different pallet
3. Post pallets individually

Option 2: Multiple Entries Currently, each shipment line can have multiple pallet entries, but posting behavior ties to the full line quantity.

TIP

For large quantities spanning pallets, split the warehouse shipment line first to maintain clear pallet-to-line relationships.

Inheritance and Pallet Fields

When pallet assignments are posted:

- **Pallet No.** is copied from the Pallet Entry to the Posted Warehouse Shipment Line
- **Device ID** and **Scanned Date/Time** are preserved
- **Warehouse Shipment No.** is stored in the log to support multi-shipment pallets
- These fields are read-only on posted documents
- They provide permanent traceability of the physical shipment process

Monitoring and Reporting

Pallet Entries Page

Purpose: Real-time view of all pallet assignments across all shipments

How to Access:

- Search for **Pallet Entries** and open the list page

Key Information:

Field	Description
Pallet No.	Unique identifier for the pallet

Field	Description
Warehouse Shipment No.	Source shipment document
Line No.	Shipment line this entry represents
Item No.	The item being shipped
Quantity	Amount assigned to this pallet
Location Code	Shipment location
Device ID	Scanner device that validated this pallet
Scanned Date/Time	When scanning occurred
Posted	Checkmark indicates this entry has been posted
Created Date/Time	When the pallet assignment was made
Created By	User who assigned the pallet

Common Filters:

- Filter by **Posted = No** to see pending pallets
- Filter by **Warehouse Shipment No.** to see all pallets for a specific shipment
- Filter by **Pallet No.** to see all lines on a specific pallet (including multi-shipment entries)
- Filter by **Created By** to see pallets assigned by a specific user

Multi-Shipment View:

- Filter by **Pallet No.** to see all entries across all warehouse shipments for that pallet
- Group by **Warehouse Shipment No.** to see distribution across shipments

Pallet Shipment Log

Purpose: Historical record of all pallet posting operations

How to Access:

- Search for **Pallet Shipment Log** and open the list page
- From a Posted Warehouse Shipment line, click **Pallet Log Entries** count

Key Information:

Field	Description
Pallet No.	The pallet that was posted
Warehouse Shipment No.	Specific warehouse shipment document
Status	Success / Failed
Posting Date/Time	When the posting occurred
Device ID	Scanner device used (if any)
User ID	Who performed the posting
Lines Posted Count	Number of lines successfully posted
Error Message	Details if posting failed

Status Values Explained:

- **Success:** All lines on the pallet for this warehouse shipment posted without errors
- **Failed:** The entire pallet posting operation failed (no shipments were posted)

Important for Multi-Shipment Pallets:

- Each warehouse shipment receives its own log entry
- The composite primary key is **(Pallet No. + Warehouse Shipment No.)**
- Filter by **Pallet No.** to see all log entries for a multi-shipment pallet
- All log entries for a pallet will have the same **Posting Date/Time** since posting is atomic

Using the Log for Troubleshooting:

1. Filter by **Status = Failed** to find problem postings
2. Review the **Error Message** field for specific issues
3. Check the **Posting Date/Time** to correlate with warehouse activity
4. Cross-reference **User ID** if investigating user-specific issues
5. For multi-shipment pallets, ensure all expected warehouse shipment log entries exist

Posted Warehouse Shipments

After posting, pallet information is preserved on the Posted Warehouse Shipment for permanent reference.

Key Fields Added:

- **Pallet No.:** Shows which pallet this line was shipped on
- **Device ID:** The scanner device used
- **Scanned Date/Time:** When scanning occurred
- **Pallet Log Entries:** Count of log entries (clickable to drill down)

Special Formatting:

- Lines with pallet numbers are highlighted in **green**
 - This visual indicator makes it easy to identify pallet-shipped items
-

Troubleshooting

Common Issues and Solutions

Issue: "Ship by Pallet is not enabled"

Cause: The master feature switch is disabled in Sales & Receivables Setup

Solution:

1. Open **Sales & Receivables Setup**
 2. Verify **Default Quantity to Ship** is set to **Remainder**
 3. Enable **Enable Ship by Pallet**
 4. Save changes
-

Issue: "Default Quantity to Ship must be set to Remainder"

Cause: The **Default Quantity to Ship** field is not configured correctly

Solution:

1. If **Enable Ship by Pallet** is currently on, disable it temporarily
2. Change **Default Quantity to Ship** to **Remainder**
3. Re-enable **Enable Ship by Pallet**
4. Save changes

Prevention: This field will appear in **red** on the setup page when set incorrectly while the feature is enabled.

Issue: "Pallet X cannot be posted because one or more lines have not been scanned"

Cause: Device ID scanning is required but some/all lines on the pallet are missing scan data

Solutions:

Option A – Scan the Pallet (Recommended):

1. Use a WMS+ device to scan the pallet barcode
2. Verify the scan by checking Pallet Entries for Device ID and Scanned Date/Time
3. Retry posting

Option B – Disable Scan Requirement (Temporary):

1. Open **Sales & Receivables Setup**
2. Disable **Ship by Pallet Device ID Required**
3. Post the pallet
4. Re-enable the setting
5. **Risk:** Bypasses physical validation

Multi-Shipment Note: All entries across all warehouse shipments for the pallet must be scanned. Check entries across all shipments for the pallet number.

Issue: "No lines are selected"

Cause: The **Assign Pallet No.** action was run without selecting any shipment lines

Solution:

1. Click on a shipment line to select it (click in the left margin)
 2. Hold Ctrl and click additional lines to select multiple
 3. Run **Assign Pallet No.** again
-

Issue: "Pallet X cannot be posted on warehouse shipment Y because all lines have a Qty. to Ship of zero"

Cause: The pallet shipment entries for this pallet on this specific warehouse shipment have zero quantities recorded

Solution:

1. Open **Pallet Entries** and filter by pallet number and warehouse shipment number
2. Review the **Quantity** field on each entry
3. If quantities are incorrect, delete the pallet entries and reassign:
 - Click **Delete** on each erroneous entry
 - Return to the warehouse shipment
 - Select the lines again
 - Run **Assign Pallet No.** to create new entries

Common Cause: Lines were modified after pallet assignment (e.g., quantity changed on the shipment)

Issue: "The Ship by Pallet action is greyed out"

Cause: No pallet entries exist on the current warehouse shipment

Solution:

1. Assign at least one shipment line to a pallet using **Assign Pallet No.**
 2. The **Ship by Pallet** action will become enabled
-

Issue: Multi-shipment pallet posts one shipment but fails on the second (NEW)

Cause: After version 27.3 upgrade, the system uses all-or-nothing posting for multi-shipment pallets

Behavior:

- The entire pallet posting operation fails
- No warehouse shipments are posted (transaction is rolled back)
- An error message displays the cause of failure

Solution:

1. Review the error message to identify which warehouse shipment or line caused the failure
2. Correct the issue on the problematic shipment:
 - Verify quantities are correct
 - Check carrier label configuration if applicable
 - Ensure pick registration is complete
3. Retry posting the pallet from any associated warehouse shipment

Prevention:

- Validate all warehouse shipments associated with a pallet before posting
 - Use **Ship by Pallet** test posting if available
 - Ensure pick registration is complete for all locations
-

Issue: Carrier label generation fails

Cause: Missing Clever Shipping Agent Integration or carrier configuration issues

Solutions:

1. **Verify Extension Installation:**

- Search for **Extension Management**
- Confirm **Clever Shipping Agent Integration** is installed and enabled

2. Check Carrier Configuration:

- Open **Shipping Agents**
- Verify credentials are configured for the carrier
- Test connection using Clever Dynamics tools

3. Review Shipping Method Setup:

- Ensure the shipping method on the warehouse shipment is linked to the correct carrier
- Verify **Require Package Tracking** is enabled if mandatory

4. Multi-Shipment Note:

- If posting a multi-location pallet, ensure each location is configured for carrier integration
- Verify the same carrier supports pickup from all involved locations

Issue: Cannot find Pallet Shipment Log entry for a specific warehouse shipment (NEW)

Cause: Looking for log entries using only pallet number without warehouse shipment filter

Solution:

1. Open **Pallet Shipment Log**
2. Filter by **both** Pallet No. **and** Warehouse Shipment No.
3. For multi-shipment pallets, you should see separate log entries for each warehouse shipment

NOTE

The primary key changed in version 27.3 to support multiple warehouse shipments per pallet. Use the composite key (Pallet No. + Warehouse Shipment No.) for lookups.

Best Practices

Pallet Organization

1. **Single Customer per Pallet:** Group all items for one customer on a single pallet when possible
2. **Weight Distribution:** Balance weight across pallets to meet carrier requirements
3. **Fragile Items:** Assign fragile items to dedicated pallets to prevent damage
4. **Multi-Shipment Planning:** Use multi-shipment pallets strategically for cost optimization, not as default

Scanning Discipline

1. **Scan Before Shipping:** Always scan pallets before posting to ensure physical accuracy
2. **Device Assignment:** Assign specific devices to warehouse zones for traceability
3. **Re-scan Policy:** Implement re-scanning if a pallet is modified after initial scan

Posting Strategy

1. **Post Incrementally:** Post pallets as they're ready rather than batching at day-end
2. **Review Before Posting:** Check pallet entries before posting to catch quantity errors
3. **Multi-Shipment Validation:** For multi-shipment pallets, verify all warehouse shipments are ready before posting
4. **Error Handling:** Develop a clear process for handling failed postings, especially for multi-shipment scenarios

Carrier Integration

1. **Test Connectivity:** Verify carrier API connectivity before peak shipping times
2. **Label Printing:** Print labels immediately after posting while systems are responsive
3. **Backup Procedures:** Have manual label generation procedures for carrier API outages

Multi-Shipment Pallet Best Practices (NEW)

1. **Same Customer Consolidation:** Ideal for combining shipments from different locations for the same customer
2. **Same Carrier Requirement:** Ensure all warehouse shipments on a pallet use the same carrier
3. **Same Pickup Time:** Schedule all locations for the same carrier pickup window
4. **Cost Verification:** Verify freight costs are calculated correctly for multi-origin shipments
5. **Documentation:** Document why multi-shipment pallets were created for audit purposes
6. **Readiness Check:** Confirm all warehouse shipments are fully picked before creating multi-shipment pallets

Frequently Asked Questions

General Questions

Q: Can I assign the same shipment line to multiple pallets?

A: Each shipment line can have multiple pallet entries, but the posting behavior is tied to the full line quantity. For best results, split the warehouse shipment line first.

Q: What happens if I delete a pallet entry?

A: The pallet entry is removed, but the warehouse shipment line remains unchanged. You can reassign the line to a different pallet.

Q: Can I change a pallet number after assignment?

A: Delete the existing pallet entries and create new ones with the correct pallet number. This is only possible before posting.

Q: Can I post a warehouse shipment normally (without pallets)?

A: Yes, but only if no lines have been assigned to pallets. Once pallet entries exist, you must use **Ship by Pallet**.

Multi-Shipment Questions (NEW)

Q: How do I know if a pallet spans multiple warehouse shipments?

A: Filter **Pallet Entries** by the pallet number and check the **Warehouse Shipment No.** column. Multiple distinct values indicate a multi-shipment pallet.

Q: Can I post just one warehouse shipment from a multi-shipment pallet?

A: No. The system posts all warehouse shipments for the pallet in an all-or-nothing operation.

Q: What happens if one warehouse shipment fails during multi-shipment posting?

A: The entire pallet posting operation fails, and no warehouse shipments are posted. Correct the error and retry.

Q: Can pallets span different customers?

A: Technically yes, but this is not recommended. Separate pallets for different customers ensures proper shipment documentation and tracking.

Q: Do all warehouse shipments on a multi-shipment pallet need the same carrier?

A: It's strongly recommended. Using different carriers per shipment on the same pallet will cause carrier label generation issues.

Q: How many log entries are created for a multi-shipment pallet?

A: One log entry per warehouse shipment. A pallet spanning 3 shipments creates 3 separate Pallet Shipment Log entries.

Device and Scanning Questions

Q: What if my WMS device is offline?

A: Temporarily disable **Ship by Pallet Device ID Required** in setup, post manually, then re-enable scanning afterward.

Q: Can I scan pallets from different warehouse shipments with one scan?

A: Yes. Scanning a pallet number updates all pallet entries for that pallet across all warehouse shipments.

Q: Does the scan timestamp match the posting timestamp?

A: No. The **Scanned Date/Time** reflects when the device scanned the pallet. The **Posting Date/Time** in

the log reflects when posting occurred.

Carrier Integration Questions

Q: What if carrier label generation fails mid-posting?

A: The posting operation fails and rolls back. Review the error message, correct carrier configuration, and retry.

Q: Where do I find tracking numbers after posting?

A: Check the **Posted Warehouse Shipment Line** or drill down into **Pallet Entries** to see the **Consignment No.** field.

Q: Can I manually enter tracking numbers?

A: This depends on the Clever Shipping Agent Integration configuration. Consult Clever Dynamics documentation.

Support and Resources

Technical Support

Technology Management Support:

- **Email:** support@technologymanagement.co.uk
- **Phone:** +44 (0) 1234 567890
- **Portal:** <https://support.technologymanagement.co.uk> 

Clever Dynamics Support (for WMS and Carrier Integration):

- **Website:** <https://www.cleverdynamics.com> 
- **Support Portal:** <https://support.cleverdynamics.com> 

Documentation

- **PCG Pallet Shipping Release Notes:** See release documentation for version-specific changes
- **Business Central Documentation:** <https://docs.microsoft.com/dynamics365/business-central> 
- **Clever WMS Devices User Guide:** Available from Clever Dynamics
- **Clever Shipping Agent Integration Guide:** Available from Clever Dynamics

Training Resources

Contact Technology Management for on-site or remote training on:

- Initial setup and configuration
- Daily warehouse operations with pallet shipping
- Advanced multi-shipment pallet scenarios

- Carrier integration setup and troubleshooting
- Custom reporting and analytics

Feedback and Feature Requests

We welcome feedback and feature requests:

- **Email:** feedback@technologymanagement.co.uk
 - **Subject Line:** PCG Pallet Shipping Feedback
-

Revision History

Version	Date	Changes
27.3.0	May 2026	Added multi-shipment pallet support with individual logging per warehouse shipment
27.2.0	March 2026	Initial comprehensive user guide

End of User Guide

For the latest version of this document, visit the Technology Management support portal or contact your account manager.

Zero Count Tracking - User Guide

Version: 27.3.0.0

Publisher: Technology Management

Application: Business Central WMS Device Enhancement

Last Updated: February 2026

Table of Contents

1. [Overview](#)
 2. [Getting Started](#)
 3. [System Setup](#)
 4. [Main Features](#)
 5. [Working with Empty Bin Checks](#)
 6. [Using the Handheld Device](#)
 7. [Reporting and Monitoring](#)
 8. [Bin Blocking and Investigation](#)
 9. [Best Practices](#)
 10. [Troubleshooting](#)
-

Overview

Purpose

The Zero Count Tracking app enables warehouse managers to accurately track, confirm, and audit empty bins within your Business Central environment. This ensures reliable inventory data for reporting in Power BI and Business Central by systematically logging empty bin confirmations and identifying discrepancies that require investigation.

Key Benefits

- **Accurate Inventory Visibility:** Confirm empty bins to ensure reliable stock data
- **Audit Trail:** Complete ledger of all empty bin confirmations with timestamps
- **Exception Management:** Flag bins requiring investigation and automatically block them
- **WMS Integration:** Seamlessly integrated with handheld devices for warehouse operations
- **Flexible Filtering:** Location and zone-specific functionality with exclusion options

Target Users

- Warehouse Managers
- Warehouse Operatives
- Stock Controllers

- Inventory Analysts
-

Getting Started

Prerequisites

- Business Central version 27.3 or higher
- Clever Device Framework (version 8.0.2 or higher)
- Clever WMS Devices (version 8.0.3 or higher)
- Appropriate user permissions for warehouse management
- Access to handheld WMS devices (for mobile operations)

Required Permissions

The Zero Count Tracking permission set provides access to:

- Empty Bin Check Journal
- Empty Bin Check Ledger
- Empty Bin Check configuration settings
- Bin blocking functionality
- Related reports and statistics

Accessing the Application

1. From the Role Center:

- Navigate to **Tasks** → **Empty Bin Check List**

2. From Inventory Setup:

- Search for **Inventory Setup**
- Navigate to **Empty Check Administration** → **Empty Bin Check Journal**

3. From Bin List:

- Open any bin list page
 - Use the **Empty Bin Check** action in the ribbon
-

System Setup

Initial Configuration

Before using the Zero Count Tracking features, configure the system through the Inventory Setup page.

Step 1: Open Inventory Setup

1. Search for **Inventory Setup** in Business Central

2. Scroll down to the **Empty Bin Check** section

Step 2: Enable Empty Bin Check

Configure the following settings:

Setting	Description	Recommended Value
Empty Check Enabled	Master switch to enable/disable the feature	✓ Enabled
Excluded Locations	Filter of location codes to exclude (e.g., Quality, 3PL locations)	Set as per business requirements
Auto-Block on Check Required	Automatically block bins when flagged for investigation	✓ Enabled (recommended)
Empty Check Batch Name	Default batch name for Physical Inventory Journal integration	"EMPTY"
Default Reason Code	Reason code for empty bin transactions	Create specific code (e.g., "EMPTYBIN")
Enforce Comment	Require comments on all empty bin check transactions	✓ Enabled (for audit purposes)

Step 3: Configure Excluded Locations

To exclude specific locations (e.g., Quality Control, 3PL locations):

1. In **Excluded Locations Empty Check** field, enter location filter
2. Use standard filter syntax:
 - Single location: **QUAL**
 - Multiple locations: **QUAL | 3PL | TEMP**
 - Pattern matching: **QC*** (excludes all locations starting with QC)
3. Use the **Assist Edit** button (three dots) to select from location list

Step 4: Set Up Reason Codes (Optional)

1. Navigate to **Reason Codes**
2. Create specific codes for empty bin operations:
 - **EMPTYBIN** - Standard empty bin confirmation
 - **EMPTYDISC** - Empty bin discrepancy
 - **STOCKFOUND** - Stock found in supposedly empty bin

Main Features

1. Empty Bin Check Journal

The journal is your primary workspace for managing empty bin checks.

Key Functions:

- Generate list of empty bins
- Confirm bins are empty
- Flag bins for investigation
- Add comments and reason codes
- Post confirmations to ledger

2. Empty Bin Check Ledger

Historical record of all posted empty bin confirmations.

Features:

- Complete audit trail with timestamps
- Filter by location, bin, user, or date
- View confirmation history for specific bins
- Export for external reporting

3. Bin Blocking Integration

Automatically blocks bins flagged for investigation within WMS.

Capabilities:

- Prevents warehouse operations on flagged bins
- Visible in bin lists and handheld devices
- Tracks who blocked bin and when
- Requires resolution before unblocking

4. Handheld Device Integration

Full integration with WMS handheld devices for warehouse floor operations.

Working with Empty Bin Checks

Creating an Empty Bin Check List

Step 1: Open the Journal

1. Navigate to **Empty Bin Check List** page
2. The journal will be empty initially

Step 2: Get Empty Bins

1. Click **Get Empty Bins** action in the ribbon
2. In the dialog, set filters:

Filter	Description	Example
Location Code	Select location(s) to check	MAIN
Zone Code	(Optional) Specific zone(s)	BULK, PICK
Include Non-Empty Bins	Check bins with stock to clear them from system	Leave unchecked normally
Bin Type Filter	Filter by bin type	Leave blank for all types

3. Click **OK** to generate the list
4. The journal populates with all empty bins matching your criteria

Step 3: Review the List

Review the generated lines:

- **Entry No.:** Unique identifier for each line
- **Location Code:** Where the bin is located
- **Bin Code:** The specific bin identifier
- **User ID:** Your user ID (auto-populated)
- **Action:** Select appropriate action (initially blank)
- **Created Date Time:** When the entry was created
- **Status:** Pending (until posted)
- **Reason Code:** Optional reason code
- **Comments:** Add notes as required

Confirming Empty Bins

When you've verified a bin is truly empty:

Method 1: Individual Confirmation

1. Select the line for the bin
2. In the **Action** field, select **Confirm Empty**
3. Add **Comments** if required (mandatory if enforced in setup)

4. Set **Reason Code** if applicable
5. Click **Post** action to post to ledger

Method 2: Bulk Confirmation

1. Select multiple lines (Ctrl+Click or Shift+Click)
2. Click **Confirm Empty** action in the ribbon
3. All selected lines will have Action set to "Confirm Empty"
4. Add comments on individual lines as needed
5. Click **Post** to post all pending lines

Flagging Bins for Investigation

When a bin should be empty but you suspect or find stock:

1. Select the bin line
2. In the **Action** field, select **Check Required**
3. Enter **Reason Code** (mandatory)
4. Add detailed **Comments** explaining the issue
5. The bin will be automatically blocked (if configured)
6. Click **Post** to post to ledger

Note: Once marked as "Check Required", the bin is blocked in WMS and cannot be used for warehouse operations until resolved.

Posting Journal Entries

Post All Pending

1. Click **Post** action in the ribbon
2. Confirm the posting action
3. All lines with status "Pending" will be:
 - Posted to the Empty Bin Check Ledger
 - Status updated to "Posted"
 - Bin table updated with last check date and user

Post Selected Lines

1. Select specific lines to post
2. Click **Post Selected** action
3. Only selected lines will be posted

View Posted Entries

1. After posting, click **View Ledger** action
2. Navigate to the Empty Bin Check Ledger page

3. Review posted entries with timestamps

Clearing the Journal

To remove posted entries from the journal:

1. Click **Clear Posted Lines** action
 2. Confirm the deletion
 3. Only lines with Status = "Posted" will be deleted
 4. Original ledger entries remain intact
-

Using the Handheld Device

Overview

Warehouse operatives can perform empty bin checks directly from handheld WMS devices during spot checks and stock takes.

Accessing Empty Bin Function

1. From the handheld device main menu:
 - Navigate to **Stock Take** → **Spot Check**
 - Or select **Empty Bin Check** (depending on device configuration)
2. The device displays list of empty bins for your location

Confirming Empty Bins on Device

Scanning Method

1. Scan the bin barcode
2. Device displays bin information
3. Select **Empty** option
4. Add comment if required (use voice-to-text or on-screen keyboard)
5. Confirm action
6. Updates sync immediately to Business Central

Browse Method

1. Browse list of empty bins on device
2. Select bin from list
3. Choose **Confirm Empty**
4. Add comment if required
5. Confirm action

Flagging for Investigation on Device

1. Scan or select the bin
2. If stock is found:
 - Select **Check Required** option
 - Select appropriate reason code
 - Add detailed comment
 - Device will show bin as blocked
3. Bin is immediately blocked in system

Recording Stock Found in "Empty" Bins

If you find stock in a bin that was flagged as empty:

1. Scan the bin
2. Instead of selecting "Empty", proceed with normal stock take:
 - Scan item barcode(s)
 - Enter quantity
 - Confirm
3. Entries are created in Physical Inventory Journal under batch name "EMPTY"
4. These can be processed separately to update stock levels
5. The bin will be removed from empty bin list after posting

Sync and Connectivity

- Changes made on handheld devices sync in real-time
- If offline, changes queue and sync when connection restored
- Check device sync indicator to confirm updates are posted
- Refresh list periodically to see updates from other users

Reporting and Monitoring

Empty Bin Check Ledger

Purpose: Complete audit trail of all empty bin confirmations and checks.

Access:

- Navigate to **Empty Bin Check Ledger**
- Or from journal, click **View Ledger**

Key Information:

- Ledger Entry No.

- Original Journal Entry No.
- Location and Bin codes
- Action taken (Confirmed Empty / Check Required)
- User who performed action
- Created and Posted timestamps
- Bin blocking status
- Comments and reason codes

Filtering Options:

- Filter by date range
- Filter by location or specific bins
- Filter by user
- Filter by action type
- Filter for currently blocked bins only

Empty Bin Check Statistics

Purpose: Dashboard view of empty bin check activity and trends.

Access: Navigate to **Empty Bin Check Stats** page

Metrics Displayed:

- Total bins checked (by period)
- Confirmed empty vs. checks required ratio
- Current blocked bins count
- Checks by location
- Checks by user
- Trend analysis over time

Empty Bin Check Report

Purpose: Printable report for management review and audits.

Access:

- Run **Empty Bin Check Report** (Report 50057)
- Available in Excel and PDF formats

Report Sections:

1. **Summary:** Overview statistics for selected period
2. **Confirmed Empty Bins:** List of all confirmations
3. **Bins Requiring Check:** Current exceptions

4. **Blocked Bins:** Currently blocked bins and resolution status
5. **User Activity:** Breakdown by user

Parameters:

- Date Range: Filter by created or posted date
- Location Filter: Specific location(s)
- User Filter: Specific user(s)
- Include Posted Only: Exclude pending entries
- Include Resolved Blocks: Show resolved issues

Viewing from Bin Pages

From any bin list or card:

1. **Last Empty Check Date:** Shows when bin was last confirmed empty
2. **Last Confirmed By:** User who performed last check
3. **Empty Check Required:** Flag indicating bin needs investigation
4. **Blocked for Empty Check:** Current blocking status
5. **Empty Check Comments:** Latest comments

Actions Available:

- View Empty Check History (opens ledger filtered for this bin)
 - Perform Empty Check (opens journal with this bin)
 - Clear Check Requirement (unblock bin after resolution)
-

Bin Blocking and Investigation

When Bins Get Blocked

Bins are automatically blocked when:

- Action set to "Check Required" in journal
- Check Required selected on handheld device
- Auto-Block on Check Required is enabled in setup

Effects of Bin Blocking

A blocked bin:

- Cannot be used for new put-aways
- Cannot be used as source for picks
- Shows as blocked in all bin lists

- Displays warning on handheld devices
- Requires resolution before use

Investigating Blocked Bins

Step 1: Review the Ledger Entry

1. Navigate to **Empty Bin Check Ledger**
2. Filter for **Blocked = Yes**
3. Review comments and reason code
4. Note who blocked it and when

Step 2: Physical Investigation

1. Go to the physical bin location
2. Verify if stock is present or bin is truly empty
3. If stock found:
 - Perform stock count using standard process
 - Record in Physical Inventory Journal
 - Post to correct system records

Step 3: Resolve the Blocking

If Bin is Empty (False Alarm):

1. Navigate to the bin card
2. Click **Clear Check Requirement** action
3. Add comment explaining resolution
4. Bin is unblocked and available for use
5. New ledger entry recorded

If Stock Was Found:

1. Complete stock count and post adjustments
2. Navigate to bin card
3. Click **Clear Check Requirement**
4. Add comment: "Stock counted and corrected"
5. Bin is unblocked

Monitoring Blocked Bins

Daily Review:

- Check **Blocked Bins Count** on statistics page
- Review aging of blocked bins

- Follow up on bins blocked >48 hours

Weekly Review:

- Generate **Empty Bin Check Report**
 - Filter for blocked bins
 - Review resolution rates and trends
 - Identify process improvement opportunities
-

Best Practices

Planning Empty Bin Checks

✓ Do:

- Schedule regular empty bin checks (e.g., weekly or monthly)
- Focus on high-traffic zones first (picking areas)
- Coordinate with warehouse quiet periods
- Assign specific users or teams to zones

✗ Don't:

- Perform during peak warehouse hours
- Mix with regular stock counts (separate processes)
- Check bins recently used in movements

Using the Journal Effectively

✓ Do:

- Generate focused lists using location/zone filters
- Include "Include Non-Empty Bins" periodically to catch system errors
- Add meaningful comments for future reference
- Post regularly (at least daily) to keep journal manageable
- Clear posted lines to keep journal view clean

✗ Don't:

- Generate entire warehouse at once (too many lines)
- Leave journal entries unposted for extended periods
- Skip comments when flagging bins for check
- Delete unposted lines without investigation

Handheld Device Best Practices

✓ **Do:**

- Train operatives on proper empty bin confirmation process
- Perform physical verification before confirming
- Use standard comments/reason codes for consistency
- Sync device regularly in areas with poor connectivity
- Report device issues immediately

✗ **Don't:**

- Confirm bins as empty without physical verification
- Skip comments when flagging exceptions
- Continue working if device doesn't sync properly
- Use device in airplane mode during checks

Investigation and Resolution

✓ **Do:**

- Investigate flagged bins within 24 hours
- Document findings in comments
- Correct stock levels if discrepancies found
- Unblock bins promptly after resolution
- Track patterns in check requirements

✗ **Don't:**

- Assume checkflags are errors without investigation
- Unblock bins without verifying status
- Skip root cause analysis for repeated issues
- Leave bins blocked unnecessarily

Data Quality

✓ **Do:**

- Review ledger entries weekly for patterns
- Monitor user activity for training needs
- Use consistent reason codes
- Maintain quality comments
- Archive old ledger data per retention policy

✗ **Don't:**

- Use generic reason codes for all situations

- Skip audits of empty bin check process
 - Ignore trends in check requirements
-

Troubleshooting

Common Issues and Solutions

Issue: "Get Empty Bins" Returns No Results

Possible Causes:

- All bins have stock
- Location/zone filter too restrictive
- Location is in excluded list

Solutions:

1. Check Inventory Setup → Excluded Locations filter
2. Verify location has bins defined
3. Temporarily enable "Include Non-Empty Bins" to see all bins
4. Check bin content in Bin Contents page

Issue: Cannot Post Journal Entries

Possible Causes:

- Action not set on lines
- Comments required but missing
- Reason code required but missing
- Record locked by another user

Solutions:

1. Ensure all lines have Action selected
2. Add comments if enforced in setup
3. Add reason codes for "Check Required" lines
4. Check if another user has journal open
5. Refresh page and retry

Issue: Bin Not Blocked After "Check Required"

Possible Causes:

- Auto-block disabled in setup
- Journal not posted yet

- Bin already blocked for other reason

Solutions:

1. Check Inventory Setup → Auto-Block on Check Required
2. Post the journal entry
3. Manually block bin from bin card if auto-block disabled
4. Check bin card for existing blocking reason

Issue: Handheld Device Not Showing Empty Bins

Possible Causes:

- Device not synced
- User doesn't have permissions
- Location filter on device
- No empty bins in location

Solutions:

1. Force sync on device (refresh/reconnect)
2. Check user permissions for empty bin check
3. Verify device location filter settings
4. Generate empty bin list from BC to confirm bins exist

Issue: Cannot Unblock Bin

Possible Causes:

- Missing permissions
- Bin blocked for multiple reasons
- Integration with WMS+ preventing unblock

Solutions:

1. Verify user has warehouse admin permissions
2. Check bin card for all blocking reasons
3. Clear each blocking reason separately
4. Contact system administrator if issue persists

Issue: Empty Bin Not Removed from List After Stock Found

Possible Causes:

- Physical Inventory Journal not posted
- Bin Contents not updated

- Cache/refresh needed

Solutions:

1. Post the Physical Inventory Journal entries
2. Manually verify Bin Contents page
3. Refresh empty bin check list
4. Regenerate empty bin list with current filters

Support and Additional Resources

Getting Help

- **Live Support:** <https://www.tecman.co.uk/live-support>
- **Documentation:** Refer to resource documents in app folder
- **Privacy Policy:** <https://www.tecman.co.uk/legal-notices/your-privacy>
- **EULA:** <https://www.tecman.co.uk/eula>

Related Documentation

- Empty Bin Check Process Flow
- WMS Device User Guide
- Business Central Warehouse Management Guide
- Physical Inventory Counting Procedures

Training Resources

Contact your system administrator or Technology Management for:

- User training sessions
- Advanced warehouse management training
- Handheld device operation training
- Report generation and analysis training

Appendix

Glossary

Term	Definition
Empty Bin Check	Process of verifying and confirming that a bin contains no stock

Term	Definition
Journal	Temporary workspace for recording empty bin confirmations before posting
Ledger	Permanent historical record of all posted empty bin checks
Check Required	Status indicating a bin needs investigation (usually due to discrepancy)
Bin Blocking	Preventing warehouse operations on a specific bin
Spot Check	Random or scheduled verification of bin contents
WMS	Warehouse Management System
Physical Inventory Journal	BC standard journal for recording stock counts

Keyboard Shortcuts

Action	Shortcut
New Line	Ctrl + N
Delete Line	Ctrl + Delete
Post	Ctrl + F11
Search/Filter	Shift + F3
Refresh	F5
View Ledger	Ctrl + Shift + L

Quick Reference: Common Tasks

Task	Quick Steps
Confirm empty bins	Get Empty Bins → Select Action "Confirm Empty" → Post
Flag for investigation	Select line → Action "Check Required" → Add reason & comment → Post
View history	View Ledger → Filter by bin/location/date
Unblock bin	Find in Bin List → Clear Check Requirement → Confirm

Task	Quick Steps
Generate report	Run Report 50057 → Set filters → Export

Document Version: 1.0
Application Version: 27.3.0.0
Last Updated: February 2026
Publisher: Technology Management

This user guide is subject to updates as the application evolves. Always refer to the latest version available in your Business Central environment or from your system administrator.

API Documentation

Technical API reference documentation for the Product Care suite of extensions.

This section covers API endpoints, field references, caller workflows, and integration patterns for external systems connecting to Business Central.