




Brand Guidelines


V.01

October 2023



Contents

a.	Introduction	03
b.	Logo	09
c.	Logo positioning	25
d.	Colour	31
e.	Typography	36
f.	Iconography	45
g.	Brand pattern	50
h.	Photography	59
i.	Examples	67



a.


Introduction



01 Brand guidelines

These guidelines serve to champion our brand and beliefs. The following pages present the visual identity of our brand with guidance on best practice for application.

Always use your best judgement when using the identity elements to create new brand assets.





CFP Energy

Powering a sustainable world

Innovative energy and environmental products that enable the transition to a low carbon, connected energy economy.



03 Tone of voice Principles

Expert

Because expertise is table stakes in an industry like ours.

We speak expertly when...

We demonstrate our earned authority. We build trust through impact in present and future tense. After all, we know the energy world of today, and we're positioned as a key player in the new world that is emerging now.

We speak our clients' language. We signal our understanding of our customers' businesses, markets and their needs with a fluency in their language, deploying industry terms with precision – and restraint.

We're holistic in our approach. Unafraid to go deep on a specialist subject, but always making sure any message is part of the bigger story. We're here to connect the dots for others, not get lost in the weeds.



04 Tone of voice Principles

Purposeful

Because talent, customers and other stakeholders expect a reason to believe.

We speak purposefully when...

We show our spirit. Bringing energy, pace and momentum to our writing with assured headlines, crisp phrasing and genuine passion for what we do and the mission we're on.

We are authentic. That means being pragmatic about our role and how we see the world; balancing the imperatives of environment and economics in the same way our customers do, and positioning ourselves as an ally in the transition rather than as an advocate for it.

We face into the future. Our words and our work are all in service of our vision – a decarbonised energy economy in which businesses and communities can thrive; it's not just about the transition, but the new energy world that will follow. We write to bring this vision a little closer every day.



05 Tone of voice Principles

Empowering


Because our customers know where they need to go; we're here to help them navigate the journey ahead.

We speak in an empowering way when...

We bring clarity. As advisors, we build confidence by engaging in the complexity of this sector, choosing to wear our intelligence lightly with straightforward language that can translate, simplify and deepen the understanding of all our audiences.

We are empathetic. Using intelligent and thoughtful language that shows our customers we get it; going beyond transactions to build meaningful relationships, and framing all our products and services in how they enable our stakeholders to harness the opportunity of this moment.


We strengthen our argument with data. Taking opportunities to enrich our messages – and our customers' decision-making – with insight and evidence.



b.
Logo

01 Brandmark Introduction

The brandmark is an evolution of the original CFP logo and consists of 12 dots at varying scales – 4 large, 4 medium and 4 small – arranged to create a dynamic symbol.





02 Wordmark Introduction

The wordmark is set in Geograph Medium by Klim Type Foundry. It has been carefully selected and crafted to compliment the geometric forms of our brandmark.

cfp energy

03 Logo Relationship

The brandmark and wordmark are aligned horizontally to create our logo. It has been specially created and no attempt should be made to reproduce it.






b.
Logo

04 Logo Construction

The brandmark and wordmark are aligned horizontally with a minimum spacing of 1 large dot width derived from the brandmark.





b.
Logo

05 Logo Colour versions

Dual colour

Our primary logo always uses the brandmark in Aqua and wordmark in Dark Blue on light backgrounds. On dark backgrounds the wordmark should be used in white.

Single colour

Our logo can be used in single colour for limited application as shown opposite.

For all logo application always use the specific artwork files provided.





b.
Logo


06 Logo Placement, clearspace and minimum size

The primary logo elements can migrate from each other to fit a format.

Always position the logo elements to the outer margin – the brandmark aligns to the left margin and the wordmark aligns to the right margin.


For the visual integrity of our logo, always leave a clear space around it. The minimum area of clear space is 1 large dot width derived from the brandmark.

The minimum size for our logo is 12mm in height for print and 30px on screen.



cfp energy

Panoramic positioning



Minimum size

12mm/
30px






b.
Logo

07 Logo Scaling

When scaling our logo, always ensure it is suited to the format size and with a minimum gutter width based on the clearspace guidance. (1 single large dot from the brandmark).

The logo should never be used smaller than 12mm in height for print and 30px on screen. There are no restrictions on maximum scaling.



cfp energy



cfp energy



cfp energy



cfp energy



cfp energy



cfp energy


08 Logo

Stacked version


The stacked version of our logo should only be used on extreme formats where space is limited and the primary version is unsuitable.

The dual colour version should be used whenever possible. Single colour versions are available, but are to be used only for limited application or when production methods do not allow for dual colour.

Always use the specific stacked logo artwork files provided.





cfpenergy




cfpenergy

09 Logo Stacked version clearspace

Minimum clearspace is defined by the medium sized brandmark dot. Always ensure this is the minimum amount when applying the logo.



Minimum clearspace



Small scale


10 Logo Stacked version spacing

Only use the stacked version on extreme formats where space is limited.

* Use the stacked version if the primary lockup has insufficient legibility and impact.

The minimum size for our logo is 10mm in height for print and 40px on screen.

Minimum scaling
10mm / 40px



11 Logo Co-branding

The examples opposite demonstrate the alignment and spacing between our logo and co-brands.


The logo must always be surrounded by at least the minimum clearspace.

- A. Horizontal co-branding
- B1. Stacked co-branding
- B2. Stacked/Horizontal co-branding


A



B1



B2



12 Logo What to avoid

1. Do not alter scales of elements in isolation
2. Do not change order of logo elements
3. Do not angle logo
4. Do not change colour of logo elements
5. Do not rotate brandmark
6. Do not outline logo
7. Do not distort proportions
8. Do not add effects
9. Do not orientate vertically



13 Brook Green Supply Logo

Our Brook Green Supply logo is crafted to reflect the CFP Energy primary logo, combining the brandmark with the wordmark typeset in Geograph by Klim Type Foundry.





b.
Logo

14 Logo Colour versions

Dual colour

The Brook Green Supply logo always uses the brandmark in Aqua and wordmark in Dark Blue on light backgrounds. On dark backgrounds the wordmark should be used in white.

Single colour

It can be used in single colour for limited application as shown opposite.

For all logo application always use the specific artwork files provided.





b.
Logo


15 Logo Placement, clearspace and minimum size

The brandmark and wordmark can migrate from each other to fit a format.

Always position the logo elements to the outer margin – the brandmark aligns to the left margin and the wordmark aligns to the right margin.

For the visual integrity of our logo, always leave a clear space around it. The minimum area of clear space is 1 large dot width derived from the brandmark.

The minimum size for our logo is 14mm in height for print and 40px on screen.




Panoramic positioning



Minimum size





C. Logo positioning



01 Logo positioning

Top margin

The examples opposite demonstrate how our brandmark and wordmark are used when aligned to the top margin of a format.

The brandmark should always be aligned to the left margin and the wordmark to the right. They can be scaled to a size suitable for the format but must be done so in proportion to one another.


Use the sizes below as a starting point for the following formats:

A4	14mm height
A3	20mm height
A2	26mm height
1080x1080	110px height
1920x1080	130px height

Examples

- A. Logo positioning on full colour background
- B. Logo positioning on image
- C. Top margin logo positioning on various formats


A



B



C





02 **Logo positioning**
Baseline

The examples opposite demonstrate how our brandmark and wordmark are used when aligned to the baseline of a format.

The brandmark should always be aligned to the left margin and the wordmark to the right. They can be scaled to a size suitable for the format but must be done so in proportion to one another.

Use the sizes below as a starting point for the following formats:

A4	14mm height
A3	20mm height
A2	26mm height
1080x1080	110px height
1920x1080	130px height

Examples

- A. Logo positioning on full colour background
- B. Logo positioning on image
- C. Baseline logo positioning on various formats


A



B



C





03 Logo positioning Stacked

The examples opposite demonstrate how our brandmark and wordmark can be used in stacked arrangement*.

The brandmark can be aligned to the top left or right margin with the wordmark positioned on the baseline directly opposite. The wordmark should be scaled to the same width as the brandmark.

Use the sizes below as a starting point for the following formats:

A4	44mm width
A3	62mm width
A2	82mm width
1080x1080	345px width
1920x1080	400px width

Examples

- A. Logo positioning on full colour background
- B. Logo positioning on image
- C. Stacked logo positioning on various formats

*Please note, the stacked arrangement is different to the stacked logo as the brandmark and wordmark are not used as a lock-up.


A



B



C





04 Logo positioning Diagonal

The examples opposite demonstrate how our brandmark and wordmark can be used in a diagonal arrangement.

The brandmark should only align to the top left margin with the wordmark positioned on the baseline in the opposite corner. The wordmark should be scaled to the same width as the brandmark.

Use the sizes below as a starting point for the following formats:

A4	44mm width
A3	62mm width
A2	82mm width
1080x1080	345px width
1920x1080	400px width

Examples

- A. Logo positioning on full colour background
- B. Logo positioning on image
- C. Diagonal logo positioning on various formats


A



B



C





05 Logo positioning Centred

The examples opposite demonstrate how our brandmark is used as a statement in the centre of formats with the wordmark supporting.

The brandmark (BM) is centred in the format with the wordmark positioned to the right baseline or margins. The wordmark (WM) should be scaled proportionally to suit the format.


Use the sizes below as a starting point for the following formats:

A4	BM: 135mm / WM: 44mm width
A3	BM: 190mm / WM: 62mm width
A2	BM: 260mm / WM: 82mm width
1080x1080	BM: 650px / WM: 345px width
1920x1080	BM: 700px / WM: 400px width

Examples

- A. Logo positioning on full colour background
- B. Logo positioning on image
- C. Diagonal logo positioning on various formats


A




B



C





d.
Colour



01 Colour Introduction

The CFP Energy primary palette is composed of three colours, aqua, dark blue and white. They are used predominately across applications and communications and should be done so in a balanced and thoughtful way.

A secondary palette has been created to compliment the primary colours. They are mainly used for charts, graphs and information graphics, but can also be used subtly in digital applications when variation is required.

Aqua

Off White

Black

White

Blue

Dark blue

Yellow

Deep orange

Orange

Green

Mid green

Deep green

02

Colour
Brand palettes


Use the correct colour values for the appropriate media type to ensure a consistent look across all our communications.

Whenever possible print the primary colour aqua and dark blue in Pantone to get the truest reproduction.

Black is used sparingly for heavy blocks of text. Off white is reserved for use as a background colour to help add depth and variation on white backgrounds, such as showcasing charts and graphs.


Primary colours

Dark blue




PMS2146C
CMYK100 71 0 2
RGB0 33 120
#002178

Aqua



PMS311C
CMYK65 0 6 0
RGB60 240 255
#3CF0FF


White



PMSN/A
CMYK0 0 0 0
RGB255 255 255
#FFFFFF

Supporting colour

Black



PMSBlack 6C
CMYK10 10 10 100
RGB0 0 0
#000000

Off white



PMS4248C @15%
CMYK0 3 5 0
RGB251 247 244
#FBF7F4


Secondary colours

Blue




PMS285C
CMYK97 51 0 0
RGB0 106 255
#006AFF

Deep Green



PMS7484C
CMYK87 13 72 56
RGB0 92 67
#005C43

Mid Green




PMS341C
CMYK95 17 5 26
RGB0 135 90
#00875A

Green



PMS7479C
CMYK74 0 68 0
RGB0 215 115
#00D773

Deep Orange



PMS021C
CMYK0 74 100 0
RGB255 98 0
#FF6200

Orange



PMS2018C
CMYK0 58 100 0
RGB255 135 8
#FF8708

Yellow



PMS116C
CMYK0 10 98 0
RGB255 205 25
#FFCD19

03 Colour Accessibility

To ensure everybody can access our content on screens, make sure there is enough brightness and contrast between text and backgrounds. The contrast needs to be high enough for text to be legible.

The swatches opposite are all usable colour combinations.

Always consider the reader’s experience when setting type. Avoid using all secondary colours for text apart from 'blue' which can be used sparingly with colours in the primary palette.


* Indicates large type only. This is usually defined as 14pt / 18px or larger.

- A. Primary palette combinations
- B. Secondary palette combinations

A



B



04 Colour
Use in data




These examples show schematic ways our primary and secondary colours may be used together in charts and graphs.


They can be used interchangeably alongside one another or separately. Data can be presented through the use of a single colour or in multiple colours from our palettes.

Colour order

Dark blue and aqua should always appear first in charts and infographics.

Blue is only to be used when a third colour is required. If more colours are needed use either a single colour from the secondary palette or a single colour and the associated gradients, as demonstrated in the examples opposite.





e. Typography



providing Geograph and
Medium, Regular transp
trust, Light physical and
sustainable energy solut
ion is to drive our client b



02 Primary typeface Weights

Our primary typeface is Geograph. It is used in our wordmark and across all our communications, both on screen and in print.

It has been carefully chosen for its geometric forms that reflect and compliment our brandmark.

It is used in three weights – medium, regular and light.

Geograph
Medium
Caps
Lowercase
Numerals
Glyph set

Geograph Medium
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789(!@£\$%&)

Geograph
Regular
Caps
Lowercase
Numerals
Glyph set

Geograph Regular
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789(!@£\$%&)

Geograph
Light
Caps
Lowercase
Numerals
Glyph set


Geograph Light
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789(!@£\$%&)

03 Primary typeface

Character selection

The Geograph typeface comes with alternative glyphs styles. When using each font the glyphs shown opposite should be used as a replacement to the default ones. This can be done manually or automatically within Adobe InDesign and Illustrator.

The panel below highlights the alternative character sets that should be activated for correct use.



Default character glyphs

Aa Bb Cc Dd Ee
 Ff Gg Hh Ii Jj Kk
 Ll Mm Nn Oo Pp
 Qq Rr Ss Tt Uu
 Vv Ww Xx Yy Zz
 01234567890

Alternative glyphs to use

Aa Bb Cc Dd Ee
 Ff Gg Hh Ii Jj Kk
 Ll Mm Nn Oo Pp
 Qq Rr Ss Tt Uu
 Vv Ww Xx Yy Zz
 01234567890

04 Primary typeface
Layout and scaling

Use the following typesetting example as a guide when creating communications using our primary typeface:

- 1 **Headline copy**
Geograph Medium + Light
Leading: 107%
Tracking: 0
- 2 **Headline space after**
Minimum spacing between headline and bodycopy = headline size
- 3 **Bodycopy**
Header: Geograph Medium
Bodycopy: Geograph Light
Maximum size: 20% headline
Leading: 125%
Tracking: 0
- 4 **Descriptor copy (<10pt)**
Geograph Regular
Size: 50% bodycopy
Leading: 125% leading
Tracking: 0

1

RResponsibility Report

RCarbon and Environmental

RMarkets

2

R

Header in Geograph Medium

3

Bodycopy in Geograph Light – Ugitaers perchit rescita tisciis sunt, sequeatione vit quos elibus disi cus enisitium, comni cumqui officae pel mo ipiendi am, inisciam, aut omnimporro demporionem eturio blandaes re, unt unti que mil iurions.

Equosaectur as sunt, sa dolecea ipsa collect oremporerit quodige nderspisite nesero que peratecus apid maion-sequi con eos simintis serciam quisimaxim et lam, simos acerspe rchitatem fugia expliqui odit, veniendit, sed que experi asped.

4

Descriptor copy in Geograph Regular



05 System typeface Weights

Poppins is our system typeface. It is only to be used when our primary typeface is unavailable or when technical restrictions, such as working with Microsoft Office or Google documents means we cannot use Geograph.

It is used in three weights – Semibold, Regular and Extra Light.

Whenever possible we should always try to use Geograph online or in print.

Poppins is available to download from Google Fonts [here](#)

Poppins
SemiBold
Caps
Lowercase
Numerals
Glyph set

Poppins SemiBold
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789(!@£\$%&)

Poppins
Regular
Caps
Lowercase
Numerals
Glyph set

Poppins Regular
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789(!@£\$%&)

Poppins
Extra Light
Caps
Lowercase
Numerals
Glyph set

Poppins Extra Light
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789(!@£\$%&)

06 System typeface
Layout and scaling

Only use Poppins where our Primary
Typeface, Geograph, cannot be used.

- 1 **Headline copy**
Poppins SemiBold + Extra Light
Leading: 107%
Tracking: 0
- 2 **Headline space after**
Minimum pacing between
headline and bodycopy
= headline size
- 3 **Bodycopy**
Header: Poppins SemiBold
Bodycopy: Poppins Extra Light
Maximum size: 20% headline
Leading: 125%
Tracking: 0
- 4 **Descriptor copy (<10pt)**
Poppins Regular
Size: 50% bodycopy
Leading: 125% leading
Tracking: 0


1
RResponsibility Report
RCarbon and Environmental
RMarkets

R 2
Header in Poppins SemiBold

3
Bodycopy in Poppins Extra Light – Ugitaers perchit
rescita tisciis sunt, sequatione vit quos elibus disi
cus enisitium, comni cumqui officae pel mo ipiendi
am, inisciam, aut omnimporro demporionem eturio
blandaes re, unt unti que mil iurions.

Equosaectur as sunt, sa dolecea ipsa cullect orem-
porerit quodige nderspisite nesero que peratecus
apid maionsequi con eos simintis serciam quisimaxim
et lam, simos acerspe rchitatem fugia expliqui odit,
veniendit, sed que experi asped.

4 Descriptor copy in Poppins Regular




07 Type in data


Typography for large data graphics and data sets in charts should be set in the following way to give a balanced and consistent style.

- A. **Typographic data**
Figures set at approximately 9 X-height of title
- B. **Graphic data**
Figures set at approximately 1/2 X-height of title

A



B



08 Typography Colour use

Typography should be set in either dark blue or white, and in aqua for limited use, dependent on the supporting background colour.

The examples opposite show how colour in typography can be used in headlines and body copy over different background colours.

From left to right

- Dark blue type on white background
- White type on dark blue background
- Dark blue on aqua background
- Aqua type for headlines and white type for body copy on dark blue background

Responsible Carbon and Markets

Header in Geograph Medium

Bodycopy in Geograph Light – Ugitaers perchit rescita tisciis sunt, sequatione vit quos elibus disiculus enisitium, comni cumqui officae pel mo ipiendi am, inis aut omnimporro demporionem eturio blandaes re, unt unti iurions.

Equosaectur as sunt, sa dolecea ipsa collect orempererit c ge nderspissime nesero que peratecus apid maionsequi con ecerciam quisimaxim et lam, simos acerspe rchitatem fugia odit, veniendit, sed que experi asped.

Descriptor copy in Geograph Light



Responsible Carbon and Markets

Header in Geograph Medium

Bodycopy in Geograph Light – Ugitaers perchit rescita tisciis sunt, sequatione vit quos elibus disiculus enisitium, comni cumqui officae pel mo ipiendi am, inisciam, aut om porro demporionem eturio blandaes re, unt unti que mil iurio

Equosaectur as sunt, sa dolecea ipsa collect orempererit c ge nderspissime nesero que peratecus apid maionsequi con simintis serciam quisimaxim et lam, simos acerspe rchitatem fugia expliqui odit, veniendit, sed que experi asped.

Descriptor copy in Geograph Light




Responsible Carbon and Markets

Header in Geograph Medium

Bodycopy in Geograph Light – Ugitaers perchit rescita tisciis sunt, sequatione vit quos elibus disiculus enisitium, comni cumqui officae pel mo ipiendi am, inisciam, aut omnimporro demporionem eturio blandaes re, unt unti que mil iurio

Equosaectur as sunt, sa dolecea ipsa collect orempererit c ge nderspissime nesero que peratecus apid maionsequi con simintis serciam quisimaxim et lam, simos acerspe rchitatem fugia expliqui odit, veniendit, sed que experi asped.

Descriptor copy in Geograph Light




Header in Geograph Medium

Bodycopy in Geograph Light – Ugitaers perchit rescita tisciis sunt, sequatione vit quos elibus disiculus enisitium, comni cumqui officae pel mo ipiendi am, inisciam, aut omnimporro demporionem eturio blandaes re, unt unti que mil iurio

Equosaectur as sunt, sa dolecea ipsa collect orempererit c ge nderspissime nesero que peratecus apid maionsequi con simintis serciam quisimaxim et lam, simos acerspe rchitatem fugia expliqui odit, veniendit, sed que experi asped.

Descriptor copy in Geograph Light






f. Iconography

01 Introduction

Icons help to represent a product, message or function. When used correctly can enhance usability and help complex elements to be easily remembered and/or understood.



02 Icon grid

The grid is the starting point in achieving a consistent set of icons. Artwork should be set up following the grid dimensions shown opposite. Final artwork can then be resized as required.

Icon grid

The grid is made up of two parts. The 'content area' and 'canvas boundry'.


Canvas boundry

The canvas boundry is made up of two units which surround the content area and must always be free from any content.


Content area

The content, as a guide, should be designed to fit within this space. However, it is permissible for elements to sit outside of the circle should the need arise, as demonstrated by the lightning bolt, battery and chart.


48 unit grid




Canvas boundary (2 units)



Icons contained within the content area



Icons with elements that sit outside the content area




03 Icon stroke

When creating icons, use the following principles outlined below:


Stroke details

- Weight: 2 units
- Cap: Butt Cap
- Corner: Round Join

Stroke weight: 2 units




Stroke style



04 Icon overview

A set of 12 icons have been created as part of these guidelines and can be used in any appropriate context.

Any further icons developed should follow this set stylistically, adhering to the grid and line stroke set out in the previous pages.




Energy




Flora




Battery




Atom



Tree




Partnership




Droplets




Chart arrow



Sun




Flow chart



Wind turbine



Light bulb



g. Brand pattern



01 Introduction

Our brand patterns are created from the dots in our brandmark. They are a dynamic and flexible style that can be used and adapted depending on how they are being applied, adding texture to our brand communications such as website graphics, business cards and brand merchandise.




02 Brand pattern Overview

There are two styles of pattern;
Engaging (A) and Expressive (B).


The following pages provide examples
of the different styles that can be
created and how they can be applied
across the CFP Energy brand.

It's important to consider which pattern
style is used depending on the nature
of the application. For example, calmer
engaging patterns for corporate
communications and expressive ones
for marketing messages.

A



B





03 Engaging dots Connected

The examples opposite show different compositions that form the connected dot style pattern.


When creating these make sure to keep a slight variation in sizes. Some dots should connect with each other, but at the same time it's good for some not to.

These brand patterns should only be used in colour combinations shown opposite:


- A. Blue dots on dark blue
- B. Dark blue dots on white or off-white
- C. Dark blue dots on aqua or vice versa
- D. Aqua dots on blue

Please note, these examples are intended to be used as a guide and will not cover all design scenarios.


A




B



C



D





04 Engaging dots Interconnected

The examples opposite show different compositions that form the interconnected style pattern.

For these patterns some dots should interact with one another, which is graphically indicated by an overlay and switch in colour.


These brand patterns should only be used in colour combinations shown opposite:

- A. Dark blue and white dots on aqua
- B. Blue and aqua dots on dark blue
- C. Dark blue and aqua dots on blue
- D. Dark blue and aqua dots on white or off-white


Always use the correct colour for the interconnected dots when creating new patterns.

Please note, these examples are intended to be used as a guide and will not cover all design scenarios.


A




B



C



D






05 Things to avoid


For consistency of our brand here are some things to avoid when using or creating engaging brand patterns.

- A. Do not use in colour ways other than those specified
- B. Do not use dots in secondary colours
- C. Do not use pattern backgrounds in secondary colours
- D. Do not use multiple colours for the 'connected' patterns


A




B



C






D



06 Expressive pattern Overview

The expressive brand pattern combines dot size and colours in a grid structure to create dynamic compositions. The examples opposite show three ways that these can be created using dots on either a square grid or a hexagonal grid.

Different scales are used to create active variation and an impression of movement. Each of the patterns opposite are available as brand assets and can be used for brand application, materials or as a starting point for creating new versions.






07 Expressive pattern

Scale and rotation


The examples opposite demonstrate how scale and rotation can be used to create different compositions from a single pattern.

- A. 7x Pattern increase
- B. 15x Pattern increase
- C. 25x Pattern increase +45° rotation


Original pattern




A



B




C






08 Expressive pattern Colourways

Brand patterns should only be used in the colour combinations shown opposite. Apart from 'blue' never use secondary colours in any brand pattern, either in the dots or as a background.





h.

Photography



01 Photography Introduction

Photography plays an integral role in our visual identity. It's what conveys our expert experience and communicates to our partners and customers who we are and what we do as an organisation.

02 Photography Overview

Industry, environment and community. These are the three groups that form our photography approach and help reflect the nature of our work and purpose as an organisation.

The following pages show the imagery style and principles for each group. Always refer to this section whenever commissioning or sourcing photography to ensure a consistent approach is taken across our brand.


Remember to always check the image usage rights.



03 Photography Industry

Our organisation covers a wide range of industries and the images we choose to showcase these must be engaging and be relevant to our areas of expertise.

Images should be well-lit and use natural lighting. Photography with clear sky can help bring a lightness to compositions while more detailed images can provide texture and visual interest.



04 Photography Environment

From inner cities to breathtaking landscapes, environment imagery should be dynamic, emotive and inviting. They should always be photographed in natural light, whether this is by day or night with clear sky visible in the majority of them. Avoid over saturated colours or images with strong contrast.



05 Photography Community

Community imagery conveys the human side of our organisation and helps bring a touch of warmth to our brand. When sourcing or commissioning them, they should feel natural, emotive and uplifting.

The image environment should be authentic and captured in natural light, portraying people in real situations. Avoid over stylised imagery or photographs that feel staged.



06 Photography

Black and white treatment

A black and white treatment can be applied to our photography when we want to add variation or need to make it usable on specific brand applications.

To avoid the image becoming too flat and grey, convert it to black and white in Adobe Photoshop and then adjust the light curves until the desired contrast is achieved.

The examples opposite show the level of contrast we should aim for when converting a colour image to black and white.

A



B



07 Photography and landmark


Our landmark can be placed directly on top of an image as shown in examples A or integrated into the surround and subject, demonstrated in examples B. When doing so ensure there is a good contrast so that the landmark is clear and visible. Integration with photography should be subtle and avoid obscuring too much of the landmark.

A



B






i. Examples

Partner
E.j.navon@cfp.
D +44 (0)20 7229 3477
M +44 (0)7988 488 845
W cfp.energy

energy

Richard Nicholls
Head of Commercial
E.r.nicholls@brookgreensupply.com
D +44 (0)20 7229 3477
M +44 (0)7988 488 845
W brookgreensupply.com

energy
Navon



cfp energy

Thomas Rasmuson
Partner
E t.rasmuson@cfp.energy
D +44 (0)20 7229 3477
M +44 (0)7988 488 845
W cfp.energy




cfp energy

Richard Nicholls
Head of Commercial
E.r.nicholls@brookgreensup
D +44 (0)20 7229 3477
M +44 (0)7988 488 845
W brookgreensupply.c



Merchandise





cfp energy

Galilea-Amé Forest

Located in the Andes mountains and Amazonian foothills of Colombia, the Galilea-Amé programme ensures the protection of this large natural forest from deforestation. An area with abundant hydrological network, extensive biodiversity and community improvements programmes.

Our Reasons

- Monitor and protect
- Fosters community development and employment such as beekeeping, honey production, ecoTourism among others
- Monitor and protect
- Fosters community development and employment such as beekeeping, honey production, ecoTourism among others



4 Quality Education

5 Gender Equality

6 Clean Water and Sanitation

Source: UN SDGs

Type:	REDD+
Location:	Tolima, Colombia
Size:	12,701 ha
Standard:	BioCarbon Registry
Project Documents:	Registry Link

56

Numbers

Title above

Experienced Multi-national employees

208

Growth, YoY approx.

15%


Clients across all services

2,139

73

Divider Title

Divider Subtitle







3

Brand materials



Social posts






Environmental branding and graphics



Billboard



cfp energy



Thank you

For more information or to
access brand assets, please
contact our brand team at
Pentagram Design.

Domenic Lippa
lippa@pentagram.com
+44 (0)20 7229 3477