

Install and verify all DNS records listed below

> [Assist me](#)

Sending records

When automatic sender security (<https://documentation.mailgun.com/docs/mailgun/user-manual/get-started/#domain-verification>) is active, you'll be required to install CNAME records with your DNS provider. Otherwise, TXT records will be provided.

Status	Type	Host (name)	Value (points to)
<div>● Active</div> <div>i</div>	TXT	mailo._domainkey.musobuddy.com <div></div>	k=rsa; p=MIGfMA0GC SqGS1b3DQ EBAQUAA4G NADCBiQKB gQDb+9X7L eYD7bPMPB +wM0h0T6o <div></div> <div></div>
<div>● Verified</div>	TXT	musobuddy.com <div></div>	v=spf1 includ e:mailgun.org ~all <div></div>

Receiving records

Install the provided MX records to route incoming mail through Mailgun, unless your domain already uses another provider (like Gmail) for receiving email. Learn more about MX record setup. (<https://help.mailgun.com/hc/en-us/articles/203357040-Can-I-Use-the-Same-Domain-Name-for-Mailgun-and-for-Google-Apps-Or-Another-Email-Server>)

Status	Type	Host (name)	Value (points to)	Priority
● Verified	MX	musobuddy.com	mx.a.mailgun.org	10
● Verified	MX	musobuddy.com	mx.b.mailgun.org	10

Tracking records

The CNAME record is necessary for tracking opens, clicks, and unsubscribes.

Status	Type	Host (name)	Value (points to)
● Verified	CNAME	email.musobuddy.com	mailgun.org

Authentication records New

DMARC is an authentication record that is now required by Google and Yahoo. Mailgun has generated one for you that you can use optionally. [Learn more \(https://redsift.com/guides/email-security-guide/dmarc\)](https://redsift.com/guides/email-security-guide/dmarc)

Status	Type	Host (name)	Value (points to)
● Unconfigured ⓘ	TXT	_dmarc.musobuddy.com	v=DMARC1; p=none; pct=100; fo=1; ri=3600; rua=mailto:dc00fb8@dm...