

Install and verify all DNS records listed below

> [Assist me](#)


Sending records

When automatic sender security (<https://documentation.mailgun.com/docs/mailgun/user-manual/get-started/#domain-verification>) is active, you'll be required to install CNAME records with your DNS provider. Otherwise, TXT records will be provided.

Status	Type	Host (name)	Value (points to)
<div><div>● Active</div><div>i</div></div>	TXT	email._domainkey.mg.musobuddy.com <div></div>	k=rsa; p=MIGfMA0GC SqGS1b3DQ EBAQUAA4G NADCBiQKB gQDnNlTIZ 6D/WzKV16 8eL0771e8 <div></div> <div></div>
<div><div>● Verified</div></div>	TXT	mg.musobuddy.com <div></div>	v=spf1 include:mailgun.org ~all <div></div>

Receiving records

Install the provided MX records to route incoming mail through Mailgun, unless your domain already uses another provider (like Gmail) for receiving email. Learn more about MX record setup. (<https://help.mailgun.com/hc/en-us/articles/203357040-Can-I-Use-the-Same-Domain-Name-for-Mailgun-and-for-Google-Apps-Or-Another-Email-Server>)

Status	Type	Host (name)	Value (points to)	Priority
● Verified	MX	mg.musobud dy.com 	mx.a.eu.mai lgun.org 	10
● Verified	MX	mg.musobud dy.com 	mx.b.eu.mai lgun.org 	10

Tracking records

The CNAME record is necessary for tracking opens, clicks, and unsubscribes.

Status	Type	Host (name)	Value (points to)
● Verified	CNAME	email.mg.muso buddy.com	eu.mailgun.org

Authentication records New

DMARC is an authentication record that is now required by Google and Yahoo. Mailgun has generated one for you that you can use optionally. [Learn more \(https://redsift.com/guides/email-security-guide/dmarc\)](https://redsift.com/guides/email-security-guide/dmarc)

Status	Type	Host (name)	Value (points to)
● Configured ⓘ	TXT	_dmarc.mg.mus obuddy.com	v=DMARC1; p=none; p ct=100; f o=1; ri=3 600; rua= mailto:dc d00fb8@dm arc@mailg