APPASERVER Data Structure

May 19, 2022

SECURITY

```
enum password_function password_function;{ no_encryption
                                          old_password_function
                                          regular_password_function
                                          sha2_function

enum password_function
    security_database_password_function(
        char *database_password );

char *security_encrypted_password(
    char *password_sql_injection_escape,
    enum password_function password_function );

char *security_mysql_version( void );

enum password_function
    security_mysql_version_password_function(
        security_mysql_version() );

char *security_encryption_select_clause(
    enum password_function password_function,
    char *password );

boolean security_password_match(
    database_password,
    security_encrypted_password(
        security_sql_injection_escape(
            typed_in_password ),
            security_database_password_function() );

boolean security_password_encrypted(
    char *database_password );

char *security_replace_special_characters(
    char *data );

char *security_sql_injection_escape(
    char *data )
{
    char destination[ STRING_WHERE_BUFFER ];

    return strdup(
        string_escape_character_array(
            destination,
            data,
            “‘’$;%=_” ) );
}

boolean security_system_role(
    char *role_name );

/* Public */
LIST *security_sql_injection_escape_list(
    LIST *data_list );
```

SECURITY_ENTITY

```
/* Usage */
SECURITY_ENTITY *security_entity_new(
    char *login_name,
    boolean folder->non_owner_forbid,
    boolean role->override_row_restrictions );

/* Input */
char *login_name;
boolean non_owner_forbid;
boolean override_row_restrictions;

/* Process */
char *login_name_only;
char *full_name_only;
char *street_address_only;

/* Returns null if no ENTITY->login_name */
char *security_login_name_full_name_only(
    &this->street_address_only,
    this->login_name );

/* Returns full_name_only */
char *security_entity_fetch(
    &this->street_address_only,
    this->login_name );

char *security_entity_where(
    SECURITY_ENTITY *security_entity,
    LIST *folder_attribute_list );
```

APPASERVER_USER

```
/* Usage */
APPASERVER_USER *appaserver_user_fetch(
    char *login_name,
    boolean fetch_role_name_list,
    boolean fetch_session_list );

/* Attributes */
char *login_name;
char *full_name;
char *typed_in_password;
char *database_password;
char *user_date_format;

/* Process */
APPASERVER_USER *appaserver_user_parse(
    char *input,
    boolean fetch_role_name_list,
    boolean fetch_session_list );

/* Public */
LIST *appaserver_user_session_list(
    char *login_name );

LIST *appaserver_user_role_name_list(
    char *login_name );

FILE *appaserver_user_update_open(
    void );

void appaserver_user_update(
    appaserver_user_update_open(),
    security_encrypted_password(
        security_sql_injection_escape(
            database_password ),
        security_mysql_version_password_function(
            security_mysql_version() ) ),
    login_name );

char *appaserver_user_default_role_name(
    char *login_name );
```



APPASERVER_PARAMETER

```
/* Usage */
APPASERVER_PARAMETER *
    appaserver_parameter_new(
        void );

APPASERVER_PARAMETER *
    appaserver_parameter_application(
        char *application_name );

/* Process */
char *appaserver_parameter_filename(
    char *application_name );

FILE *appaserver_parameter_open_file(
    char *appaserver_parameter_filename() );

DICTIONARY *appaserver_parameter_dictionary(
    FILE *appaserver_parameter_open_file() );

APPASERVER_PARAMETER *
    appaserver_parameter_fetch(
        appaserver_parameter_application(),
        appaserver_parameter_dictionary() );

/* Attributes */
char *filename;
char *mysql_user;
char *password;
char *flags;
char *MYSQL_HOST;
char *MYSQL_TCP_PORT;
char *appaserver_mount_point;
char *apache_cgi_directory;
char *cgi_home;
char *document_root;
char *error_directory;
char *data_directory;
char *upload_directory;
boolean mysql_password_syntax;

/* Public */
char *appaserver_parameter_mount_point(
    void );

char *appaserver_parameter_cgi_directory(
    void );

char *appaserver_parameter_error_directory(
    void );

char *appaserver_parameter_data_directory(
    void );

char *appaserver_parameter_cgi_home(
    void );

char *appaserver_parameter_document_root(
    void );

char *appaserver_parameter_upload_directory(
    void );
```

POST_DICTIONARY

```
/* Usage */
POST_DICTIONARY *post_dictionary_stdin_new(
    /* Used when expecting a spooled file */
    char *appaserver_parameter_upload_directory(),
    char *session_key );

POST_DICTIONARY *post_dictionary_string_new(
    char *dictionary_string );

/* Process */
char *post_dictionary_apache_key(
    string_input() );

DICTIONARY *original_post_dictionary =
    post_dictionary_fetch(
        FILE *stdin,
        char *upload_directory,
        char *session_key,
        post_dictionary_apache_key() );

char *post_dictionary_apache_label(
    char *input );

char *post_dictionary_attribute_name(
    char *input );

char *post_dictionary_input_filename(
    char *input );

void post_dictionary_stream_set(
    DICTIONARY *original_post_dictionary /* out */,
    FILE *stdin,
    post_dictionary_attribute_name(),
    post_dictionary_apache_key() );

char *post_dictionary_store_filename(
    char *post_dictionary_input_filename(),
    char *session_key );

char *post_dictionary_spool_filename(
    post_dictionary_store_filename(),
    upload_directory );

void post_dictionary_spool_file(
    post_dictionary_spool_filename(),
    FILE *stdin,
    char *apache_key );

dictionary_set(
    original_post_dictionary,
    strdup( post_dictionary_attribute_name() ),
    post_dictionary_store_filename() );
```

FRAMESET (1)

```
/* Usage */
FRAMESET *frameset_new(
    char *applicatation_name,
    char *session_key,
    char *login_name,
    boolean frameset_menu_horizontal(
        application_name,
        login_name ) );

/* Process */
APPASERVER_PARAMETER *
    appaserver_parameter =
        appaserver_parameter_new(
            application_name );

DOCUMENT *document =
    document_quick_new(
        application_name,
        application_title_string(
            application_name ) );

if ( !frameset_menu_horizontal )
{
    FRAMESET_FRAME *frameset_frame_menu =
        frameset_frame_new(
            application_name,
            appaserver_parameter->
                document_root,
            session_key,
            FRAMESET_MENU_FRAME );
}

FRAMESET_FRAME *frameset_frame_prompt =
    frameset_frame_new(
        application_name,
        appaserver_parameter->
            document_root_directory,
        session_key,
        FRAMESET_PROMPT_FRAME );

FRAMESET_FRAME *frameset_frame_table =
    frameset_frame_new(
        application_name,
        appaserver_parameter->
            document_root_directory,
        session_key,
        FRAMESET_TABLE_FRAME );

char *frameset_html(
    document->html,
    document->document_head->html,
    document_head_close_html(),
    frameset_frame_menu->html,
    frameset_frame_prompt->html,
    frameset_frame_table->html,
    boolean frameset_menu_horizontal,
    document_close_html() );

char *blank_table_frame_system_string =
    char *frameset_blank_system_string(
        char *application_background_color(
            application_name ),
        (char *)0 /* application_title_string */,
        char *frameset_frame_table->
            output_filename,
        char *appaserver_error_filename(
            application_name ) );

if ( !frameset_menu_horizontal )
{
    char *blank_prompt_frame_system_string =
        char *frameset_blank_system_string(
            char *application_background_color(
                application_name ),
            char *application_title_string(
                application_name ),
            char *frameset_frame_prompt->
                output_filename,
            char *appaserver_error_filename(
                application_name ) );
}
```

FRAMESET_FRAME

```
/* Usage */
FRAMESET_FRAME *frameset_frame_new(
    char *application_name,
    char *document_root_directory,
    char *session_key,
    char *frame_name );

/* Process */
APPASERVER_LINK *appaserver_file =
    appaserver_file_new();

char *prompt_filename =
    appaserver_link_prompt_filename();

char *output_filename =
    appaserver_link_output_filename();

char *frameset_frame_html(
    char *frame_name,
    char *prompt_filename );
```

FRAMESET (2)

```
/* Process */
char *frameset_role_name(
        LIST *role_appaserver_user_role_name_list(
              login_name ),
        char *appaserver_user_default_role_name(
              login_name ) );

char *frameset_output_filename(
    FRAMESET_FRAME *frameset_frame_menu,
    FRAMESET_FRAME *frameset_frame_prompt );

if ( frameset_role_name() )
{
    char *menu_output_system_string(
        MENU_OUTPUT_EXECUTABLE,
        session_key,
        login_name,
        frameset_role_name(),
        frameset_menu_horizontal,
        frameset_output_filename() );
}
else
{
    char *choose_role_output_system_string(
        CHOOSE_ROLE_OUTPUT_EXECUTABLE,
        session_key,
        login_name,
        frameset_menu_horizontal,
        frameset_output_filename() );
}

/* Public */
boolean frameset_menu_horizontal(
    char *application_name,
    char *login_name );

char *frameset_output_system_string(
    char *FRAMESET_OUTPUT_EXECUTABLE,
    char *session_key,
    char *login_name,
    char *post_login_output_pipe_string(),
    char *appaserver_error_filename( application_name ) );
```

TABLE_EDIT (1)

```
/* Usage */
TABLE_EDIT *table_edit_new(
    char *application_name,
    char *session_key,
    char *login_name,
    char *folder_name,
    char *role_name,
    char *target_frame,
    boolean menu_horizontal_boolean(),
    DICTIONARY *post_dictionary->
        original_post_dictionary );

/* Process */
ROLE *role =
    role_fetch(
        role_name,
        1 /* fetch_attribute_exclude_list */ );

FOLDER *folder =
    folder_fetch(
        folder_name,
        role_name /* fetching role_folder_list */,
        role_exclude_lookup_attribute_name_list(
            role->attribute_exclude_list ),
        1 /* fetch_folder_attribute_list */,
        1 /* fetch_relation_mto1_non_isa_list */,
        1 /* fetch_relation_mto1_isa_list */,
        0 /* not fetch_relation_one2m_list */,
        1 /* fetch_relation_one2m_recursive_list */,
        0 /* not fetch_process */,
        1 /* fetch_role_folder_list */,
        1 /* fetch_row_level_restriction */,
        1 /* fetch_role_operation_list */ );

SECURITY_ENTITY *security_entity =
    security_entity_new(
        login_name,
        folder->non_owner_forbid,
        role->override_row_restrictions );

char *security_entity_where(
    security_entity,
    folder->folder_attribute_list );

DICTIONARY_SEPARATE_TABLE_EDIT *
    dictionary_separate =
        dictionary_separate_table_edit_new(
            original_post_dictionary,
            application_name,
            login_name,
            folder_attribute_date_name_list(
                folder->
                    folder_attribute_append_isa_list ),
            folder->folder_attribute_append_isa_list );

int folder_attribute_date_name_list_length =
    list_length(
        folder_attribute_date_name_list(
            folder->folder_attribute_append_isa_list ) );

LIST *folder->relation_join_one2m_list =
    relation_join_one2m_list(
        folder->relation_one2m_recursive_list,
        dictionary_separate->ignore_dictionary );

if ( menu_horizontal_boolean )
{
    FOLDER_MENU *folder_menu =
        folder_menu_new(
            application_name,
            session_key,
            role_name,
            appaserver_parameter_data_directory() );

    MENU *menu =
        menu_new(
            application_name,
            session_key,
            login_name,
            role_name,
            1 /* frameset_menu_horizontal */,
            folder_menu->count_list );
}

char *table_edit_state(
    LIST *folder->role_folder_list() );

boolean table_edit_primary_keys_non_edit(
    list_length( folder->relation_mto1_isa_list ) );

ROW_SECURITY *
    row_security =
        row_security_new(
            folder_name,
            folder->folder_attribute_append_isa_list,
            folder->relation_mto1_non_isa_list,
            folder->relation_join_one2m_list,
            folder->post_change_javascript,
            dictionary_separate->drillthru_dictionary,
            table_edit_primary_keys_non_edit(),
            dictionary_separate->no_display_name_list,
            table_edit_state(),
            role_exclude_update_attribute_name_list(),
            role_exclude_lookup_attribute_name_list(),
            folder->non_owner_forbid,
            role->override_row_restrictions,
            login_name,
            security_entity_where() );
```



TABLE_EDIT (2)

```
/* Process (continued) */
QUERY_TABLE_EDIT *query_table_edit =
    query_table_edit_new(
        application_name,
        login_name,
        folder_name,
        security_entity_where(),
        folder->relation_join_one2m_list,
        dictionary_separate->
            ignore_select_attribute_name_list,
        role_exclude_lookup_attribute_name_list(),
        folder->folder_attribute_append_isa_list,
        folder->relation_mto1_non_isa_list,
        folder->relation_mto1_isa_list,
        dictionary_separate->query_dictionary,
        dictionary_separate->sort_dictionary,
        (row_security_role)
            ? row_security_role->folder_name
            : (char *)0,
        (row_security_role)
            ? row_security_role->relation
            : (RELATION *)0,
        (row_security_role)
            ? row_security_role->attribute_not_null
            : (char *)0 );

char *table_edit_spool_filename(
    char *appaserver_parameter_data_directory(),
    char *application_name,
    char *folder_name,
    char *session_key );

int dictionary_list_length =
    list_length( query_table_edit->dictionary_list );

int table_edit_row_insert_count(
    char *ROW_INSERTED_COUNT_KEY,
    DICTIONARY *dictionary_separate->
        non_prefixed_dictionary );

int table_edit_cell_update_count(
    char *COLUMNS_UPDATED_KEY,
    DICTIONARY *dictionary_separate->
        non_prefixed_dictionary );

char *table_edit_cell_update_folder_list_string(
    char *COLUMNS_UPDATED_CHANGED_FOLDER_KEY,
    DICTIONARY *dictionary_separate->
        non_prefixed_dictionary );

char *table_edit_results_string(
    char *RESULTS_STRING_KEY,
    DICTIONARY *dictionary_separate->
        non_prefixed_dictionary );

char *post_table_edit_action_string(
    POST_TABLE_EDIT_EXECUTABLE,
    application_name,
    session_key,
    login_name,
    role_name,
    folder_name,
    target_frame,
    (char *)0 /* detail_base_folder_name */ );

LIST *table_edit_heading_name_list(
    LIST *row_security->
        row_security_element_list->
        regular->
        element_list,
    LIST *row_security->
        row_security_element_list->
        viewonly->
        element_list );

char *table_edit_title_html(
    char *folder_name,
    table_edit_state() );

char *table_edit_message_html(
    int table_edit_row_insert_count(),
    int table_edit_cell_update_count(),
    char *table_edit_results_string() );

int folder_attribute_date_name_list_length(
    folder->folder_attribute_append_isa_list );

DOCUMENT *document =
    document_new(
        application_name,
        application_title_string(),
        table_edit_title_html(),
        table_edit_message_html(),
        (char *)0 /* subsubtitle_html */,
        (char *)0 /* javascript_replace */,
        frameset_menu_horizontal,
        menu,
        document_head_menu_setup_string(
            frameset_menu_horizontal ),
        document_head_calendar_setup_string(
            folder_attribute_date_name_list_length() ),
        document_head_javascript_include_string(),
        (char *)0 /* input_onload_string */ );
```



TABLE_EDIT (3)

```
/* Process (continued) */
FORM_TABLE_EDIT *form_table_edit =
    form_table_edit_new(
        folder_name,
        folder->post_change_javascript,
        dictionary_list_length,
        post_table_edit_action_string(),
        folder->role_operation_list,
        table_edit_heading_name_list(),
        target_frame,
        dictionary_separate->query_dictionary,
        dictionary_separate->sort_dictioanry,
        dictionary_separate->drillthru_dictionary,
        dictionary_separate->no_display_dictionary  );

char *table_edit_html(
    document->html,
    document->document_head->html,
    document_head_close_html(),
    document->document_body->html );

char *table_edit_trailer_html(
    document_body_close_html(),
    document_close_html() );

/* Usage */
void table_edit_output(
    FILE *output_stream,
    char *application_name,
    char *table_edit_html(),
    char *form_table_edit_html(),
    LIST *folder->role_operation_list,
    LIST *query_table_edit->
        row_dictionary_list,
    LIST *row_security->
            row_security_element_list->
            regular->
            element_list
                /* regular_element_list */,
    LIST *row_security->
            row_security_element_list->
            viewonly->
            element_list
                /* viewonly_element_list */,
    ROW_SECURITY_ROLE *row_security->
        row_security_role,
    char *table_edit_state(),
    char *form_table_edit_trailer_html(),
    char *table_edit_trailer_html() );

/* Process */
fprintf(output_stream,
        "%s\n%s\n",
        table_edit_html,
        form_table_edit_html );

table_edit_apply_output(
    output_stream,
    application_name,
    row_operation_list,
    row_dictionary_list,
    regular_element_list,
    viewonly_element_list,
    row_security_role,
    table_edit_state );

fprintf(output_stream,
        "%s\n",
        element_table_close_html() );

table_edit_hidden_output(
    output_stream,
    row_dictionary_list,
    regular_element_list,
    viewonly_element_list );

fprintf(output_stream,
        "%s\n%s\n",
        form_table_edit_trailer_html,
        table_edit_trailer_html );
```

FORM_TABLE_EDIT

TABLE_EDIT (4)

```
/* Usage */
void table_edit_apply_output(
    FILE *output_stream,
    char *application_name,
    LIST *role_operation_list,
    LIST *row_dictionary_list,
    LIST *row_security->
            row_security_element_list->
            row_security_regular_element_list->
            element_list,
    LIST *row_security->
            row_security_element_list->
            row_security_viewonly_element_list->
            element_list,
    ROW_SECURITY_ROLE *row_security_role,
    char *table_edit_state );

/* Process */
for (   list_rewind( row_dictionary_list ), row_number = 1;
        row_number <= list_length( row_dictionary_list );
        list_next( row_dictionary_list ), row_number++ )
{
    DICTIONARY *row_dictionary = list_get( row_dictionary_list );

    LIST *table_edit_apply_element_list(
        LIST *regular_element_list,
        LIST *viewonly_element_list,
        DICTIONARY *row_dictionary,
        ROW_SECURITY_ROLE *row_security_role );

    char *html =
        char *table_edit_row_html(
            table_edit_apply_element_list(),
            role_operation_list,
            application_name,
            ( background_color =
                form_background_color() ),
            row_security_role,
            table_edit_state,
            row_number,
            row_dictionary );

    fprintf(
        output_stream,
        “%s”,
        element_table_row_html(
            background_color ) );

    fprintf(
        output_stream,
        “%s\n”,
        html );

    free( html );
}
```



```
/* Usage */
char *table_edit_row_html(
    LIST *table_edit_apply_element_list(),
    LIST *role_operation_list,
    char *application_name,
    char *form_background_color(),
    ROW_SECURITY_ROLE *row_security_role,
    char *table_edit_state,
    int row_number,
    DICTIONARY *row_dictionary );

/* Process */
char row_html[ STRING_ONE_MEG ];
char *ptr = row_html;

for each ROLE_OPERATION *role_operation in
    role_operation_list
{
    char *html =
        operation_html(
            role_operation->
                operation->
                checkbox,
            table_edit_state,
            row_number,
            form_background_color,
            table_edit_viewonly(
                row_dictionary,
                (row_security_role)
                    ? row_security_role->
                        row_security_role_update->
                        attribute_not_null
                    : (char *)0 )
                    /* delete_mask_boolean */ );

    ptr +=
        sprintf(
            ptr,
            "%s%s\n",
            element_table_data_html(
                0 /* not align_right */,
                1 /* column_span */ ),
            html );

    free( html );
}

html =
    appaserver_element_list_row_dictionary_html(
        table_edit_apply_element_list,
        application_name,
        form_background_color,
        table_edit_state,
        row_number,
        row_dictionary );

ptr += sprintf(
            ptr,
            "%s\n",
            html );

free( html );

/* Usage */
void table_edit_hidden_output(
    FILE *output_stream,
    LIST *row_dictionary_list,
    LIST *row_security_table_edit->
            row_security_element_list->
            regular_element_list,
    LIST *row_security_table_edit->
            row_security_element_list->
            viewonly_element_list );

/* Process */
if ( regular_element_list )
    apply_element_list = regular_element_list;
else
    apply_element_list = viewonly_element_list;

for (   list_rewind( row_dictionary_list ),
        row_number = 1;
        row_number <=
            list_length( row_dictionary_list );
        list_next( row_dictionary_list ),
        row_number++ )
{
    DICTIONARY *row_dictionary =
        list_get( row_dictionary_list );

    html =
        appaserver_element_list_hidden_html(
            row_dictionary,
            apply_element_list,
            row_number );

    fprintf(  output_stream,
              "%s\n",
              html );

    free( html );
}

/* Private */
boolean table_edit_viewonly(
    DICTIONARY *row_dictionary,
    row_security_role_update->attribute_not_null );

/* Public */
char *table_edit_output_system_string(
    char *TABLE_EDIT_OUTPUT_EXECUTABLE,
    char *session_key,
    char *login_name,
    char *role_name,
    char *folder_name,
    char *target_frame,
    char *subsub_title,
    char *dictionary_separate_send_string(),
    char *appaserver_error_filename(
        application_name ) );

void table_edit_spool_file(
    char *table_edit_spool_filename(),
    LIST *folder_attribute_name_list(
        folder->folder_attribute_append_isa_list ),
    LIST *query_table_edit->row_dictionary_list,
    char SQL_DELIMITER );
```

APPASERVER Data Structure

POST_TABLE_EDIT (1)

```
/* Usage */
POST_TABLE_EDIT *post_table_edit_new(
    int argc,
    char **argv,
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *folder_name,
    char *target_frame,
    char *detail_base_folder_name );

/* Attributes */
char *target_frame;
char *detail_base_folder_name;

/* Process */
POST_TABLE_EDIT *post_table_edit_calloc( void );

SESSION_FOLDER *session_folder =
    /* Sets appaserver environment and outputs argv */
    /* Each parameter is security inspected */
    session_folder_integrity_exit(
        int argc,
        char **argv,
        char *application_name,
        char *session_key,
        char *login_name,
        char *role_name,
        char *folder_name,
        char *APPASERVER_LOOKUP_STATE );

ROLE *role =
    role_fetch(
        role_name,
        1 /* fetch_attribute_exclude_list */ );

FOLDER *folder =
    folder_fetch(
        folder_name,
        /* Need to make sure can update_new() */
        role_name,
        role_exclude_update_attribute_name_list(
            role->attribute_exclude_list ),
        /* Also sets primary_key_list */
        1 /* fetch_folder_attribute_list */,
        1 /* fetch_relation_mto1_non_isa_list */,
        /* Also sets folder_attribute_append_isa_list */
        1 /* fetch_relation_mto1_isa_list */,
        0 /* not fetch_relation_one2m_list */,
        1 /* fetch_relation_one2m_recursive_list */,
        1 /* fetch_process */,
        1 /* fetch_role_folder_list */,
        1 /* fetch_row_level_restriction */,
        1 /* fetch_role_operation_list */ );

POST_DICTIONARY *post_dictionary =
    post_dictionary_stdin_new(
        (char *)0 /* upload_directory */,
        (char *)0 /* session_key */ );

DICTIONARY_SEPARATE_POST_TABLE_EDIT *
    dictionary_separate =
        dictionary_separate_post_table_edit_new(
            post_dictionary->original_post_dictionary,
            application_name,
            login_name,
            folder->folder_attribute_name_list,
            role_operation_name_list(
                folder->role_operation_list ),
            folder_attribute_date_name_list(
                folder->
                    folder_attribute_append_isa_list ) );

char *table_edit_spool_filename(
    appaserver_parameter_data_directory(),
    application_name,
    folder_name,
    session_key );

DICTIONARY *file_dictionary =
    dictionary_file_fetch(
        table_edit_spool_filename(),
        SQL_DELIMITER );

if ( role_folder_update( folder->role_folder_list ) )
{
    UPDATE *update =
        update_new(
            application_name,
            login_name,
            dictionary_separate->multi_row_dictionary,
            file_dictionary,
            role,
            folder );
}
```

session_folder_integrity_exit() → **SESSION_FOLDER**

role_fetch() → **ROLE**

folder_fetch() → **FOLDER**

post_dictionary_stdin_new() → **POST_DICTIONARY**

dictionary_separate_post_table_edit_new() → **DICTIONARY_SEPARATE_POST_TABLE_EDIT**

```
DICTIONARY *sort_dictionary;
DICTIONARY *query_dictionary;
DICTIONARY *drillthru_dictionary;
DICTIONARY *no_display_dictionary;
DICTIONARY *pair_one2m_dictionary;
DICTIONARY *non_prefixed_dictionary;
DICTIONARY *multi_row_dictionary;
DICTIONARY *row_zero_dictionary;
DICTIONARY *operation_dictionary;
LIST *no_display_name_list;
```

dictionary_file_fetch() → **DICTIONARY**

update_new() → **UPDATE**

POST_TABLE_EDIT (2)

```
/* Process (continued) */

if ( dictionary_length(
    dictionary_separate->
        operation_dictionary ) )
{
    OPERATION_ROW_LIST *operation_row_list =
        operation_row_list_new(
            char *application_name,
            char *session_key,
            char *login_name,
            char *role_name,
            char *folder_name,
            DICTIONARY *dictionary_separate->
                operation_dictionary,
            DICTIONARY *dictionary_separate->
                multi_row_dictionary,
            LIST *folder->role_operation_list,
            LIST *folder->primary_key_list,
            LIST *folder->folder_attribute_name_list );
}

/* Public */

char *post_table_edit_action_string(
    char *POST_TABLE_EDIT_EXECUTABLE,
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *folder_name,
    char *target_frame,
    char *detail_base_folder_name );

/* Driver */
if ( update )
{
    char *sql_error_message_list_string =
        update_row_list_execute(
            update->update_row_list,
            appaserver_error_filename() );
}

if ( operation_row_list )
{
    char *operation_error_message_list_string =
        operation_row_list_execute(
            operation_row_list );
}

char *subsub_title =
        string_append(
            sql_error_message_list_string,
            operation_error_message_list_string,
            “<br>” /* string_delimiter */ );

char *table_edit_output_system_string(
    TABLE_EDIT_OUTPUT_EXECUTABLE,
    session_key,
    login_name,
    role_name,
    folder_name,
    target_frame,
    subsub_title,
    dictionary_separate_send_string(
        dictionary_separate_send_dictionary() ),
    appaserver_error_filename(
        application_name ) );
```

operation_row_list_new()

OPERATION_ROW_LIST

TABLE_INSERT

```
/* Usage */
TABLE_INSERT *table_insert_new(
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *folder_name,
    char *target_frame,
    char *message,
    boolean menu_horizontal_boolean(),
    DICTIONARY *post_dictionary->
        original_post_dictionary );

/* Process */
ROLE *role =
    role_fetch(
        role_name,
        1 /* fetch_attribute_exclude_list */ );

FOLDER *folder =
    folder_fetch(
        folder_name,
        role_name /* fetching role_folder_list */,
        role_exclude_lookup_attribute_name_list(
            role->attribute_exclude_list ),
        1 /* fetch_folder_attribute_list */,
        1 /* fetch_relation_mto1_non_isa_list */,
        1 /* fetch_relation_mto1_isa_list */,
        1 /* fetch_relation_one2m_list */,
        1 /* fetch_relation_one2m_recursive_list */,
        1 /* fetch_process */,
        1 /* fetch_role_folder_list */,
        1 /* fetch_row_level_restriction */,
        0 /* not fetch_role_operation_list */ );

boolean table_insert_forbid(
    boolean role_folder_insert(
        folder->role_folder_list ) );

if ( table_insert_forbid() )
{
    return (TABLE_INSERT *)0;
}

DICTIONARY_SEPARATE_TABLE_INSERT *
    dictionary_separate_table_insert =
        dictionary_separate_table_insert_new(
            original_post_dictionary,
            application_name,
            login_name,
            folder_attribute_date_name_list(
                folder->
                    folder_attribute_append_isa_list ),
            folder->folder_attribute_append_isa_list,
            folder->folder_attribute_name_list );

if ( menu_horizontal_boolean )
{
    FOLDER_MENU *folder_menu =
        folder_menu_new(
            application_name,
            session_key,
            role_name,
            appaserver_parameter_data_directory() );

    MENU *menu =
        menu_new(
            application_name,
            session_key,
            login_name,
            role_name,
            1 /* frameset_menu_horizontal */,
            folder_menu->count_list );
}

SECURITY_ENTITY *security_entity =
    security_entity_new(
        login_name,
        folder->non_owner_forbid,
        role->override_row_restrictions );

/* Public */
char *table_insert_output_system_string(
    char *TABLE_INSERT_OUTPUT_EXECUTABLE,
    char *session_key,
    char *login_name,
    char *role_name,
    char *folder_name,
    char *target_frame,
    char *dictionary_separate_send_string(),
    char *appaserver_error_filename(
        application_name ) );
```

dictionary_separate_table_insert_new()

FOLDER_MENU

MENU

DICTIONARY_SEPARATE_TABLE_INSERT

```
DICTIONARY *drillthru_dictionary;
DICTIONARY *ignore_dictionary;
DICTIONARY *non_prefixed_dictionary;
DICTIONARY *multi_row_dictionary;
DICTIONARY *row_zero_dictionary;
LIST *ignore_name_list;
```



APPASERVER_ELEMENT

POST_TABLE_INSERT

```
/* Usage */
POST_TABLE_INSERT *post_table_insert_new(
    int argc,
    char **argv,
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *folder_name,
    char *state,
    char *target_frame );

/* Attributes */
char *target_frame;

/* Process */
SESSION *session =
    /* Sets appaserver environment and outputs argv */
    /* Each parameter is security inspected */
    session_folder_integrity_exit(
        int argc,
        char **argv,
        char *application_name,
        char *session_key,
        char *login_name,
        char *role_name,
        char *folder_name,
        char *state );

ROLE *role ...
```

DOCUMENT

```
/* Usage */
DOCUMENT *document_new(
    char *application_name,
    char *application_title_string(),
    char *title_html,
    char *subtitle_html,
    char *subsubtitle_html,
    char *javascript_replace(),
    boolean frameset_menu_horizontal(),
    MENU *menu,
    char *document_head_menu_setup_string(
            frameset_menu_horizontal() ),
    char *document_head_calendar_setup_string(
            folder_attribute_date_name_list_length ),
    char *document_head_javascript_include_string(),
    char *input_onload_string  );

DOCUMENT *document_quick_new(
    char *application_name,
    char *application_title_string() );

/* Process */
DOCUMENT_HEAD *document_head =
    document_head_new(
        application_name,
        application_title_string(),
        menu_setup_string,
        calendar_setup_string,
        javascript_include_string );

DOCUMENT_BODY *document_body =
    document_body_new(
        frameset_menu_horizontal,
        menu,
        application_title_string(),
        title_html,
        subtitle_html,
        subsubtitle_html,
        javascript_replace,
        input_onload_string );

char *document_type_html( void );

char *document_standard_string void );

char *document_html(
    char *document_type_html(),
    char *document_standard_string() );

/* Public */
void document_output_html_stream(
    FILE *output_stream );

char *document_content_type_html( void );

void document_output_content_type( void );

void document_quick_output(
    char *application_name );

char *document_close_html( void );

void document_close( void );

char *document_form_html(
    char *document->html,
    char *document->document_head->html,
    char *document_head_close_html(),
    char *document->document_body->html,
    char *form_html,
    char *document_body_close_html(),
    char *document_close_html() );
```



DOCUMENT_HEAD

```
/* Usage */
DOCUMENT_HEAD *document_head_new(
    char *application_name,
    char *application_title_string,
    document_head_menu_setup_string(),
    document_head_calendar_setup_string(),
    document_head_javascript_include_string() );

/* Process */
char *document_head_meta_string(
    void );

char *document_head_stylesheet_string(
    char *application_name );

char *document_head_title_tag(
    char *application_title_string );

char *document_head_html(
    char *document_head_meta_string,
    char *document_head_stylesheet_string,
    char *document_head_title_tag,
    char *menu_setup_string,
    char *calendar_setup_string,
    char *javascript_include_string );

/* Public */
char *document_head_menu_setup_string(
    boolean menu_horizontal_boolean() );

char *document_head_calendar_setup_string(
    int list_length(
        folder_attribute_date_name_list() ) );

char *document_head_javascript_include_string(
    void );

char *document_head_close_html( void );
```

DOCUMENT_BODY

```
/* Usage */
DOCUMENT_BODY *document_body_new(
    boolean frameset_menu_horizontal(),
    MENU *menu,
    char *title_html,
    char *subtitle_html,
    char *subsubtitle_html,
    char *javascript_replace(),
    char *input_onload_string );

/* Process */
char *document_body_menu_onload_string(
    boolean frameset_menu_horizontal );

char *document_body_tag(
    char *input_onload_string,
    document_body_menu_onload_string(),
    char *javascript_replace );

char *document_body_hide_preload_html(
    boolean frameset_menu_horizontal );

/* Returns menu->html or null */
char *document_body_horizontal_menu_html(
    boolean frameset_menu_horizontal,
    MENU *menu );

char *document_body_html(
    char *document_body_tag(),
    char *document_body_horizontal_menu_html(),
    char *title_html,
    char *subtitle_html,
    char *subsubtitle_html );

/* Public */
char *document_body_set_onload_control_string(
    char *onload_control_string,
    char *append_onload_control_string );

char *document_body_close_html( void );
```

DOCUMENT_DETAIL

```
DOCUMENT_DETAIL *document_detail_new(
);

/* Process */
DOCUMENT_HEAD *document_head =
    document_head_new(
        application_name,
        title,
        document_head_menu_setup_string(),
        (char *)0 /* calendar_setup_string */
        document_head_javascript_include_string() );

DOCUMENT_BODY_DETAIL *
    document_body_detail =
        document_body_detail_new(
);
```

DOCUMENT_HEAD

DOCUMENT_BODY_DETAIL

```
/* Usage */
DOCUMENT_BODY_DETAIL *
    document_body_detail =
        document_body_detail_new(
 );

/* Process */
```

APPASERVER Data Structure

MENU (1)

```
/* Usage */
MENU *menu_new(
   char *application_name,
   char *session_key,
   char *login_name,
   char *role_name,
   boolean frameset_menu_horizontal,
   LIST *folder_menu_count_list() );

/* Process */
LIST *role_folder_lookup_list( role_name );
LIST *role_folder_insert_list( role_name );
LIST *role_process_list( role_name );
LIST *role_process_set_list( role_name );

LIST *appaserver_user_role_name_list(
      login_name );

LIST *role_process_group_name_list(
   role_process_list(),
   role_process_set_list() );

LIST *role_folder_subschema_name_list(
   LIST *role_folder_lookup_list() );

LIST *role_folder_subschema_missing_folder_name_list(
   LIST *role_folder_lookup_list() );

LIST *role_process_group_missing_process_name_list(
   LIST *role_process_list(),
   LIST *role_process_set_list() );
```



MENU (2)

```
/* Process */
if ( !frameset_menu_horizontal )
{
  MENU_VERTICAL *
    menu_vertical =
      menu_vertical_new(
        application_name,
        session_key,
        login_name,
        role_name,
        folder_menu_count_list(),
        role_folder_lookup_list(),
        role_folder_insert_list(),
        role_process_list(),
        role_process_set_list(),
        appaserver_user_role_name_list(),
        subschema_name_list,
        subschema_missing_folder_name_list,
        role_process_group_name_list(),
        role_process_group_missing_process_name_list );
}
else
{
  MENU_HORIZONTAL *
    menu_horizontal =
      menu_horizontal_new(
        application_name,
        session_key,
        login_name,
        role_name,
        folder_menu_count_list(),
        role_folder_lookup_list(),
        role_folder_insert_list(),
        role_process_list(),
        role_process_set_list(),
        appaserver_user_role_name_list(),
        subschema_name_list,
        subschema_missing_folder_name_list,
        role_process_group_name_list(),
        role_process_group_missing_process_name_list );
}

char *menu_html(
  MENU_VERTICAL *menu_vertical,
  MENU_HORIZONTAL *menu_horizontal );

/* Private */
MENU *menu_calloc( void );

/* Public */
boolean menu_horizontal_boolean(
  char *current_frame,
  char *FRAMESET_PROMPT_FRAME,
  boolean frameset_menu_horizontal() );

char *menu_horizontal_span_tag(
  char *heading_name );

char *menu_output_system_string(
  char *MENU_OUTPUT_EXECUTABLE,
  char *session_key,
  char *login_name,
  char *role_name,
  boolean frameset_menu_horizontal(),
  char *frameset_output_filename() );
```

MENU_VERTICAL

MENU_HORIZONTAL

MENU_VERTICAL

```
/* Usage */
MENU_VERTICAL *
   menu_vertical_new(
      char *application_name,
      char *session_key,
      char *login_name,
      char *role_name,
      LIST *folder_menu_count_list(),
      LIST *role_folder_lookup_list(),
      LIST *role_folder_insert_list(),
      LIST *role_process_list(),
      LIST *role_process_set_list(),
      LIST *appaserver_user_role_name_list(),
      LIST *role_folder_subschema_name_list(),
      role_folder_subschema_missing_folder_name_list,
      LIST *role_process_group_name_list(),
      role_process_group_missing_process_name_list() );

/* Process */
LIST *vertical_subschema_list = list_new();

for subschema_name in
   role_folder_subschema_name_list
{
   list_set(
      vertical_subschema_list,
      menu_vertical_subschema_new(
         application_name,
         session_key,
         login_name,
         role_name,
         folder_menu_count_list(),
         role_folder_lookup_list(),
         role_folder_insert_list(),
         subschema_name ) );
}

LIST *menu_item_folder_list = list_new();

for folder_name in
   role_folder_subschema_missing_folder_name_list
{
   list_set(
      menu_item_folder_list,
      menu_item_vertical_folder_new(
         application_name,
         session_key,
         login_name,
         role_name,
         folder_name,
         (folder_menu_count_list)
            ? folder_menu_count_seek(
               folder_name,
               folder_menu_count_list)->display
            : (char *)0,
         role_folder_insert_exists(
            folder_name,
            role_folder_insert_list ) );
}

LIST *menu_vertical_process_group_list = list_new();

for group_name in role_process_group_name_list
{
   list_set(
      menu_vertical_process_group_list,
      menu_vertical_process_group_new(
         application_name,
         session_key,
         login_name,
         role_name ,
         group_name,
         role_process_list,
         role_process_set_list ) );
}

LIST *menu_item_vertical_process_list = list_new();

for process_or_set_name in
   role_process_group_missing_process_name_list
{
   list_set(
      menu_item_vertical_process_list,
      menu_item_vertical_process_new(
         application_name,
         session_key,
         login_name,
         role_name,
         process_or_set_name ) );
}

if ( list_length( appaserver_user_role_name_list ) > 1 )
{
   MENU_ITEM *menu_item_role_change =
      menu_item_vertical_role_change_new(
         application_name,
         session_key,
         login_name,
         menu_item_role_name_list(
               role_name,
            appaserver_user_role_name_list() );
}

char *menu_vertical_html(
   char *login_name,
   char *role_name,
   LIST *vertical_subschema_list,
   LIST *menu_item_folder_list,
   LIST *menu_vertical_process_group_list,
   LIST *menu_item_vertical_process_list,
   char *(menu_item_role_change)
      ? menu_item_role_change->html
      : (char *)0 );
```



MENU_HORIZONTAL (1)

```
/* Usage */
MENU_HORIZONTAL *
   menu_horizontal_new(
      char *application_name,
      char *session_key,
      char *login_name,
      char *role_name,
      LIST *folder_menu_count_list(),
      LIST *role_folder_lookup_list(),
      LIST *role_folder_insert_list(),
      LIST *role_process_list(),
      LIST *role_process_set_list(),
      LIST *appaserver_user_role_name_list(),
      LIST *role_folder_subschema_name_list(),
      role_folder_subschema_missing_folder_name_list,
      LIST *role_process_group_name_list(),
      role_process_group_missing_process_name_list() );

/* Process */
LIST *lookup_subschema_list = list_new();

for subschema_name in
   role_folder_subschema_name_list
{
   list_set(
      lookup_subschema_list,
      menu_horizontal_subschema_new(
         application_name,
         session_key,
         login_name,
         role_name,
         folder_menu_count_list(),
         role_folder_lookup_list()
            /* role_folder_list */,
         subschema_name,
         APPASERVER_LOOKUP_STATE ) );
}

LIST *insert_subschema_list = list_new();

for subschema_name in
   role_folder_subschema_name_list
{
   list_set(
      insert_subschema_list,
      menu_horizontal_subschema_new(
         application_name,
         session_key,
         login_name,
         role_name,
         (LIST *)0 /* folder_menu_count_list */,
         role_folder_insert_list()
            /* role_folder_list */,
         subschema_name,
         APPASERVER_INSERT_STATE ) );
}

LIST *menu_item_lookup_folder_list = list_new();

for folder_name in
   role_folder_subschema_missing_folder_name_list
{
   list_set(
      menu_item_lookup_folder_list,
      menu_item_horizontal_folder_new(
         application_name,
         session_key,
         login_name,
         role_name,
         folder_name,
         (folder_menu_count_list)
            ? folder_menu_count_seek(
               folder_name,
               folder_menu_count_list)->display
            : (char *)0,
         APPASERVER_LOOKUP_STATE );
}

LIST *menu_item_insert_folder_list = list_new();

for folder_name in
   role_folder_subschema_missing_folder_name_list
{
   if ( role_folder_insert_exists(
      folder_name,
      role_folder_insert_list ) )
   {
      list_set(
         menu_item_insert_folder_list,
         menu_item_horizontal_folder_new(
            application_name,
            session_key,
            login_name,
            role_name,
            folder_name,
            (char *)0 /* folder_menu_count_display */,
            APPASERVER_INSERT_STATE );
   }
}
```



APPASERVER Data Structure

MENU_HORIZONTAL (2)

```
/* Process */
LIST *menu_horizontal_process_group_list = list_new();

for group_name in role_process_group_name_list
{
  list_set(
     menu_horizontal_process_group_list,
     menu_horizontal_process_group_new(
        application_name,
        session_key,
        login_name,
        role_name ,
        group_name,
        role_process_list,
        role_process_set_list ) );
}

LIST *menu_item_horizontal_process_list = list_new();

for process_or_set_name in
  role_process_group_missing_process_name_list
{
  list_set(
     menu_item_horizontal_process_list,
     menu_item_horizontal_process_new(
        application_name,
        session_key,
        login_name,
        role_name,
        process_or_set_name ) );
}

if ( list_length( appaserver_user_role_name_list ) > 1 )
{
  LIST *menu_item_role_change_list = list_new();

  LIST *menu_item_role_name_list(
     char *role_name,
     LIST *appaserver_user_role_name_list );

  for local_role_name in menu_item_role_name_list()
  {
     list_set(
        menu_item_role_change_list,
        menu_item_horizontal_role_change_new(
           application_name,
           session_key,
           login_name,
           local_role_name ) );
  }
}

char *menu_horizontal_html(
  char *login_name,
  char *role_name,
  LIST *lookup_subschema_list,
  LIST *insert_subschema_list,
  LIST *menu_item_lookup_folder_list,
  LIST *menu_item_insert_folder_list,
  LIST *menu_horizontal_process_group_list,
  LIST *menu_item_horizontal_process_list,
  LIST *menu_item_role_change_list,
  char *document_body_hide_preload_html() );
```



MENU_VERTICAL_SUBSCHEMA

```
/* Usage */
MENU_VERTICAL_SUBSCHEMA *
   menu_vertical_subschema_new(
      char *application_name,
      char *session_key,
      char *login_name,
      char *role_name,
      LIST *folder_menu_count_list(),
      LIST *role_folder_lookup_list(),
      LIST *role_folder_insert_list(),
      char *subschema_name );

/* Process */
MENU_VERTICAL_SUBSCHEMA *
   menu_vertical_subschema_calloc(
      void );
```

```
LIST *role_folder_subschema_folder_name_list(
      subschema_name,
      role_folder_lookup_list
         /* role_folder_list */ );

LIST *menu_item_list = list_new();

for  folder_name in
   role_folder_subschema_folder_name_list()
{
   list_set(
      menu_item_list,
      menu_item_vertical_folder_new(
         application_name,
         session_key,
         login_name,
         role_name,
         folder_name,
         (folder_menu_count_list)
            ? folder_menu_count_seek(
               folder_name,
               folder_menu_count_list )->display
            : (char *)0,
         role_folder_insert_exists(
            folder_name,
            role_folder_insert_list ) ) );
}

char *menu_item_list_vertical_html(
      subschema_name,
      menu_item_list );
```



MENU_HORIZONTAL_SUBSCHEMA

```
/* Usage */
MENU_HORIZONTAL_SUBSCHEMA *
   menu_horizontal_subschema_new(
      char *application_name,
      char *session_key,
      char *login_name,
      char *role_name,
      LIST *folder_menu_count_list(),
      LIST *role_folder[_lookup|insert]_list,
      char *subschema_name,
      char *state );

/* Process */
MENU_HORIZONTAL_SUBSCHEMA *
   menu_horizontal_subschema_calloc(
      void );
```

```
LIST *role_folder_subschema_folder_name_list(
      subschema_name,
      role_folder[_lookup|insert]_list
         /* role_folder_list */ );

LIST *menu_item_list = list_new();

for  folder_name in
   role_folder_subschema_folder_name_list()
{
   list_set(
      menu_item_list,
      menu_item_horizontal_folder_new(
         application_name,
         session_key,
         login_name,
         role_name,
         folder_name,
         state,
         char *(folder_menu_count_list)
            ? folder_menu_count_seek(
               folder_name,
               folder_menu_count_list )->display
            : (char *)0 /* folder_menu_count_display */ ) );
}

char *menu_horizontal_span_tag(
   subschema_name );

char *menu_item_list_horizontal_html(
   menu_horizontal_span_tag(),
   menu_item_list );
```



MENU_VERTICAL_PROCESS_GROUP

```
/* Usage */
MENU_VERTICAL_PROCESS_GROUP *
    menu_vertical_process_group_new(
        char *application_name,
        char *session_key,
        char *login_name,
        char *role_name ,
        char *group_name,
        LIST *role_process_list(),
        LIST *role_process_set_list() );

/* Process */
MENU_VERTICAL_PROCESS_GROUP *
    menu_vertical_process_group_calloc(
        void );

LIST *role_process_or_set_name_list(
    group_name,
    role_process_list(),
    role_process_set_list() );

LIST *menu_item_process_list = list_new()

for process_or_set_name in
    role_process_or_set_name_list()
{
    list_set(
        menu_item_process_set,
        menu_item_vertical_process_new(
            application_name,
            session_key,
            login_name,
            role_name,
            process_or_set_name ) );
}

char *html =
    menu_item_list_vertical_html(
        char *group_name,
        LIST *menu_item_process_list );
```



MENU_HORIZONTAL_PROCESS_GROUP

```
/* Usage */
MENU_HORIZONTAL_PROCESS_GROUP *
    menu_horizontal_process_group_new(
        char *application_name,
        char *session_key,
        char *login_name,
        char *role_name ,
        char *group_name,
        LIST *role_process_list(),
        LIST *role_process_set_list() );

/* Process */
LIST *role_process_or_set_name_list(
    group_name,
    role_process_list(),
    role_process_set_list() );

LIST *menu_item_process_list = list_new()

for process_or_set_name in
    role_process_or_set_name_list()
{
    list_set(
        menu_item_process_set,
        menu_item_horizontal_process_new(
            application_name,
            session_key,
            login_name,
            role_name,
            process_or_set_name ) );
}

char *menu_horizontal_span_tag(
    group_name );

char *html =
    menu_item_list_horizontal_html(
        char *menu_horizontal_span_tag(),
        LIST *menu_item_process_list );

/* Private */
MENU_HORIZONTAL_PROCESS_GROUP *
    menu_horizontal_process_group_calloc(
        void );
```



MENU_ITEM (1)

```
/* Usage */
MENU_ITEM *menu_item_vertical_folder_new(
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *folder_name,
    char *folder_menu_count_display,
    boolean role_folder_insert_exists );

/* Process */
char *lookup_href_string =
    post_choose_folder_href_string(
        POST_CHOOSE_FOLDER_EXECUTABLE,
        application_name,
        session_key,
        login_name,
        role_name,
        folder_name,
        APPASERVER_LOOKUP_STATE,
        FRAMESET_PROMPT_FRAME );

if ( role_folder_insert_exists )
{
    char *insert_href_string =
        post_choose_folder_href_string(
            POST_CHOOSE_FOLDER_EXECUTABLE,
            application_name,
            session_key,
            login_name,
            role_name,
            folder_name,
            APPASERVER_INSERT_STATE,
            FRAMESET_PROMPT_FRAME );
}

char *html =
    char *menu_item_vertical_folder_html(
        char *folder_menu_count_display,
        char *folder_name,
        char *lookup_href_string,
        char *insert_href_string );

/* Usage */
MENU_ITEM *menu_item_horizontal_folder_new(
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *folder_name,
    char *state,
    char *folder_menu_count_display );

/* Process */
char *menu_item_horizontal_folder_span_tag(
    char *folder_name,
    char *folder_menu_count_display );

char *post_choose_folder_href_string(
    POST_CHOOSE_FOLDER_EXECUTABLE,
    application_name,
    session_key,
    login_name,
    role_name,
    folder_name,
    state,
    FRAMESET_PROMPT_FRAME );

char *html =
    menu_item_horizontal_html(
        menu_item_horizontal_folder_span_tag(),
        post_choose_folder_href_string() );

/* Usage */
MENU_ITEM *menu_item_vertical_process_new(
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *process_or_set_name );

/* Process */
char *post_choose_process_href_string(
    POST_CHOOSE_PROCESS_EXECUTABLE,
    application_name,
    session_key,
    login_name,
    role_name,
    process_or_set_name,
    FRAMESET_PROMPT_FRAME );

char *html =
    menu_item_vertical_process_html(
        process_or_set_name,
        post_choose_process_href_string() );

/* Usage */
MENU_ITEM *menu_item_horizontal_process_new(
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *process_or_set_name );

/* Process */
char *span_tag =
    menu_horizontal_span_tag(
        process_or_set_name );

char *post_choose_process_href_string(
    POST_CHOOSE_PROCESS_EXECUTABLE,
    application_name,
    session_key,
    login_name,
    role_name,
    process_or_set_name,
    FRAMESET_PROMPT_FRAME );

char *html =
    menu_item_horizontal_html(
        span_tag,
        post_choose_process_href_string() );
```

MENU_ITEM (2)

```
/* Usage */
MENU_ITEM *menu_item_vertical_role_change_new(
    char *application_name,
    char *session_key,
    char *login_name,
    LIST *menu_item_role_name_list() );

/* Process */
char *post_choose_role_action_string(
    POST_CHOOSE_ROLE_EXECUTABLE,
    application_name,
    session_key,
    login_name );

FORM_CHOOSE_ROLE *form_choose_role =
    form_choose_role_new(
        menu_item_role_name_list(),
        post_choose_role_action_string(),
        FRAMESET_MENU_FRAME,
        CHOOSE_ROLE_FORM_NAME,
        CHOOSE_ROLE_DROP_DOWN_ELEMENT_NAME );

char *html = form_choose_role->html;
```

```
/* Usage */
MENU_ITEM *menu_item_horizontal_role_change_new(
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name );

/* Process */
char *menu_horizontal_span_tag(
    role_name );

char *post_choose_role_href_string(
    POST_CHOOSE_ROLE_EXECUTABLE,
    application_name,
    session_key,
    login_name,
    role_name,
    FRAMESET_PROMPT_FRAME );

char *html =
    menu_item_horizontal_html(
        menu_horizontal_span_tag(),
        post_choose_role_href_string() );
```

```
/* Private */
MENU_ITEM *menu_item_calloc( void );

char *menu_item_horizontal_html(
    char *span_tag,
    char *href_string );

/* Public */
LIST *menu_item_role_name_list(
    char *role_name,
    LIST *appaserver_user_role_name_list() );

char *menu_item_list_vertical_html(
    char *heading_name,
    LIST *menu_item_list );

char *menu_item_list_horizontal_html(
    char *menu_horizontal_span_tag(),
    LIST *menu_item_list );

char *menu_item_list_html(
    LIST *menu_item_list );
```



FORM

```
/* Public */
char *form_tag_html(
    char *name,
    char *action_string,
    char *target_frame );

char *form_close_html(
    void );

char *form_next_reference_number(
    int *form_current_reference_number );

char *form_element_list_html(
    char *form_tag_html(),
    LIST *element_list,
    char *form_close_html() );

char *form_cookie_key(
    char *form_name,
    char *folder_name );

char *form_cookie_multi_key(
    char *form_name,
    char *folder_name );

char *form_keystrokes_save_javascript(
    char *form_name,
    char *form_cookie_key(),
    LIST *element_list );

char *form_keystrokes_multi_save_javascript(
    char *form_name,
    char *form_cookie_multi_key(),
    LIST *element_list );

char *form_keystrokes_recall_javascript(
    char *form_name,
    char *form_cookie_key(),
    LIST *element_list );

char *form_keystrokes_multi_recall_javascript(
    char *form_name,
    char *form_cookie_multi_key(),
    LIST *element_list );

char *form_multi_select_all_javascript(
    LIST *element_list );

char *form_verify_notepad_widths_javascript(
    char *form_name,
    LIST *element_list );

char *form_no_display_name(
  char *FORM_NO_DISPLAY_PREFIX,
    char *folder_attribute->attribute_name );

char *form_ignore_name(
  char *FORM_IGNORE_PREFIX,
    char *relation->name );

char **form_background_color_array(
    int *background_color_array_length );

char *form_background_color( void );
```

FORM_PROMPT_ATTRIBUTE_RELATIONAL (1)

```
/* Usage */
FORM_PROMPT_ATTRIBUTE_RELATIONAL *
  form_prompt_attribute_relational_new(
     char *attribute_name,
     char *datatype_name,
     int attribute_width,
     char *hint_message,
     char *post_change_javascript );

/* Process */
FORM_PROMPT_ATTRIBUTE_RELATIONAL *
  form_prompt_attribute_calloc(
     void );

LIST *element_list = list_new();

char *form_prompt_attribute_relational_from_name(
  char *FORM_ATTRIBUTE_FROM_PREFIX,
  char *attribute_name);

if ( attribute_is_yes_no( attribute_name ) )
{
  list_set(
     element_list,
     ( yes_no_appaserver_element =
        appaserver_element_new(
           yes_no,
           form_prompt_attribute_from_name() ) ) );

  ELEMENT_YES_NO *yes_no =
     element_yes_no_new(
        (char *)0 /* attribute_name */,
        yes_no_appaserver_element->element_name,
        1 /* output_null_option */,
        1 /* output_not_null_option */,
        post_change_javascript,
        -1 /* tab_order */,
        1 /* recall */ );

  list_set(
     element_list,
        appaserver_element_new(
           table_data, (char *)0 ) );

  list_set(
     element_list,
        appaserver_element_new(
           table_data, (char *)0 ) );

  list_set(
     element_list,
        appaserver_element_new(
           table_data, (char *)0 ) );
}
else
{
  char *form_prompt_attribute_relational_name(
     char *FORM_ATTRIBUTE_RELATIONAL_PREFIX,
     char *attribute_name );

char *form_prompt_attribute_relational_to_name(
   char *FORM_ATTRIBUTE_TO_PREFIX,
   char *attribute_name );

LIST *operation_list =
   form_prompt_attribute_relational_operation_list(
      char *datatype_name );

list_set(
   element_list,
   ( relation_operator_appaserver_element =
      appaserver_element_new(
         prompt_drop_down,
         form_prompt_attribute_relational_name() ) ) );

ELEMENT_PROMPT_DROP_DOWN *
   prompt_drop_down =
      element_prompt_drop_down_new(
         relation_operator_appaserver_element->
            element_name,
         operation_list,
         0 /* not no_initial_capital */,
         1 /* output_null_option */,
         1 /* output_not_null_option */,
         1 /* output_select_option */,
         1 /* element_drop_down_display_size */,
         -1 /* tab_order */,
         0 /* not multi_select */,
         post_change_javascript,
         1 /* recall */ );
```

yes_no_appaserver_element → **APPASERVER_ELEMENT**

ELEMENT_YES_NO *yes_no;

relation_operator_appaserver_element → **APPASERVER_ELEMENT**

ELEMENT_DROP_DOWN *drop_down;

APPASERVER Data Structure

FORM_PROMPT_ATTRIBUTE_RELATIONAL (2)

```
/* Process (continued) */
  list_set(
    element_list,
    appaserver_element_new( table_data, (char *)0 ) );

  list_set(
    element_list,
    ( text_from_appaserver_element =
      appaserver_element_new(
        text,
        form_prompt_attribute_relational_from_name() ) ) );

  ELEMENT_TEXT *text =
    element_text_new(
      text_from_appaserver_element->element_name,
      datatype_name,
      FORM_FROM_ATTRIBUTE_WIDTH,
      0 /* not null_to_slash */,
      1 /* prevent_carrot */,
      post_change_javascript /* on_change */,
      (char *)0 /* on_focus */,
      (char *)0 /* on_keyup */,
      -1 /* tab_order*/,
      1 /* recall */ );

  list_set(
    element_list,
    appaserver_element_new( table_data, (char *)0 ) );

  list_set(
    element_list,
    ( and_appaserver_element =
      appaserver_element_new(
        non_edit_text, (char *)0 ) ) );

  ELEMENT_NON_EDIT_TEXT *non_edit_text =
    element_non_edit_text_new(
      (char *)0,
      “and” /* message */ );

  list_set(
    element_list,
    appaserver_element_new( table_data, (char *)0 ) );

  list_set(
    element_list,
    ( text_to_appaserver_element =
      appaserver_element_new(
        text,
        form_prompt_attribute_relational_to_name() ) ) );

  ELEMENT_TEXT *text =
    element_text_new(
      text_to_appaserver_element->element_name,
      datatype_name,
      attribute_width,
      0 /* not null_to_slash */,
      1 /* prevent_carrot */,
      post_change_javascript /* on_change */,
      (char *)0 /* on_focus */,
      (char *)0 /* on_keyup */,
      -1 /* tab_order*/,
      1 /* recall */ );
}

if ( hint_message )
{
  list_set(
    element_list,
      appaserver_element_new( table_data, (char *)0 ) );

  list_set(
    element_list,
    ( hint_message_appaserver_element =
      appaserver_element_new(
        non_edit_text, (char *)0 ) ) );

  ELEMENT_NON_EDIT_TEXT *non_edit_text =
    element_non_edit_text_new(
      (char *)0 /* prompt_name */,
      hint_message );
}
```

text_from_appaserver_element

APPASERVER_ELEMENT

ELEMENT_TEXT *text;

and_appaserver_element

APPASERVER_ELEMENT

ELEMENT_NON _EDIT_TEXT *non_edit_text;

text_to_appaserver_element

APPASERVER_ELEMENT

ELEMENT_TEXT *text;

hint_message_appaserver_element

APPASERVER_ELEMENT

ELEMENT_NON _EDIT_TEXT *non_edit_text;



APPASERVER_ELEMENT

FORM_PROMPT_INSERT

```
/* Usage */
FORM_PROMPT_INSERT *form_prompt_insert_new(
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *folder_name,
    LIST *folder->folder_attribute_append_isa_list,
    LIST *folder->relation_mto1_non_isa_list,
    DICTIONARY *drillthru_dictionary,
    char *security_entity_where()
    boolean role_folder_lookup() );

/* Process */
FORM_PROMPT_INSERT *form_prompt_insert_calloc(
    void );

char *form_prompt_insert_action_string(
    char *POST_PROMPT_INSERT_EXECUTABLE,
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *folder_name );

char *form_tag_html(
        FORM_PROMPT_INSERT_NAME /* form_name */,
        form_prompt_insert_action_string(),
        FRAMESET_EDIT_FRAME );

FORM_PROMPT_INSERT_ELEMENT_LIST *
    form_prompt_insert_element_list =
        form_prompt_insert_element_list_new(
            relation_mto1_non_isa_list,
            drillthru_dictionary,
            login_name,
            security_entity_where,
            folder_attribute_append_isa_list
            role_folder_lookup );

char *form_multi_select_all_javascript(
    form_prompt_insert_element_list->
        appaserver_element_list );

char *form_cookie_key(
    FORM_PROMPT_INSERT_NAME /* form_name */,
    folder_name );

char *form_cookie_multi_key(
    FORM_PROMPT_INSERT_NAME /* form_name */,
    folder_name );

char *form_keystrokes_save_javascript(
    FORM_PROMPT_INSERT_NAME /* form_name */,
    form_cookie_key(),
    form_prompt_insert_element_list->
        appaserver_element_list );

char *form_keystrokes_multi_save_javascript(
    FORM_PROMPT_INSERT_NAME /* form_name */,
    form_cookie_multi_key(),
    form_prompt_insert_element_list->
        appaserver_element_list );

char *form_keystrokes_recall_javascript(
    FORM_PROMPT_INSERT_NAME /* form_name */,
    form_cookie_key(),
    form_prompt_insert_element_list->
        appaserver_element_list );

char *form_keystrokes_multi_recall_javascript(
    FORM_PROMPT_INSERT_NAME /* form_name */,
    form_cookie_multi_key(),
    form_prompt_insert_element_list->
        appaserver_element_list );

char *form_verify_notepad_widths_javascript(
    FORM_PROMPT_INSERT_NAME /* form_name */,
    form_prompt_insert_element_list->
        appaserver_element_list );

LIST *form_prompt_insert_button_list(
    char *form_multi_select_all_javascript(),
    char *form_keystrokes_save_javascript(),
    char *form_keystrokes_multi_save_javascript(),
    char *form_keystrokes_recall_javascript(),
    char *form_keystrokes_multi_recall_javascript(),
    char *form_verify_notepad_widths_javascript() );

char *form_prompt_insert_html(
    char *form_tag_html(),
    char *form_prompt_insert_element_list->
        appaserver_element_list_html,
    char *button_list_html(
        form_prompt_insert_button_list() ),
    char *form_close_html() );

free( form_prompt_insert_element_list->
        appaserver_element_list_html );

free( button_list_html() );

button_list_free(
    form_prompt_insert_button_list() );
```

FORM_PROMPT_INSERT_ELEMENT_LIST

```
/* Usage */
FORM_PROMPT_INSERT_ELEMENT_LIST *
  form_prompt_insert_element_list_new(
     LIST *relation_mto1_non_isa_list,
     DICTIONARY *drillthru_dictionary,
     char *login_name,
     char *security_entity_where,
     LIST *folder_attribute_append_isa_list,
     boolean role_folder_lookup );

/* Process */
FORM_PROMPT_INSERT_ELEMENT_LIST *
  form_prompt_insert_element_list_calloc(
     void );

LIST *element_list = list_new();
LIST *form_prompt_insert_relation_list = (LIST *)0;
int tab_order = 0;

for FOLDER_ATTRIBUTE *folder_attribute in
  folder_attribute_append_isa_list
{
  tab_order++;

  list_set(
     element_list,
        appaserver_element_new(
           table_row, (char *)0 ) );

list_set(
   element_list,
      appaserver_element_new(
         table_data (char *)0 ) );

if ( ( form_prompt_insert_relation =
      form_prompt_insert_relation_new(
         relation_mto1_non_isa_list,
         drillthru_dictionary,
         login_name,
         security_entity_where,
         form_prompt_insert_relation_list,
         folder_attribute->attribute_name,
         tab_order ) ) )
{
   if ( !form_prompt_insert_relation_list )
   {
      form_prompt_insert_relation_list = list_new();
   }

   list_set(
      form_prompt_insert_relation_list,
      form_prompt_relation );

   list_set_list(
      element_list,
      form_prompt_insert_relation->element_list );

   continue;
}

form_prompt_insert_attribute =
   form_prompt_insert_attribute_new(
         folder_attribute->attribute_name,
         folder_attribute->prompt
            /* folder_attribute_prompt */,
         folder_attribute->attribute->datatype_name,
         folder_attribute->attribute->width,
         folder_attribute->attribute->hint_message,
         form_prompt_insert_relation_list,
         tab_order );

list_set_list(
   element_list,
   form_prompt_insert_attribute->element_list );
}

if ( role_folder_lookup )
{
  list_set_list(
     element_list,
     form_prompt_insert_element_list_lookup_list(
        PROMPT_INSERT_LOOKUP_NAME,
        PROMPT_INSERT_LOOKUP_LABEL ) );
}

char *appaserver_element_list_html(
  LIST *element_list );
```



FORM_PROMPT_INSERT_RELATION (1)

```
/* Usage */
FORM_PROMPT_INSERT_RELATION *
   form_prompt_insert_relation_new(
      LIST *relation_mto1_non_isa_list,
      DICTIONARY *drillthru_dictionary,
      char *login_name,
      char *security_entity_where,
      LIST *form_prompt_insert_relation_list,
      char *attribute_name,
      int tab_order );

/* Process */
if ( form_prompt_insert_relation_attribute_name_exists(
   char *attribute_name,
   LIST *form_prompt_insert_relation_list ) )
{
   return (FORM_PROMPT_INSERT_RELATION *)0;
}

RELATION *relation =
   relation_consumes(
      attribute_name,
      relation_mto1_non_isa_list );

if ( !relation )
{
   return (FORM_PROMPT_INSERT_RELATION *)0;
}

FORM_PROMPT_INSERT_RELATION *
   form_prompt_insert_relation_calloc(
      void );

LIST *element_list = list_new();

QUERY_WIDGET *query_widget =
   query_widget_fetch(
      relation->one_folder->folder_name
         /* widget_folder_name */,
      login_name,
      relation->
         one_folder->
         folder_attribute_list(),
      relation->
         one_folder->
         relation_mto1_non_isa_list,
      security_entity_where,
   drillthru_dictionary );

char *form_ignore_name(
   char *FORM_IGNORE_PREFIX,
   char *relation->name );

list_set(
   element_list,
   ( ignore_appaserver_element =
      appaserver_element_new(
         checkbox,
         form_ignore_name() ) ) );

ELEMENT_CHECKBOX *checkbox =
   element_checkbox_new(
      (char *)0 /* attribute_name */,
      ignore_appaserver_element->element_name,
      FORM_IGNORE_PUSH_BUTTON_HEADING
         /* prompt_string */,
      (char *)0 /* on_click */,
      -1 /* tab_order */,
      (char *)0 /* image_source */,
      1 /* recall */ );

list_set(
      element_list,
         appaserver_element_new(
            table_data, (char *)0 ) );

list_set(
   element_list,
   ( prompt_appaserver_element =
      appaserver_element_new(
         non_edit_text, (char *)0 ) ) );

ELEMENT_NON_EDIT_TEXT *non_edit_text =
   element_non_edit_text_new(
      (char *)0,
      relation->prompt );
```

QUERY_WIDGET

ignore_appaserver_element

APPASERVER_ELEMENT

ELEMENT_CHECKBOX *checkbox

APPASERVER_ELEMENT

ELEMENT_TABLE_DATA *table_data

prompt_appaserver_element

APPASERVER_ELEMENT

ELEMENT_NON_EDIT_TEXT *non_edit_text

FORM_PROMPT_INSERT_RELATION (2)

```
/* Process (continued) */
list_set(
  element_list,
    appaserver_element_new(
      table_data, (char *)0 ) );

list_set(
  element_list,
  ( drop_down_appaserver_element =
    appaserver_element_new(
      prompt_drop_down,
      relation->relation_name() ) ) );

ELEMENT_PROMPT_DROP_DOWN *
  prompt_drop_down =
    element_prompt_drop_down_new(
      drop_down_appaserver_element->
        element_name,
      query_widget->delimited_list,
      relation->one_folder->no_initial_capital,
      1 /* output_null_option */,
      1 /* output_not_null_option */,
      1 /* output_select_option */,
      1 /* element_drop_down_display_size() */,
      tab_order,
      0 /* not multi_select */,
      (char *)0 /* post_change_javascript */,
      1 /* recall */ );

if ( relation->hint_message )
{
  list_set(
    element_list,
      appaserver_element_new(
        table_data, (char *)0 ) );

  list_set(
    element_list,
    ( hint_message_appaserver_element =
      appaserver_element_new(
        non_edit_text, (char *)0 ) ) );

  ELEMENT_NON_EDIT_TEXT *non_edit_text =
    element_non_edit_text_new(
      (char *)0 /* prompt_name */,
      relation->hint_message );
}
```



APPASERVER Data Structure

FORM_PROMPT_INSERT_ATTRIBUTE (1)

```
/* Usage */
FORM_PROMPT_INSERT_ATTRIBUTE *
  form_prompt_insert_attribute_new(
      char *attribute_name,
      char *folder_attribute_prompt,
      char *datatype_name,
      int attribute_width,
      char *hint_message,
      LIST *form_prompt_insert_relation_list,
      int tab_order );

/* Process */
if ( form_prompt_insert_relation_attribute_name_exists(
  attribute_name,
  form_prompt_insert_relation_list ) )
{
  return (FORM_PROMPT_INSERT_ATTRIBUTE *)0;
}

FORM_PROMPT_INSERT_ATTRIBUTE *
  form_prompt_insert_attribute_calloc(
      void );

LIST *element_list = list_new();

char *form_prompt_insert_attribute_ignore_name(
  char *FORM_IGNORE_PREFIX,
  char *attribute_name );

list_set(
  element_list,
  ( ignore_appaserver_element =
      appaserver_element_new(
          checkbox,
          form_prompt_insert_attribute_ignore_name() ) ) );

ELEMENT_CHECKBOX *checkbox =
  element_checkbox_new(
      (char *)0 /* attribute_name */,
      ignore_appaserver_element->element_name,
      FORM_IGNORE_PUSH_BUTTON_HEADING
          /* prompt_string */,
      (char *)0 /* on_click */,
      -1 /* tab_order */,
      (char *)0 /* image_source */,
      1 /* recall */ );

list_set(
      element_list,
          appaserver_element_new(
              table_data, (char *)0 ) );

list_set(
  element_list,
  ( prompt_appaserver_element =
      appaserver_element_new(
          non_edit_text, (char *)0 ) ) );

ELEMENT_NON_EDIT_TEXT *non_edit_text =
  element_non_edit_text_new(
      (char *)0,
      folder_attribute_prompt );

list_set(
      element_list,
          appaserver_element_new(
              table_data, (char *)0 ) );
```

ignore_appaserver_element

APPASERVER_ELEMENT

ELEMENT_CHECKBOX *checkbox

APPASERVER_ELEMENT

ELEMENT_TABLE_DATA *table_data

prompt_appaserver_element

APPASERVER_ELEMENT

ELEMENT_NON_EDIT_TEXT *non_edit_text

APPASERVER Data Structure

FORM_PROMPT_INSERT_ATTRIBUTE (2)

```
/* Process */
if ( attribute_is_yes_no( attribute_name ) )
{
  list_set(
     element_list,
     ( yes_no_appaserver_element =
        appaserver_element_new(
           yes_no,
           attribute_name ) ) );

  ELEMENT_YES_NO *yes_no =
     element_yes_no_new(
        (char *)0 /* attribute_name */,
        yes_no_appaserver_element->element_name,
        0 /* not output_null_option */,
        0 /* not output_not_null_option */,
        (char *)0 /* post_change_javascript */,
        tab_order,
        1 /* recall */ );
}
else
{
  list_set(
     element_list,
     ( text_appaserver_element =
        appaserver_element_new(
           text,
           attribute_name ) ) );

  ELEMENT_TEXT *text =
     element_text_new(
        attribute_name,
        datatype_name,
        attribute_width,
        0 /* not null_to_slash */,
        1 /* prevent carrot */,
        (char *)0 /* on_change */,
        (char *)0 /* on_focus */,
        (char *)0 /* on_keyup */,
        tab_order,
        1 /* recall */ );
}

if ( hint_message )
{
  list_set(
     element_list,
        appaserver_element_new(
           table_data, (char *)0 ) );

  list_set(
     element_list,
     ( hint_message_appaserver_element =
        appaserver_element_new(
           non_edit_text, (char *)0 ) ) );

  ELEMENT_NON_EDIT_TEXT *non_edit_text =
     element_non_edit_text_new(
        (char *)0 /* prompt_name */,
        hint_message );
}
```



FORM_DRILLTHRU

```
/* Usage */
FORM_DRILLTHRU *form_drillthru_new(
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *state,
    char *folder_name,
    LIST *folder_attribute_list,
    LIST *relation_mto1_non_isa_list,
    char *security_entity_where(),
    DICTIONARY *drillthru_dictionary );

/* Process */
char *form_drillthru_action_string(
    char *POST_DRILLTHRU_EXECUTABLE,
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *state,
    char *folder_name );

char *form_tag_html(
        FORM_PROMPT_LOOKUP_NAME /* form_name */,
        form_drillthru_action_string(),
        FRAMESET_PROMPT_FRAME /* target_frame */ );

FORM_PROMPT_LOOKUP_ELEMENT_LIST *
    form_prompt_lookup_element_list =
        form_prompt_lookup_element_list_new(
            folder_attribute_list,
            relation_mto1_non_isa_list,
            (LIST *)0 /* relation_join_one2m_list */,
            drillthru_dictionary,
            login_name,
            security_entity_where );

char *form_multi_select_all_javascript(
    form_prompt_lookup_element_list->element_list );

char *form_cookie_key(
    FORM_PROMPT_LOOKUP_NAME /* form_name */,
    folder_name );

char *form_cookie_multi_key(
    FORM_PROMPT_LOOKUP_NAME /* form_name */,
    folder_name );

char *form_keystrokes_save_javascript(
    FORM_PROMPT_LOOKUP_NAME /* form_name */,
    form_cookie_key(),
    form_prompt_lookup_element_list->element_list );

char *form_keystrokes_multi_save_javascript(
    FORM_PROMPT_LOOKUP_NAME /* form_name */,
    form_cookie_multi_key(),
    form_prompt_lookup_element_list->element_list );

char *form_keystrokes_recall_javascript(
    FORM_PROMPT_LOOKUP_NAME /* form_name */,
    form_cookie_key(),
    form_prompt_lookup_element_list->element_list );

char *form_keystrokes_multi_recall_javascript(
    FORM_PROMPT_LOOKUP_NAME /* form_name */,
    form_cookie_multi_key(),
    form_prompt_lookup_element_list->element_list );

LIST *form_prompt_lookup_button_list(
    char *form_multi_select_all_javascript(),
    char *form_keystrokes_save_javascript(),
    char *form_keystrokes_multi_save_javascript(),
    char *form_keystrokes_recall_javascript(),
    char *form_keystrokes_multi_recall_javascript(),
    (char *)0
        /* form_verify_notepad_widths_javascript */ );

char *html =
    form_prompt_lookup_html(
        form_tag_html(),
        (char *)0 /* radio_list_html */,
        form_prompt_lookup_element_list->
            appaserver_element_list_html,
        button_list_html(
            form_prompt_lookup_button_list() ),
        form_close_html() );

free( form_prompt_lookup_element_list->
        appaserver_element_list_html );

free( button_list_html() );

button_list_free(
    form_prompt_lookup_button_list() );
```

FORM_PROMPT_PROCESS

```
/* Usage */
FORM_PROMPT_PROCESS *form_prompt_process_new(
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *process_or_set_name,
    LIST *process_parameter_list,
    char *post_change_javascript );

/* Process */
FORM_PROMPT_PROCESS *
    form_prompt_process_calloc(
        void );

char *form_prompt_process_action_string(
    char *POST_PROMPT_PROCESS_EXECUTABLE,
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *process_or_set_name );

char *form_tag_html(
    FORM_PROMPT_PROCESS_NAME /* form_name */,
    form_prompt_process_action_string(),
    FRAMESET_TABLE_FRAME /* target_frame */ );

FORM_PROMPT_PROCESS_ELEMENT_LIST *
    form_prompt_process_element_list =
        form_prompt_process_element_list_new(
            process_parameter_list,
            post_change_javascript );

char *form_multi_select_all_javascript(
    form_prompt_process_element_list->element_list );

char *form_cookie_key(
    FORM_PROMPT_PROCESS_NAME /* form_name */,
    process_or_set_name );

char *form_cookie_multi_key(
    FORM_PROMPT_PROCESS_NAME /* form_name */,
    process_or_set_name );

char *form_keystrokes_save_javascript(
    FORM_PROMPT_PROCESS_NAME /* form_name */,
    form_cookie_key(),
    form_prompt_process_element_list->element_list );

char *form_keystrokes_multi_save_javascript(
    FORM_PROMPT_PROCESS_NAME /* form_name */,
    form_cookie_multi_key(),
    form_prompt_process_element_list->element_list );

char *form_keystrokes_recall_javascript(
    FORM_PROMPT_PROCESS_NAME /* form_name */,
    form_cookie_key(),
    form_prompt_process_element_list->element_list );

char *form_keystrokes_multi_recall_javascript(
    FORM_PROMPT_PROCESS_NAME /* form_name */,
    form_cookie_multi_key(),
    form_prompt_process_element_list->element_list );

LIST *form_prompt_lookup_button_list(
    char *form_multi_select_all_javascript(),
    char *form_keystrokes_save_javascript(),
    char *form_keystrokes_multi_save_javascript(),
    char *form_keystrokes_recall_javascript(),
    char *form_keystrokes_multi_recall_javascript(),
    (char *)0
        /* form_verify_notepad_widths_javascript */ );

char *html =
    form_prompt_lookup_html(
        form_tag_html(),
        (char *)0 /* radio_list_html */,
        form_prompt_process_element_list->
            appaserver_element_list_html,
        button_list_html(
            form_prompt_lookup_button_list() ),
        form_close_html() );

free( form_prompt_process_element_list->
        appaserver_element_list_html );

free( button_list_html() );

button_list_free(
    form_prompt_process_button_list() );
```

form_prompt_lookup_button_list()

APPASERVER Data Structure

FORM_PROMPT_PROCESS_ELEMENT_LIST

```
/* Usage */
FORM_PROMPT_PROCESS_ELEMENT_LIST *
    form_prompt_process_element_list_new(
        LIST *process_parameter_list,
        char *post_change_javascript );

/* Process */
FORM_PROMPT_PROCESS_ELEMENT_LIST *
    form_prompt_process_element_list_calloc(
        void );

LIST *element_list = list_new();

for PROCESS_PARAMETER *process_parameter in
    process_parameter_list
{
    list_set(
        element_list,
        appaserver_element_new(
                table_row, (char *)0 ) );

    list_set(
        element_list,
        appaserver_element_new(
                table_data (char *)0 ) );

    if ( process_parameter->attribute )
    {
        FORM_PROMPT_PROCESS_ATTRIBUTE *
            form_prompt_process_attribute =
                form_prompt_process_attribute_new(
                    post_change_javascript,
                    process_parameter->
                        attribute->
                        attribute_name,
                    attribute->datatype_name,
                    attribute->attribute_width,
                    attribute->hint_message );

        list_set_set(
            element_list,
            form_prompt_process_attribute->
                element_list );
    }

    if ( process_parameter->
            process_parameter_drop_down )
    {
        FORM_PROMPT_PROCESS_DROP_DOWN *
            form_prompt_process_drop_down =
                form_prompt_process_drop_down_new(
                    post_change_javascript,
                    process_parameter_drop_down );

        list_set_list(
            element_list,
            form_prompt_process_drop_down->
                element_list );
    }
}

char *appaserver_element_list_html(
    element_list );
```



APPASERVER Data Structure

FORM_PROMPT_PROCESS_ATTRIBUTE

```
/* Usage */
FORM_PROMPT_PROCESS_ATTRIBUTE *
  form_prompt_process_attribute_new(
     char *post_change_javascript,
     char *attribute_name,
     char *datatype_name,
     int attribute_width,
     char *hint_message );

/* Process */
FORM_PROMPT_PROCESS_ATTRIBUTE *
  form_prompt_process_attribute_calloc(
     void );

LIST *element_list = list_new();

list_set(
  element_list,
  ( prompt_appaserver_element =
     appaserver_element_new(
        non_edit_text, (char *)0 ) ) );

ELEMENT_NON_EDIT_TEXT *non_edit_text =
  element_non_edit_text_new(
     (char *)0,
     attribute_name );

list_set(
     element_list,
        appaserver_element_new(
           table_data, (char *)0 ) );

FORM_PROMPT_ATTRIBUTE_RELATIONAL *
  form_prompt_attribute_relational =
     form_prompt_attribute_relational_new(
        attribute_name,
        datatype_name,
        attribute_width,
        hint_message,
        post_change_javascript );

list_set_list(
  element_list,
  form_prompt_attribute_relational->element_list );
```



APPASERVER Data Structure

FORM_PROMPT_PROCESS_DROP_DOWN

```
/* Usage */
FORM_PROMPT_PROCESS_DROP_DOWN *
    form_prompt_process_drop_down_new(
        char *post_change_javascript,
        PROCESS_PARAMETER_DROP_DOWN *process_parameter_drop_down );

/* Process */
LIST *element_list = list_new();

list_set(
    element_list,
    ( prompt_appaserver_element =
        appaserver_element_new(
            non_edit_text, (char *)0 ) ) );

ELEMENT_NON_EDIT_TEXT *non_edit_text =
    element_non_edit_text_new(
        (char *)0,
        process_parameter_drop_down->drop_down_name );

list_set(
        element_list,
        appaserver_element_new(
            table_data, (char *)0 ) );

APPASERVER_ELEMENT *drop_down_appaserver_element =
    appaserver_element_new(
        drop_down,
        process_parameter_drop_down->drop_down_name );

ELEMENT_DROP_DOWN *drop_down_appaserver_element->element_drop_down =
    element_prompt_drop_down_new(
        drop_down_appaserver_element->element_name,
        process_parameter_drop_down->delimited_list,
        0 /* not no_initial_capital */,
        0 /* not output_null_option */,
        0 /* not output_not_null_option */,
        1 /* output_select_option */,
        1 /* display_size */,
        -1 /* appaserver_element_tab_order() */,
        process_parameter_drop_down->drop_down_multi_select,
        post_change_javascript,
        1 /* recall */ );

list_set_list(
    element_list,
    drop_down_appaserver_element->element_drop_down->element_list );
```



FORM_PROMPT_LOOKUP

```
/* Usage */
FORM_PROMPT_LOOKUP *form_prompt_lookup_new(
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *folder_name,
    boolean prompt_lookup_omit_insert_button(),
    boolean prompt_lookup_omit_delete_button(),
    LIST *folder->folder_attribute_append_isa_list,
    LIST *folder->relation_mto1_non_isa_list,
    LIST *folder->relation_join_one2m_list,
    DICTIONARY *drillthru_dictionary,
    char *security_entity_where() );

/* Process */
LIST *form_prompt_lookup_radio_pair_list(
    boolean prompt_lookup_omit_insert_button(),
    boolean prompt_lookup_omit_delete_button(),
    int list_length( relation_mto1_non_isa_list )
        /* relation_mto1_non_isa_list_length */ );

RADIO_LIST *radio_list =
    radio_list_new(
        FORM_RADIO_LIST_NAME,
        form_prompt_lookup_radio_pair_list(),
        RADIO_LOOKUP_LABEL /* initial_label */ );

char *form_prompt_lookup_action_string(
    char *POST_PROMPT_LOOKUP_EXECUTABLE,
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *folder_name );

char *form_tag_html(
        FORM_PROMPT_LOOKUP_NAME /* form_name */,
        form_prompt_lookup_action_string(),
        FRAMESET_TABLE_FRAME /* target_frame */ );

FORM_PROMPT_LOOKUP_ELEMENT_LIST *
    form_prompt_lookup_element_list =
        form_prompt_lookup_element_list_new(
            folder_attribute_append_isa_list,
            relation_mto1_non_isa_list,
            relation_join_one2m_list,
            drillthru_dictionary,
            login_name,
            security_entity_where );

char *form_multi_select_all_javascript(
    form_prompt_lookup_element_list->element_list );

char *form_cookie_key(
    FORM_PROMPT_LOOKUP_NAME /* form_name */,
    folder_name );

char *form_cookie_multi_key(
    FORM_PROMPT_LOOKUP_NAME /* form_name */,
    folder_name );

char *form_keystrokes_save_javascript(
    FORM_PROMPT_LOOKUP_NAME /* form_name */,
    form_cookie_key(),
    form_prompt_lookup_element_list->element_list );

char *form_keystrokes_multi_save_javascript(
    FORM_PROMPT_LOOKUP_NAME /* form_name */,
    form_cookie_multi_key(),
    form_prompt_lookup_element_list->element_list );

char *form_keystrokes_recall_javascript(
    FORM_PROMPT_LOOKUP_NAME /* form_name */,
    form_cookie_key(),
    form_prompt_lookup_element_list->element_list );

char *form_keystrokes_multi_recall_javascript(
    FORM_PROMPT_LOOKUP_NAME /* form_name */,
    form_cookie_multi_key(),
    form_prompt_lookup_element_list->element_list );

char *form_verify_notepad_widths_javascript(
    FORM_PROMPT_LOOKUP_NAME /* form_name */,
    form_prompt_lookup_element_list->element_list );

LIST *form_prompt_lookup_button_list(
    char *form_multi_select_all_javascript(),
    char *form_keystrokes_save_javascript(),
    char *form_keystrokes_multi_save_javascript(),
    char *form_keystrokes_recall_javascript(),
    char *form_keystrokes_multi_recall_javascript(),
    char *form_verify_notepad_widths_javascript() );

char *form_prompt_lookup_html(
    char *form_tag_html(),
    char *radio_list->html,
    char *form_prompt_lookup_element_list->
        appaserver_element_list_html,
    char *button_list_html(
        form_prompt_lookup_button_list() ),
    char *form_close_html() );

free( form_prompt_lookup_element_list->
        appaserver_element_list_html );

free( button_list_html() );

button_list_free(
    form_prompt_lookup_button_list() );
```



APPASERVER Data Structure

FORM_PROMPT_LOOKUP_ELEMENT_LIST

```
/* Usage */
FORM_PROMPT_LOOKUP_ELEMENT_LIST *
  form_prompt_lookup_element_list_new(
     LIST *folder_attribute_append_isa_list,
     LIST *relation_mto1_non_isa_list,
     LIST *relation_join_one2m_list,
     DICTIONARY *drillthru_dictionary,
     char *login_name,
     char *security_entity_where );

/* Process */
LIST *element_list = list_new();

for FOLDER_ATTRIBUTE *folder_attribute in
  folder_attribute_append_isa_list
{
  list_set(
     element_list,
        appaserver_element_new(
           table_row, (char *)0 ) );

  list_set(
     element_list,
        appaserver_element_new(
           table_data (char *)0 ) );

if ( ( form_prompt_lookup_relation =
       form_prompt_lookup_relation_new(
          folder_attribute->attribute_name,
          relation_mto1_non_isa_list,
          drillthru_dictionary,
          login_name,
          security_entity_where,
          form_prompt_lookup_relation_list ) ) )
{
   if ( !form_prompt_lookup_relation_list )
   {
      LIST *form_prompt_lookup_relation_list =
         list_new();
   }

   list_set(
      form_prompt_lookup_relation_list,
      form_prompt_relation );

   list_set_list(
      element_list,
      form_prompt_lookup_relation->element_list );

   continue;
}

if ( ( form_prompt_lookup_attribute =
       form_prompt_lookup_attribute_new(
          folder_attribute->attribute_name,
          folder_attribute->prompt,
          folder_attribute->attribute->datatype_name,
          folder_attribute->attribute->width,
          folder_attribute->attribute->hint_message,
          form_prompt_lookup_relation_list ) ) )
{
   list_set_list(
      element_list,
      form_prompt_lookup_attribute->element_list );
}
}

LIST *form_prompt_lookup_join_element_list(
     char *FORM_NO_DISPLAY_PREFIX,
     LIST *relation_join_one2m_list );

list_set_list(
  element_list,
  form_prompt_lookup_join_element_list() );

char *appaserver_element_list_html(
  LIST *element_list );
```



FORM_PROMPT_LOOKUP_RELATION (1)

```
/* Usage */
FORM_PROMPT_LOOKUP_RELATION *
   form_prompt_lookup_relation_new(
      char *attribute_name,
      LIST *relation_mto1_non_isa_list,
      DICTIONARY *drillthru_dictionary,
      char *login_name,
      char *security_entity_where,
      LIST *form_prompt_lookup_relation_list );

/* Process */
if ( form_prompt_lookup_relation_attribute_name_exists(
   char *attribute_name,
   LIST *form_prompt_lookup_relation_list ) )
{
   return (FORM_PROMPT_LOOKUP_RELATION *)0;
}

RELATION *relation =
   relation_consumes(
      attribute_name,
      relation_mto1_non_isa_list );

if ( !relation )
{
   return (FORM_PROMPT_LOOKUP_RELATION *)0;
}

LIST *element_list = list_new();

QUERY_WIDGET *query_widget =
   query_widget_fetch(
      relation->one_folder->folder_name
         /* widget_folder_name */,
      login_name,
      relation->
         one_folder->
         folder_attribute_list(),
      relation->
         one_folder->
         relation_mto1_non_isa_list,
      security_entity_where,
      drillthru_dictionary );

char *form_prompt_lookup_relation_no_display(
   char *FORM_NO_DISPLAY_PREFIX,
   char *relation->name );

list_set(
   element_list,
   ( no_display_appaserver_element =
      appaserver_element_new(
         checkbox,
         form_prompt_lookup_relation_no_display() ) ) );

ELEMENT_CHECKBOX *checkbox =
   element_checkbox_new(
      (char *)0 /* attribute_name */,
      no_display_appaserver_element->element_name,
      FORM_NO_DISPLAY_PUSH_BUTTON_HEADING
         /* prompt_string */,
      (char *)0 /* on_click */,
      -1 /* tab_order */,
      (char *)0 /* image_source */,
      1 /* recall */ );

list_set(
   element_list,
      appaserver_element_new(
         table_data, (char *)0 ) );

list_set(
   element_list,
   ( prompt_appaserver_element =
      appaserver_element_new(
         non_edit_text, (char *)0 ) ) );

ELEMENT_NON_EDIT_TEXT *non_edit_text =
   element_non_edit_text_new(
      (char *)0,
      relation->prompt );

list_set(
   element_list,
   appaserver_element_new(
      table_data, (char *)0 ) );
```



FORM_PROMPT_LOOKUP_RELATION (2)

```
/* Process (continued) */
char *form_prompt_lookup_relation_element_name(
   char *FORM_PROMPT_RELATION_PREFIX,
   char *relation_name() );

if ( relation->one_folder->multi_select )
{
   char *form_prompt_lookup_relation_original_name(
      char *FORM_PROMPT_PREFIX,
      char *relation_name() );

   list_set(
      element_list,
      ( drop_down_appaserver_element =
         appaserver_element_new(
            multi_drop_down, (char *)0 ) ) );

   ELEMENT_MULTI_DROP_DOWN *
      multi_drop_down =
         element_multi_drop_down_new(
            form_prompt_lookup_relation_original_name(),
            form_prompt_lookup_relation_element_name(),
            query_widget->delimited_list,
            relation->one_folder->no_initial_capital );
}
else
{
   list_set(
      element_list,
      ( drop_down_appaserver_element =
         appaserver_element_new(
            prompt_drop_down,
            form_prompt_lookup_relation_element_name() ) ) );

   ELEMENT_PROMPT_DROP_DOWN *
      prompt_drop_down =
         element_prompt_drop_down_new(
            drop_down_appaserver_element->
               element_name,
            query_widget->delimited_list,
            relation->one_folder->no_initial_capital,
            1 /* output_null_option */,
            1 /* output_not_null_option */,
            1 /* output_select_option */,
            element_drop_down_display_size(),
            -1 /* tab_order */,
            0 /* not multi_select */,
            (char *)0 /* post_change_javascript */,
            1 /* recall */ );

   list_set(
      element_list,
         appaserver_element_new(
            table_data, (char *)0 ) );

   list_set(
      element_list,
         appaserver_element_new(
            table_data, (char *)0 ) );

   list_set(
      element_list,
         appaserver_element_new(
            table_data, (char *)0 ) );
}

if ( relation->hint_message )
{
   list_set(
      element_list,
      ( hint_message_appaserver_element =
         appaserver_element_new(
            non_edit_text, (char *)0 ) ) );

   ELEMENT_NON_EDIT_TEXT *non_edit_text =
      element_non_edit_text_new(
         (char *)0 /* prompt_name */,
         relation->hint_message );
}
```

APPASERVER_ELEMENT

ELEMENT_MULTI_DROP_DOWN *multi_drop_down;

APPASERVER_ELEMENT

ELEMENT_DROP_DOWN *drop_down;

hint_message_appaserver_element

APPASERVER_ELEMENT

ELEMENT_NON _EDIT_TEXT *non_edit_text;

FORM_PROMPT_LOOKUP_ATTRIBUTE

```
/* Usage */
FORM_PROMPT_LOOKUP_ATTRIBUTE *
  form_prompt_lookup_attribute_new(
     char *attribute_name,
     char *folder_attribute_prompt,
     char *datatype_name,
     int attribute_width,
     char *hint_message,
     LIST *form_prompt_lookup_relation_list );

/* Process */
if ( form_prompt_lookup_relation_attribute_name_exists(
  attribute_name,
  form_prompt_lookup_relation_list ) )
{
  return (FORM_PROMPT_LOOKUP_ATTRIBUTE *)0;
}

FORM_PROMPT_LOOKUP_ATTRIBUTE *
  form_prompt_lookup_attribute_calloc(
     void );

LIST *element_list = list_new();

char *form_prompt_lookup_attribute_no_display(
  char *FORM_NO_DISPLAY_PREFIX,
  char *attribute_name );

list_set(
  element_list,
  ( no_display_appaserver_element =
     appaserver_element_new(
        checkbox,
        form_prompt_lookup_attribute_no_display() ) ) );

ELEMENT_CHECKBOX *checkbox =
  element_checkbox_new(
     (char *)0 /* attribute_name */,
     no_display_appaserver_element->element_name,
     FORM_NO_DISPLAY_PUSH_BUTTON_HEADING
        /* prompt_string */,
     (char *)0 /* on_click */,
     -1 /* tab_order */,
     (char *)0 /* image_source */,
     1 /* recall */ );

list_set(
     element_list,
        appaserver_element_new(
           table_data, (char *)0 ) );

list_set(
  element_list,
  ( prompt_appaserver_element =
     appaserver_element_new(
        non_edit_text, (char *)0 ) ) );

ELEMENT_NON_EDIT_TEXT *non_edit_text =
  element_non_edit_text_new(
     (char *)0,
     folder_attribute_prompt );

list_set(
     element_list,
        appaserver_element_new(
           table_data, (char *)0 ) );

FORM_PROMPT_ATTRIBUTE_RELATIONAL *
  form_prompt_attribute_relational =
     form_prompt_attribute_relational_new(
        attribute_name,
        datatype_name,
        attribute_width,
        hint_message,
        (char *)0 /* post_change_javascript */ );

list_set_list(
  element_list,
  form_prompt_attribute_relational->
     element_list );
```



FORM_CHOOSE_ISA

```
/* Usage */
FORM_CHOOSE_ISA *form_choose_isa_new(
    char *choose_isa_prompt_message(),
    LIST *primary_key_list,
    LIST *delimited_list,
    boolean no_initial_capital,
    char *choose_isa_action_string() );

/* Process */
char *tag_html =
    form_tag_html(
        "choose_isa" /* form_name */,
        choose_isa_action_string,
        FRAMESET_PROMPT_FRAME /* target_frame */ );

LIST *form_choose_isa_element_list(
    char *choose_isa_prompt_message,
    LIST *primary_key_list,
    LIST *delimited_list,
    boolean no_initial_capital );

LIST *form_choose_isa_button_element_list(
    void );

char *form_choose_isa_html(
    tag_html,
    form_choose_isa_element_list(),
    form_choose_isa_button_element_list(),
    char *form_close_html() );
```



FORM_CHOOSE_ROLE

```
/* Usage */
FORM_CHOOSE_ROLE *form_choose_role_new(
    LIST *role_name_list,
    char *post_choose_role_action_string(),
    char *FRAMESET_MENU_FRAME,
    char *CHOOSE_ROLE_FORM_NAME,
    CHOOSE_ROLE_DROP_DOWN_ELEMENT_NAME );

/* Process */
char *tag_html =
    form_tag_html(
        choose_role_form_name,
        post_choose_role_action_string,
        frameset_menu_frame /* target_frame */ );

char *form_choose_role_onchange_javascript(
    char *choose_role_form_name );

LIST *element_list = list_new();

list_set(
    element_list,
    appaserver_element_new(
        table_open, (char *)0 ) );

list_set(
    element_list,
    appaserver_element_new(
        table_row, (char *)0 ) );

list_set(
    element_list,
    appaserver_element_new(
        table_data, (char *)0 ) );

list_set(
    element_list,
    ( element = appaserver_element_new(
        drop_down, (char *)0 ) ) );

element->drop_down =
    element_drop_down_new(
        CHOOSE_ROLE_DROP_DOWN_ELEMENT_NAME,
        (LIST *)0 /* attribute_name_list */,
        role_name_list /* delimited_list */,
        0 /* not no_initial_capital */,
        0 /* not output_null_option */,
        0 /* not output_not_null_option */,
        1 /* output_select_option */,
        element_drop_down_display_size(),
        -1 /* tab_order */,
        0 /* not multi_select */,
        form_choose_role_onchange_javascript()
            /* post_change_javascript */,
        0 /* not readonly */,
        0 /* not recall */ );

ist_set(
    element_list,
    appaserver_element_new(
        table_close, (char *)0 ) );

char *form_choose_role_html(
    char *tag_html,
    LIST *element_list(),
    char *form_close_html() );
```



FORM_TABLE_EDIT

```
/* Usage */
FORM_TABLE_EDIT *form_table_edit_new(
    char *folder_name,
    char *post_change_javascript,
    int dictionary_list_length,
    char *post_table_edit_action_string(),
    LIST *role_operation_list,
    LIST *table_edit_heading_name_list(),
    char *target_frame,
    DICTIONARY *query_dictionary,
    DICTIONARY *sort_dictioanry,
    DICTIONARY *drillthru_dictionary,
    DICTIOANRY *no_display_dictionary );

/* Process */
char *form_table_edit_tag(
    char *FORM_TABLE_EDIT_NAME,
    char *post_table_edit_action_string,
    char *target_frame );

LIST *top_button_element_list =
    form_table_edit_button_element_list(
        char *post_change_javascript,
        0 /* dictionary_list_length */ );

char *top_button_element_list_html =
    appaserver_element_list_html(
        top_button_element_list );

LIST *bottom_button_element_list =
    form_table_edit_button_element_list(
        char *post_change_javascript,
        dictionary_list_length );

char *bottom_button_element_list_html =
    appaserver_element_list_html(
        bottom_button_element_list );

LIST *form_table_edit_sort_checkbox_element_list(
    char *folder_name,
    int list_length( role_operation_list ),
    LIST *table_edit_heading_name_list );

char *sort_checkbox_element_list_html =
    appaserver_element_list_html(
        form_table_edit_sort_checkbox_element_list() );

LIST *form_table_edit_heading_element_list(
    LIST *role_operation_list,
    LIST *table_edit_heading_name_list );

char *heading_element_list_html =
    appaserver_element_list_html(
        form_table_edit_heading_element_list() );

char *query_dictionary_hidden_html =
    dictionary_separate_hidden_html(
        DICTIONARY_SEPARATE_QUERY_PREFIX,
        query_dictionary );

char *sort_dictionary_hidden_html =
    dictionary_separate_hidden_html(
        DICTIONARY_SEPARATE_SORT_PREFIX,
        sort_dictionary );

char *drillthru_dictionary_hidden_html =
    dictionary_separate_hidden_html(
        DICTIONARY_SEPARATE_DRILLTHRU_PREFIX,
        drillthru_dictionary );

char *no_display_dictionary_hidden_html =
    dictionary_separate_hidden_html(
        DICTIONARY_SEPARATE_NO_DISPLAY_PREFIX,
        no_display_dictionary );

char *form_table_edit_html(
    char *form_table_edit_tag(),
    char *top_button_element_list_html,
    char *element_table_open_html(
        1 /* border_boolean */ ),
    form_table_edit_sort_checkbox_element_list_html(),
    form_table_edit_heading_element_list_html() );

char *form_table_edit_trailer_html(
    char *bottom_button_element_list_html,
    char *query_dictionary_hidden_html,
    char *sort_dictionary_hidden_html,
    char *drillthru_dictionary_hidden_html,
    char *no_display_dictionary_hidden_html,
    char *form_close_html() );

/* Private */
APPASERVER_ELEMENT *
    form_table_edit_operation_checkbox_element(
        char *operation_name,
        char *delete_warning_javascript );

LIST *form_table_edit_operation_element_list(
    LIST *role_operation_list,
    boolean viewonly,
    char *FORM_DELETE_WARNING_JAVASCRIPT );
```



PROMPT_LOOKUP (1)

```
/* Usage */
PROMPT_LOOKUP *prompt_lookup_new(
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *state,
    char *folder_name,
    boolean menu_horizontal_boolean(),
    char *appaserver_parameter->
        data_directory,
    POST_DICTIONARY *post_dictionary_string_new() );

/* Process */
PROMPT_LOOKUP *prompt_lookup_calloc( void );

LIST *role_folder_list(
    role_name,
    folder_name );

boolean prompt_lookup_forbid(
    boolean role_folder_update( role_folder_list ),
    boolean role_folder_lookup( role_folder_list ) );

if ( prompt_lookup_forbid() )
{
    return prompt_lookup;
}
```

```
ROLE *role =
    role_fetch(
        role_name,
        1 /* fetch_attribute_exclude_list */ );

FOLDER *folder =
    folder_fetch(
        folder_name,
        /* Not fetching role_folder_list */
        (char *)0 /* role_name */,
        role_exclude_lookup_attribute_name_list(
            role->attribute_exclude_list ),
        /* Also sets folder_attribute_primary_list */
        /* and primary_key_list */
        1 /* fetch_folder_attribute_list */,
        1 /* fetch_relation_mto1_non_isa_list */,
        /* Also sets folder_attribute_append_isa_list */
        1 /* fetch_relation_mto1_isa_list */,
        0 /* not fetch_relation_one2m_list */,
        1 /* fetch_relation_one2m_recursive_list */,
        0 /* not fetch_process */,
        0 /* not fetch_role_folder_list */,
        1 /* fetch_row_level_restriction */,
        0 /* not fetch_role_operation_list */ );

if ( menu_horizontal_boolean )
{
```

```
    FOLDER_MENU *folder_menu =
        folder_menu_new(
            application_name,
            session_key,
            role_name,
            data_directory );

    MENU *menu =
        menu_new(
            application_name,
            session_key,
            login_name,
            role_name,
            1 /* frameset_menu_horizontal */,
            folder_menu->count_list );
}

DICTIONARY_SEPARATE_DRILLTHRU *
    dictionary_separate_drillthru =
        dictionary_separate_drillthru_new(
            post_dictionary->original_post_dictionary,
            application_name,
            login_name,
            folder_attribute_date_name_list(
                folder->
                    folder_attribute_append_isa_list ),
            folder->folder_attribute_append_isa_list );
```



PROMPT_LOOKUP (2)

```
/* Process */
boolean prompt_lookup_omit_insert_button(
    boolean drillthru_skipped(),
    boolean relation_exists_multi_select(
        folder->relation_mto1_non_isa_list ) );

boolean prompt_lookup_omit_delete_button(
    list_length( folder->relation_mto1_isa_list ) );

folder->relation_mto1_non_isa_list =
    /* Returns relation_mto1_non_isa_list or */
    /* those with only a single foreign key. */
    prompt_lookup_drillthru_skipped(
        LIST *relation_mto1_non_isa_list,
        drillthru_skipped() );

char *prompt_lookup_title_html(
    char *state,
    char *folder_name );

SECURITY_ENTITY *security_entity =
    security_entity_new(
        login_name,
        folder->non_owner_forbid,
        role->override_row_restrictions );

FORM_PROMPT_LOOKUP *form_prompt_lookup =
    form_prompt_lookup_new(
        application_name,
        session_key,
        login_name,
        role_name,
        folder_name,
        prompt_lookup_omit_insert_button(),
        prompt_lookup_omit_delete_button(),
        folder->folder_attribute_append_isa_list,
        folder->relation_mto1_non_isa_list,
        folder->relation_join_one2m_list,
        dictionary_separate_drillthru->
            drillthru_dictionary,
        security_entity_where(
            security_entity,
            folder->folder_attribute_list ) );

int folder_attribute_date_name_list_length(
    folder->folder_attribute_append_isa_list );

DOCUMENT *document =
    document_new(
        application_name,
        application_title_string(),
        char *prompt_lookup_title_html(),
        (char *)0 /* subtitle_html */,
        (char *)0 /* subsubtitle_html */,
        (char *)0 /* javascript_replace */,
        menu_horizontal_boolean,
        menu,
        document_head_menu_setup_string(
            menu_horizontal_boolean() ),
        document_head_calendar_setup_string(
            folder_attribute_date_name_list_length() ),
        document_head_javascript_include_string(),
        (char *)0 /* input_onload_string */ );

char *prompt_lookup_html(
    form_drillthru,
    form_prompt_lookup );

char *document_form_html(
    document->html,
    document->document_head->html,
    document_head_close_html(),
    document->document_body->html,
    prompt_lookup_html(),
    document_body_close_html(),
    document_close_html() );

if ( form_drillthru )
{
    free( form_drillthru->html );
}
else
{
    free( form_prompt_lookup->html );
}

/* Public */
char *prompt_lookup_output_system_string(
    char *PROMPT_LOOKUP_OUTPUT_EXECUTABLE,
    char *login_name,
    char *session_key,
    char *folder_name,
    char *role_name,
    char *dictionary_separate_send_string(),
    char *appaserver_error_filename(
            application_name ) );
```

SECURITY_ENTITY

DOCUMENT

```
DOCUMENT_HEAD *document_head;
DOCUMENT_BODY *document_body;
```

FORM_PROMPT_LOO

POST_PROMPT_LOOKUP

```
/* Usage */
POST_PROMPT_LOOKUP *post_prompt_lookup_new(
    int argc,
    char **argv,
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *folder_name );

/* Process */
SESSION_FOLDER *session_folder =
    /* Sets appaserver environment and outputs argv */
    /* Each parameter is security inspected */
    session_folder_integrity_exit(
        int argc,
        char **argv,
        char *application_name,
        char *session_key,
        char *login_name,
        char *role_name,
        char *folder_name,
        char *APPASERVER_LOOKUP_STATE );

ROLE *role =
    role_fetch(
        role_name,
        1 /* fetch_attribute_exclude_list */ );

FOLDER *folder =
    folder_fetch(
        folder_name,
        /* Already session_folder_integrity_exit() */
        (char *)0 /* role_name */,
        role_exclude_update_attribute_name_list(
            role->attribute_exclude_list ),
        /* Also sets primary_key_list */
        1 /* fetch_folder_attribute_list */,
        1 /* fetch_relation_mto1_non_isa_list */,
        /* Also sets folder_attribute_append_isa_list */
        1 /* fetch_relation_mto1_isa_list */,
        0 /* not fetch_relation_one2m_list */,
        1 /* fetch_relation_one2m_recursive_list */,
        1 /* fetch_process */,
        0 /* not fetch_role_folder_list */,
        1 /* fetch_row_level_restriction */,
        1 /* fetch_role_operation_list */ );

POST_DICTIONARY *post_dictionary =
    post_dictionary_stdin_new(
        (char *)0 /* upload_directory */,
        (char *)0 /* session_key */ );

DICTIONARY_SEPARATE_POST_PROMPT_LOOKUP *
    dictionary_separate_post_prompt_lookup =
        dictionary_separate_prompt_lookup_new(
            post_dictionary->original_post_dictionary,
            application_name,
            login_name,
            folder->relation_mto1_non_isa_list,
            folder_attribute_name_list(
            folder->
                folder_attribute_append_isa_list ),
            role_operation_name_list(
                folder->role_operation_list ),
            folder_attribute_date_name_list(
                folder->
                    folder_attribute_append_isa_list ) );
```

session_folder_integrity_exit() → **SESSION_FOLDER**

role_fetch() → **ROLE**

folder_fetch() → **FOLDER**

post_dictionary_stdin_new() → **POST_DICTIONARY**

dictionary_separate_post_prompt_lookup_new() → **DICTIONARY_SEPARATE_POST_PROMPT_LOOKUP**

PROMPT_INSERT (1)

```
/* Usage */
PROMPT_INSERT *prompt_insert_new(
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *folder_name,
    boolean menu_horizontal_boolean(),
    char *appaserver_parameter->data_directory,
    POST_DICTIONARY *post_dictionary_string_new() );

/* Process */
PROMPT_INSERT *prompt_insert_calloc( void );

LIST *role_folder_list(
    role_name,
    folder_name );

boolean prompt_insert_forbid(
    boolean role_folder_insert(
        role_folder_list ) );

if ( prompt_insert_forbid() )
{
    return prompt_insert;
}
```

```
ROLE *role =
    role_fetch(
        role_name,
        1 /* fetch_attribute_exclude_list */ );

FOLDER *folder =
    folder_fetch(
        folder_name,
        /* Already prompt_insert_forbid() */
        (char *)0 /* role_name */,
        role_exclude_insert_attribute_name_list(
            role->attribute_exclude_list ),
        /* Also sets folder_attribute_primary_list */
        /* and primary_key_list */
        1 /* fetch_folder_attribute_list */,
        1 /* fetch_relation_mto1_non_isa_list */,
        /* Also sets folder_attribute_append_isa_list */
        1 /* fetch_relation_mto1_isa_list */,
        0 /* not fetch_relation_one2m_list */,
        1 /* fetch_relation_one2m_recursive_list */,
        0 /* not fetch_process */,
        0 /* not fetch_role_folder_list */,
        1 /* fetch_row_level_restriction */,
        0 /* not fetch_role_operation_list */ );

if ( menu_horizontal_boolean )
{
```

```
    FOLDER_MENU *folder_menu =
        folder_menu_new(
            application_name,
            session_key,
            role_name,
            data_directory );

    MENU *menu =
        menu_new(
            application_name,
            session_key,
            login_name,
            role_name,
            1 /* frameset_menu_horizontal */,
            folder_menu->count_list );
}

DICTIONARY_SEPARATE_DRILLTHRU *
    dictionary_separate_drillthru =
        dictionary_separate_drillthru_new(
            post_dictionary->original_post_dictionary,
            application_name,
            login_name,
            folder_attribute_date_name_list(
                folder->
                    folder_attribute_append_isa_list ),
            folder->folder_attribute_append_isa_list );
```



PROMPT_INSERT (2)

```
/* Process (continued) */
char *prompt_insert_title_html(
    char *APPASERVER_INSERT_STATE,
    char *folder_name );

SECURITY_ENTITY *security_entity =
    security_entity_new(
        login_name,
        folder->non_owner_forbid,
        role->override_row_restrictions );

FORM_PROMPT_INSERT *form_prompt_insert =
    form_prompt_insert_new(
        application_name,
        session_key,
        login_name,
        role_name,
        folder_name,
        folder->folder_attribute_append_isa_list,
        folder->relation_mto1_non_isa_list,
        dictionary_separate_drillthru->
            drillthru_dictionary,
        security_entity_where(
            security_entity,
            folder->folder_attribute_list ),
        role_folder_lookup(
            folder->role_folder_list ) );

int folder_attribute_date_name_list_length(
    folder->folder_attribute_append_isa_list );

DOCUMENT *document =
    document_new(
        application_name,
        application_title_string(),
        char *prompt_insert_title_html(),
        (char *)0 /* subtitle_html */,
        (char *)0 /* subsubtitle_html */,
        (char *)0 /* javascript_replace */,
        menu_horizontal_boolean,
        menu,
        document_head_menu_setup_string(
            menu_horizontal_boolean() ),
        document_head_calendar_setup_string(
            folder_attribute_date_name_list_length() ),
        document_head_javascript_include_string(),
        (char *)0 /* input_onload_string */ );

char *document_form_html(
    document->html,
    document->document_head->html,
    document_head_close_html(),
    document->document_body->html,
    form_prompt_insert->html,
    document_body_close_html(),
    document_close_html() );

free( form_prompt_insert->html );

/* Public */
char *prompt_insert_output_system_string(
    char *PROMPT_INSERT_OUTPUT_EXECUTABLE,
    char *session_key,
    char *login_name,
    char *role_name,
    char *folder_name,
    char *dictionary_separate_send_string(),
    char *appaserver_error_filename(
        application_name ) );
```

SECURITY_ENTITY

FORM_PROMPT_INSERT

DOCUMENT

```
DOCUMENT_HEAD *document_head;
DOCUMENT_BODY *document_body;
```

POST_PROMPT_INSERT (1)

```
/* Usage */
POST_PROMPT_INSERT *post_prompt_insert_new(
    int argc,
    char **argv,
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *folder_name );

/* Process */
SESSION_FOLDER *session_folder =
    /* Sets appaserver environment and outputs argv */
    /* Each parameter is security inspected */
    session_folder_integrity_exit(
        int argc,
        char **argv,
        char *application_name,
        char *session_key,
        char *login_name,
        char *role_name,
        char *folder_name,
        char *APPASERVER_INSERT_STATE );

ROLE *role =
    role_fetch(
        role_name,
        1 /* fetch_attribute_exclude_list */ );

FOLDER *folder =
    folder_fetch(
        folder_name,
        (char *)0 /* role_name */,
        role_exclude_update_attribute_name_list(
            role->attribute_exclude_list ),
        /* Also sets primary_key_list */
        1 /* fetch_folder_attribute_list */,
        0 /* not fetch_relation_mto1_non_isa_list */,
        1 /* fetch_relation_mto1_isa_list */,
        0 /* not fetch_relation_one2m_list */,
        0 /* not fetch_relation_one2m_recursive_list */,
        1 /* fetch_process */,
        0 /* not fetch_role_folder_list */,
        1 /* fetch_row_level_restriction */,
        0 /* not fetch_role_operation_list */ );

POST_DICTIONARY *post_dictionary =
    post_dictionary_stdin_new(
        (char *)0 /* upload_directory */,
        (char *)0 /* session_key */ );

DICTIONARY_SEPARATE_POST_PROMPT_INSERT *
    dictionary_separate_post_prompt_insert =
        dictionary_separate_post_prompt_insert_new(
            post_dictionary->original_post_dictionary,
            application_name,
            login_name,
            folder_attribute_name_list(
                folder->
                    folder_attribute_append_isa_list ),
            folder_attribute_date_name_list(
                folder->
                    folder_attribute_append_isa_list ),
            folder->folder_attribute_append_isa_list );

boolean post_prompt_insert_lookup_boolean(
    PROMPT_INSERT_LOOKUP_NAME,
    dictionary_separate_post_prompt_insert->
        non_prefixed_dictionary );

if ( !post_prompt_insert_lookup_boolean() )
{
    INSERT *insert =
        insert_new(
            application_name,
            session_key,
            login_name,
            role_name,
            folder_name,
            folder->primary_key_list,
            folder->folder_attribute_name_list,
            dictionary_separate_post_prompt_insert->
                row_zero_dictionary,
            (DICTIONARY *)0 /* multi_row_dictionary */,
            dictionary_separate_post_prompt_insert->
                ignore_name_list,
            (post_change_process)
                ? post_change_process->process_name
                : (char *)0,
            (post_change_process)
                ? post_change_process->
                    command_line
                : (char *)0 );
}
```

session_folder_integrity_exit() → **SESSION_FOLDER**

role_fetch() → **ROLE**

folder_fetch() → **FOLDER**

post_dictionary_stdin_new() → **POST_DICTIONARY**

dictionary_separate_post_prompt_insert_new() → **DICTIONARY_SEPARATE_POST_PROMPT_INSERT**

```
DICTIONARY *drillthru_dictionary;
DICTIONARY *row_zero_dictionary;
DICTIONARY *ignore_dictionary;
DICTIONARY *non_prefixed_dictionary;
LIST *ignore_name_list;

/* Note fetched; set by post_prompt_insert_query_dictionary() */
DICTIONARY *query_dictionary;
```

POST_PROMPT_INSERT (2)

```
/* Process (continued) */
if ( insert
|| post_prompt_insert_lookup_boolean() )
{
    DICTIONARY *dictionary_separate_post_prompt_insert->query_dictionary =
        post_prompt_insert_query_dictionary(
            DICTIONARY *row_zero_dictionary,
            char *APPASERVER_RELATION_OPERATOR_PREFIX,
            char *APPASERVER_EQUAL );
}

/* Driver */
if ( insert )
{
    char *sql_error_message_list_string =
        insert_sql_execute(
            insert->insert_row_list );

    void insert_command_line_execute(
        insert->insert_row_list );
}

if ( insert
|| post_prompt_insert_lookup_boolean() )
{
    char *table_edit_output_system_string(
        TABLE_EDIT_OUTPUT_EXECUTABLE,
        session_key,
        login_name,
        role_name,
        folder_name,
        FRAMESET_EDIT_FRAME /* target_frame */,
        sql_error_message_list_string /*subsub_title */,
        dictionary_separate_send_string(),
        appaserver_error_filename() );

    system( table_edit_output_system_string() );
}
else
{
    char *table_insert_output_system_string(
        TABLE_INSERT_OUTPUT_EXECUTABLE,
        session_key,
        login_name,
        role_name,
        folder_name,
        FRAMESET_EDIT_FRAME /* target_frame */,
        dictionary_separate_send_string(),
        appaserver_error_filename() );

    system( table_insert_output_system_string() );
}
```

DRILLTHRU (1)

```
/* Usage */
DRILLTHRU *drillthru_start(
    DICTIONARY *drillthru_dictionary /* out */,
    char *folder_name );

/* Process */
DRILLTHRU *drillthru_calloc( void );

LIST *relation_mto1_drillthru_list(
    (LIST *)0 /* relation_list */,
    folder_name,
    (LIST *)0 /* fulfilled_folder_name_list */ );

boolean drillthru_participating =
    drillthru_start_participating(
        length( relation_mto1_drillthru_list ) );

if ( !drillthru_participating )
{
    return drillthru;
}

void drillthru_base_set(
    DICTIONARY *drillthru_dictionary,
    char *DRILLTHRU_BASE_KEY,
    char *folder_name );

/* Public */
char *drillthru_start_current_folder_name(
    LIST *relation_mto1_drillthru_list );

/* Usage */
DRILLTHRU *drillthru_continue(
    DICTIONARY *drillthru_dictionary /* in/out */,
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *state,
    char *folder_name,
    boolean menu_horizontal_boolean(),
    char *appaserver_parameter->data_directory );

/* Process */
DRILLTHRU *drillthru_calloc( void );

char *drillthru_base_folder_name(
    char *DRILLTHRU_BASE_KEY,
    DICTIONARY *drillthru_dictionary );

boolean drillthru_participating =
    drillthru_continue_participating(
        char *base_folder_name );

if ( !drillthru_participating )
{
    return drillthru;
}

boolean drillthru_skipped(
    int dictionary_length( drillthru_dictionary ) );

if ( drillthru_skipped() )
{
    return drillthru;
}

LIST *drillthru_fulfilled_folder_name_list(
    char *DRILLTHRU_FULFILLED_KEY,
    DICTIONARY *drillthru_dictionary );

LIST *relation_mto1_drillthru_list(
    (LIST *)0 /* relation_list */,
    drillthru_base_folder_name(),
    drillthru_fulfilled_folder_name_list() );

char *drillthru_current_folder_name(
    LIST *drillthru->relation_mto1_drillthru_list,
    char *drillthru_base_folder_name() );

boolean drillthru_finished(
    char *folder_name,
    drillthru_current_folder_name() );

if ( drillthru_finished() )
{
    return drillthru;
}

LIST *drillthru_current_fulfilled_folder_name_list(
    LIST *drillthru_fulfilled_folder_name_list() /* out */,
    char *drillthru_current_folder_name() );

void drillthru_dictionary_fulfilled_set(
    DICTIONARY *drillthru_dictionary /* out */,
    char *DRILLTHRU_FULFILLED_KEY,
    LIST *drillthru_current_fulfilled_folder_name_list() );
```



DRILLTHRU (2)

```
/* Process (continued) */
ROLE *role =
    role_fetch(
        role_name,
        0 /* not fetch_attribute_exclude_list */ );

FOLDER *folder =
    folder_fetch(
        current_folder_name,
        /* Not fetching role_folder_list */
        (char *)0 /* role_name */,
        (LIST *)0 /* role_exclude_attribute_name_list */,
        /* Also sets folder_attribute_primary_list */
        /* and primary_key_list */
        1 /* fetch_folder_attribute_list */,
        1 /* fetch_relation_mto1_non_isa_list */,
        0 /* not fetch_relation_mto1_isa_list */,
        0 /* not fetch_relation_one2m_list */,
        0 /* not fetch_relation_one2m_recursive_list */,
        0 /* not fetch_process */,
        0 /* not fetch_role_folder_list */,
        1 /* fetch_row_level_restriction */,
        0 /* not fetch_role_operation_list */ );

SECURITY_ENTITY *security_entity =
    security_entity_new(
        login_name,
        folder->non_owner_forbid,
        role->override_row_restrictions );

char *security_entity_where(
    security_entity,
    folder->folder_attribute_list );

if ( menu_horizontal_boolean )
{
    FOLDER_MENU *folder_menu =
        folder_menu_new(
            application_name,
            session_key,
            role_name,
            data_directory );

    MENU *menu =
        menu_new(
            application_name,
            session_key,
            login_name,
            role_name,
            1 /* frameset_menu_horizontal */,
            folder_menu->count_list );
}

FORM_DRILLTHRU *form_drillthru =
    form_drillthru_new(
        application_name,
        session_key,
        login_name,
        role_name,
        state,
        current_folder_name /* folder_name */,
        folder->folder_attribute_list,
        folder->relation_mto1_non_isa_list,
        security_entity_where(
            security_entity,
            folder->folder_attribute_list ),
        drillthru_dictionary );

int folder_attribute_date_name_list_length(
    folder->folder_attribute_list );

char *drillthru_title_html(
    char *state,
    char *base_folder_name );

char *drillthru_subtitle_html(
    char *current_folder_name );

DOCUMENT *document =
    document_new(
        application_name,
        application_title_string(),
        char *drillthru_title_html(),
        char *drillthru_subtitle_html,
        (char *)0 /* subsubtitle_html */,
        (char *)0 /* javascript_replace */,
        menu_horizontal_boolean,
        menu,
        document_head_menu_setup_string(
            menu_horizontal_boolean() ),
        document_head_calendar_setup_string(
            folder_attribute_date_name_list_length() ),
        document_head_javascript_include_string(),
        (char *)0 /* input_onload_string */ );

char *document_form_html(
    document->html,
    document->document_head->html,
    document_head_close_html(),
    document->document_body->html,
    form_drillthru->html,
    document_body_close_html(),
    document_close_html() );

free( form_drillthru->html );

/* Public */
char *drillthru_output_system_string(
    char *DRILLTHRU_OUTPUT_EXECUTABLE,
    char *session_key,
    char *login_name,
    char *role_name,
    char *state,
    char *dictionary_separate_send_string(),
    char *appaserver_error_filename() );
```

ROLE

FOLDER

SECURITY_ENTITY

FOLDER_MENU

MENU

FORM_DRILLTHRU

DOCUMENT

```
DOCUMENT_HEAD *document_head;
DOCUMENT_BODY *document_body;
```

APPASERVER Data Structure

APPASERVER_ELEMENT (1)

```
/* Usage */
APPASERVER_ELEMENT *appaserver_element_new(
    enum element_type element_type,
    char *element_name );

/* Attributes */
enum element_type element_type;
char *element_name;
char *heading_string;
char *element_key;

ELEMENT_TABLE_OPEN *table_open;
ELEMENT_TABLE_HEADING *table_heading;
ELEMENT_TABLE_ROW *table_row;
ELEMENT_TABLE_CLOSE *table_close;
ELEMENT_CHECKBOX *checkbox;
ELEMENT_PROMPT_DROP_DOWN *prompt_drop_down;
ELEMENT_DROP_DOWN *drop_down;
ELEMENT_BUTTON *button;
ELEMENT_NON_EDIT_TEXT *non_edit_text;
ELEMENT_HIDDEN *hidden;
ELEMENT_LINE_BREAK *line_break;
ELEMENT_TABLE_DATA *table_data;
ELEMENT_MULTI_DROP_DOWN *multi_drop_down;
ELEMENT_NOTEPAD *notepad;
ELEMENT_TEXT *text;
ELEMENT_PASSWORD *password;
ELEMENT_UPLOAD *upload;
ELEMENT_YES_NO *yes_no;

ELEMENT_RADIO *radio;
ELEMENT_PROMPT_DATA *prompt_data;
ELEMENT_REFERENCE_NUMBER *reference_number;
ELEMENT_JAVASCRIPT_FILENAME *javascript_filename;
ELEMENT_DATE *date;
ELEMENT_CURRENT_DATE *current_date;
ELEMENT_TIME *time;
ELEMENT_CURRENT_TIME *current_time;
ELEMENT_CURRENT_DATE_TIME *current_date_time;
ELEMENT_TIMESTAMP *timestamp;
ELEMENT_EMPTY_COLUMN *empty_column;

/* Public */
APPASERVER_ELEMENT *
    appaserver_element_name_seek(
        char *element_name,
        LIST *appaserver_element_list );

APPASERVER_ELEMENT *
    appaserver_element_key_seek(
        char *key_string,
        LIST *appaserver_element_list );

APPASERVER_ELEMENT *
    appaserver_element_table_heading(
        char *heading_string );

LIST *appaserver_element_heading_name_list(
    LIST *appaserver_element_list );

int appaserver_element_tab_order(
    int tab_order );

char *appaserver_element_row_name(
    char *element_name,
    int row_number );

char *appaserver_element_list_row_dictionary_html(
    LIST *appaserver_element_list /* in/out */,
    char *environment_application_name(),
    char *background_color,
    char *state,
    int row_number,
    DICTIONARY *row_dictionary );

char *appaserver_element_list_hidden_html(
    LIST *appaserver_element_list /* in/out */,
    int row_number,
    DICTIONARY *row_dictionary );

char *appaserver_element_background_color_html(
    char *background_color );

char *appaserver_element_tab_order_html(
    int tab_order );

char *appaserver_element_number_commas_string(
    char *attribute_name,
    char *value );

char *appaserver_element_key_string(
    LIST *attribute_name_list );

char *appaserver_element_value(
    char *appaserver_element_key_string(),
    DICTIONARY *row_dictionary );

boolean appaserver_element_recall_boolean(
    APPASERVER_ELEMENT *appaserver_element )

char *appaserver_element_list_html(
    LIST *appaserver_element_list );
```

table_open
table_heading
table_row
table_close
checkbox
prompt_drop_down
drop_down

button
non_edit_text
hidden
line_break
table_data
multi_drop_down
notepad

text
password
upload
yes_no

radio
prompt_data

reference_number
javascript_filename
element_date
element_current_date
element_time
element_current_time
element_date_time

element_current_date_time
timestamp
empty_column

APPASERVER_ELEMENT (2)

```
/* Private */
char *appaserver_element_heading_name(
    char *appaserver_element->name );

char *appaserver_element_row_dictionary_html(
    APPASERVER_ELEMENT *appaserver_element /* in/out */,
    char *application_name,
    char *background_color,
    char *state,
    int row_number,
    DICTIONARY *row_dictionary );

char *appaserver_element_prompt_drop_down_html(
    ELEMENT_PROMPT_DROP_DOWN *prompt_drop_down /* in/out */,
    char *state );

char *appaserver_element_drop_down_html(
    ELEMENT_DROP_DOWN *drop_down /* in/out */,
    char *background_color,
    char *state,
    int row_number,
    DICTIONARY *row_dictionary );

char *appaserver_element_text_html(
    ELEMENT_TEXT *text /* in/out */,
    char *background_color,
    char *state,
    int row_number,
    DICTIONARY *row_dictionary );

char *appaserver_element_hidden_html(
    ELEMENT_HIDDEN *hidden /* in/out */,
    int row_number,
    DICTIONARY *row_dictionary );

char *appaserver_element_notepad_html(
    ELEMENT_NOTEPAD *notepad /* in/out */,
    char *background_color,
    char *state,
    int row_number,
    DICTIONARY *row_dictionary );

char *appaserver_element_checkbox_html(
    ELEMENT_CHECKBOX *checkbox /* in/out */,
    char *background_color,
    char *state,
    int row_number,
    DICTIONARY *row_dictionary );

char *appaserver_element_upload_update_html(
    ELEMENT_UPLOAD *upload,
    char *background_color,
    DICTIONARY *row_dictionary,
    char *application_name );

char *appaserver_element_yes_no_html(
    ELEMENT_YES_NO *yes_no /* in/out */,
    char *background_color,
    char *state,
    int row_number,
    DICTIONARY *row_dictionary );
```

ELEMENT_MULTI_DROP_DOWN

```
/* Usage */
ELEMENT_MULTI_DROP_DOWN *
    element_multi_drop_down_new(
        char *original_name,
        char *element_name,
        LIST *delimited_list,
        boolean no_initial_capital );

/* Process */
APPASERVER_ELEMENT *original_drop_down =
    appaserver_element_new(
        prompt_drop_down,
        original_name );

ELEMENT_PROMPT_DROP_DOWN *prompt_drop_down =
    element_prompt_drop_down_new(
        original_drop_down->element_name,
        delimited_list,
        no_initial_capital,
        0 /* not output_null_option */,
        0 /* not output_not_null_option */,
        0 /* not output_select_option */,
        element_multi_display_size(),
        0 /* tab_order */,
        1 /* multi_select */,
        (char *0 /* post_change_javascript */,
        1 /* recall */ );

ELEMENT_TABLE_DATA *table_data =
    element_table_data_new(
        0 /* not align_right,
        1 /* column_span */ );

ELEMENT_BUTTON *move_right_button =
    element_button_new(
        element_multi_drop_down_move_right_label(),
        element_multi_drop_down_move_right_action_string() );

ELEMENT_LINE_BREAK *element_line_break =
    element_line_break_calloc();

ELEMENT_BUTTON *move_left_button =
    element_button_new(
        element_multi_drop_down_move_left_label(),
        element_multi_drop_down_move_left_action_string() );

APPASERVER_ELEMENT *empty_drop_down =
    appaserver_element_new(
        prompt_drop_down,
        element_name );

ELEMENT_PROMPT_DROP_DOWN *prompt_drop_down =
    element_empty_prompt_drop_down_new(
        empty_drop_down->element_name,
        element_multi_display_size(),
        1 /* multi_select */,
        0 /* not readonly */,
        1 /* recall */ );

/* Public */
char *element_multi_drop_down_html(
    ELEMENT_PROMPT_DROP_DOWN *original_drop_down,
    ELEMENT_TABLE_DATA *table_data,
    ELEMENT_BUTTON *move_right_button,
    ELEMENT_LINE_BREAK *element_line_break,
    ELEMENT_BUTTON *move_left_button,
    ELEMENT_PROMPT_DROP_DOWN *empty_drop_down );

/* Private */
int element_multi_display_size( void );

char *element_multi_drop_down_move_right_label( void );

char *element_multi_drop_down_move_left_label( void );

char *element_multi_drop_down_move_right_action_string(
    char *original_name,
    char *element_name,
    char ELEMENT_MULTI_MOVE_LEFT_RIGHT_DELIMITER );

char *element_multi_drop_down_move_left_action_string(
    char *original_name,
    char *element_name,
    char ELEMENT_MULTI_MOVE_LEFT_RIGHT_DELIMITER );
```

ELEMENT_DROP_DOWN

```
/* Usage */
ELEMENT_DROP_DOWN *element_drop_down_new(
    char *element_name /* mutually exclusive */,
    LIST *attribute_name_list /* mutually_exclusive */,
    LIST *delimited_list,
    boolean no_initial_capital,
    boolean output_null_option,
    boolean output_not_null_option,
    boolean output_select_option,
    int display_size,
    int appaserver_element_tab_order(),
    boolean multi_select,
    char *post_change_javascript,
    boolean readonly,
    boolean recall );

/* Public */
ELEMENT_DROP_DOWN *element_drop_down_calloc(
    void );

char *value =
    appaserver_element_value(
        appaserver_element_key_string(
            attribute_name_list ),
        row_dictionary );

char *element_drop_down_name(
    LIST *attribute_name_list,
    int row_number );

char *element_drop_down_html(
    char *element_drop_down_name(
            attribute_name_list,
            row_number ),
    char *value,
    LIST *delimited_list,
    LIST *element_drop_down_display_list(
            delimited_list,
            no_initial_capital ),
    boolean output_null_option,
    boolean output_not_null_option,
    boolean output_select_option,
    int display_size,
    int tab_order,
    boolean multi_select,
    char *javascript_replace(
        post_change_javascript,
        state,
        row_number ),
    char *background_color,
    int application->max_drop_down_size,
    int application->max_query_rows_for_drop_downs,
    int row_dictionary_list_length );

/* Private */
LIST *element_drop_down_display_list(
    LIST *delimited_list,
    boolean no_initial_capital );

char *element_drop_down_value_display(
    char *value,
    boolean no_initial_capital );

char *element_drop_down_option_value_html(
    char *value,
    char *element_drop_down_value_display() );

char *first_option_value_html =
    element_drop_down_option_value_html(
        char *element_drop_down_value(),
        char *list_offset_seek(
            display_list,
            list_seek_offset(
                char *element_drop_down_value(),
                LIST *delimtied_list) )
                    /* value_display */ );

char *element_drop_down_option_value_list_html(
    LIST *delimited_list,
    LIST *display_list,
    char *element_drop_down_value() );

char *element_drop_down_close_html(
    boolean output_null_option,
    boolean output_not_null_option );
```

ELEMENT_PROMPT_DROP_DOWN

```
/* Usage */
ELEMENT_PROMPT_DROP_DOWN *
    element_prompt_drop_down_new(
        char *element_name,
        LIST *delimited_list,
        boolean no_initial_capital,
        boolean output_null_option,
        boolean output_not_null_option,
        boolean output_select_option,
        int display_size,
        int appaserver_element_tab_order(),
        boolean multi_select,
        char *post_change_javascript,
        boolean recall );

ELEMENT_PROMPT_DROP_DOWN *
    element_empty_prompt_drop_down_new(
        char *element_name,
        int element_multi_display_size(),
        boolean multi_select,
        boolean recall );

/* Public */
char *element_prompt_drop_down_html(
    char *element_name,
    LIST *delimited_list,
    LIST *element_drop_down_display_list(
            delimited_list,
            no_initial_capital ),
    boolean output_null_option,
    boolean output_not_null_option,
    boolean output_select_option,
    int display_size,
    int tab_order,
    boolean multi_select,
    char *javascript_replace() );

char *element_empty_prompt_drop_down_html(
    char *element_name,
    int display_size,
    boolean multi_select );

/* Private */
ELEMENT_PROMPT_DROP_DOWN *
    element_prompt_drop_down_calloc(
        void );
```

ELEMENT_TEXT

```
/* Usage */
ELEMENT_TEXT *element_text_new(
    char *attribute_name,
    char *datatype_name,
    int attribute_width_max_length,
    boolean null_to_slash,
    boolean prevent_carrot,
    char *on_change,
    char *on_focus,
    char *on_keyup,
    int tab_order,
    boolean recall );

/* Public */
char *element_text_value(
    char *attribute_name,
    DICTIONARY *row_dictionary,
    boolean attribute_is_number(
        char *datatype_name ) );

char *element_text_javascript_replace_on_change(
    char *on_change,
    int row_number,
    char *state,
    boolean null_to_slash );

char *element_text_javascript_replace_on_focus(
    char *on_focus,
    int row_number,
    char *state );

char *element_text_prevent_carrot_on_keyup(
    char *on_keyup,
    boolean prevent_carrot );

boolean element_text_autocomplete_off(
    char *attribute_name );

char *element_text_html(
    char *appaserver_element_name(
        attribute_name,
        row_number )
            /* element_name */,
    char *(value)
            ? value
            : element_text_value(),
    int attribute_width_max_length,
    int ELEMENT_TEXT_MAX_DISPLAY_SIZE,
    element_text_javascript_replace_on_change(),
    element_text_javascript_replace_on_focus(),
    element_text_prevent_carrot_on_keyup(),
    boolean element_text_autocomplete_off(),
    int tab_order,
    char *background_color );

/* Private */
ELEMENT_TEXT *element_text_calloc(
    void );
```

ELEMENT_NON_EDIT_TEXT

```
/* Usage */
ELEMENT_NON_EDIT_TEXT *
    element_non_edit_text_new(
        /* Mutually exclusive */
        char *attribute_name,
        char *message );

/* Public */
char *element_non_edit_text_initial_capital(
    char *appaserver_element_value(
            attribute_name,
            row_dictionary ),
    char *message );

/* Private */
ELEMENT_NON_EDIT_TEXT *
    element_non_edit_text_calloc(
        void );
```

ELEMENT_PASSWORD

```
/* Usage */
ELEMENT_PASSWORD *element_password_calloc(
    void );

ELEMENT_PASSWORD *element_password_new(
    char *attribute_name,
    int attribute_width_max_length,
    int ELEMENT_TEXT_MAX_DISPLAY_SIZE,
    int tab_order );

/* Public */
char *element_password_compare_element_name(
    char *attribute_name,
    int row_number );

char *element_password_html(
    appaserver_element_name(
        attribute_name,
        row_number )
            /* element_name */,
    element_password_compare_element_name(),
    appaserver_element_value(
            attribute_name,
            row_dictionary ),
    int attribute_width_max_length,
    int ELEMENT_TEXT_MAX_DISPLAY_SIZE,
    int tab_order );
```

ELEMENT_CHECKBOX

```
/* Usage */
ELEMENT_CHECKBOX *element_checkbox_new(
    char *attribute_name /* mutually exclusive */,
    char *element_name /* mutually exclusive */,
    char *prompt_string,
    char *on_click,
    int tab_order,
    char *image_source,
    boolean recall );

/* Process */
ELEMENT_CHECKBOX *element_checkbox_calloc(
    void );

/* Public */
boolean element_checkbox_checked(
    char *attribute_name,
    DICTIONARY *row_dictionary );

char *element_checkbox_html(
    (element_name)
        ? element_name
        : appaserver_element_name(
            attribute_name,
            row_number ),
    char *string_initial_capital(
        prompt_display,
        prompt_string ),
    boolean element_checkbox_checked(),
    javascript_replace(
        char *on_click,
        char *state,
        int row_number ),
    int tab_order,
    char *background_color,
    char *image_source );

char *element_checkbox_submit_javascript(
    char *on_click_javascript,
    char *form_name );
```

ELEMENT_NOTEPAD

```
/* Usage */
ELEMENT_NOTEPAD *element_notepad_new(
    char *attribute_name,
    int attribute_size,
    int ELEMENT_NOTEPAD_COLUMNS,
    int ELEMENT_NOTEPAD_ROWS,
    boolean null_to_slash,
    char *post_change_javascript,
    int tab_order );

/* Public */
char *element_notepad_html(
    char *appaserver_element_name(
        attribute_name,
        row_number ),
    char *appaserver_element_value(
        attribute_name,
        row_dictionary ),
    int attribute_size,
    int columns,
    int rows,
    boolean null_to_slash,
    char *javascript_replace(
        char *post_change_javascript,
        char *state,
        int row_number ),
    int tab_order,
    char *background_color );

/* Private */
ELEMENT_NOTEPAD *element_notepad_calloc(
    void );

char *element_notepad_onchange(
    boolean null_to_slash,
    char *javascript_replace );
```

ELEMENT_HIDDEN

```
/* Usage */
ELEMENT_HIDDEN *element_hidden_calloc(
        void );

ELEMENT_HIDDEN *element_hidden_new(
    /* Mutually exclusive */
    char *attribute_name,
    LIST *attribute_name_list );

/* Public */
char *element_hidden_key_string(
    char *attribute_name,
    LIST *attribute_name_list );

char *element_hidden_name(
    element_hidden_key_string(),
    int row_number );

char *element_hidden_html(
    char *element_hidden_name(),
    char *appaserver_element_value(
        element_hidden_key_string(),
        row_dictionary ) );
```

ELEMENT_UPLOAD

```
/* Usage */
ELEMENT_UPLOAD *element_upload_new(
    char *attribute_name,
    int tab_order,
    boolean recall );

/* Public */
char *element_upload_insert_html(
    char *appaserver_element_name(
        attribute_name,
        row_number )
            /* element_name */,
    int tab_order );

char *element_upload_update_html(
    char *appaserver_element_value(
        attribute_name,
        row_dictionary ),
    char *background_color,
    char *application_name );

/* Private */
ELEMENT_UPLOAD *element_upload_calloc(
    void );

char *element_upload_update_hypertext_reference(
    char *application_name,
    char *value );

void element_upload_update_link(
    char *application_name,
    char *value,
    char *appaserver_parameter_upload_directory(),
    char *appaserver_parameter_document_root() );
```

ELEMENT_YES_NO

```
/* Usage */
ELEMENT_YES_NO *element_yes_no_new(
    char *attribute_name /* mutually exclusive */,
    char *element_name /* mutually exclusive */,
    boolean output_null_option,
    boolean output_not_null_option,
    char *post_change_javascript,
    int tab_order,
    boolean recall );

/* Process */
ELEMENT_YES_NO *element_yes_no_calloc(
    void );

/* Public */
boolean element_yes_no_affirmative(
    char *attribute_name,
    DICTIONARY *row_dictionary );

char *element_yes_no_html(
    (element_name)
        ? element_name
        : appaserver_element_name(
            attribute_name,
            row_number ),
    boolean element_yes_no_affirmative(),
    boolean output_null_option,
    boolean output_not_null_option,
    javascript_replace(
        char *post_change_javascript,
        char *state,
        int row_number ),
    int tab_order,
    char *background_color );
```

ELEMENT_TABLE_OPEN

```
/* Usage */
ELEMENT_TABLE_OPEN *element_table_open_calloc( void );

/* Attribute */
boolean border_boolean;

/* Public */
char *element_table_open_html(
    boolean border_boolean );
```

ELEMENT_TABLE_HEADING

```
/* Usage */
ELEMENT_TABLE_HEADING *element_table_heading_new(
    char *heading_string );

/* Public */
ELEMENT_TABLE_HEADING *element_table_heading_calloc( void );

char *element_table_row_html( char *heading_string );
```

ELEMENT_TABLE_ROW

```
/* Usage */
ELEMENT_TABLE_ROW *element_table_row_calloc( void );

/* Public */
char *element_table_row_html( char *background_color );
```

ELEMENT_TABLE_DATA

```
/* Usage */
ELEMENT_TABLE_DATA *element_table_data_calloc( void );

ELEMENT_TABLE_DATA *element_table_data_new(
    boolean align_right,
    int column_span );

/* Public */
char *element_table_data_html(
    boolean align_right,
    int column_span );
```

ELEMENT_BUTTON

```
/* Usage */
ELEMENT_BUTTON *element_button_new(
    char *label,
    char *action_string );

/* Process */
BUTTON *button =
    button_new(
        label,
        action_string );
```



ELEMENT_LINE_BREAK

```
/* Usage */
ELEMENT_LINE_BREAK *element_line_break_calloc(
    void );

/* Public */
char *element_line_break_html( void );
```

ELEMENT_TABLE_CLOSE

```
/* Usage */
ELEMENT_TABLE_CLOSE *element_table_close_calloc( void );

/* Public */
char *element_table_close_html( void );
```

BUTTON

```
/* Usage */
BUTTON *button_new( char *label, char *action_string );

/* Process */
char *button_html( char *label, char *action_string );

/* Usage */
BUTTON *button_submit(
    char *form_multi_select_all_javascript(),
    char *form_keystrokes_save_javascript(),
    char *form_keystrokes_multi_save_javascript(),
    char *form_verify_notepad_widths_javascript(),
    int form_number );

/* Process */
char *button_submit_html(
    char *form_post_change_multi_select_all_javascript(),
    char *form_keystrokes_save_javascript(),
    char *form_keystrokes_multi_save_javascript(),
    char *form_verify_notepad_widths_javascript(),
    int form_number );

/* Usage */
BUTTON *button_reset(
    char *javascript_replace(),
    int form_number );

/* Process */
char *button_reset_html(
    char *javascript_replace(),
    int form_number );

/* Usage */
BUTTON *button_back( void );

/* Process */
char *button_back_html( void );

/* Usage */
BUTTON *button_forward( void );

/* Process */
char *button_forward_html( void );

/* Usage */
BUTTON *button_back_to_drillthru( char *action_string );

/* Process */
char *button_back_to_drillthru_html( char *action_string );

/* Usage */
BUTTON *button_back_to_top( void );

/* Process */
char *button_back_to_top_html( void );

/* Usage */
BUTTON *button_recall(
    char *form_keystrokes_recall_javascript(),
    char *form_keystrokes_multi_recall_javascript() );

/* Process */
char *button_recall_html(
    char *form_keystrokes_recall_javascript(),
    char *form_keystrokes_multi_recall_javascript() );

/* Usage */
BUTTON *button_drillthru_skip( void );

/* Process */
char *button_drillthru_skip_html( void );

/* Usage */
BUTTON *button_help(
    char *application_name,
    char *html_help_file_anchor );

/* Process */
char *button_help_html(
    char *application_name,
    char *html_help_file_anchor );

/* Public */
char *button_list_html(
    LIST *button_list );

void button_list_free(
    LIST *button_list );

LIST *button_insert_pair_one2m_submit_list(
    LIST *pair_one2m_folder_list );
```

RADIO_LIST

```
/* Usage */
RADIO_LIST *radio_list_new(
    char *FORM_RADIO_LIST_NAME,
    LIST *radio_pair_list,
    char *initial_label );

/* Process */
LIST *radio_value_list = list_new();

for radio_pair in radio_pair_list
{
    list_set(
        radio_value_list,
        radio_value_new(
            form_radio_list_name,
            radio_pair,
            initial_label ) );
}

char *radio_list_html(
    LIST *radio_value_list );
```



RADIO_VALUE

```
/* Usage */
RADIO_VALUE *radio_value_new(
    char *radio_list_name,
    RADIO_PAIR *radio_pair,
    char *initial_label );

/* Process */
char *radio_value_html(
    char *radio_list_name,
    char *radio_pair->radio_name,
    char *radio_pair->radio_label,
    char *initial_label );

/* Public */
void radio_value_free(
    RADIO_VALUE *radio_value );
```

RADIO_PAIR

```
/* Usage */
RADIO_PAIR *radio_pair_new(
    char *radio_name,
    char *radio_label );
```

POST_CHOOSE_FOLDER (1)

```
/* Usage */
POST_CHOOSE_FOLDER *
    post_choose_folder_new(
        /* See session_folder_integrity_exit() */
        char *application_name,
        char *session_key,
        char *login_name,
        char *role_name,
        char *state,
        char *folder_name );

/* Process */
POST_CHOOSE_FOLDER *post_choose_folder_calloc(
    void );

DRILLTHRU *drillthru =
    drillthru_start(
        ( drillthru_dictionary =
            dictionary_small() ) /* out */,
        folder_name );

if ( drillthru->drillthru_participating() )
{
    char *drillthru_output_system_string(
        DRILLTHRU_OUTPUT_EXECUTABLE,
        session_key,
        login_name,
        role_name,
        state,
        dictionary_separate_send_string(
            dictionary_separate_send_dictionary() ),
        appaserver_error_filename(
            application_name ) );

    return post_choose_folder;
}

boolean post_choose_folder_fetch_relation_mto1_isa(
    char *state,
    char *APPASERVER_INSERT_STATE );

FOLDER *folder =
    folder_fetch(
        folder_name,
        /* already session_folder_integrity_exit() */
        (char *)0 /* role_name */,
        (LIST *)0 /* exclude_attribute_name_list */,
        0 /* not fetch_folder_attribute_list */,
        0 /* not fetch_relation_mto1_non_isa_list */,
        post_choose_folder_fetch_relation_mto1_isa(),
        1 /* fetch_relation_one2m_list */,
        0 /* not fetch_relation_one2m_recursive_list */,
        0 /* not fetch_process */,
        0 /* not fetch_role_folder_list */,
        0 /* not fetch_row_level_restriction */,
        0 /* not fetch_role_operation_list */ );

LIST *folder->relation_pair_one2m_list(
        folder->relation_one2m_list );

char *post_choose_folder_form_name(
    int list_length( folder->relation_pair_one2m_list )
        /* relation_pair_one2m_list_length */,
    char *folder->folder_form );

boolean post_choose_folder_isa_drop_down(
    int list_length( folder->relation_mto1_isa_list )
        /* relation_mto1_isa_list_length */ );

boolean post_choose_folder_prompt_insert(
    char *post_choose_folder_form_name(),
    char *state );

boolean post_choose_folder_table_insert(
    char *post_choose_folder_form_name(),
    char *state );

boolean post_choose_folder_prompt_lookup(
    char *post_choose_folder_form_name(),
    char *state );

boolean post_choose_folder_table_edit(
    char *post_choose_folder_form_name(),
    char *state );
```



POST_CHOOSE_FOLDER (2)

```
/* Process (continued)
char *post_choose_folder_system_string(
    boolean post_choose_folder_isa_drop_down(),
    boolean post_choose_folder_prompt_insert(),
    boolean post_choose_folder_table_insert(),
    boolean post_choose_folder_prompt_lookup()
    boolean post_choose_folder_table_edit(),
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *folder->folder_name,
    RELATION *list_first( folder->relation_mto1_isa_list )
        /* first_one2m_isa_relation */ );

char *choose_isa_output_system_string(
    CHOOSE_ISA_OUTPUT_EXECUTABLE,
    session_key,
    login_name,
    role_name,
    folder_name,
    first_one2m_isa_relation->
        one_folder->
        folder_name
            /* one_isa_folder_name */,
    appaserver_error_filename(
        application_name ) );

char *prompt_insert_output_system_string(
    PROMPT_INSERT_OUTPUT_EXECUTABLE,
    session_key,
    login_name,
    role_name,
    folder_name,
    (char *)0 /* dictionary_separate_send_string */,
    appaserver_error_filename(
        application_name ) );

char table_insert_output_system_string(
    TABLE_INSERT_OUTPUT_EXECUTABLE,
    session_key,
    login_name,
    role_name,
    folder_name,
    FRAMESET_PROMPT_FRAME /* target_frame */,
    (char *)0 /* dictionary_separate_send_string */,
    appaserver_error_filename(
        application_name ) );

char *prompt_lookup_output_system_string(
    PROMPT_LOOKUP_OUTPUT_EXECUTABLE,
    session_key,
    login_name,
    role_name,
    folder_name,
    (char *)0 /* dictionary_separate_send_string */,
    appaserver_error_filename(
        application_name ) );

char *table_edit_output_system_string(
    TABLE_EDIT_OUTPUT_EXECUTABLE,
    session_key,
    login_name,
    role_name,
    folder_name,
    (char *)0 /* subsub_title */,
    (char *)0 /* dictionary_separate_send_string */,
    appaserver_error_filename(
        application_name ) );

/* Public */
char *post_choose_folder_href_string(
    char *POST_CHOOSE_FOLDER_EXECUTABLE,
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *state,
    char *FRAMESET_PROMPT_FRAME );
```

POST_DRILLTHRU

```
/* Usage */
POST_DRILLTHRU *
    post_drillthru_new(
        /* See session_folder_integrity_exit() */
        char *application_name,
        char *session_key,
        char *login_name,
        char *role_name,
        char *folder_name,
        char *state,
        DICTIONARY *drillthru_dictionary,
        DICTIONARY *non_prefixed_dictionary );

/* Process */
POST_DRILLTHRU *post_drillthru_calloc(
    void );

DRILLTHRU *drillthru =
    drillthru_start(
        ( drillthru_dictionary =
            dictionary_small() ) /* out */,
        folder_name );

char *post_choose_folder_name(
    char *folder_name,
    char *drillthru_start_current_folder_name(
        drillthru->relation_mto1_drillthru_list ) );

boolean post_choose_folder_fetch_relation_mto1_isa(
    char *state,
    char *APPASERVER_INSERT_STATE );

FOLDER *folder =
    folder_fetch(
        post_choose_folder_name(),
        /* Already session_folder_integrity_exit() */
        (char *)0 /* role_name */,
        (LIST *)0 /* exclude_attribute_name_list */,
        0 /* not fetch_folder_attribute_list */,
        0 /* not fetch_relation_mto1_non_isa_list */,
        post_choose_folder_fetch_relation_mto1_isa(),
        1 /* fetch_relation_one2m_list */,
        0 /* not fetch_relation_one2m_recursive_list */,
        0 /* not fetch_process */,
        0 /* not fetch_role_folder_list */,
        0 /* not fetch_row_level_restriction */,
        0 /* not fetch_role_operation_list */ );

LIST *folder->relation_pair_one2m_list(
        folder->relation_one2m_list );

char *post_choose_folder_form_name(
    list_length( folder->relation_pair_one2m_list )
        /* relation_pair_one2m_list_length */,
    folder->folder_form );

boolean post_choose_folder_isa_drop_down(
    list_length( folder->relation_mto1_isa_list )
        /* relation_mto1_isa_list_length */ );

boolean post_choose_folder_prompt_insert(
    post_choose_folder_form_name(),
    char *state );

boolean post_choose_folder_table_insert(
    post_choose_folder_form_name(),
    char *state );

boolean post_choose_folder_prompt_lookup(
    post_choose_folder_form_name(),
    char *state,
    boolean drillthru->drillthru_participating );

boolean post_choose_folder_table_edit(
    post_choose_folder_form_name(),
    char *state );
```



CHOOSE_ROLE

```
/* Usage */
CHOOSE_ROLE *choose_role_default_new(
    char *login_name );

/* Process */
char *choose_role_default_where(
    char *login_name );

char *choose_role_default_system_string(
    char *choose_role_default_where() );

char *choose_role_default_role_name(
    char *choose_role_default_system_string() );

/* Usage */
CHOOSE_ROLE *choose_role_new(
    char *application_name,
    char *session_key,
    char *login_name,
    boolean frameset_menu_horizontal() );

/* Process */
char *choose_role_title_string(
    char *login_name,
    boolean frameset_menu_horizontal );

char *choose_role_title_html(
    char *choose_role_title_string() );

DOCUMENT *document =
    document_new(
        application_name,
        choose_role_title_string(),
        choose_role_title_html(),
        (char *)0 /* subtitle_html */,
        (char *)0 /* subsubtitle_html */,
        (char *)0 /* javascript_replace */,
        0 /* frameset_menu_horizontal */,
        (MENU *)0,
        (char *)0 /* menu_setup_string */,
        (char *)0 /* calendar_setup_string */,
        (char *)0 /* javascript_include_string */,
        (char *)0 /* input_onload_string */ );

LIST *appaserver_user_role_name_list(  login_name );

char *post_choose_role_action_string(
    POST_CHOOSE_ROLE_EXECUTABLE,
    application_name,
    session_key,
    login_name );

char *choose_role_target_frame(
    boolean frameset_menu_horizontal() );

FORM_CHOOSE_ROLE *form_choose_role =
    form_choose_role_new(
        appaserver_user_role_name_list(),
        post_choose_role_action_string(),
        FRAMESET_MENU_FRAME,
        CHOOSE_ROLE_FORM_NAME,
        CHOOSE_ROLE_DROP_DOWN_ELEMENT_NAME );

char *document_form_html(
    document->html,
    document->document_head->html,
    document_head_close_html(),
    document->document_body->html,
    form_choose_role->html,
    document_body_close_html(),
    document_close_html() );

/* Public */
char *choose_role_output_system_string(
    char *CHOOSE_ROLE_OUTPUT_EXECUTABLE,
    char *session_key,
    char *login_name,
    boolean frameset_menu_horizontal(),
    char *output_filename );
```

DOCUMENT

```
DOCUMENT_HEAD *document_head;
DOCUMENT_BODY *document_body;
```

FORM_CHOOSE_ROLE

POST_CHOOSE_ROLE

```
/* Usage */
POST_CHOOSE_ROLE *post_choose_role_new(
    int argc,
    char **argv,
    char *CHOOSE_ROLE_DROP_DOWN_ELEMENT_NAME );

/* Process */
char *sql_injection_escape_application_name =
    security_sql_injection_escape(
        argv[ 1 ] );

char *sql_injection_escape_session_key =
    security_sql_injection_escape(
        argv[ 2 ] );

char *sql_injection_escape_login_name =
    security_sql_injection_escape(
        argv[ 3 ] );

char *sql_injection_escape_role_name =
    char *post_choose_role_name(
        argc,
        argv[ 4 ],
        char *CHOOSE_ROLE_DROP_DOWN_ELEMENT_NAME );

void session_environment_set(
    sql_injection_escape_application_name );

char *menu_output_system_string(
   char *MENU_OUTPUT_EXECUTABLE,
   char *sql_injection_escape_session_key,
   char *sql_injection_escape_login_name,
   char *sql_injection_escape_role_name,
   frameset_menu_horizontal(),
   (char *)0 /* frameset_output_filename */ );

/* Public */
char *post_choose_role_action_string(
    char *POST_CHOOSE_ROLE_EXECUTABLE,
    char *application_name,
    char *session_key,
    char *login_name );

char *post_choose_role_href_string(
    char *POST_CHOOSE_ROLE_EXECUTABLE,
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *frameset_prompt_frame );
```

CHOOSE_ISA

```
/* Usage */
CHOOSE_ISA *choose_isa_new(
    /* See session_folder_integrity_exit() */
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *folder_name,
    char *one_isa_folder_name,
    boolean frameset_menu_horizontal() );

/* Process */
FOLDER *folder =
    folder_fetch(
        one_isa_folder_name,
        /* Already session_folder_integrity_exit() */
        (char *)0 /* role_name */,
        (LIST *)0 /* exclude_attribute_name_list */,
        /* Also sets folder_attribute_primary_list */
        /* and primary_key_list */
        1 /* fetch_folder_attribute_list */,
        0 /* not fetch_relation_mto1_non_isa_list */,
        0 /* not fetch_relation_mto1_isa_list */,
        0 /* not fetch_relation_one2m_list */,
        0 /* not fetch_relation_one2m_recursive_list */,
        1 /* fetch_process */,
        0 /* not fetch_role_folder_list */,
        1 /* fetch_row_level_restriction */,
        0 /* not fetch_role_operation_list */ );

ROLE *role =
    role_fetch(
        role_name,
        0 /* not fetch_attribute_exclude_list */ );

SECURITY_ENTITY *security_entity =
    security_entity_new(
        login_name,
        folder->non_owner_forbid,
        role->override_row_restrictions );

LIST *delimited_list;

if ( folder->populate_drop_down_process )
{
    delimited_list =
        list_pipe_fetch(
            process_choose_isa_command_line(
                folder->
                    populate_drop_down_process->
                    command_line,
                security_entity_where(
                    security_entity,
                    folder->folder_attribute_list ),
                application_name,
                login_name,
                role_name,
                one_isa_folder_name  ) );
}
else
{
    QUERY_ISA_WIDGET *query_isa_widget =
        query_isa_widget_new(
            one_isa_folder_name,
            folder->primary_key_list,
            folder->folder_attribute_primary_list,
            login_name,
            security_entity_where(
                security_entity,
                folder->folder_attribute_list ) );

    delimited_list = query_isa_widget->delimited_list;
}

char *choose_isa_title_string(
    char *folder_name );

char *choose_isa_title_html(
    char *choose_isa_title_string() );

char *choose_isa_subtitle_html(
    char *folder_name,
    char *one_isa_folder_name );

char *choose_isa_prompt_message(
    LIST *folder->primary_key_list );

if ( frameset_menu_horizontal )
{
    FOLDER_MENU *folder_menu =
        folder_menu_new(
            application_name,
            session_key,
            role_name,
            appaserver_parameter_data_directory() );

    MENU *menu =
        menu_new(
            application_name,
            session_key,
            login_name,
            role_name,
            frameset_menu_horizontal,
            folder_menu->count_list );
}

char *choose_isa_action_string(
    char *CHOOSE_ISA_POST_EXECUTABLE,
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *folder_name,
    char *one_isa_folder_name );
```



CHOOSE_ISA (2)

```
/* Process */
DOCUMENT *document =
    document_new(
        application_name,
        choose_isa_title_string(),
        choose_isa_title_html(),
        choose_isa_subtitle_html(),
        (char *)0 /* subsubtitle_html */,
        (char *)0 /* javascript_replace */,
        frameset_menu_horizontal,
        menu,
        document_head_menu_setup_string(
            frameset_menu_horizontal ),
        (char *)0 /* calendar_setup_string */,
        (char *)0 /* javascript_include_string */,
        (char *)0 /* input_onload_string */ );

FORM_CHOOSE_ISA *form_choose_isa =
    form_choose_isa_new(
        choose_isa_prompt_message(),
        folder->primary_key_list,
        delimited_list,
        folder->no_initial_capital,
        choose_isa_action_string() );

char *document_form_html(
    document->html,
    document->document_head->html,
    document_head_close_html(),
    document->document_body->html,
    form_choose_isa->html,
    document_body_close_html(),
    document_close_html() );

/* Public */
char *choose_isa_output_system_string(
    char *CHOOSE_ISA_OUTPUT_EXECUTABLE,
    char *session_key,
    char *login_name,
    char *role_name,
    char *folder_name,
    char *one_isa_folder_name,
    char *appaserver_error_filename(
        application_name ) );
```

DOCUMENT

```
DOCUMENT_HEAD *document_head;
DOCUMENT_BODY *document_body;
```

FORM_CHOOSE_ISA

POST_CHOOSE_ISA

```
/* Usage */
POST_CHOOSE_ISA *post_choose_isa_new(
    /* See session_folder_integrity_exit() */
    char *application_name,
    char *session_key,
    char *login_name,
    char *folder_name,
    char *one_isa_folder_name,
    char *role_name );

/* Process */
ROLE *role =
    role_fetch(
        role_name );

FOLDER *folder =
    folder_fetch(
        one_isa_folder_name,
        /* Already session_folder_integrity_exit() */
        (char *)0 /* role_name */,
        (LIST *)0 /* exclude_attribute_name_list */,
        /* Also sets primary_key_list */
        1 /* fetch_folder_attribute_list */,
        0 /* not fetch_relation_mto1_non_isa_list */,
        0 /* not fetch_relation_mto1_isa_list */,
        0 /* not fetch_relation_one2m_list */,
        0 /* not fetch_relation_one2m_recursive_list */,
        1 /* fetch_process */,
        0 /* not fetch_role_folder_list */,
        1 /* fetch_row_level_restriction */,
        0 /* not fetch_role_operation_list */ );

SECURITY_ENTITY *security_entity =
    security_entity_new(
        login_name,
        folder->non_owner_forbid,
        role->override_row_restrictions );

char *post_choose_isa_system_string(
    char *application_name,
```



VERTICAL_NEW

```
/* Public */
void vertical_new_dictionary_set(
    DICTIONARY *non_prefixed_dictionary,
    char *hidden_label,
    char *folder_name );

char *vertical_new_dictionary_folder_name(
    char *hidden_label,
    DICTIONARY *non_prefixed_dictionary );
```

VERTICAL_NEW_OUTPUT_PROMPT_INSERT

```
/* Public */
APPASERVER_ELEMENT *vertical_new_output_prompt_insert_element(
    char *one_folder_name,
    LIST *role_folder_insert_list,
    char *form_name,
    char *VERTICAL_NEW_ONE_PREFIX,
    char *VERTICAL_NEW_DISPLAY,
    char *element_checkbox_submit_javascript(
        on_click_recall_save_string,
        form_name ) );

/* Private */
char *vertical_new_output_prompt_insert_element_name(
    char *VERTICAL_NEW_ONE_PREFIX,
    char *one_folder_name );
```



APPASERVER_ELEMENT

VERTICAL_NEW_POST_PROMPT_INSERT

```
/* Usage */
VERTICAL_NEW_POST_PROMPT_INSERT *
    vertical_new_post_prompt_insert_new(
        DICTIONARY *non_prefixed_dictionary /* in/out */,
        char *many_folder_name,
        DICTIONARY *drillthru_dictionary,
        char *application_name,
        char *login_name,
        char *session_key,
        char *role_name,
        char *VERTICAL_NEW_ONE_PREFIX,
        char *VERTICAL_NEW_ONE_HIDDEN_LABEL,
        char *VERTICAL_NEW_MANY_HIDDEN_LABEL,
        char *FRAMESET_PROMPT_FRAME );

/* Process */
char *vertical_new_post_prompt_insert_one_folder_name(
    char *VERTICAL_NEW_ONE_PREFIX,
    DICTIONARY *non_prefixed_dictionary );

if ( !vertical_new_post_prompt_insert_one_folder_name() )
{
    return (VERTICAL_NEW_POST_PROMPT_INSERT *)0;
}

void vertical_new_dictionary_set(
    DICTIONARY *non_prefixed_dictionary,
    char *VERTICAL_NEW_ONE_HIDDEN_LABEL,
    vertical_new_post_prompt_insert_one_folder_name() );

void vertical_new_dictionary_set(
    DICTIONARY *non_prefixed_dictionary,
    char *VERTICAL_NEW_MANY_HIDDEN_LABEL,
    char *many_folder_name );

char *vertical_new_post_prompt_insert_system_string(
    DICTIONARY *drillthru_dictionary,
    DICTIONARY *non_prefixed_dictionary,
    char *application_name,
    char *login_name,
    char *session_key,
    char *vertical_new_post_prompt_insert_one_folder_name(),
    char *role_name,
    char *FRAMESET_PROMPT_FRAME );
```

VERTICAL_NEW_OUTPUT_TABLE_INSERT

```
/* Usage */
VERTICAL_NEW_OUTPUT_TABLE_INSERT *
    vertical_new_output_table_insert_new(
        char *application_name,
        char *session_key,
        char *folder_name,
        char *document_root_directory,
        DICTIONARY *non_prefixed_dictionary,
        char *VERTICAL_NEW_ONE_HIDDEN_LABEL,
        char *FRAMESET_PROMPT_FRAME );

/* Process */
char *one_folder_name =
    vertical_new_dictionary_folder_name(
        VERTICAL_NEW_ONE_HIDDEN_LABEL,
        non_prefixed_dictionary );

if ( !one_folder_name )
{
    return (VERTICAL_NEW_OUTPUT_TABLE_INSERT *)0;
}

if ( strcmp( folder_name, one_folder_name ) != 0 )
{
    exit( 1 );
}
```

```
VERTICAL_NEW_OUTPUT_TABLE_INSERT *vertical_new_output_table_insert_calloc(
    void );

VERTICAL_NEW_BLANK_FILENAME *
    vertical_new_blank_filename =
        vertical_new_blank_filename_new(
            application_name,
            session_key,
            document_root_directory );

char *vertical_new_output_table_insert_onload_control_string(
    char *vertical_new_blank_filename->prompt_filename,
    char *FRAMESET_PROMPT_FRAME );

/* Public */
void vertical_new_output_table_insert_blank_prompt_frame(
    char *vertical_new_blank_filename_new()->output_filename,
    char *vertical_new_output_table_insert_onload_control_string(),
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    boolean menu_horizontal_boolean(
        FRAMESET_PROMPT_FRAME /* current_frame */,
        frameset_menu_horizontal() ),
    char *appaserver_parameter->data_directory );
```

VERTICAL_NEW_BLANK_FILENAME

```
VERTICAL_NEW_BLANK_FILENAME *
    vertical_new_blank_filename_new(
        char *application_name,
        char *session_key,
        char *document_root_directory );
```

```
/* Process */
APPASERVER_LINK *appaserver_link =
    appaserver_link_new();
```

```
char *output_filename =
    appaserver_link->output->filename;

char *prompt_filename =
    appaserver_link->prompt->filename;
```

VERTICAL_NEW_POST_TABLE_INSERT

```
/* Usage */
VERTICAL_NEW_POST_TABLE_INSERT *vertical_new_post_table_insert_new(
```

POST_TABLE_INSERT

```
/* Usage */
POST_TABLE_INSERT *
    post_table_insert_new(
        char *application_name,
        char *login_name,
        char *session_key,
        char *folder_name,
        char *role_name,
        char *target_frame,
        char *message,
        char *dictionary_string );

/* Process */
ROLE *role =
    role_fetch(
        role_name,
        1 /* fetch_attribute_exclude_list */ );

FOLDER *folder =
    folder_fetch(
        folder_name,
        role_name /* fetching role_folder_list */,
        role_exclude_insert_attribute_name_list(
            role->attribute_exclude_list ),
        /* Also sets primary_key_list */
        1 /* fetch_folder_attribute_list */,
        1 /* fetch_relation_mto1_non_isa_list */,
        /* Also sets folder_attribute_append_isa_list */
        1 /* fetch_relation_mto1_isa_list */,
        1 /* fetch_relation_one2m_list */,
        1 /* fetch_relation_one2m_recursive_list */,
        0 /* not fetch_process */,
        0 /* not fetch_role_folder_list */,
        0 /* not fetch_row_level_restriction */,
        0 /* not fetch_role_operation_list */ );

LIST *role_folder_list(
    role_name,
    folder_name );

boolean table_insert_forbid(
    role_folder_insert(
        role_folder_list ) );

DICTIONARY_SEPARATE *dictionary_separate =
    dictionary_separate_string_new(
        dictionary_string );
```



ROW_SECURITY

```
/* Usage */
ROW_SECURITY *row_security_new(
    char *folder_name,
    LIST *folder->folder_attribute_append_isa_list,
    LIST *folder->relation_mto1_non_isa_list,
    LIST *folder->relation_join_one2m_list,
    char *folder->post_change_javascript,
    DICTIONARY *drillthru_dictionary,
    boolean table_edit_primary_keys_non_edit(),
    LIST *dictionary_separate->ignore_name_list,
    char *table_edit_state(),
    LIST *role_exclude_update_attribute_name_list(),
    LIST *role_exclude_lookup_attribute_name_list(),
    boolean role->override_row_restrictions,
    char *login_name,
    char *security_entity_where() );

/* Process */
ROW_SECURITY_ROLE *row_security_role =
    /* Returns null if not participating */
    row_security_role_new(
        folder_name,
        folder_attribute_primary_key_list(
            folder_attribute_append_isa_list ),
        role_override_row_restrictions );

ROW_SECURITY_ELEMENT_LIST *
    row_security_element_list =
        row_security_element_list_new(
            folder_attribute_append_isa_list,
            relation_mto1_non_isa_list,
            relation_join_one2m_list,
            post_change_javascript,
            drillthru_dictionary,
            primary_keys_non_edit,
            no_display_name_list,
            table_edit_state,
            login_name,
            security_entity_where,
            exclude_update_attribute_name_list,
            exclude_lookup_attribute_name_list,
            row_security_role );

/* Private */
```



ROW_SECURITY_DETAIL

```
/* Usage */
ROW_SECURITY_DETAIL *row_security_detail_new(
    application_name,
    where_attribute_data_list,
    folder,
    ignore_select_attribute_name_list );

/* Process */
```

ROW_SECURITY_ELEMENT_LIST

```
/* Usage */
ROW_SECURITY_ELEMENT_LIST *row_security_element_list_new(
    LIST *folder_attribute_append_isa_list,
    LIST *relation_mto1_non_isa_list,
    LIST *relation_join_one2m_list,
    char *post_change_javascript,
    DICTIONARY *drillthru_dictionary,
    boolean primary_keys_non_edit,
    LIST *no_display_name_list,
    char *state,
    char *login_name,
    char *security_entity_where(),
    LIST *role->exclude_update_attribute_name_list,
    LIST *role->exclude_lookup_attribute_name_list,
    /* Null if not participating */
    ROW_SECURITY_ROLE *row_security_role );

/* Process */
if ( strcmp( state, ELEMENT_UPDATE_STATE ) == 0 )
{
    ROW_SECURITY_ELEMENT_LIST_REGULAR *
        regular =
            row_security_element_list_regular_new(
                folder_attribute_append_isa_list,
                relation_mto1_non_isa_list,
                relation_join_one2m_list,
                post_change_javascript,
                drillthru_dictionary,
                primary_keys_non_edit,
                no_display_name_list,
                login_name,
                security_entity_where,
                role->exclude_update_attribute_name_list,
                role->exclude_lookup_attribute_name_list,
                row_security_role );

    if ( row_security_role )
    {
        ROW_SECURITY_ELEMENT_LIST_VIEWONLY *
            viewonly =
                row_security_element_list_viewonly_new(
                    folder_attribute_append_isa_list,
                    relation_mto1_non_isa_list,
                    relation_join_one2m_list,
                    no_display_name_list,
                    security_entity_where,
                    role->exclude_lookup_attribute_name_list );
    }
}

if ( strcmp( state, ELEMENT_VIEWONLY_STATE ) == 0 )
{
        ROW_SECURITY_ELEMENT_LIST_VIEWONLY *
            viewonly =
                row_security_element_list_viewonly_new(
                    folder_attribute_append_isa_list,
                    (LIST *)0 /* relation_mto1_non_isa_list */,
                    relation_join_one2m_list,
                    no_display_name_list,
                    security_entity_where,
                    role->exclude_lookup_attribute_name_list );
}
```

ROW_SECURITY_ELEMENT_LIST_REGULAR

ROW_SECURITY_ELEMENT_LIST_VIEWONLY

ROW_SECURITY_ELEMENT_LIST_REGULAR

```
/* Usage */
ROW_SECURITY_ELEMENT_LIST_REGULAR *
    row_security_element_list_regular_new(
        LIST *folder_attribute_append_isa_list,
        LIST *relation_mto1_non_isa_list,
        LIST *relation_join_one2m_list,
        char *post_change_javascript,
        DICTIONARY *drillthru_dictionary,
        boolean primary_keys_non_edit,
        LIST *no_display_name_list,
        char *login_name,
        char *security_entity_where(),
        LIST *exclude_update_attribute_name_list,
        LIST *exclude_lookup_attribute_name_list );

/* Process */
LIST *element_list = list_new();

LIST *attribute_name_list =
    folder_attribute_name_list(
        folder_attribute_append_isa_list );

for attribute_name in attribute_name_list
{
    if ( list_string_exists(
        attribute_name,
        no_display_name_list ) )
    {
        continue;
    }

    if ( list_string_exists(
        attribute_name,
        exclude_lookup_attribute_name_list ) )
    {
        continue;
    }

FOLDER_ATTRIBUTE *folder_attribute =
    folder_attribute_seek(
        attribute_name,
        folder_attribute_append_isa_list );

if ( primary_keys_non_edit
&& folder_attribute->primary_key_index )
{
    goto skip_relation;
}

if ( list_string_exists(
    attribute_name,
    exclude_update_attribute_name_list ) )
{
    goto skip_relation;
}

if ( ( row_security_relation =
        row_security_relation_new(
            attribute_name,
            relation_mto1_non_isa_list,
            post_change_javascript,
            drillthru_dictionary,
            login_name,
            security_entity_where,
            0 /* not viewonly */,
            row_security_relation_list ) ) )
{
    if ( !row_security_relation_list )
    {
        LIST *row_security_relation_list = list_new();
    }

    list_set(
        row_security_relation_list,
        row_security_relation );

    list_set_list(
        element_list,
        row_security_relation->element_list );

    continue;
    }

skip_relation:

    if ( ( row_security_attribute =
        row_security_attribute_new(
            attribute_name,
            primary_keys_non_edit,
            folder_attribute->primary_key_index,
            folder_attribute->
                attribute->
                datatype_name,
            folder_attribute->
                attribute->
                width,
            exclude_update_attribute_name_list,
            post_change_javascript,
            row_security_relation_list ) )
    {
        list_set(
            row_security_attribute_list,
            row_security_attribute );

        list_set_list(
            element_list,
            row_security_attribute->element_list );
    }
}
```



ROW_SECURITY_RELATION



ROW_SECURITY_ATTRIBUTE



APPASERVER_ELEMENT

ROW_SECURITY_RELATION

```
/* Usage */
ROW_SECURITY_RELATION *
    row_security_relation_new(
        char *attribute_name,
        LIST *relation_mto1_non_isa_list,
        char *post_change_javascript,
        DICTIONARY *drillthru_dictionary,
        char *login_name,
        char *security_entity_where,
        boolean viewonly,
        LIST *row_security_relation_list );

/* Process */
if ( row_security_relation_attribute_name_exists(
    char *attribute_name,
    LIST *row_security_relation_list ) )
{
    return (ROW_SECURITY_RELATION *)0;
}

RELATION *relation =
    relation_consumes(
        attribute_name,
        relation_mto1_non_isa_list );

if ( !relation ) return (ROW_SECURITY_RELATION *)0;

LIST *row_security_relation_attribute_name_list(
    relation->foreign_key_list );

APPASERVER_ELEMENT *
    table_data_appaserver_element =
        appaserver_element_new(
            table_data,
            (char *)0 /* element_name */ );

char *row_security_relation_element_name(
    char *relation->one_folder->folder_name,
    char *related_attribute_name,
    LIST *foreign_key_list );

if ( viewonly )
{
    APPASERVER_ELEMENT *
        non_edit_text_appaserver_element =
            appaserver_element_new(
                non_edit_text,
                row_security_relation_element_name() );

    goto element_list_set;
}
else
{
    APPASERVER_ELEMENT *
        drop_down_appaserver_element =
            appaserver_element_new(
                drop_down,
                row_security_relation_element_name() );
}

QUERY_WIDGET *query_widget =
    query_widget_fetch(
        relation->one_folder->folder_name
            /* widget_folder_name */,
        login_name,
        relation->
            one_folder->
            folder_attribute_list(),
        relation->
            one_folder->
            relation_mto1_non_isa_list,
        security_entity_where,
        drillthru_dictionary );

ELEMENT_DROP_DOWN *
    drop_down_appaserver_element =
        element_drop_down_new(
            row_security_relation_element_name(),
            (LIST *)0 /* attribute_name_list */,
            query_widget->delimited_list,
            relation->
                one_folder->
                no_initial_capital,
            1 /* output_null_option */,
            1 /* output_not_null_option */,
            1 /* output_select_option */,
            element_drop_down_display_size(),
            -1 /* tab_order */,
            0 /* not multi_select */,
            post_change_javascript,
            0 /* not readonly */,
            0 /* not recall */ );

element_list_set:

list_set(
    element_list,
    table_data_appaserver_element );

if ( viewonly )
{
    list_set(
        element_list,
        non_edit_text_appaserver_element );
}
else
{
    list_set(
        element_list,
        drop_down_appaserver_element );
}
```



ROW_SECURITY_ATTRIBUTE

```
/* Usage */
ROW_SECURITY_ATTRIBUTE *
    row_security_attribute_new(
        char *attribute_name,
        boolean primary_keys_non_edit,
        int primary_key_index,
        char *datatype_name,
        int attribute_width,
        LIST *exclude_update_attribute_name_list,
        char *post_change_javascript,
        LIST *row_security_relation_list );

/* Process */
if ( row_security_relation_attribute_name_exists(
    attribute_name,
    row_security_relation_list ) )
{
    return (ROW_SECURITY_ATTRIBUTE *)0;
}

/* Process */
APPASERVER_ELEMENT *
    table_data_appaserver_element =
        appaserver_element_new(
            table_data,
            (char *)0 /* element_name */ );

ELEMENT_NON_EDIT_TEXT *non_edit_text =
    element_non_edit_text_new(
        attribute_name,
        (char *)0 /* message */ );

ELEMENT_TEXT *text =
    element_text_new(
        attribute_name,
        datatype_name,
        attribute_width /* attribute_width_max_length */,
        1 /* null_to_slash */,
        1 /* prevent_carrot */,
        post_change_javascript /* on_change */,
        (char *)0 /* on_focus */,
        (char *)0 /* on_keyup */,
        -1 /* tab_order*/,
        0 /* not recall */ );

ELEMENT_NOTEPAD *notepad =
    element_notepad_new(
        attribute_name,
        attribute_width /* attribute_size */,
        ELEMENT_NOTEPAD_COLUMNS,
        ELEMENT_NOTEPAD_ROWS,
        1 /* null_to_slash */,
        post_change_javascript,
        -1 /* tab_order */ );

ELEMENT_CHECKBOX *checkbox =
    element_checkbox_new(
        attribute_name,
        (char *)0 /* element_name */,
        (char *)0 /* prompt_string */,
        post_change_javascript /* on_click */,
        -1 /* tab_order */,
        (char *)0 /* image_source */,
        0 /* not recall */ );

ELEMENT_PASSWORD *password =
    element_password_new(
        attribute_name,
        attribute_width /* attribute_width_max_length */,
        ELEMENT_TEXT_MAX_DISPLAY_SIZE,
        -1 /* tab_order */ );

ELEMENT_UPLOAD *upload =
    element_upload_new(
        attribute_name,
        -1 /* tab_order */,
        0 /* not recall */ );

LIST *element_list = list_new();

list_set(
    element_list,
    table_data_appaserver_element );

list_set(
    element_list,
    attribute_appaserver_element );
```



ROW_SECURITY_ELEMENT_LIST_VIEWONLY

```
/* Usage */
ROW_SECURITY_ELEMENT_LIST_VIEWONLY *
    row_security_element_list_viewonly_new(
        LIST *folder_attribute_append_isa_list,
        LIST *relation_mto1_non_isa_list,
        LIST *relation_join_one2m_list,
        LIST *no_display_name_list,
        LIST *exclude_lookup_attribute_name_list );

/* Process */
LIST *row_security_relation_list = list_new();
LIST *exclude_update_attribute_name_list = list_new();
LIST *element_list = list_new();

LIST *attribute_name_list =
    folder_attribute_name_list(
        folder_attribute_append_isa_list );

for attribute_name in name_list
{
    if ( list_string_exists(
        attribute_name,
        no_display_name_list ) )
    {
        continue;
    }

    if ( list_string_exists(
        attribute_name,
        exclude_lookup_attribute_name_list ) )
    {
        continue;
    }

    FOLDER_ATTRIBUTE *folder_attribute =
        folder_attribute_seek(
            attribute_name,
            folder_attribute_append_isa_list );

    if ( ( row_security_relation =
            row_security_relation_new(
                attribute_name,
                relation_mto1_non_isa_list,
                post_change_javascript,
                drillthru_dictionary,
                login_name,
                security_entity_where,
                1 /* viewonly */,
                row_security_relation_list ) ) )
    {
        list_set(
            row_security_relation_list,
            row_security_relation );

        list_set_list(
            element_list,
            row_security_relation->element_list );

        list_set( exclude_update_attribute_name_list,
                attribute_name );

        if ( ( row_security_attribute =
                row_security_attribute_new(
                    attribute_name,
                    primary_keys_non_edit,
                    folder_attribute->primary_key_index,
                    folder_attribute->
                        attribute->
                        datatype_name,
                    folder_attribute->
                        attribute->
                        width,
                    exclude_update_attribute_name_list,
                    post_change_javascript,
                    row_security_relation_list ) )
        {
            list_set(
                row_security_attribute_list,
                row_security_attribute );

            list_set_list(
                element_list,
                row_security_attribute->element_list );
        }
    }
```



ROW_SECURITY_RELATION



ROW_SECURITY_ATTRIBUTE



APPASERVER_ELEMENT

ROW_SECURITY_ROLE

```
/* Usage */
ROW_SECURITY_ROLE *row_security_role_new(
    char *folder_name,
    LIST *primary_key_list,
    boolean role_override_row_restrictions );

/* Attributes */
char *folder_name;
boolean role_override_row_restrictions;

/* Process */
if ( role_override_row_restrictions )
{
    return (ROW_SECURITY_ROLE *)0;
}

if ( !list_length( row_security_role_update_list() )
{
    return (ROW_SECURITY_ROLE *)0;
}

char *row_security_role_root_folder_name(
    char *folder_name,
    LIST *row_security_role_update_list() );

RELATION *row_security_role_relation(
    char *folder_name,
    LIST *row_security_role_update_list() );

boolean row_security_role_participating(
    char *row_security_role_root_folder_name(),
    RELATION *row_security_role_relation() );

if ( !row_security_role_participating() )
{
    return (ROW_SECURITY_ROLE *)0;
}

char *attribute_not_null =
    row_security_role_update_attribute_not_null(
        row_security_role_root_folder_name(),
        row_security_role_relation(),
        row_security_role_update_list() );

char *row_security_role_join(
    char *folder_name,
    LIST *primary_key_list,
    RELATION *row_security_role_relation() );
```

row_security_role_update_list()



row_security_role_relation()

RELATION

```
FOLDER *many_folder;
LIST *foreign_key_list;
```

ROW_SECURITY_ROLE_UPDATE

```
/* Usage */
LIST *row_security_role_update_list(
    void );

/* Attributes */
char *folder_name;
char *attribute_not_null;

/* Process */
char *row_security_role_update_system_string(
    void );

ROW_SECURITY_ROLE_UPDATE *
    row_security_role_update_parse(
        char *input );

LIST *relation_one2m_recursive_list =
    relation_one2m_recursive_list(
        (LIST *)0 /* relation_list */,
        folder_name,
        0 /* not fetch_process */ );

/* Public */
char *row_security_role_update_attribute_not_null(
        char *row_security_role_root_folder_name(),
        RELATION *row_security_role_relation(),
        LIST *row_security_role_update_list() );
```



RELATION

RELATION

```
/* Usage *
LIST *relation_mto1_non_isa_list(
    char *many_folder_name );

LIST *relation_mto1_isa_list(
    LIST *relation_list /* in/out */,
    char *many_folder_name,
    boolean fetch_process );

LIST *relation_one2m_list(
    char *one_folder_name );

LIST *relation_one2m_recursive_list(
    LIST *relation_list /* in/out */,
    char *one_folder_name );

LIST *relation_one2m_pair_list(
    char *one_folder_name );

LIST *relation_mto1_drillthru_list(
    LIST *relation_list /* in/out */,
    char *base_folder_name,
    LIST *fulfilled_folder_name_list );

/* Attributes */
char *many_folder_name;
char *one_folder_name;
char *related_attribute_name;
int pair_one2m_order;
boolean omit_one2m_detail;
boolean relation_type_isa;
boolean copy_common_attributes;
boolean automatic_preselection;
boolean drop_down_multi_select;
boolean join_one2m_each_row;
boolean ajax_fill_drop_down;
char *hint_message;
FOLDER *many_folder;
FOLDER *one_folder;
boolean consumes_taken;

/* Process */
char *relation_system_string(
    char *RELATION_SELECT,
    char *RELATION_TABLE,
    char *where,
    char *order );

LIST *relation_system_list(
    char *relation_system_string(),
    /* Setting both will set foreign_key_list */
    boolean fetch_folder,
    boolean fetch_attribute_list,
    boolean fetch_process );

RELATION *relation_parse(
    char *input,
    boolean fetch_folder,
    boolean fetch_folder_attribute_list,
    boolean fetch_process );

RELATION *relation_new(
    char *many_folder_name,
    char *one_folder_name );

LIST *relation_foreign_key_list(
    LIST *folder_attribute_primary_key_list(
            one_folder->
                folder_attribute_list )
                    /* primary_foreign_key_list */,
    char *related_attribute_name,
    LIST *foreign_attribute_name_list(
            foreign_attribute_list(
                many_folder->folder_name,
                one_folder->folder_name ) );

char *relation_name(
    char *relation->one_folder->folder_name
        /* one_folder_name */,
    char *relation->related_attribute_name,
    LIST *relation->foreign_key_list );

boolean relation_foreign_key_is_primary(
    LIST *relation->many_folder->primary_key_list,
    LIST *relation_foreign_key_list() );

char *relation_prompt(
    char *relation->one_folder->folder_name
        /* one_folder_name */,
    char *relation->related_attribute_name,
    LIST *relation->foreign_key_list,
    boolean relation_foreign_key_is_primary() );

/* Public */
LIST *relation_pair_one2m_list(
    relation_one2m_list() );

LIST *relation_join_one2m_list(
    relation_one2m_recursive_list(),
    DICTIONARY *no_display_dictionary );

RELATION *relation_consumes(
    LIST *many_attribute_name,
    relation_mto1_non_isa_list() );

RELATION *relation_one2m_seek(
    char *folder_name,
    LIST *relation_one2m_list );

RELATION *relation_mto1_seek(
    char *folder_name,
    LIST *relation_mto1_list );

LIST *relation_mto1_folder_name_list(
    LIST *relation_mto1_list );

LIST *relation_one2m_folder_name_list(
    LIST *relation_one2m_list );

char *relation_list_display(
    LIST *relation_list );

void relation_set_one_folder_primary_delimited_list(
    LIST *relation_mto1_list );

boolean relation_exists_multi_select(
    LIST *relation_mto1_non_isa_list );

/* Private */
boolean relation_is_primary_key_subset(
    LIST *foreign_key_list,
    LIST *many_primary_key_list );

char *relation_display(
    RELATION *relation );

LIST *relation_primary_delimited_list(
    FOLDER *one_folder );
```



RELATION_JOIN

```
/* Usage */
RELATION_JOIN *relation_join_new(
    DICTIONARY *row_dictionary /* in/out */,
    char *application_name,
    LIST *relation_join_one2m_list,
    char *one_folder_name,
    LIST *one_folder_primary_key_list  );

/* Process */
for RELATION *relation_join_one2m in relation_join_one2m_list
{
    RELATION_JOIN_FOLDER *relation_join_folder =
        relation_join_folder_new(
            row_dictionary,
            application_name,
            relation_join_one2m,
            one_folder_name,
            one_primary_key_list ) );

    dictionary_set(
        row_dictionary,
        relation_join_one2m->
            many_folder->
            folder_name,
        relation_join_folder->delimited_string );
}

/* Public */
void relation_join_free( relation_join );
```



RELATION_JOIN_FOLDER

```
/* Usage */
RELATION_JOIN_FOLDER *relation_join_folder_new(
    DICTIONARY *row_dictionary /* in */,
    char *application_name,
    RELATION *relation_join_one2m,
    char *one_folder_name,
    LIST *one_primary_key_list  );

/* Process */
LIST *select_name_list =
    list_subtract(
        relation_join_one2m->
            many_folder->
            primary_key_list,
        primary_key_list )

RELATION_JOIN_FOLDER_WHERE *where =
    relation_join_folder_where_new(
        DICTIONARY *row_dictionary,
        RELATION *relation_join_one2m,
        char *one_folder_name,
        LIST *one_primary_key_list );

char *relation_join_folder_system_string(
    char *application_name,
    char *list_delimited(
        select_name_list,
        ',' ) /* select_name_list_string */,
    char *relation_join_one2m->
        many_folder->
        folder_name,
    char *relation_join_folder_where->string,
    char MULTI_ATTRIBUTE_DATA_LABEL_DELIMITER );

char *relation_join_folder_delimited_string(
    char *relation_join_folder_system_string() );
```

RELATION_JOIN_FOLDER_WHERE

```
RELATION_JOIN_FOLDER_WHERE *
    relation_join_folder_where_new(
        DICTIONARY *single_row_dictionary,
        RELATION *relation_join_one2m,
        char *one_folder_name,
        LIST *one_primary_key_list );

/* Process */
LIST *dictionary_data_list(
    one_primary_key_list,
    single_row_dictionary );

LIST *foreign_attribute_list(
    relation_join_one2m->many_folder->folder_name,
    one_folder_name );

LIST *foreign_attribute_name_list(
    foreign_attribute_list() );

LIST *relation_foreign_key_list(
    one_primary_key_list,
    relation_join_one2m->related_attribute_name,
    foreign_attribute_name_list() );

char *relation_join_folder_where_string(
    relation_foreign_key_list(),
    dictionary_data_list() );
```

FOLDER (1)

```
/* Usage */
FOLDER *folder_fetch(
    security_sql_injection_escape(
        char *folder_name ),
    /* If fetching role_folder_list */
    security_sql_injection_escape(
        char *role_name )
            /* role_name */,
    exclude_attribute_name_list,
    /* Also sets primary_attribute_list */
    /* and primary_key_list */
    boolean fetch_folder_attribute_list,
    boolean fetch_relation_mto1_non_isa_list,
    /* Maybe sets folder_attribute_append_isa_list */
    boolean fetch_relation_mto1_isa_list,
    boolean fetch_relation_one2m_list,
    boolean fetch_relation_one2m_recursive_list,
    boolean fetch_process,
    boolean fetch_role_folder_list,
    boolean fetch_row_level_restriction,
    boolean fetch_role_operation_list );

/* Attributes */
char *folder_name;
char *folder_form;
int insert_rows_number;
boolean lookup_email_output;
char *notepad;
char *populate_drop_down_process_name;
char *post_change_process_name;
char *html_help_file_anchor;
char *post_change_javascript;
char *subschema;
boolean exclude_application_export;
boolean drillthru;
boolean no_initial_capital;
char *index_directory;
char *data_directory;
char *create_view_statement;
char *javascript_filename;

/* Process */
char *folder_primary_where(
    char *folder_name );

char *folder_system_string(
    char *FOLDER_SELECT,
    char *FOLDER_TABLE,
    char *folder_primary_where );

/* Usage */
FOLDER *folder_parse(
    char *string_pipe_fetch(
        folder_system_string() )
            /* input */,
    char *role_name,
    LIST *exclude_attribute_name_list,
    boolean fetch_folder_attribute_list,
    boolean fetch_relation_mto1_non_isa_list,
    boolean fetch_relation_mto1_isa_list,
    boolean fetch_relation_one2m_list,
    boolean fetch_relation_one2m_recursive_list,
    boolean fetch_process,
    boolean fetch_role_folder_list,
    boolean fetch_row_level_restriction,
    boolean fetch_role_operation_list );

/* Process */
FOLDER *folder_new( char *folder_name );

FOLDER *folder_calloc( void );

if ( fetch_folder_attribute_list )
{
    LIST *folder_attribute_list(
        folder_name,
        exclude_attribute_name_list,
        1 /* fetch_attribute */ );

    LIST *folder_attribute_primary_list(
        folder_attribute_list() );

    LIST *folder_attribute_primary_key_list(
        folder_attribute_primary_list() );

    LIST *folder_attribute_name_list(
        folder_attribute_list() );
}

if ( fetch_process )
{
    PROCESS *populate_drop_down_process =
        process_fetch();

    PROCESS *post_change_process =
        process_fetch();
}

if ( fetch_role_folder_list && role_name )
{
    LIST *role_folder_list(
        role_name,
        folder_name ) );
}

if ( fetch_role_operation_list )
{
    LIST *role_operation_list(
        folder_name,
        role_name,
        1 /* fetch_operation */,
        0 /* not fetch_process */ );
}

if ( fetch_row_level_restriction )
{
    char *row_level_restriction_string(
        char *folder_name );

    boolean folder_non_owner_view_only(
        char *row_level_restriction_string() );

    boolean folder_non_owner_forbid(
        char *row_level_restriction_string() );
}
```



FOLDER (2)

```
/* Process (continued) */
if ( fetch_relation_mto1_non_isa_list )
{
    LIST *relation_mto1_non_isa_list(
        folder_name );
}

if ( fetch_relation_mto1_isa_list )
{
    LIST *relation_mto1_isa_list(
        (LIST *)0 /* relation_list */,
        folder_name,
        fetch_process );

    LIST *folder_attribute_append_isa_list(
        list_copy(
            folder_attribute_list ),
            relation_mto1_isa_list );
}

if ( fetch_relation_one2m_list )
{
    LIST *relation_one2m_list(
        folder_name /* one_folder_name */ );
}

if ( fetch_relation_one2m_recursive_list )
{
    LIST *relation_one2m_recursive_list(
        (LIST *)0 /* one2m_recursive_list */,
        folder_name );
}

/* Public */
LIST *relation_pair_one2m_list(
    relation_one2m_list() );
```



FOLDER (3)

```
/* Usage */
FOLDER *folder_process_delimited_fetch(
    char *folder_name,
    char *populate_drop_down_process_name,
    char *one2m_folder_name,
    char *state,
    char *login_name,
    char *role_name,
    DICTIONARY *drillthru_dictionary );

ROLE *role =
    role_fetch(
        role_name );

FOLDER *folder =
    folder_fetch(
        char *folder_name,
        /* Not fetching role_folder_list */
        (char *)0 /* role_name */ ),
        (LIST *)0 /* role_exclude_attribute_name_list */,
        /* Also sets primary_key_list */
        1 /* fetch_folder_attribute_list */,
        1 /* fetch_relation_mto1_non_isa_list */,
        0 /* not fetch_relation_mto1_isa_list */,
        0 /* not fetch_relation_one2m_list */,
        0 /* not fetch_relation_one2m_recursive_list */,
        0 /* not fetch_process */,
        0 /* not fetch_role_folder_list */,
        1 /* fetch_row_level_restriction */,
        0 /* not fetch_role_operation_list */ );

SECURITY_ENTITY *security_entity =
    security_entity_new(
        login_name,
        folder->non_owner_forbid,
        role->override_row_restrictions );

LIST *folder_process_delimited_list(
    char *populate_drop_down_process_name,
    SECURITY_ENTITY *security_entity_new(),
    char *one2m_folder_name,
    char *state,
    DICTIONARY *drillthru_dictionary );

/* Public */
char *folder_table_name(
    char *environment_application_name(),
    char *folder_name );

LIST *folder_table_edit_delimited_list(
    char *folder_table_name(),
    LIST *folder_attribute_append_isa_list(),
    LIST *relation_mto1_isa_list(),
    DICTIONARY *query_dictionary );

LIST *folder_delimited_list(
    char *folder_table_name(),
    LIST *folder_attribute_name_list,
    char *where_clause );

LIST *folder_table_edit_dictionary_list(
    char *folder_table_name(),
    LIST *folder_attribute_append_isa_list(),
    LIST *relation_mto1_isa_list(),
    DICTIONARY *query_dictionary );
```



FOLDER (4)

```
/* Public */
long int folder_row_count(
    char *folder_table_name() );

char *folder_row_level_restriction_string(
    sql_injection_escape_folder_name );

boolean folder_non_owner_view_only(
    folder_row_level_restriction_string() );

boolean folder_non_owner_forbid(
    folder_row_level_restriction_string() );

boolean non_owner_view_only =
    folder_row_level_restrictions_non_owner_view_only(
        row_level_restriction_string );

boolean non_owner_forbid =
    folder_row_level_restrictions_non_owner_forbid(
        row_level_restriction_string );

LIST *folder_append_isa_attribute_name_list(
    folder_attribute_append_isa_list() );

LIST *attribute_float_list =
    folder_attribute_extract_float_list(
        folder_attribute_append_isa_list );

FOLDER *folder_quick_fetch(
    char *folder_name );

FOLDER *folder_mto1_fetch(
    char *folder_name );

/* Unknown */
LIST *mto1_copy_common_related_folder_list;
LIST *copy_common_attribute_list;
LIST *append_isa_copy_folder_attribute_list;
LIST *copy_common_attribute_name_list;
LIST *append_isa_copy_attribute_name_list;
LIST *lookup_attribute_exclude_name_list;
```



FOLDER_ATTRIBUTE

```
/* Usage */
LIST *folder_attribute_list(
    char *security_sql_injection_escape(
        folder_name ),
    LIST *exclude_attribute_name_list,
    boolean fetch_attribute );

/* Attributes */
char *folder_name;
char *attribute_name;
int primary_key_index;
int display_order;
boolean omit_insert;
boolean omit_insert_prompt;
boolean omit_update;
boolean additional_unique_index;
boolean additional_index;
boolean insert_required;
boolean lookup_required;

/* Process */
char *folder_attribute_where(
    char *sql_injection_escape_folder_name,
    LIST *exclude_attribute_name_list );

char *folder_attribute_system_string(
    char *FOLDER_ATTRIBUTE_SELECT,
    char *FOLDER_ATTRIBUTE_TABLE,
    folder_attribute_where() );

LIST *folder_attribute_system_list(
    folder_attribute_system_string(),
    boolean fetch_attribute );

/* Usage */
FOLDER_ATTRIBUTE *folder_attribute_parse(
    char *input,
    boolean fetch_attribute );

/* Process */
FOLDER_ATTRIBUTE *folder_attribute_new(
    char *folder_name,
    char *attribute_name );

FOLDER_ATTRIBUTE *folder_attribute_calloc(
    void );

if ( fetch_attribute )
{
    ATTRIBUTE *attribute =
        attribute_fetch(
            attribute_name );
}

char *folder_attribute_prompt(
    char *attribute_name,
    int primary_key_index );

/* Private */
char *folder_attribute_primary_where(
    char *folder_name,
    char *attribute_name );

/* Public */
LIST *folder_attribute_append_isa_list(
    LIST *folder_attribute_list,
    LIST *relation_mto1_isa_list );

LIST *folder_attribute_name_list(
    LIST *folder_attribute_list );

LIST *folder_attribute_prefixed_name_list(
    LIST *folder_attribute_list );

LIST *folder_attribute_primary_list(
    LIST *folder_attribute_list );

LIST *folder_attribute_non_primary_list(
    LIST *folder_attribute_list );

LIST *folder_attribute_primary_key_list(
    LIST *folder_attribute_list );

LIST *folder_attribute_non_primary_key_list(
    LIST *folder_attribute_list );

LIST *folder_attribute_number_list(
    LIST *folder_attribute_list );

LIST *folder_attribute_date_name_list(
    LIST *folder_attribute_list );

int folder_attribute_date_name_list_length(
    LIST *folder_attribute_date_name_list() );

LIST *folder_attribute_time_name_list(
    LIST *folder_attribute_list );

LIST *folder_attribute_date_time_name_list(
    LIST *folder_attribute_list );

boolean folder_attribute_exists(
    char *folder_name,
    char *attribute_name );

FOLDER_ATTRIBUTE *folder_attribute_seek(
    char *attribute_name,
    LIST *folder_attribute_list );

FOLDER_ATTRIBUTE *folder_attribute_list_seek(
    char *attribute_name,
    LIST *folder_attribute_list );

char *folder_attribute_sort_attribute_name(
    LIST *folder_attribute_list );

char *folder_attribute_list_display9
    LIST *folder_attribute_list );

LIST *folder_attribute_append_isa_name_list(
    char *folder_name,
    LIST *folder_attribute_append_isa_list() );

LIST *folder_attribute_fetch_primary_key_list(
    char *folder_name );

LIST *folder_attribute_name_list_attribute_list(
    LIST *folder_name_list );
```



ATTRIBUTE

```
/* Usage */
ATTRIBUTE *attribute_fetch(
    char *attribute_name );

/* Process */
char *attribute_system_string(
    char *ATTRIBUTE_SELECT,
    char *ATTRIBUTE_TABLE,
    char *where );

LIST *attribute_system_list(
    char *attribute_system_string() );

ATTRIBUTE *attribute_parse(
    char *input );

ATTRIBUTE *attribute_new(
    char *attribute_name );

ATTRIBUTE *attribute_calloc( void );

/* Attributes */
char *attribute_name;
char *datatype_name;
int width;
int float_decimal_places;
char *hint_message;
char *post_change_javascript;
char *on_focus_javascript_function;
boolean lookup_histogram_output;
boolean lookup_time_chart_output;

/* Public */
static LIST *attribute_list( void );

LIST *attribute_seek(
    char *attribute_name,
    LIST *attribute_list );

boolean attribute_exists(
    char *attribute_name,
    LIST * attribute_list );

LIST *attribute_extract_float_list(
    LIST *attribute_list );

char *attribute_full_attribute_name(
    char *folder_table_name(),
    char *attribute_name );

boolean attribute_is_date(
    char *datatype_name );

boolean attribute_is_time(
    char *datatype_name );

boolean attribute_is_number(
    char *datatype_name );

boolean attribute_is_date_time(
    char *datatype_name );

boolean attribute_is_text(
    char *datatype_name );

boolean attribute_is_notepad(
    char *datatype_name );

boolean attribute_is_password(
    char *datatype_name );

boolean attribute_is_upload(
    char *datatype_name );

boolean attribute_is_timestamp(
    char *datatype_name );

boolean attribute_is_yes_no(
    char *attribute_name );

boolean attribute_is_boolean(
    char *attribute_name );

int attribute_width(
    char *attribute_name );
```

FOREIGN_ATTRIBUTE

```
/* Usage */
LIST *foreign_attribute_list(
    char *many_folder_name,
    char *one_folder_name );

/* Process */
char *foreign_attribute_where(
    char *many_folder_name,
    char *one_folder_name );

char *foreign_attribute_system_string(
    char *FOREIGN_ATTRIBUTE_SELECT,
    char *FOREIGN_ATTRIBUTE_TABLE,
    char *foreign_attribute_where() );

LIST *foreign_attribute_system_list(
    char *foreign_attribute_system_string() );

FOREIGN_ATTRIBUTE *foreign_attribute_parse(
    char *input );

FOREIGN_ATTRIBUTE *foreign_attribute_new(
    char *folder_name,
    char *related_folder,
    char *related_attribute,
    char *foreign_attribute,
    int foreign_key_index );

FOREIGN_ATTRIBUTE *foreign_attribute_calloc(
    void );

/* Public */
LIST *foreign_related_attribute_name_list(
    LIST *foreign_attribute_list() );

LIST *foreign_attribute_name_list(
    LIST *foreign_attribute_list() );
```

ROLE_OPERATION

```
/* Usage */
LIST *role_operation_list(
    char *folder_name,
    char *role_name,
    boolean fetch_operation,
    boolean fetch_process );

/* Process */
char *role_operation_where(
    char *folder_name,
    char *role_name );

char *role_operation_system_string(
    char *ROLE_OPERATION_SELECT,
    char *ROLE_OPERATION_TABLE,
    char *role_operation_where() );

LIST *role_operation_system_list(
    char *role_operation_system_string(),
    boolean fetch_operation,
    boolean fetch_process );

ROLE_OPERATION *role_operation_parse(
    char *input,
    boolean fetch_operation,
    boolean fetch_process );

ROLE_OPERATION *role_operation_new(
    char *folder_name,
    char *role_name,
    char *operation_name );

ROLE_OPERATION *role_operation_calloc(
    void );

if ( fetch_operation )
{
    OPERATION *operation =
        operation_fetch(
            operation_name,
            fetch_process );
}

/* Public */
LIST *role_operation_name_list(
    LIST *role_operation_list() );

boolean role_operation_list_delete_boolean(
    LIST *role_operation_list() );

LIST *role_operation_list_element_list(
    LIST *role_operation_list(),
    int row_number,
    boolean viewonly );
```



OPERATION

```
/* Usage */
OPERATION *operation_fetch(
   char *operation_name,
   boolean fetch_process );

/* Process */
char *operation_primary_where(
   char *operation_name );

char *operation_system_string(
   char *OPERATION_SELECT,
   char *OPERATION_TABLE,
   char *operation_primary_where );

OPERATION *operation_parse(
   char *input,
   boolean fetch_process );

OPERATION *operation_calloc( void );

if ( fetch_process )
{
   PROCESS *process =
      process_fetch(
         operation_name,
         (char *)0 /* document_root_directory */,
         (char *)0 /* relative_source_directory */,
         1 /* check_executable_inside_filesystem */ );
}

boolean operation_output_boolean(
   char *output_yn );

boolean operation_delete_boolean(
   char *operation_name );

boolean operation_detail_boolean(
   char *operation_name );

char *operation_image_source(
   boolean operation_delete_boolean(),
   boolean operation_detail_boolean() );

char *operation_delete_warning_javascript(
   char *OPERATION_DELETE_WARNING_JAVASCRIPT,
   boolean operation_delete_boolean() );

APPASERVER_ELEMENT *operation_element(
   char *operation_name,
   char *operation_image_source(),
   char *operation_delete_warning_javascript() );

/* Public */
char *operation_html(
   ELEMENT_CHECKBOX *
      operation_element->checkbox,
   char *state,
   int row_number,
   char *background_color,
   boolean delete_mask_boolean );

int operation_row_total(
   DICTIONARY *dictionary_separate->
      operation_dictionary,
   char *operation_name,
   int highest_index );
```

PROCESS

APPASERVER_ELEMENT

```
ELEMENT_CHECKBOX *checkbox
```

OPERATION_ROW_LIST

```
/* Usage */
OPERATION_ROW_LIST *operation_row_list_new(
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *folder_name,
    LIST *folder->role_operation_list,
    LIST *folder->primary_key_list,
    LIST *folder->folder_attribute_name_list,
    DICTIONARY *dictionary_separate->
        operation_dictionary,
    DICTIONARY *dictionary_separate->
        multi_row_dictionary );

/* Process */
OPERATION_ROW_LIST *operation_row_list_calloc(
    void );
```

```
int dictionary_key_highest_index(
    operation_dictionary );

LIST *list = list_new();

for (   row_number = 1;
        row_number <=
            dictionary_key_highest_index();
        row_number++ )
{
    DICTIONARY *dictionary_single_row(
        folder_attribute_name_list,
        row_number,
        multi_row_dictionary );

    list_set(
        list,
```

```
        operation_row_new(
            application_name,
            session_key,
            login_name,
            role_name,
            folder_name,
            role_operation_list,
            primary_key_list,
            dictionary_key_highest_index(),
            operation_dictionary,
            row_number,
            dictionary_single_row() ) );
}

/* Public */
/* Returns operation_error_message_list_string */
char *operation_row_list_execute(
    OPERATION_ROW_LIST *operation_row_list );
```



OPERATION_ROW

```
/* Usage */
OPERATION_ROW *operation_row_new(
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *folder_name,
    LIST *folder->role_operation_list,
    LIST *folder->primary_key_list,
    int dictionary_key_highest_index(),
    DICTIONARY *dictionary_separate->
        operation_dictionary,
    int row_number,
    DICTIONARY *dictionary_single_row );

/* Process */
OPERATION_ROW *operation_row_calloc( void );

LIST *checked_list = list_new();

for ROLE_OPERATION *role_operation in
    role_operation_list
{
    if ( operation_row_checked(
        DICTIONARY *operation_dictionary,
        int row_number,
        char *role_operation->operation_name ) )
    {
        list_set(
            checked_list,
            operation_row_checked_new(
                application_name,
                session_key,
                login_name,
                role_name,
                folder_name,
                primary_key_list,
                dictionary_key_highest_index,
                DICTIONARY *operation_dictionary,
                row_number,
                dictionary_single_row,
                role_operation->operation_name,
                role_operation->
                    operation->
                    process->
                    command_line ) );
    }
}
```



OPERATION_ROW_CHECKED

```
/* Usage */
OPERATION_ROW_CHECKED *
    operation_row_checked_new(
        char *application_name,
        char *session_key,
        char *login_name,
        char *role_name,
        char *folder_name,
        LIST *primary_key_list,
        int dictionary_key_highest_index,
        DICTIONARY *operation_dictionary,
        DICTIONARY *dictionary_single_row,
        char *operation_name,
        char *command_line );

/* Process */
OPERATION_ROW_CHECKED *
    operation_row_checked_calloc(
        void );

int operation_row_checked_count(
    int dictionary_key_highest_index,
    DICTIONARY *operation_dictionary,
    char *operation_name );

LIST *primary_key_data_list =
    dictionary_data_list(
        LIST *primary_key_list,
        DICTIONARY *dictionary_single_row );

char *operation_row_checked_command_line(
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *folder_name,
    DICTIONARY *dictionary_single_row,
    char *operation_name,
    char *command_line,
    int operation_row_checked_count(),
    pid_t getpid() /* parent_process_id */,
    LIST *primary_key_data_list );

/* Public */
/* Returns operation_error_message */
char *operation_row_checked_execute(
    char *operation_row_checked_command_line() );
```

OPERATION_SEMAPHORE

```
/* Usage */
OPERATION_SEMAPHORE *operation_semaphore_new(
    char *operation_name,
    char *data_directory,
    pid_t parent_process_id,
    int operation_row_total() );

/* Process */
OPERATION_SEMAPHORE *operation_semaphore_calloc( void );

char *operation_semaphore_filename(
    char *operation_name,
    char *data_directory,
    pid_t parent_process_id );

boolean operation_semaphore_group_first_time(
    operation_semaphore_filename() );

void operation_semaphore_initialize_file(
    operation_semaphore_filename() );

int operation_semaphore_row_current(
    operation_semaphore_filename() );

boolean operation_semaphore_group_last_time(
    operation_semaphore_row_current(),
    operation_row_total );

if ( operation_semaphore_group_last_time() )
{
    void operation_semaphore_remove_file(
        char *operation_semaphore_filename() );
}
else
{
    void operation_semaphore_increment(
        operation_semaphore_filename(),
        operation_semaphore_row_current() );
}
```

SEMAPHORE

```
/* Usage */
SEMAPHORE *semaphore_new(
        key_t semaphore_key );

/* Process */
int semaphore_id(
        semaphore_key );

void semaphore_wait(
        semaphore_id() );

void semaphore_signal(
        semaphore_id() );
```

QUERY

```
/* Private */
char *query_join_relation_where(
    char *appliction_name,
    char *primary_folder_table_name,
    LIST *primary_key_list,
    LIST *relation_mto1_isa_list );

char *query_string_join_where(
    char *primary_folder_table_name,
    char *relation_folder_table_name,
    LIST *primary_key_list,
    LIST *foreign_key_list );

char *query_data_where(
    char *folder_name,
    LIST *where_attribute_name_list,
    LIST *where_attribute_data_list,
    LIST *folder_attribute_list );

/* Public */
char *query_order_string(
    char *query_select_list_string(),
    DICTONARY *sort_dictionary );

LIST *query_delimited_list(
    char *query_select_list_string(),
    char *from_string,
    char *where->string,
    char *query_order_string() );

char *query_order_key_list_string(
    LIST *key_list );

char *query_system_string(
    char *select_string,
    char *from_string,
    char *where_string,
    char *order_string,
    int max_rows );

char *query_join_where(
    char *application_name,
    char *folder_name,
    LIST *primary_key_list,
    LIST *relation_mto1_isa_list,
    RELATION *row_security_role_relation );

LIST *query_primary_delimited_list(
    char *folder_table_name,
    LIST *primary_key_list,
    LIST *foreign_key_list,
    LIST *foreign_data_list );
```

QUERY_ISA WIDGET

```
/* Usage */
QUERY_ISA_WIDGET *query_isa_widget_new(
    char *one_isa_folder_name,
    LIST *folder_attribute_primary_key_list(),
    LIST *folder_attribute_primary_list(),
    char *login_name,
    char *security_entity_where() );

/* Process */
LIST *query_select_list(
    primary_key_list,
    folder_attribute_primary_list,
    query_date_convert_new(
        login_name ) );

char *query_select_list_string(
    LIST *query_select_list() );

QUERY_WIDGET_WHERE *where =
    query_widget_where_new(
        (LIST *)0 /* folder_attribute_list */,
        (LIST *)0 /* relation_mto1_non_isa_list */,
        security_entity_where,
        (DICTIONARY *)0 /* drillthru_dictionary */ );

char *query_order_string(
    query_select_list_string(),
    (DICTIONARY *)0 /* sort_dictionary */ );

LIST *delimited_list =
    query_delimited_list(
        query_select_list_string(),
        folder_table_name(
            environment_application_name(),
            one_isa_folder_name )
                /* from_string */,
        where->string,
        query_order_string() );
```

QUERY_TABLE_EDIT

```
/* Usage */
QUERY_TABLE_EDIT *query_table_edit_new(
    char *application_name,
    char *folder_name,
    char *login_name,
    char *security_entity_where(),
    LIST *relation_join_one2m_list,
    LIST *dictionary_separate->no_display_name_list,
    LIST *role->exclude_lookup_attribute_name_list,
    LIST *folder_attribute_append_isa_list,
    LIST *relation_mto1_non_isa_list,
    LIST *relation_mto1_isa_list,
    DICTIONARY *query_dictionary,
    DICTIONARY *sort_dictionary,
    char *row_security_role_folder_name,
    RELATION *row_security_role_relation,
    char *row_security_role_attribute_not_null );

/* Process */
LIST *query_table_edit_select_list(
    folder_attribute_append_isa_list,
    no_display_name_list,
    exclude_lookup_attribute_name_list,
    list_length( relation_mto1_isa_list ),
    QUERY_DATE_CONVERT *query_date_convert_new(
        login_name ),
    char *row_security_role_attribute_not_null );

char *query_select_list_string(
    query_table_edit_select_list() );

LIST *query_select_name_list(
    query_table_edit_select_list() );

char *query_table_edit_from_string(
    char *folder_name,
    LIST *relation_mto1_isa_list,
    char *row_security_role_folder_name );

QUERY_TABLE_EDIT_WHERE *where =
    query_table_edit_where_new(
        application_name,
        folder_name,
        folder_attribute_append_isa_list,
        relation_mto1_non_isa_list,
        list_length( relation_mto1_isa_list ),
        security_entity_where,
        query_dictionary,
        row_security_role_relation );

char *query_order_string(
    query_select_list_string,
    sort_dictionary );

char *query_system_string(
    query_select_list_string(),
    query_table_edit_from_string(),
    where->string,
    query_order_string(),
    QUERY_TABLE_EDIT_MAX_ROWS );

LIST *query_table_edit_row_dictionary_list(
    char *query_system_string(),
    LIST *query_select_name_list(),
    LIST *folder_attribute_primary_key_list(
        folder_attribute_append_isa_list )
            /* one_folder_primary_key_list */,
    char *application_name,
    LIST *relation_join_one2m_list,
    folder_name
            /* one_folder_name */  );
```



QUERY (DETAIL)

```
/* Usage */
QUERY *query_detail_new(
    LIST *where_attribute_data_list,
    char *security_sql_injection_escape(
        folder_name ),
    char *security_sql_injection_escape(
        role_name ),
    char *security_sql_injection_escape(
        login_name ),
    LIST *dictionary_separate->
        ignore_select_attribute_name_list,
    char *attribute_not_null_join,
    char *attribute_not_null_folder_name );

QUERY *query_search_replace_where_new(
    DICTIONARY *drillthru_dictionary,
    LIST *append_isa_attribute_list,
    LIST *relation_mto1_isa_list,
    boolean non_owner_forbid,
    SECURITY_ENTITY *security_entity );
```

QUERY_WIDGET

```
/* Usage */
QUERY_WIDGET *query_widget_fetch(
    char *widget_folder_name,
    char *login_name,
    LIST *folder_attribute_list(),
    LIST *relation_mto1_non_isa_list,
    char *security_entity_where(),
    DICTIONARY *drillthru_dictionary );

/* Process */
LIST *query_widget_select_list(
    folder_attribute_primary_key_list(
        folder_attribute_list ),
    folder_attribute_list,
    query_date_convert_new(
        login_name ) );

char *query_select_list_string(
    query_widget_select_list() );

QUERY_WIDGET_WHERE *where =
    query_widget_where_new(
        folder_attribute_list,
        relation_mto1_non_isa_list,
        security_entity_where,
        drillthru_dictionary );

char *query_order_string(
    query_select_list_string(),
    (DICTIONARY *)0 /* sort_dictionary */ );

LIST *delimited_list =
    query_delimited_list(
        query_select_list_string(),
        folder_table_name(
            environment_application_name(),
            widget_folder_name )
                /* from_string */,
        where->string,
        query_order_string() );
```



QUERY_WIDGET_WHERE

```
/* Usage */
QUERY_WIDGET_WHERE *
    query_widget_where_new(
        LIST *folder_attribute_list,
        LIST *relation_mto1_non_isa_list,
        char *security_entity_where(),
        DICTIONARY *drillthru_dictionary );

/* Process */
LIST *query_drop_down_list(
    (char *)0 /* many_folder_name */,
    folder_attribute_list,
    relation_mto1_non_isa_list,
    drillthru_dictionary );

char *query_drop_down_list_where(
    (char *)0 /* application_name */,
    query_drop_down_list(),
    0 /* relation_mto1_isa_list_length */ );

LIST *query_attribute_list =
    query_attribute_list(
        (char *)0 /* application_name */,
        folder_attribute_list,
        drillthru_dictionary,
        0 /* relation_mto1_isa_list_length */ );

char *query_attribute_list_where(
    query_attribute_list() );

char *query_widget_where_string(
    char *query_drop_down_list_where(),
    char *query_attribute_list_where(),
    char *security_entity_where );
```



QUERY_TABLE_EDIT_WHERE

```
/* Usage */
QUERY_TABLE_EDIT_WHERE *
    query_table_edit_where_new(
        char *application_name,
        char *folder_name,
        LIST *folder_attribute_append_isa_list,
        LIST *relation_mto1_non_isa_list,
        LIST *relation_mto1_isa_list,
        RELATION *row_security_role_relation,
        char *security_entity_where(),
        DICTIONARY *dictionary_separate->
            query_dictionary );

/* Process */
int relation_mto1_isa_list_length =
    list_length( relation_mto1_isa_list );

LIST *query_drop_down_list(
    folder_name /* many_folder_name */,
    folder_attribute_append_isa_list,
    relation_mto1_non_isa_list,
    query_dictionary );

char *query_drop_down_list_where(
    application_name,
    query_drop_down_list(),
    relation_mto1_isa_list_length );

LIST *query_attribute_list(
    application_name,
    folder_attribute_append_isa_list,
    query_dictionary,
    relation_mto1_isa_list_length );

char *query_attribute_list_where(
    query_attribute_list() );

char *query_join_where(
    application_name,
    folder_name,
    folder_attribute_primary_key_list(
        folder_attribute_append_isa_list ),
    related_mto1_isa_list,
    row_security_role_relation );

char *query_table_edit_where_string(
    query_drop_down_list_where(),
    query_attribute_list_where(),
    query_join_where(),
    security_entity_where );
```



QUERY_SELECT

```
/* Usage */
LIST *query_table_edit_select_list(
    LIST *folder_attribute_append_isa_list(),
    LIST *ignore_select_attribute_name_list,
    LIST *exclude_lookup_attribute_name_list,
    int relation_mto1_isa_length,
    QUERY_DATE_CONVERT *
        query_date_convert_new(
            login_name ),
    ROW_SECURITY_ROLE *row_security_role );

LIST *query_widget_select_list(
    LIST *folder_attribute_primary_key_list(),
    LIST *folder_attribute_list(),
    QUERY_DATE_CONVERT *
        query_date_convert_new(
            login_name) );

QUERY_SELECT *query_select_new(
    char *folder_name,
    char *attribute_name,
    boolean attribute_is_date(),
    boolean attribute_is_date_time(),
    QUERY_DATE_CONVERT *
        query_date_convert );

/* Process */
char *query_select_column_string(
    char *folder_name,
    char *attribute_name,
    boolean attribute_is_date,
    boolean attribute_is_date_time,
    enum date_convert_format
        query_date_convert->date_convert_format );

/* Public */
LIST *query_select_name_list(
    LIST *select_list );

char *query_select_list_string(
    LIST *select_list );
```

QUERY_DATE_CONVERT

```
/* Usage */
QUERY_DATE_CONVERT *query_date_convert_new(
    char *login_name );

/* Process */
enum date_convert_format
    query_date_convert_format(
        environment_application_name(),
        login_name );

/* Public */
char *query_date_convert_select_string(
    char *attribute_name,
    boolean attribute_is_date,
    boolean attribute_is_date_time,
    query_date_convert_format() );

enum date_convert_format
```

international,
american,
military,
date_convert_unknown

DATE_CONVERT

```
DATE_CONVERT *date_convert_international(
    char *application_name,
    char *login_name,
    char *date_string );

DATE_CONVERT *date_convert_string_international(
    enum date_convert_format source_format,
    char *date_string );

enum date_convert date_convert_user_date_format(
    char *application_name,
    char *login_name );
```

QUERY_DROP_DOWN

```
/* Usage */
LIST *query_drop_down_list(
    char *many_folder_name,
    LIST *folder_attribute_list,
    LIST *relation_mto1_non_isa_list,
    DICTIONARY *query|drillthru_dictionary );

/* Process */
for relation_mto1 in relation_mto1_non_isa_list
{
    int highest_index =
        dictionary_string_list_highest_index(
            relation_mto1->foreign_key_list,
            drillthru_dictionary );

    list_set(
        list,
        query_drop_down_new(
            many_folder_name,
            folder_attribute_list,
            relation_mto1->foreign_key_list,
            query|drillthru_dictionary,
            highest_index ) );
}

/* Usage */
QUERY_DROP_DOWN *query_drop_down_new(
    char *many_folder_name,
    LIST *folder_attribute_list,
    LIST *relation_mto1->foreign_key_list,
    DICTIONARY *query|drillthru_dictionary,
    int highest_index );

/* Input */
char *many_folder_name;

/* Process */
LIST *query_drop_down_row_list(
    foreign_key_list,
    folder_attribute_list,
    query|drillthru_dictionary /* dictionary */,
    highest_index );

/* Public */
char *query_drop_down_list_where(
    char *application_name,
    LIST *query_drop_down_list(),
    int relation_mto1_isa_list_length );
```



QUERY_DROP_DOWN_ROW

```
/* Usage */
LIST *query_drop_down_row_list(
    LIST *foreign_key_list,
    LIST *folder_attribute_list,
    DICTIONARY *query|drillthru_dictionary,
    int dictionary_string_list_highest_index() );

QUERY_DROP_DOWN_ROW*
    query_drop_down_row_new(
        LIST *foreign_key_list,
        LIST *folder_attribute_list,
        DICTIONARY *query|drillthru_dictionary
            /* dictionary */,
        int index );

/* Process */
char *query_drop_down_row_key(
    LIST *foreign_key_list,
    int index );

char *query_drop_down_row_data_list_string(
    query_drop_down_row_key(),
    DICTIONARY *query|drillthru_dictionary );

LIST *query_drop_down_row_data_string_list(
    char SQL_DELIMITER,
    query_drop_down_row_data_list_string() );

LIST *query_data_list(
    foreign_key_list,
    folder_attribute_list,
    query_drop_down_row_data_string_list() );

/* Public */
char *query_drop_down_row_list_where(
    char *folder_table_name(),
    LIST *query_drop_down_row_list(),
    int relation_mto1_isa_list_length );

/* Private *
char *query_drop_down_row_where(
    char *folder_table_name(),
    LIST *query_data_list,
    int relation_mto1_isa_list_length );

char *query_drop_down_row_data_where(
    char *folder_table_name,
    char *attribute_name,
```



QUERY_ATTRIBUTE

```
/* Usage */
LIST *query_attribute_list(
    char *application_name,
    LIST *folder_attribute_append_isa_list,
    DICTIONARY *query|drillthru_dictionary,
    int relation_mto1_isa_list_length );

QUERY_ATTRIBUTE *query_attribute_new(
    char *application_name,
    char *folder_name,
    char *attribute_name,
    char *datatype_name,
    DICTIONARY *dictionary,
    int relation_mto1_isa_list_length );

/* Attributes */
char *application_name;
char *folder_name;
int relation_mto1_isa_list_length;

/* Process */
QUERY_RELATION *query_relation =
    query_relation_new(
        attribute_name,
        datatype_name,
        dictionary );

if ( !query_relation )
{
    return (QUERY_ATTRIBUTE *)0;
}

if ( query_relation->
    query_relation_enum == between )
{
    QUERY_BETWEEN_DATA *query_between_data =
        query_between_data_new(
            attribute_name,
            datatype_name,
            dictionary,
            application_name,
            folder_name,
            relation_mto1_isa_list_length );
}
else
{
    QUERY_DATA *query_data =
        query_data_fetch(
            folder_name,
            attribute_name,
            datatype_name,
            dictionary );
}

/* Public */
char *query_attribute_list_where(
    LIST *query_attribute_list() );

/* Private */
char *query_attribute_where_string(
    char *folder_table_name(
        application_name,
        folder_name ),
    int relation_mto1_isa_list_length,
    QUERY_RELATION *query_relation,
    QUERY_BETWEEN_DATA *query_between_data,
    QUERY_DATA *query_data );
```

QUERY_RELATION

```
/* Usage */
QUERY_RELATION *query_relation_new(
    char *attribute_name,
    char *datatype_name,
    DICTIONARY *query|drillthru_dictionary );

/* Process */
char *query_relation_key(
    char *attribute_name,
    char *QUERY_RELATION_STARTING_LABEL );

char *query_relation_yes_no_key(
    char *attribute_name );

char *query_relation_operator_fetch(
    char *query_relation_key(),
    char *query_relation_yes_no_key(),
    DICTIONARY *dictionary );

enum query_relation query_relation_enum(
    char *query_relation_operator_fetch(),
    char *datatype_name );

char *query_relation_character_string(
    enum query_relation_enum() );
```

```
                    equal                 greater_than_equal_to   query_or
                    not_equal             between                 is_null
enum query_relation { less_than           begins                  not_null
                    less_than_equal_to    contains
                    greater_than          not_contains
```

QUERY_DATA

QUERY_BETWEEN_DATA

QUERY_DATA

QUERY_BETWEEN_DATA

```
/* Usage */
QUERY_BETWEEN_DATA *query_between_data_new(
    char *attribute_name,
    char *datatype_name,
    DICTIONARY *dictionary_separate->
        query|drillthru_dictionary,
    char *application_name,
    char *folder_name,
    int relation_mto1_isa_list_length );

/* Process */
char *query_between_data_date_attribute_base(
    char *attribute_name,
    boolean
        (attribute_is_date( datatype_name ) ||
         attribute_is_time( datatype_name ) ) );

char *query_between_data_time_attribute_name(
    char *query_between_data_attribute_base() );

QUERY_DATA *query_between_data_from_date(
    char *attribute_name,
    char *datatype_name,
    DICTIONARY *dictionary );

QUERY_DATA *query_between_data_from_time(
    char *query_between_data_time_attribute_name(),
    DICTIONARY *dictionary );

if ( attribute_is_time( datatype_name )
&& query_between_data_from_date()
&& query_between_data_from_time() )
{
    /* Ignore the time attribute */
    return (QUERY_BETWEEN_DATA *)0;
}

QUERY_DATA *query_between_data_to_date(
    char *attribute_name,
    char *datatype_name,
    DICTIONARY *dictionary );

QUERY_DATA *query_between_data_to_time(
    char *query_between_data_time_attribute_name(),
    DICTIONARY *dictionary );

QUERY_DATA *query_between_data_from(
    char *attribute_name,
    char *datatype_name,
    DICTIONARY *dictionary );

QUERY_DATA *query_between_data_to(
    char *attribute_name,
    char *datatype_name,
    DICTIONARY *dictionary );

char *query_between_data_date_time_where(
    QUERY_DATA *from_date,
    QUERY_DATA *from_time,
    QUERY_DATA *to_date,
    QUERY_DATA *to_time,
    char *folder_table_name(
        application_name,
        folder_name ),
    int relation_mto1_isa_list_length );

char *query_between_data_non_date_time_where(
    QUERY_DATA *data_from,
    QUERY_DATA *data_to,
    char *datatype_name,
    char *folder_table_name(
        application_name,
        folder_name ),
    int relation_mto1_isa_list_length );

char *query_between_data_where_string(
    query_between_data_date_time_where(),
    query_between_data_non_date_time_where() );
```



QUERY_DATA

```
/* Usage */
LIST *query_data_list(
    LIST *foreign_key_list,
    LIST *folder_attribute_list,
    LIST *query_drop_down_row_data_string_list() );

QUERY_DATA *query_data_fetch(
    char *folder_name,
    char *attribute_name,
    char *datatype_name,
    DICTIONARY *dictionary );

QUERY_DATA *query_data_new(
    char *folder_attribute->folder_name,
    char *folder_attribute->attribute_name,
    char *folder_attribute->attribute->datatype_name,
    char *data );

/* Attributes */
char *folder_name;
char *attribute_name;
char *datatype_name;

/* Process */
char *escaped_replaced_data =
    security_sql_injection_escape(
        security_replace_special_characters(
            query_data_date_international(
                char *string_trim_number_characters(
                    char *data,
                    char *datatype_name ),
                char *datatype_name ) ) );

/* Public */
char *query_data_list_where(
    char *application_name,
    int relation_mto1_isa_list_length,
    LIST *query_data_list() );

char *query_data_is_null_where(
    char *attribute_full_attribute_name(
        folder_table_name(),
        query_data->attribute_name ) );

char *query_data_not_null_where(
    char *attribute_full_attribute_name(
        folder_table_name(),
        query_data->attribute_name ) );

char *query_data_or_where(
    char *attribute_full_attribute_name(
        folder_table_name(),
        query_data->attribute_name ),
    boolean attribute_is_number(
        query_data->datatype_name ),
    char *query_data->escaped_replaced_data );

char *query_data_begins_where(
    char *attribute_full_attribute_name(
        folder_table_name(),
        query_data->attribute_name ),
    char *query_data->escaped_replaced_data );

char *query_data_contains_where(
    char *attribute_full_attribute_name(
        folder_table_name(),
        query_data->attribute_name ),
    char *query_data->escaped_replaced_data );

char *query_data_not_contains_where(
    char *attribute_full_attribute_name(
        folder_table_name(),
        query_data->attribute_name ),
    char *query_data->escaped_replaced_data );

char *query_data_not_equal_where(
    char *attribute_full_attribute_name(
        folder_table_name(),
        query_data->attribute_name ),
    boolean attribute_is_number(
        query_data->datatype_name ),
    char *query_data->escaped_replaced_data );

char *query_data_number_where(
    char *attribute_full_attribute_name(
        folder_table_name(),
        query_data->attribute_name ),
    char *query_relation->character_string,
    char *query_data->escaped_replaced_data );

char *query_data_string_where(
    char *attribute_full_attribute_name(
        folder_table_name(),
        query_data->attribute_name ),
    char *query_relation->character_string,
    char *query_data->escaped_replaced_data );
```

QUERY_OR_SEQUENCE

```
/* Usage */
QUERY_OR_SEQUENCE *query_or_sequence_new(
    LIST *attribute_name_list );

/* Attributes */
LIST *attribute_name_list;
LIST *data_list_list;

/* Public */
boolean query_or_sequence_set_data_list(
    LIST *data_list_list,
    LIST *data_list );

boolean query_or_sequence_set_data_list_string(
    LIST *data_list_list,
    char *list_string );

char *query_or_sequence_where(
    LIST *attribute_name_list,
    LIST *data_list_list );
```

ROLE

```
/* Usage */
ROLE *role_fetch(
    char *role_name,
    boolean fetch_attribute_exclude_list );

/* Process */
ROLE *role_calloc( void );

char *role_select( void );

char *role_primary_where(
    char *role_name );

char *role_system_string(
    char *role_select(),
    char *ROLE_TABLE,
    char *role_primary_where() );

ROLE *role_parse(
    char *input,
    boolean fetch_attribute_exclude_list );

ROLE *role_new( char *role_name );

LIST *attribute_exclude_list =
    role_attribute_exclude_system_list();

/* Attributes */
char *role_name;
boolean folder_count;
boolean override_row_restrictions;
LIST *attribute_exclude_list;

/* Public */
LIST *role_exclude_lookup_attribute_name_list(
    attribute_exclude_list );

LIST *role_exclude_insert_attribute_name_list(
    attribute_exclude_list );

LIST *role_exclude_update_attribute_name_list(
    attribute_exclude_list );

void role_free( ROLE *role );
```

ROLE_APPASERVER_USER

```
/* Usage */
LIST *role_appaserver_user_role_name_list(
    char *login_name );

/* Process */
char *role_appaserver_user_where(
    char *ROLE_LOGIN_NAME_COLUMN,
    char *login_name );

char *role_appaserver_user_system_string(
    char *ROLE_NAME_COLUMN,
    char *ROLE_APPASERVER_USER_TABLE,
    char *role_appaserver_user_where() );
```



ROLE_ATTRIBUTE_EXCLUDE

```
/* Usage */
LIST *role_attribute_exclude_system_list(
    char *role_attribute_exclude_system_string(
        char *role_primary_where(
            char *role_name ) ) ) );

/* Attributes */
char *role_name;
char *attribute_name;
char *permission;

/* Process */
ROLE_ATTRIBUTE_EXCLUDE *
    role_attribute_exclude_parse(
        char *input );
```

insert
update
lookup

ROLE_FOLDER

```
/* Attributes */
char *role_name;
char *folder_name;
char *permission;
char *subschema_name;

/* Usage */
LIST *role_folder_list(
    char *role_name,
    char *folder_name );

/* Process */
char *role_folder_where(
    role_name,
    folder_name );

char *role_folder_system_string(
    ROLE_FOLDER_SELECT,
    ROLE_FOLDER_TABLE,
    role_folder_where(),
    role_folder_left_join() );

LIST *role_folder_system_list(
    role_folder_system_string() );

/* Usage */
LIST *role_folder_lookup_list(
    char *role_name );

/* Process */
char *role_folder_lookup_where( role_name );

char *role_folder_system_string(
    ROLE_FOLDER_SELECT,
    ROLE_FOLDER_TABLE,
    role_folder_lookup_where(),
    role_folder_left_join() );

LIST *role_folder_system_list(
    role_folder_system_string() );

/* Usage */
LIST *role_folder_insert_list(
    char *role_name );

/* Process */
char *role_folder_insert_where( role_name );

char *role_folder_system_string(
    ROLE_FOLDER_SELECT,
    ROLE_FOLDER_TABLE,
    role_folder_insert_where(),
    role_folder_left_join() );

LIST *role_folder_system_list(
    role_folder_system_string() );

/* Private */
char *role_folder_where(
    char *role_name,
    char *folder_name );

char *role_folder_lookup_where(
    char *role_name );

char *role_folder_insert_where(
    char *role_name );

char *role_folder_left_join(
    char *ROLE_FOLDER_TABLE,
    char *FOLDER_TABLE );

char *role_folder_system_string(
    char *ROLE_FOLDER_SELECT,
    char *ROLE_FOLDER_TABLE,
    char *where,
    char *role_folder_left_join() );

LIST *role_folder_system_list(
    char *role_folder_system_string() );

ROLE_FOLDER *role_folder_parse(
    char *input );

ROLE_FOLDER *role_folder_new(
    char *role_name,
    char *folder_name,
    char *permission );

ROLE_FOLDER *role_folder_calloc( void );

/* Public */
boolean role_folder_insert(
    role_folder_list() );

boolean role_folder_update(
    role_folder_list() );

boolean role_folder_lookup(
    role_folder_list() );

LIST *role_folder_name_list(
    LIST *role_folder_list() );

ROLE_FOLDER *role_folder_permission_seek(
    char *folder_name,
    char *permission,
    LIST *role_folder_list );

boolean role_folder_insert_exists(
    char *folder_name,
    LIST *role_folder_list );

LIST *role_folder_subschema_folder_name_list(
    char *subschema_name,
    LIST *role_folder_list );

LIST *role_folder_subschema_name_list(
  LIST *role_folder_lookup_list() );

LIST *role_folder_subschema_missing_folder_name_list(
  LIST *role_folder_lookup_list() );
```

ROLE_PROCESS

```
/* Usage */
LIST *role_process_list(
    char *role_name );

/* Attributes */
char *role_name;
char *process_name;
char *process_group_name;

/* Public */
LIST *role_process_group_name_list(
    LIST *role_process_list(),
    LIST *role_process_set_list() );

LIST *role_process_name_list(
    char *process_group_name,
    LIST *role_process_list() );

LIST *role_process_or_set_name_list(
    char *process_group_name,
    LIST *role_process_list(),
    LIST *role_process_set_list() );

LIST *role_process_group_missing_process_name_list(
    LIST *role_process_list(),
    LIST *role_process_set_list() );
```

ROLE_PROCESS_SET

```
/* Usage */
LIST *role_process_set_list(
    char *role_name );

/* Attributes */
char *role_name;
char *process_set_name;
char *process_group_name;
```

UPDATE

```
/* Usage */
UPDATE *update_new(
    char *application_name,
    char *login_name,
    DICTIONARY *multi_row_dictionary,
    DICTIONARY *file_dictionary,
    ROLE *role,
    FOLDER *folder );

/* Process */
if ( !role_folder_update(
        folder->role_folder_list ) )
{
    return (UPDATE *)0;
}

UPDATE *update_calloc( void );

SECURITY_ENTITY *security_entity =
    security_entity_new(
        login_name,
        folder->non_owner_forbid ||
        folder->non_owner_view_only,
        role->override_row_restrictions );

UPDATE_ROW_LIST *update_row_list =
    update_row_list_new(
        application_name,
        login_name,
        multi_row_dictionary,
        file_dictionary,
        folder->folder_name,
        folder->folder_attribute_append_isa_list,
        folder->relation_one2m_recursive_list,
        folder->relation_mto1_isa_list,
        folder->post_change_process,
        security_entity,
        appaserver_error_filename(
            application_name ) );

if ( !update_row_list )
{
    return (UPDATE *)0;
}

UPDATE_SQL_STATEMENT_LIST *
    update_sql_statement_list =
        update_sql_statement_list_new(
            update_row_list );

/* Public */
char *update_sql_statement(
    char *folder_table_name(),
    char *update_changed_list_set_clause(
        update_changed_list() ),
    char *where_clause );

char *update_command_line(
    char *command_line,
    char *login_name,
    char *appaserver_error_filename(),
    char *update_where_primary_data_list_string(),
    LIST *update_attribute_list,
    char *APPASERVER_UPDATE_STATE,
    char *UPDATE_PREUPDATE_PREFIX );
```

SECURITY_ENTITY

UPDATE_ROW_LIST

UPDATE_SQL_STATEMENT_LIST

UPDATE_ROW_LIST

```
/* Usage */
UPDATE_ROW_LIST *update_row_list_new(
    char *application_name,
    char *login_name,
    DICTIONARY *multi_row_dictionary,
    DICTIONARY *file_dictionary,
    char *folder->folder_name,
    LIST *folder->folder_attribute_append_isa_list,
    LIST *folder->relation_one2m_recursive_list,
    LIST *folder->relation_mto1_isa_list,
    PROCESS *folder->post_change_process,
    SECURITY_ENTITY *security_entity,
    char *appaserver_error_filename() );

/* Process */
int dictionary_highest_row( multi_row_dictionary );

if ( dictionary_highest_row() < 1 )
{
    return (UPDATE_ROW_LIST *)0;
}

UPDATE_ROW_LIST *update_row_list_calloc( void );

LIST *list = list_new();

LIST *name_list =
    folder_attribute_name_list(
        folder_attribute_append_isa_list );

for (   row_number = 1;
        row_number <= dictionary_highest_row();
        row_number++ )
{
    DICTIONARY *dictionary_separate_row(
        name_list,
        multi_row_dictionary,
        row_number );

    list_set(
        list,
        update_row_new(
            application_name,
            login_name,
            dictionary_separate_row(),
            file_dictionary,
            folder_name,
            folder_attribute_append_isa_list,
            relation_one2m_recursive_list,
            relation_mto1_isa_list,
            post_change_process,
            security_entity,
            appaserver_error_filename,
            row_number ) );
}

if ( list_length( list ) )
{
    int update_row_list_cell_count(
        UPDATE_ROW_LIST *update_row_list );
}

/* Public */
/* Returns sql_error_message_list_string */
char *update_row_list_execute(
    UPDATE_ROW_LIST *update_row_list,
    char *appaserver_error_filename() );
```



UPDATE_ROW

```
/* Usage */
UPDATE_ROW *update_row_new(
    char *application_name,
    char *login_name,
    DICTIONARY *dictionary_separate_row(),
    DICTIONARY *file_dictionary,
    char *folder_name,
    LIST *folder_attribute_append_isa_list,
    LIST *relation_one2m_recursive_list,
    LIST *relation_mto1_isa_list,
    PROCESS *post_change_process,
    SECURITY_ENTITY *security_entity,
    char *appaserver_error_filename(),
    int row_number );

/* Attribute */
int row_number;

/* Process */
LIST *update_attribute_list(
    dictionary_separate_row,
    file_dictionary,
    row_number,
    folder_attribute_append_isa_list );

if ( !list_length( update_attribute_list() )
{
    return (UPDATE_ROW *)0;
}

UPDATE_ROOT *update_root =
    update_root_new(
        application_name,
        login_name,
        folder_name,
        folder_attribute_append_isa_list,
        post_change_process,
        security_entity,
        appaserver_error_filename,
        update_attribute_list() );

if ( update_root
&& update_root->changed_primary_key
&& list_length( relation_one2m_recursive_list ) )
{
    LIST *update_one2m_list(
        application_name,
        login_name,
        appaserver_error_filename,
        update_root->update_changed_list,
        update_root->update_where_list,
        relation_one2m_recursive_list );
}

if ( list_length( relation_mto1_isa_list ) )
{
    LIST *update_mto1_isa_list(
        application_name,
        login_name,
        appaserver_error_filename,
        update_attribute_list(),
        (update_root)
            ? update_root->
                update_changed_primary_key
            : 0,
        relation_mto1_isa_list );
}

if ( !update_root
&& !list_length( update_one2m_list )
&& !list_length( update_mto1_isa_list ) )
{
    return (UPDATE_ROW *)0;
}

int update_row_cell_count(
    UPDATE_ROOT *update_root,
    LIST *update_one2m_list(),
    LIST *update_mto1_isa_list() );

/* Public */
if ( update_root )
{
    /* Returns char *sql_error_message or null */
    char *update_row_root_sql_statement_execute(
        char *update_root->update_sql_statement );
}

void update_row_one2m_sql_statement_execute(
    FILE *output_pipe,
    LIST *update_one2m_list );

void update_row_mto1_isa_sql_statement_execute(
    FILE *output_pipe,
    LIST *update_mto1_isa_list );

void update_row_command_line_execute(
    UPDATE_ROOT *update_root,
    LIST *update_one2m_list,
    LIST *update_mto1_list );

/* Private */
void update_row_one2m_command_line_execute(
    LIST *update_one2m_list );

void update_row_mto1_isa_command_line_execute(
    LIST *update_mto1_isa_list );
```



UPDATE_ROOT

```
/* Usage */
UPDATE_ROOT *update_root_new(
    char *application_name,
    char *login_name,
    char *folder_name,
    LIST *folder_attribute_append_isa_list,
    PROCESS *post_change_process,
    SECURITY_ENTITY *security_entity,
    char *appaserver_error_filename,
    LIST *update_attribute_list() );

/* Process */
UPDATE_ROOT *update_root_calloc( void );

LIST *folder_attribute_append_isa_name_list(
    folder_name,
    folder_attribute_append_isa_list );

LIST *update_changed_list(
    folder_attribute_append_isa_name_list(),
    update_attribute_list );

if ( !update_changed_list() )
{
    return (UPDATE_ROOT *)0;
}

boolean update_changed_primary_key(
    update_changed_list() );

LIST *folder_attribute_primary_key_list(
    folder_attribute_append_isa_list );

LIST *update_where_list(
    folder_attribute_primary_key_list,
    update_attribute_list  );

char *update_root_where_clause(
    char *update_where_list_clause(
        update_where_list() ),
    SECURITY_ENTITY *security_entity,
    LIST *folder_attribute_append_isa_list );

char *update_sql_statement(
    folder_table_name(
        application_name,
        folder_name ),
    update_changed_list_set_clause(
        update_changed_list() ),
    update_root_where_clause() );

if ( post_change_process )
{
    char *update_command_line(
        post_change_process->command_line,
        login_name,
        update_where_primary_data_list_string(
            update_where_list(),
            SQL_DELIMITER ),
        update_attribute_list,
        APPASERVER_UPDATE_STATE,
        UPDATE_PREUPDATE_PREFIX,
        appaserver_error_filename );
}
```





char *sql_statement

char *command_line

UPDATE_CHANGED

```
UPDATE_ATTRIBUTE *update_attribute;
char *update_changed_set_clause();
```

UPDATE_WHERE

```
UPDATE_ATTRIBUTE *update_attribute;
char *update_where_clause();
```

UPDATE_ONE2M

```
/* Usage */
LIST *update_one2m_list(
    char *application_name,
    char *login_name,
    char *appaserver_error_filename(),
    LIST *update_changed_list(),
    LIST *update_where_list(),
    LIST *relation_one2m_recursive_list );

UPDATE_ONE2M *update_one2m_new(
    char *application_name,
    char *login_name,
    char *appaserver_error_filename,
    LIST *update_changed_list,
    LIST *update_where_list,
    RELATION *relation_one2m );

/* Process */
UPDATE_ONE2M *update_one2m_calloc(
    void );

LIST *update_one2m_changed_list(
    char *relation_one2m->
        many_folder->
        folder_name
            /* many_folder_name */,
    LIST *update_changed_list,
    LIST *relation_one2m->foreign_key_list );

LIST *update_one2m_where_list(
    char *relation_one2m->
        many_folder->
        folder_name
            /* many_folder_name */,
    LIST *update_where_list,
    LIST *relation_one2m->foreign_key_list );

char *update_where_list_clause(
    update_one2m_where_list() );

UPDATE_ONE2M_ROW_LIST *
    update_one2m_row_list =
        update_one2m_row_list_new(
            application_name,
            relation_one2m->
                many_folder->
                folder_name
                    /* many_folder_name */,
            relation_one2m->foreign_key_list
                /* primary_key_list */,
            update_one2m_changed_list(),
            update_where_list_clause() );

if ( !update_one2m_row_list )
{
    return (UPDATE_ONE2M *)0;
}

LIST *update_one2m_sql_statement_list(
    char *folder_table_name(
        application_name,
        relation_one2m->
            many_folder->
            folder_name ),
    char *update_changed_list_set_clause(
        update_one2m_changed_list() ),
    UPDATE_ONE2M_ROW_LIST *
        update_one2m_row_list );

if ( relation_one2m->
        many_folder->
        post_change_process )
{
    LIST *update_one2m_command_line_list(
        char *relation_one2m->
            many_folder->
            post_change_process->
            command_line,
        char *login_name,
        char *appaserver_error_filename,
        UPDATE_ONE2M_ROW_LIST *
            update_one2m_row_list );
}

/* Public */
char *update_one2m_row_where(
    list_get( update_one2m_row_list->list ) );

/* Private */
char *update_one2m_sql_statement(
    char *folder_table_name(),
    char *update_changed_list_set_clause,
    char *update_one2m_row_where() );

char *update_one2m_command_line(
    char *command_line,
    char *login_name,
    char *appaserver_error_filename,
    UPDATE_ONEM_ROW *update_one2m_row,
    char *APPASERVER_UPDATE_STATE,
    char *UPDATE_PREUPDATE_PREFIX );

char *update_one2m_changed_attribute_name(
    int primary_key_index,
    LIST *foreign_key_list );
```



UPDATE_MTO1_ISA

```
/* Usage */
LIST *update_mto1_isa_list(
    char *application_name,
    char *login_name,
    char *appaserver_error_filename(),
    LIST *update_attribute_list,
    boolean update_changed_primary_key(),
    LIST *relation_mto1_isa_list );

UPDATE_MTO1_ISA *update_mto1_isa_new(
    char *application_name,
    char *login_name,
    char *appaserver_error_filename,
    LIST *update_attribute_list,
    boolean update_changed_primary_key,
    RELATION *relation_mto1_isa  );

/* Process */
LIST *update_changed_list(
    relation_mto1_isa->
        one_folder->
        folder_attribute_list,
    update_attribute_list );

if ( !list_length( update_changed_list() )
{
    return (UPDATE_MTO1_ISA *)0;
}

LIST *update_where_list(
    relation_mto1_isa->
            one_folder->
            primary_key_list,
    update_attribute_list );

char *update_sql_statement(
    folder_table_name(
        application_name,
        relation_mto1_isa->
            one_folder->
            folder_name ),
    update_changed_list_set_clause(
        update_changed_list() ),
    update_where_list_clause(
        update_where_list() ) );

if ( relation_mto1_isa->
        one_folder->
        post_change_process )
{
    char *update_command_line(
        relation_mto1_isa->
            one_folder->
            post_change_process->
            command_line,
        login_name,
        appaserver_error_filename,
        update_where_primary_data_list_string(
            update_where_list(),
            SQL_DELIMITER ),
        update_attribute_list,
        APPASERVER_UPDATE_STATE,
        UPDATE_PREUPDATE_PREFIX );
    }

    if ( update_changed_primary_key )
    {
        relation_mto1_isa->
            one_folder->
            relation_one2m_recursive_list =
                relation_one2m_recursive_list(
                    (LIST *)0,
                    relation_mto1_isa->
                        one_folder->
                        folder_name );

        LIST *update_one2m_list(
            application_name,
            login_name,
            appaserver_error_filename,
            update_changed_list(),
            update_where_list(),
            relation_mto1_isa->
                one_folder->
                relation_one2m_recursive_list );
    }
```



UPDATE_ONE2M_ROW_LIST

```
/* Usage */
UPDATE_ONE2M_ROW_LIST *
    update_one2m_row_list_new(
        char *application_name,
        char *many_folder_name,
        LIST *relation_one2m->foreign_key_list
            /* primary_key_list */,
        LIST *update_one2m_changed_list(),
        char *update_where_list_clause(
            LIST *update_one2m_where_list() ) );

/* Process */
UPDATE_ONE2M_ROW_LIST *
    update_one2m_row_list_calloc(
            void );
```

```
LIST *update_one2m_row_list_fetch_list(
    char *folder_table_name(
        application_name,
        many_folder_name ),
    LIST *primary_key_list,
    char *update_where_list_clause );

if ( !list_length( update_one2m_row_list_fetch_list() )
{
    return (UPDATE_ONE2M_ROW_LIST *)0;
}

LIST *list = list_new();
```

```
for update_one2m_row_list_fetch in
    update_one2m_row_list_fetch_list()
{
    list_set(
        list,
        update_one2m_row_new(
            many_folder_name,
            primary_key_list,
            update_one2m_changed_list,
            LIST *list_string_extract(
                update_one2m_row_list_fetch,
                SQL_DELIMITER )
                    /* primary_data_list */  ) );
}
```



UPDATE_ONE2M_ROW

```
/* Usage */
UPDATE_ONE2M_ROW *
    update_one2m_row_new(
        char *many_folder_name,
        LIST *primary_key_list,
        LIST *update_one2m_changed_list,
        LIST *primary_data_list );

/* Process */
UPDATE_ONE2M_ROW *update_one2m_row_calloc(
    void );

LIST *update_attribute_list = list_new();

list_rewind( primary_data_list );

for char *primary_key in primary_key_list
{
    primary_key = list_get( primary_key_list );
```

```
UPDATE_ATTRIBUTE *update_attribute =
    update_attribute_calloc();

update_attribute->folder_attribute =
    folder_attribute_new(
        many_folder_name,
        primary_key );

update_attribute->file_data =
    list_get( primary_data_list );

if ( ( UPDATE_CHANGED *update_changed =
        update_changed_seek(
            primary_key,
            update_one2m_changed_list ) ) )
{
    update_attribute->
        post_data =
            update_changed->
                update_attribute->
```

```
                post_data;
    }
    else
    {
        update_attribute->
            post_data =
                update_attribute->
                    file_data;
    }

    list_set(
        update_attribute_list,
        update_attribute );
}

/* Publiic */
char *update_one2m_row_where(
    UPDATE_ONE2M_ROW *update_one2m_row );
```



UPDATE_ATTRIBUTE

```
/* Usage */
LIST *update_attribute_list(
    DICTIONARY *dictionary_separate_row,
    DICTIONARY *file_dictionary,
    int row_number,
    LIST *folder_attribute_append_isa_list );

UPDATE_ATTRIBUTE *update_attribute_new(
    DICTIONARY *dictionary_separate_row,
    DICTIONARY *file_dictionary,
    int row_number,
    FOLDER_ATTRIBUTE *folder_attribute );

/* Attributes */
int row_number;
FOLDER_ATTRIBUTE *folder_attribute;

/* Process */
UPDATE_ATTRIBUTE *update_attribute_calloc(
    void );

char *post_data =
    dictionary_get(
        folder_attribute->attribute_name,
        dictionary_separate_row );

char *file_data =
    dictionary_row(
        folder_attribute->attribute_name,
        row_number,
        file_dictionary );

/* Public */
UPDATE_ATTRIBUTE *update_attribute_seek(
    char *attribute_name,
    LIST *update_attribute_list(() );

LIST *update_attribute_data_list(
    LIST *update_attribute_list() );
```



UPDATE_CHANGED

```
/* Usage */
LIST *update_changed_list(
    LIST *folder_attribute_append_isa_name_list(),
    LIST *update_attribute_list() );

UPDATE_CHANGED *update_changed_new(
    char *attribute_name,
    LIST *update_attribute_list() );

/* Process */
UPDATE_CHANGED *update_changed_calloc(
    void );

UPDATE_ATTRIBUTE *update_attribute =
    update_attribute_seek(
        attribute_name,
        update_attribute_list );

boolean update_changed_boolean(
    char *update_attribute->
        post_data,
    char *update_attribute->
        file_data )
{
    return
    ( string_strcmp(
        post_data,
        file_data ) != 0 );
}

if ( !update_changed_boolean() )
{
    return (UPDATE_CHANGED *)0;
}

char *update_changed_set_clause(
    char *update_attribute->
        folder_attribute->
        attribute_name,
    char *update_attribute->
        folder_attribute->
        attribute->
        datatype_name,
    char *update_attribute->
        post_data );

/* Public */
char *update_changed_list_set_clause(
    LIST *update_changed_list() );

boolean update_changed_primary_key(
    LIST *update_changed_list() );

LIST *update_changed_primary_post_data_list(
    LIST *update_changed_list() );

LIST *update_changed_primary_file_data_list(
    LIST *update_changed_list() );

UPDATE_CHANGED *update_changed_seek(
    char *attribute_name,
    LIST *update_changed_list() );
```



UPDATE_WHERE

```
/* Usage */
LIST *update_where_list(
    LIST *folder_attribute_primary_key_list(),
    LIST *update_attribute_list() );

UPDATE_WHERE *update_where_new(
    char *primary_key,
    LIST *update_attribute_list );

/* Process */
UPDATE_WHERE *update_where_calloc(
    void );

UPDATE_ATTRIBUTE *update_attribute =
    update_attribute_seek(
        attribute_name,
        update_attribute_list );

char *update_where_clause(
    char *primary_key,
    char *update_attribute->
        folder_attribute->
        attribute->
        datatype_name,
    char *update_attribute->
        file_data );

/* Public */
char *update_where_list_clause(
    LIST *update_where_list() );

char *update_where_primary_data_list_string(
    LIST *update_where_list(),
    char SQL_DELIMITER );
```



UPDATE_SQL_STATEMENT_LIST

```
/* Usage */
UPDATE_SQL_STATEMENT_LIST *
    update_sql_statement_list_new(
        UPDATE_ROW_LIST *update_row_list );

/* Process */
UPDATE_SQL_STATEMENT_LIST *
    update_sql_statement_list_calloc(
        void );

LIST *list = list_new();

for UPDATE_ROW *update_row in
    update_row_list->list
{
    list_set(
        list,
        update_sql_statement_new(
            update_row->update_root,
            update_row->update_one2m_list,
            update_row->update_mto1_isa_list ) );
}
```



UPDATE_SQL_STATEMENT

```
/* Usage */
UPDATE_SQL_STATEMENT *
    update_sql_statement_new(
        UPDATE_ROOT *update_root,
        LIST *update_one2m_list,
        LIST *update_mto1_isa_list );

/* Process */
UPDATE_SQL_STATEMENT *
    update_sql_statement_calloc(
        void );

char *update_sql_statement_root(
    UPDATE_ROOT *update_root );

char *update_sql_statement_command_line_root(
    UPDATE_ROOT *update_root );

LIST *update_sql_statement_one2m_list(
    LIST *update_one2m_list );

LIST *update_sql_statement_command_line_one2m_list(
    LIST *update_one2m_list );

LIST *update_sql_statement_mto1_isa_list(
    LIST *update_mto1_isa_list );

LIST *update_sql_statement_command_line_mto1_isa_list(
    LIST *update_mto1_isa_list );
```



DELETE

```
/* Usage */
DELETE *delete_new(
    char *application_name,
    char *session_key,
    char *login_name,
    char *folder_name,
    char *role_name,
    LIST *primary_data_list,
    boolean dont_delete_mto1_isa );

/* Process */
FOLDER *folder =
    folder_fetch(
        folder_name,
        role_name /* fetching role_folder_list */,
        (LIST *)0 /* role_exclude_attribute_name_list */,
        /* Also sets primary_key_list */
        1 /* fetch_folder_attribute_list */,
        0 /* not fetch_relation_mto1_non_isa_list */,
        /* Also sets folder_attribute_append_isa_list */
        1 /* fetch_relation_mto1_isa_list */,
        0 /* not fetch_relation_one2m_list */,
        1 /* fetch_relation_one2m_recursive_list */,
        1 /* fetch_process */,
        0 /* not fetch_role_folder_list */,
        1 /* fetch_row_level_restriction */,
        1 /* fetch_role_operation_list */ );

if ( !role_operation_delete(
        folder->role_operation_list ) )
{
    return (DELETE *)0;
}

ROLE *role =
    role_fetch(
        role_name,
        0 /* not fetch_attribute_exclude_list */ );

SECURITY_ENTITY *security_entity =
    security_entity_new(
        login_name,
        folder->non_owner_forbid ||
        folder->non_owner_view_only,
        role->override_row_restrictions );

DELETE_ROOT *delete_root =
    delete_root_new(
        application_name,
        folder_name,
        login_name,
        folder->primary_key_list,
        primary_data_list,
        folder->post_change_process,
        security_entity_where() );

LIST *delete_one2m_list(
    application_name,
    folder->relation_one2m_recursive_list,
    primary_data_list
        /* foreign_data_list */ );

if ( !dont_delete_mto1_isa )
{
    LIST *delete_mto1_isa_list(
        application_name,
        folder->relation_mto1_isa_list,
        primary_data_list );
}

/* Public */
char *delete_sql_statement(
    char *folder_table_name(
        application_name,
        folder_name ),
    LIST *primary_key_list,
    LIST *primary_data_list,
    char *security_entity_where );

char *delete_command_line(
    char *post_change_process->command_line,
    char *login_name,
    LIST *primary_key_list,
    LIST *primary_data_list,
    char *state,
    char *APPASERVER_DELETE|PREDELETE_STATE );

/* Output */
LIST *delete_sql_statement_list(
    DELETE_ROOT *delete_root,
    LIST *delete_one2m_list(),
    LIST *delete_mto1_isa_list() );

LIST *delete_pre_command_line_list(
    DELETE_ROOT *delete_root,
    LIST *delete_one2m_list(),
    LIST *delete_mto1_isa_list() );

LIST *delete_command_line_list(
    DELETE_ROOT *delete_root,
    LIST *delete_one2m_list(),
    LIST *delete_mto1_isa_list() );

LIST *delete_distinct_folder_name_list(
    DELETE_ROOT *delete_root,
    LIST *delete_one2m_list(),
    LIST *delete_mto1_isa_list() );

char *delete_message_html(
    char *primary_data_list,
    int list_length( delete_sql_statement_list() ),
    LIST *delete_distinct_folder_name_list() );

char *delete_primary_data_list_display(
```



DELETE_ROOT

```
/* Usage */
DELETE_ROOT *delete_root_new(
    char *application_name,
    char *folder_name,
    char *login_name,
    LIST *primary_key_list,
    LIST *primary_data_list,
    PROCESS *post_change_process,
    char *security_entity_where );

/* Process */
```

```
char *delete_sql_statement(
    folder_table_name(),
    primary_key_list,
    primary_data_list,
    security_entity_where );

char *delete_pre_command_line =
    delete_command_line(
        post_change_process->command_line,
        login_name,
        primary_key_list,
        primary_data_list,
        “predelete” /* state */ );

char *delete_command_line =
    delete_command_line(
        post_change_process->command_line,
        login_name,
        primary_key_list,
        primary_data_list,
        “delete” /* state */ );
```



DELETE_MTO1_ISA

```
/* Usage */
LIST *delete_mto1_isa_list(
    char *application_name,
    char *login_name,
    LIST *folder->relation_mto1_isa_list,
    LIST *primary_data_list );

DELETE_MTO1_ISA *delete_mto1_isa_new(
    char *application_name,
    char *login_name,
    RELATION *relation_mto1_isa,
    LIST *primary_data_list );

/* Process */
char *delete_sql_statement(
    folder_table_name(
        application_name,
        relation_mto1_isa->
            one_folder->
            folder_name ),
    relation_mto1_isa->foreign_key_list,
    primary_data_list );

char *delete_pre_command_line =
    delete_command_line(
        relation_mto1_isa->
            one_folder->
            post_change_process->
            command_line,
        login_name,
        relation_mto1_isa->foreign_key_list,
        primary_data_list,
        APPASERVER_PREDELETE_STATE,
        appaserver_error_filename() );

char *delete_command_line =
    delete_command_line(
        relation_mto1_isa->
            one_folder->
            post_change_process->
            command_line,
        login_name,
        relation_mto1_isa->foreign_key_list,
        primary_data_list,
        APPASERVER_DELETE_STATE,
        appaserver_error_filename() );

LIST *delete_mto1_isa_one2m_list(
    char *application_name,
    char *login_name,
    char *relation_mto1_isa->
        one_folder->
        folder_name,
    LIST *primary_data_list );

/* Output */
LIST *delete_mto1_isa_sql_statement_list(
    LIST *delete_mto1_isa_list() );

LIST *delete_mto1_isa_pre_command_line_list(
    LIST *delete_mto1_isa_list() );

LIST *delete_mto1_isa_command_line_list(
    LIST *delete_mto1_isa_list() );

LIST *delete_mto1_isa_one2m_sql_statement_list(
    LIST *delete_mto1_isa_one2m_list() );

LIST *delete_mto1_isa_one2m_pre_command_line_list(
    LIST *delete_mto1_isa_one2m_list() );

LIST *delete_mto1_isa_one2m_command_line_list(
    LIST *delete_mto1_isa_one2m_list() );

LIST *delete_mto1_isa_distinct_folder_name_list(
    LIST *delete_mto1_isa_list() );

LIST *
    delete_mto1_isa_one2m_distinct_folder_name_list(
        LIST *delete_mto1_isa_one2m_list() );
```



DELETE_ONE2M

```
/* Usage */
LIST *delete_one2m_list(
    char *application_name,
    char *login_name,
    LIST *folder->relation_one2m_recursive_list,
    LIST *foreign_data_list );

DELETE_ONE2M *delete_one2m_new(
    char *application_name,
    char *login_name,
    RELATION *relation_one2m,
    LIST *foreign_data_list );

/* Process */
LIST *delete_one2m_primary_delimited_list(
    char *folder_table_name(
        application_name,
        relation_one2m->
            many_folder->
            folder_name ),
    LIST *relation_one2m->
        many_folder->
        primary_key_list,
    LIST *relation_one2m->foreign_key_list,
    LIST *foreign_data_list );

if ( !relation_one2m->is_primary_key_subset )
{
    LIST *delete_one2m_update_sql_statement_list(
        char *folder_table_name(
            application_name,
            relation_one2m->
                many_folder->
                folder_name ),
        LIST *relation_one2m->foreign_key_list,
        LIST *relation_one2m->
            many_folder->
            primary_key_list,
        LIST *delete_one2m_primary_delimited_list() );
}
else
{
    LIST *delete_one2m_sql_statement_list(
        char *folder_table_name(
            application_name,
            relation_one2m->
                many_folder->
                folder_name ),
        LIST *relation_one2m->
            many_folder->
            primary_key_list,
        LIST *delete_one2m_primary_delimited_list() );
}

LIST *delete_pre_command_line_list =
    delete_one2m_command_line_list(
        char *relation_one2m->
            many_folder->
            post_change_process->
            command_line,
        char *login_name,
        LIST *relation_one2m->foreign_key_list,
        LIST *delete_one2m_primary_delimited_list(),
        "predelete" /* state */ );

LIST *delete_one2m_command_line_list(
    char *relation_one2m->
        many_folder->
        post_change_process->
        command_line,
    char *login_name,
    LIST *relation_one2m->foreign_key_list,
    LIST *delete_one2m_primary_delimited_list(),
    "delete" /* state */ );

/* Private */
char *delete_one2m_sql_statement(
    char *folder_table_name(),
    LIST *relation_one2m->
        many_folder->
        primary_key_list,
    list_get( delete_one2m_primary_delimited_list() )
        /* primary_data_list */ );

char *delete_one2m_update_sql_statement(
    char *folder_table_name(),
    LIST *relation_one2m->foreign_key_list,
    LIST *relation_one2m->
        many_folder->
        primary_key_list,
    list_get( delete_one2m_primary_delimited_list() )
        /* primary_data_list */ );

char *delete_one2m_update_set_null_statement(
    LIST *relation_one2m->foreign_key_list );

char *delete_command_line(
    post_change_process->command_line,
    login_name,
    relation_one2m->foreign_key_list,
    list_get( delete_one2m_primary_delimited_list() )
        /* primary_data_list */,
    APPASERVER_DELETE_STATE,
    appaserver_error_filename() );

/* Driver */
LIST *delete_one2m_list_sql_statement_list(
    LIST *delete_one2m_list() );

LIST *delete_pre_one2m_list_command_line_list(
    LIST *delete_one2m_list() );

LIST *delete_one2m_list_command_line_list(
    LIST *delete_one2m_list() );

LIST *delete_one2m_list_distinct_folder_name_list(
    LIST *delete_one2m_list() );
```




MYSQLDUMP
char *mysqldump_database_count_file;
char *mysqldump_database_yesterday_count_file;
LIST *mysqldump_database_folder_list;
LIST *mysqldump_database_yesterday_folder_list;
LIST *reached_percentage_drop_name_list;
MYSQLDUMP_FOLDER
char *folder_name;
int row_count;
double percentage_drop;
boolean table_exists;
char *reached_percentage_drop_name

STRING

```
/* Public */
boolean string_strcpy(
    char *destination,
    char *source,
    int buffer_size );

boolean string_strcmp(
    char *string1,
    char *string2 );

char *string_escape_character(
    char *destination,
    char *data,
    char character );

char *string_escape_character_array(
    char *destination,
    char *data,
    char *character_array );

/* Position is 1 based */
int string_character_position(
    char *data,
    char character );

char *string_trim_character(
    char *data,
    char character );

char *string_trim_character_array(
    char *data,
    char *character_array );

char *string_trim_number_characters(
    char *number,
    char *datatype_name )
{
    return string_trim_character_array(
        number,
        ",$" );
}

char *string_decode_html_post(
    char *destination,
    char *source );

char *string_trim( char *string );

char *string_extract_lt_gt_delimited(
    char *destination,
    char *source );

int string_index( char *source );

char string_last_character( char *string );

char *string_up( char *string );

char *string_low( char *string );
```

PAIR_ONE2M

```
char *many_folder_name;
char *one_folder_name;

PAIR_ONE2M *pair_one2m_prompt_form_new(
    char *one_folder_name,
    char *keystrokes_save_function );

LIST *pair_one2m_prompt_form_folder_list(
    char *keystrokes_save_function,
    LIST *relation_one2m_pair_relation_list() );

char *pair_one2m_prompt_element_name(
    char *DICTIONARY_SEPARATE_PAIR_PREFIX,
    char *folder_label );

boolean pair_one2m_participating(
    DICTIONARY *pair_one2m_dictionary );

PAIR_ONE2M *pair_one2m_post_new(
    DICTIONARY *pair_one2m_dictionary );

boolean pair_one2m_duplicate(
    char *MYSQL_DUPLICATE_ERROR_MESSAGE_KEY,
    char *message );

void pair_one2m_duplicate_set(
    DICTIONARY *pair_one2m_dictionary,
    char *PAIR_ONE2M_DUPLICATE_KEY );

boolean pair_one2m_inserted_duplicate(
    char *PAIR_ONE2M_DUPLICATE_KEY,
    DICTIONARY *pair_one2m_dictionary );

LIST *pair_one2m_fulfilled_folder_name_list(
    char *PAIR_ONE2M_FULFILLED_LIST_LABEL,
    DICTIONARY *pair_one2m_dictionary );

char *pair_one2m_folder_name(
    char *folder_label,
    DICTIONARY *pair_one2m_dictionary );

void pair_one2m_folder_set(
    DICTIONARY *pair_one2m_dictionary,
    char *folder_label,
    char *folder_name );

char *pair_one2m_next_folder_name(
    LIST *pair_one2m_fulfilled_folder_name_list(),
    LIST *relation_one2m_pair_relation_list(),
    char *one_folder_name,
    char *many_folder_name );

DICTIONARY *pair_one2m_fulfilled_dictionary(
    DICTIONARY *pair_one2m_dictionary,
    char *PAIR_ONE2M_FULFILLED_LIST_LABEL,
    LIST *pair_one2m_fulfilled_folder_name_list );

/* Insert form */
PAIR_ONE2M *pair_one2m_insert_form_new(
    DICTIONARY *pair_one2m_dictionary );
```



PAIR_ONE2M_FOLDER

```
/* Usage */
pair_one2m_folder_new(
    char *many_folder_name );

char *many_folder_name;

char *pair_folder_element_copy_function(
    prompt_many_element_name,
    many_folder_name,
    pair_one2m_prompt_form_element_name(),
    folder_name );

char *pair_folder_button_string(
    many_folder_name,
    keystrokes_save_function,
    pair_folder_element_copy_function() );
```

INSERT

```
/* Usage */
INSERT *insert_new(
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *folder_name,
    LIST *folder->primary_key_list,
    LIST *folder_attribute_name_list(),
    DICTIONARY *row_zero_dictionary,
    DICTIONARY *multi_row_dictionary,
    LIST *ignore_name_list,
    char *post_change_process->process_name,
    char *post_change_process->command_line
        /* post_change_command_line */ );

/* Process */
INSERT *insert_calloc( void );

LIST *insert_row_list = list_new();

char *folder_table_name(
    application_name,
    folder_name );

if ( !dictionary_separate_multi_row )
{
    list_set(
        insert_row_list,
        insert_row_new(
            folder_table_name(),
            session_key,
            login_name,
            role_name,
            primary_key_list,
            folder_attribute_name_list,
            row_zero_dictionary,
            (DICTIONARY *)0
                /* dictionary_separate_row */,
            ignore_name_list,
            process_name,
            post_change_command_line ) );
}
else
{
    int dictionary_highest_row(
        multi_row_dictionary );

    if ( dictionary_highest_row() < 1 )
    {
        return (INSERT *)0;
    }

    for (   row_number = 1;
            row_number <= dictionary_highest_row();
            row_number++ )
    {
        DICTIONARY *dictionary_separate_row(
            folder_attribute_name_list,
            multi_row_dictionary,
            row_number );

        list_set(
            insert_row_list,
            insert_row_new(
                folder_table_name(),
                session_key,
                login_name,
                role_name,
                primary_key_list,
                folder_attribute_name_list,
                row_zero_dictionary,
                dictionary_separate_row,
                ignore_name_list,
                process_name,
                post_change_command_line ) );
    }
}

/* Driver */
/* Returns sql_error_message_list_string */
char *insert_sql_execute(
    LIST *insert_row_list );

void insert_command_line_execute(
    LIST *insert_row_list );
```



INSERT_ROW

```
/* Usage */
INSERT_ROW *insert_row_new(
    char *folder_table_name(),
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    LIST *primary_key_list,
    LIST *folder_attribute_name_list,
    DICTIONARY *row_zero_dictionary,
    DICTIONARY *dictionary_separate_row(),
    LIST *ignore_name_list,
    char *process_name,
    char *post_change_command_line );

/* Process */
INSERT_ROW *insert_row_calloc( void );

LIST *insert_data_list = list_new();

for attribute_name in folder_attribute_name_list
{
    if ( !list_string_exists(
        attribute_name,
        ignore_name_list ) )
    {
        list_set(
            insert_data_list,
            insert_data_extract(
                row_zero_dictionary,
                dictionary_separate_row,
                attribute_name ) );
    }
}

LIST *insert_data_name_list(
    insert_data_list );

if ( !list_length( insert_data_name_list() )
{
    return (INSERT_ROW *)0;
}

boolean insert_row_primary_key_okay(
    LIST *insert_data_name_list(),
    LIST *primary_key_list );

if ( !insert_row_primary_key_okay() )
{
    return (INSERT_ROW *)0;
}

char *insert_row_sql_statement(
    char *folder_table_name,
    LIST *insert_data_name_list(
        insert_data_list ),
    LIST *insert_data_extract_list(
        insert_data_list ) );

if ( process_name )
{
    char *insert_row_command_line(
        char *post_change_command_line,
        char *application_name,
        char *session_key,
        char *login_name,
        char *role_name,
        char *APPASERVER_INSERT_STATE,
        char *process_name,
        LIST *insert_data_key_data_list(
            primary_key_list,
            insert_data_list )
                /* primary_data_list */,
        LIST *insert_data_list );
}

/* Public */
LIST *insert_row_sql_statement_list(
    LIST *insert_row_list );

LIST *insert_row_post_change_command_line_list(
    LIST *insert_row_list );
```



INSERT_DATA

```
/* Usage */
INSERT_DATA *insert_data_extract(
    DICTIONARY *row_zero_dictionary,
    DICTIONARY *dictionary_separate_row,
    char *attribute_name );

/* Process */
char *data =
    dictionary_get(
        attribute_name,
        dictionary_separate_row_zero );

if ( data )
{
    return insert_data_new( attribute_name, data );

char *data =
    dictionary_get(
        attribute_name,
        dictionary_separate_row );

if ( data )
{
    return insert_data_new( attribute_name, data );
}

/* Usage */
INSERT_DATA *insert_data_new(
    char *attribute_name,
    char *data );

/* Process */
INSERT_DATA *insert_data_calloc( void );

/* Public */
LIST *insert_data_name_list(
    LIST *insert_data_list );

LIST *insert_data_extract_list(
    LIST *insert_data_list );

LIST *insert_data_key_data_list(
    LIST *primary_key_list,
    LIST *insert_data_list );
```

POST_CHOOSE_PROCESS

```
/* Usage */
POST_CHOOSE_PROCESS *
    post_choose_process_new(
        int argc,
        char **argv,
        char *application_name,
        char *session_key,
        char *login_name,
        char *role_name,
        char *process_or_set_name );

/* Process */
/* Sets appaserver environment and outputs argv. */
/* Each parameter is security inspected. */
/* Any error will exit( 1 ). */
SESSION_PROCESS *session_process =
    session_process_integrity_exit(
        int argc,
        char **argv,
        char *application_name,
        char *session_key,
        char *login_name,
        char *role_name,
        char *process_or_set_name );

POST_CHOOSE_PROCESS *
    post_choose_process_calloc(
        void );

boolean process_parameter_has_drillthru(
    session_process->process_name,
    session_process->process_set_name );

char *prompt_process_output_system_string(
    PROMPT_PROCESS_OUTPUT_EXECUTABLE,
    session_key,
    login_name,
    role_name,
    process_or_set_name,
    (char *)0 /* dictionary_separate_send_string() */,
    process_parameter_has_drillthru(),
    process_parameter_has_drillthru()
        /* is_drillthru */,
    appaserver_error_filename() );

/* Public */
char *post_choose_process_href_string(
    char *POST_CHOOSE_PROCESS_EXECUTABLE,
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *process_or_set_name,
    char *frameset_prompt_frame );
```

SESSION_PROCESS

PROMPT_PROCESS

```
/* Usage */
PROMPT_PROCESS *prompt_process_new(
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *process_or_set_name,
    boolean has_drillthru,
    boolean is_drillthru,
    POST_DICTIONARY *post_dictionary,
    boolean menu_horizontal_boolean(),
    char *appaserver_parameter->data_directory,
    char *appaserver_parameter->document_root,
    char *application_relative_source_directory() );

/* Process */
PROMPT_PROCESS *prompt_process_calloc( void );

if ( menu_horizontal_boolean )
{
    FOLDER_MENU *folder_menu =
        folder_menu_new(
            application_name,
            session_key,
            role_name,
            data_directory );

    MENU *menu =
        menu_new(
            application_name,
            session_key,
            login_name,
            role_name,
            1 /* frameset_menu_horizontal */,
            folder_menu->count_list );
}

char *process_name =
  process_name_fetch(
      process_or_set_name );

if ( !process_name )
{
  process_set_name = process_or_set_name;
}

if ( process_name )
{
  PROCESS *process =
    process_fetch(
      process_name,
      document_root,
      application_relative_source_directory,
      0 /* not check_executable_inside */ );
}

if ( process_set_name )
{
  PROCESS_SET *process_set =
    process_set_fetch(
      process_set_name,
      role_name,
      document_root,
      application_relative_source_directory,
      1 /* fetch_member_process_name_list */ );
}

if ( is_drillthru )
{
    PROMPT_PROCESS_IS_DRILLTHRU *
        prompt_process_is_drillthru =
            prompt_process_is_drillthru_new(
                application_name,
                session_key,
                login_name,
                role_name,
                process_or_set_name,
                process,
                process_set,
                menu );
}
else
{
    PROMPT_PROCESS_NOT_DRILLTHRU *
        prompt_process_not_drillthru =
            prompt_process_not_drillthru_new(
                application_name,
                session_key,
                login_name,
                role_name,
                process_or_set_name,
                process,
                process_set,
                has_drillthru,
                post_dictionary,
                menu );
}

char *prompt_process_html(
    PROMPT_PROCESS_IS_DRILLTHRU *
        prompt_process_is_drillthru,
    PROMPT_PROCESS_NOT_DRILLTHRU *
        prompt_process_not_drillthru );

/* Public */
char *prompt_process_output_system_string(
    char *PROMPT_PROCESS_OUTPUT_EXECUTABLE,
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *process_or_set_name,
    char *dictionary_separate_send_string(),
    boolean has_drillthru,
    boolean is_drillthru,
    char *appaserver_error_filename() );
```

FOLDER_MENU

FOLDER

PROMPT_PROCESS_IS_DRILLTHRU

MENU

PROCESS

JAVASCRIPT *javascript;

PROCESS_SET

LIST *member_name_list;
JAVASCRIPT *javascript;

PROMPT_PROCESS_NOT_DRILLTHRU

PROMPT_PROCESS_IS_DRILLTHRU

```
/* Usage */
PROMPT_PROCESS_IS_DRILLTHRU *
    prompt_process_is_drillthru =
        prompt_process_is_drillthru_new(
            char *application_name,
            char *session_key,
            char *login_name,
            char *role_name,
            char *process_or_set_name,
            PROCESS *process,
            PROCESS_SET *process_set,
            MENU *menu );

/* Process */
if ( process )
{
  LIST *process_parameter_list =
    process_parameter_system_list(
      process_parameter_system_string(
        PROCESS_PARAMETER_SELECT,
        PROCESS_PARAMETER_TABLE,
        process_parameter_where(
          process->process_name,
          1 /* is_drillthru */ ) ),
      login_name,
      role_name,
      (DICTIONARY *)0 /* drillthru_dictionary */ );

  char *post_change_javascript =
    process->post_change_javascript;
}

if ( process_set )
{
  LIST *process_parameter_list =
    process_parameter_system_list(
      process_parameter_set_system_string(
        PROCESS_SET_PARAMETER_SELECT,
        PROCESS_SET_PARAMETER_TABLE,
        process_parameter_set_where(
          process_set->process_set_name,
          1 /* is_drillthru */ ) ),
      login_name,
      role_name,
      (DICTIONARY *)0 /* drillthru_dictionary */ );

  char *post_change_javascript =
    process_set->post_change_javascript;
}

if ( menu )
{
  char *document_head_menu_setup_string(
      1 /* frameset_menu_horizontal */ );

  char *document_head_calendar_setup_string(
      process_parameter_date_boolean(
          process_parameter_list ) );
}

char *prompt_process_is_drillthru_title_string(
  char *process_or_set_name );

char *prompt_process_is_drillthru_title_html(
  char *process_or_set_name );

DOCUMENT *document =
  document_new(
      application_name,
      prompt_process_is_drillthru_title_string(),
      prompt_process_is_drillthru_title_html(),
      (char *)0 /* subtitle_html */,
      (char *)0 /* subsubtitle_html */,
      (char *)0 /* javascript_replace */,
      (menu) ? 1 : 0 /* frameset_menu_horizontal */,
      menu,
      document_head_menu_setup_string,
      document_head_calendar_setup_string,
      (char *)0 /* javascript_include_string */,
      (char *)0 /* input_onload_string */ );

FORM_PROMPT_PROCESS *form_prompt_process =
  form_prompt_process_new(
      application_name,
      session_key,
      login_name,
      role_name,
      process_or_set_name,
      process_parameter_list,
      post_change_javascript );

char *document_form_html(
  document->html,
  document->document_head->html,
  document_head_close_html(),
  document->document_body->html,
  form_prompt_process->html,
  document_body_close_html(),
  document_close_html() );

free( form_prompt_process->html );
```



PROMPT_PROCESS_NOT_DRILLTHRU (1)

```
/* Usage */
PROMPT_PROCESS_NOT_DRILLTHRU *
    prompt_process_not_drillthru =
        prompt_process_not_drillthru_new(
            char *application_name,
            char *session_key,
            char *login_name,
            char *role_name,
            char *process_or_set_name,
            PROCESS *process,
            PROCESS_SET *process_set,
            boolean has_drillthru,
            POST_DICTIONARY *post_dictionary,
            MENU *menu );

/* Process */
if ( has_drillthru )
{
  LIST *process_parameter_folder_name_list(
    (process)
      ? process->process_name
      : (char *)0,
    (process_set)
      ? process_set->process_set_name
      : (char *)0,
    0 /* not is_drillthru */ );

  LIST *folder_attribute_name_list_attribute_list(
    process_parameter_folder_name_list() );

  LIST *folder_attribute_date_name_list(
    folder_attribute_name_list_attribute_list() );

  DICTIONARY_SEPARATE_PROMPT_PROCESS *
    dictionary_separate_prompt_process =
      dictionary_separate_prompt_process_new(
        post_dictionary->original_post_dictionary,
        application_name,
        login_name,
        folder_attribute_date_name_list(),
        folder_attribute_name_list_attribute_list() );
}

if ( process )
{
  LIST *process_parameter_list =
    process_parameter_system_list(
      process_parameter_system_string(
        PROCESS_PARAMETER_SELECT,
        PROCESS_PARAMETER_TABLE,
        process_parameter_where(
          process->process_name,
          0 /* not is_drillthru */ ) ),
      login_name,
      role_name,
      (dictionary_separate_prompt_process)
        ? dictionary_separte_prompt_process->
            drillthru_dictionary
        : (DICTIONARY *)0 );

  char *post_change_javascript =
    process->post_change_javascript;
}

if ( process_set )
{
  LIST *process_parameter_list =
    process_parameter_system_list(
      process_parameter_set_system_string(
        PROCESS_SET_PARAMETER_SELECT,
        PROCESS_SET_PARAMETER_TABLE,
        process_parameter_set_where(
          process_set->process_set_name,
          0 /* not is_drillthru */ ) ),
      login_name,
      role_name,
      (dictionary_separate_prompt_process)
        ? dictionary_separate_prompt_process->
            drillthru_dictionary
        : (DICTIONARY *)0 );

  LIST *process_parameter_list =
    process_parameter_set_append_list(
      process_parameter_list,
      PROCESS_SET_PROCESS_LABEL,
      process_set->prompt_display_text,
      process_set->member_name_list );

  char *post_change_javascript =
    process_set->post_change_javascript;
}
```



PROMPT_PROCESS_NOT_DRILLTHRU (2)

```
/* Process (continued) */
if ( menu )
{
    char *document_head_menu_setup_string(
        1 /* frameset_menu_horizontal */ );

    char *document_head_calendar_setup_string(
        process_parameter_date_boolean(
            process_parameter_list ) );
}

char *prompt_process_not_drillthru_title_string(
  char *process_or_set_name );

char *prompt_process_not_drillthru_title_html(
  char *process_or_set_name );

DOCUMENT *document =
    document_new(
        application_name,
        prompt_process_not_drillthru_title_string(),
        prompt_process_not_drillthru_title_html(),
        (char *)0 /* subtitle_html */,
        (char *)0 /* subsubtitle_html */,
        (char *)0 /* javascript_replace */,
        (menu) ? 1 : 0 /* frameset_menu_horizontal */,
        menu,
        document_head_menu_setup_string,
        document_head_calendar_setup_string,
        (char *)0 /* javascript_include_string */,
        (char *)0 /* input_onload_string */ );

FORM_PROMPT_PROCESS *form_prompt_process =
    form_prompt_process_new(
        application_name,
        session_key,
        login_name,
        role_name,
        process_or_set_name,
        process_parameter_list,
        post_change_javascript );

char *document_form_html(
    document->html,
    document->document_head->html,
    document_head_close_html(),
    document->document_body->html,
    form_prompt_process->html,
    document_body_close_html(),
    document_close_html() );

free( form_prompt_process->html );
```

DOCUMENT

```
DOCUMENT_HEAD *document_head;
DOCUMENT_BODY *document_body;
```

FORM_PROMPT_PROCESS

POST_PROMPT_PROCESS

```
/* Usage */
POST_PROMPT_PROCESS *
   post_prompt_process_new(
      int argc,
      char **argv,
      char *application_name,
      char *session_key,
      char *login_name,
      char *role_name,
      char *process_or_set_name,
      boolean has_drillthru,
      boolean is_drillthru,
      POST_DICTIONARY *post_dictionary,
      char *appaserver_parameter->document_root,
      char *application_relative_source_directory() );

/* Process */
POST_PROMPT_PROCESS *
   post_prompt_process_calloc(
      void );

/* Sets appaserver environment and outputs argv. */
/* Each parameter is security inspected. */
/* Any error will exit( 1 ). */
SESSION_PROCESS *session_process =
   session_process_integrity_exit(
      int argc,
      char **argv,
      char *application_name,
      char *session_key,
      char *login_name,
      char *role_name,
      char *process_or_set_name );

LIST *process_parameter_folder_name_list(
   session_process->process_name,
   session_process->process_set_name,
   is_drillthru );

LIST *folder_attribute_name_list_attribute_list(
   process_parameter_folder_name_list() );

LIST *folder_attribute_date_name_list(
   folder_attribute_name_list_attribute_list() );

DICTIONARY_SEPARATE_PROMPT_PROCESS *
   dictionary_separate_prompt_process =
      dictionary_separate_prompt_process_new(
         post_dictionary->original_post_dictionary,
         application_name,
         login_name,
         folder_attribute_date_name_list(),
         folder_attribute_name_list_attribute_list() );

if ( is_drillthru )
{
   char *prompt_process_output_system_string(
      char *PROMPT_PROCESS_OUTPUT_EXECUTABLE,
      char *application_name,
      char *session_key,
      char *login_name,
      char *role_name,
      char *process_or_set_name,
      char *dictionary_separate_send_string(),
      1 /* has_drillthru */,
      0 /* not is_drillthru */,
      appaserver_error_filename() );
}
else
{
   char *post_prompt_process_name(
      char *PROCESS_SET_PROCESS_LABEL,
      char *process_set->prompt_display_text,
      dictionary_separate_prompt_process->
         non_prefixed_dictionary );

   PROCESS *process =
      process_fetch(
         session_process->process_name,
         document_root,
         application_relative_source_directory,
         1 /* check_executable_inside */ );


   char *post_prompt_process_command_line(
      char *process->command_line,
      char *session_key,
      char *login_name,
      char *role_name,
      char *post_prompt_process_name(),
      DICTIONARY *query_dictionary,
      DICTIONARY *non_prefixed_dictionary,
      char *application_error_directory(
         application_name ) );
}

/* Public */
char *post_prompt_process_action_string(
   char *POST_PROMPT_PROCESS_EXECUTABLE,
   char *application_name,
   char *session_key,
   char *login_name,
   char *role_name,
   char *process_name,
   boolean has_drillthru,
   boolean is_drillthru );
```

SESSION_PROCESS

DICTIONARY_SEPARATE_PROMPT_PROCESS

```
DICTIONARY *drillthru_dictionary;
DICTIONARY *query_dictionary;
DICTIONARY *non_prefixed_dictionary;
```

PROCESS

PROCESS_SET

```
/* Usage */
PROCESS_SET *process_set_fetch(
    char *process_set_name,
    char *role_name,
    char *application_parameter_file->
        document_root,
    char *application_relative_source_directory(),
    boolean fetch_process_set_member_name_list );

/* Attributes */
char *notepad;
char *html_help_file_anchor;
char *post_change_javascript;
char *prompt_display_text;
char *process_group;
char *preprompt_help_text;
boolean prompt_display_bottom;
char *javascript_filename;

/* Process */
char *process_set_primary_where(
    char *process_set_name );

char *process_set_system_string(
    char *PROCESS_SET_SELECT,
    char *PROCESS_SET_TABLE,
    char *process_set_primary_where() );

PROCESS_SET *process_set_parse(
    char *string_pipe_fetch(
        process_set_system_string() )
            /* input */,
    char *role_name,
    char *document_root,
    char *application_relative_source_directory,
    boolean fetch_process_set_member_list );

PROCESS_SET *process_set_new(
    char *process_set_name );

PROCESS_SET *process_set_calloc( void );

if ( javascript_filename )
{
    JAVASCRIPT *javascript =
        javascript_new(
            javascript_filename,
            document_root,
            application_relative_source_directory );
}

if ( fetch_process_set_member_name_list )
{
    LIST *process_set_member_name_list(
        char *process_set_primary_where(),
        char *role_name );
}

/* Public */
char *process_set_process_where(
    LIST *process_set_member_name_list() );
```



PROCESS

```
/* Usage */
PROCESS *process_fetch(
    char *process_name,
    char *application_parameter_file->
        document_root,
    char *application_relative_source_directory(),
    boolean check_executable_inside_filesystem );

/* Attributes */
char *command_line;
char *notepad;
char *html_help_file_anchor;
int execution_count;
char *post_change_javascript;
char *process_set_display;
char *process_group;
char *preprompt_help_text;
char *javascript_filename;


/* Process */
char *process_primary_where(
    char *process_name );

char *process_system_string(
    char *PROCESS_SELECT,
    char *PROCESS_TABLE,
    char *process_primary_where() );
PROCESS *process_parse(
    char *string_pipe_fetch(
        process_system_string() )
            /* input */,
    char *document_root,
    char *application_relative_source_directory,
    boolean check_executable_inside_filesystem );

JAVASCRIPT *javascript =
    javascript_new(
        javascript_filename,
        document_root,
        application_relative_source_directory );
```

JAVASCRIPT

JAVASCRIPT

```
/* Usage */
JAVASCRIPT *javascript =
    javascript_new(
        char *javascript_filename,
        appaserver_parameter->
            document_root,
        application_relative_source_directory() );

/* Process */
char *javascript_html(
    javascript_filename,
    document_root,
    application_relative_source_directory );

char *javascript_source(
    javascript_html(),
    document_root );

/* Private */
void javascript_replace_state(
    char *post_change_javascript /* in/out */,
    char *state );

void javascript_replace_row(
    char *post_change_javascript /* in/out */,
    int row_number );

/* Public */
char *javascript_replace(
    char *post_change_javascript,
    char *state,
    int row_number );

char *javascript_post_change_append(
    char *original_post_change_javascript,
    char *post_change_javascript,
    boolean place_first );

void javascript_output_cat(
    FILE *output_stream,
    char *javascript_source() );

void javascript_output_link(
    FILE *output_stream,
    char *javascript_html() );
```

PROCESS public

```
boolean process_prompt_exists_preprompt(
    char *process_or_set_name );

boolean process_executable_ok(
    char *executable );

char *process_name_fetch(
    char *process_or_set_name );

char *process_set_name_fetch(
    char *process_or_set_name );

char *process_dictionary_process_member(
    char *process_set_name,
    DICTIONARY *parsed_decoded_post_dictionary,
    char *from_starting_label );

LIST *process_role_process_name_list(
    char *role_primary_where(
        char *role_name ) );

LIST *process_delimited_list(
    char *command_line );

void process_execution_count_increment(
    char *process_name );

/* Private */
boolean process_interpreted_executable_ok(
    char *which_string );
```



PROCESS command_line

```
/* Public */
void process_replace_where_command_line(
    char *command_line,
    LIST *folder_attribute_list,
    LIST *relation_mto1_non_isa_list,
    char *security_entity_where(),
    DICTIONARY *drillthru_dictionary );

char *process_parameter_command_line(
    char *command_line,
    char *process_name,
    char *login_name,
    char *role_name,
    DICTIONARY *drillthru_dictionary );

char *process_choose_isa_command_line(
    char *command_line,
    char *application_name,
    char *security_entity_where,
    char *login_name,
    char *role_name,
    char *one_isa_folder_name );

char *process_operation_command_line(
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *folder_name,
    DICTIONARY *dictionary_single_row(),
    char *operation_name,
    char *command_line,
    pid_t parent_process_id,
    int operation_row_checked_count(),
    LIST *primary_key_data_list );

char *process_widget_command_line(
    char *command_line,
    char *application_name,
    char *security_entity_where,
    char *one_folder_name,
    char *state,
    DICTIONARY *drillthru_dictionary );

char *process_update_row_command_line(
    char *command_line,
    DICTIONARY *drillthru_dictionary,
    char *login_name,
    char *role_name,
    char *folder_name,
    char *state,
    int row,
    char *process_name,
    char *one_folder_name,
    LIST *primary_data_list );

void process_replace_one_folder_command_line(
    char *command_line,
    char *one_folder_name );

void process_replace_state_command_line(
    char *command_line,
    char *state );
```

PROCESS_PARAMETER (1)

```
/*  Usage */
LIST *process_parameter_system_list(
    char *process_parameter_[set_]system_string(),
    char *login_name,
    char *role_name,
    DICTIONARY *drillthru_dictionary );

/* Usage */
PROCESS_PARAMETER *process_parameter_parse(
    char *input,
    char *login_name,
    char *role_name,
    DICTIONARY *drillthru_dictionary );

/* Attributes */
char *process_or_set_name;
char *folder_name;
char *attribute_name;
char *drop_down_prompt_name;
char *prompt_name;
int display_order;
boolean drop_down_multi_select;
boolean drillthru;
char *populate_drop_down_process_name;
char *populate_helper_process_name;

/* Process */
PROCESS_PARAMETER *process_parameter_new(
    char *process_or_set_name,
    char *folder_name,
    char *attribute_name,
    char *drop_down_prompt_name,
    char *prompt_name );

PROCESS_PARAMETER *process_parameter_calloc(
    void );

if ( populate_drop_down_process_name )
{
    PROCESS_PARAMETER_DROP_DOWN *
        process_parameter_drop_down =
            process_parameter_drop_down_process_fetch(
                folder_name,
                prompt_name,
                drop_down_multi_select,
                populate_drop_down_process_name );
}

if ( strcmp( folder_name, “null” ) != 0
&& !populate_drop_down_process_name )
{
    PROCESS_PARAMETER_DROP_DOWN *
        process_parameter_drop_down =
            process_parameter_drop_down_folder_fetch(
                login_name,
                role_name,
                drillthru_dictionary,
                folder_name,
                drop_down_multi_select );
}

if ( strcmp( attribute_name, “null” ) != 0 )
{
    ATTRIBUTE *attribute =
        attribute_fetch(
            attribute_name );
}
```

process_parameter_drop_down_process_fetch()
process_parameter_drop_down_folder_fetch()

PROCESS_PARAMETER_DROP_DOWN

ATTRIBUTE

PROCESS_PARAMETER (2)

```
/* Process (continued) */
if ( strcmp( drop_down_prompt_name, “null” ) != 0 )
{
    PROCESS_PARAMETER_DROP_DOWN_PROMPT *
        process_parameter_drop_down_prompt =
            process_parameter_drop_down_prompt_fetch(
                drop_down_prompt_name );
}

if ( strcmp( prompt_name, “null” ) != 0
&& !process_parameter_drop_down )
{
    PROCESS_PARAMETER_PROMPT *
        process_parameter_prompt =
            process_parameter_prompt_fetch(
                prompt_name );
}

/* Public */
char *process_parameter_where(
    char *process_name,
    boolean is_drillthru );

char *process_parameter_system_string(
    char *PROCESS_PARAMETER_SELECT,
    char *PROCESS_PARAMETER_TABLE,
    char *process_parameter_where() );

char *process_parameter_set_where(
    char *process_set_name,
    boolean is_drillthru );

char *process_parameter_set_system_string(
    char *PROCESS_SET_PARAMETER_SELECT,
    char *PROCESS_SET_PARAMETER_TABLE,
    char *process_parameter_set_where );

LIST *process_parameter_folder_name_list(
    char *process_name,
    char *process_set_name,
    boolean is_drillthru );

boolean process_parameter_date_boolean(
    LIST *process_parameter_list );

boolean process_parameter_has_drillthru(
    char *process_name
    char *process_set_name );

/* Returns process_parameter_list */
LIST *process_parameter_set_append_list(
    LIST *process_parameter_list,
    char *PROCESS_SET_PROCESS_LABEL,
    char *process_set->prompt_display_text,
    LIST *process_set->member_name_list );

PROCESS_PARAMETER_DROP_DOWN_PROMPT *
    process_parameter_set_append_drop_down_prompt(
        char *PROCESS_SET_PROCESS_LABEL,
        char *prompt_display_text,
        LIST *member_name_list );
```

process_parameter_drop_down_prompt_fetch()
process_parameter_set_append_drop_down_prompt()

PROCESS_PARAMETER_DROP_DOWN_PROMPT

PROCESS_PARAMETER_PROMPT

PROCESS_PARAMETER_DROP_DOWN_PROMPT

```
/* Usage */
PROCESS_PARAMETER_DROP_DOWN_PROMPT *
    process_parameter_drop_down_prompt_fetch(
        char *strdup( drop_down_prompt_name ) );

/* Process */
char *process_parameter_drop_down_prompt_primary_where(
    char *drop_down_prompt_name );

char *process_parameter_drop_down_prompt_system_string(
    char *PROCESS_PARAMETER_DROP_DOWN_PROMPT_SELECT,
    char *PROCESS_PARAMETER_DROP_DOWN_PROMPT_TABLE,
    char *process_parameter_drop_down_prompt_primary_where() );

PROCESS_PARAMETER_DROP_DOWN_PROMPT *
    process_parameter_drop_down_prompt_parse(
        char *drop_down_prompt_name,
        char *process_parameter_drop_down_prompt_primary_where(),
        char *string_fetch_pipe(
            process_parameter_drop_down_prompt_system_string() )
            /* input */ );

PROCESS_PARAMETER_DROP_DOWN_PROMPT *
    process_parameter_drop_down_prompt_new(
        char *drop_down_prompt_name );

PROCESS_PARAMETER_DROP_DOWN_PROMPT *
    process_parameter_drop_down_prompt_calloc(
        void );

/* Attributes */
char *drop_down_prompt_name;
char *hint_message;
char *optional_display;

LIST *process_parameter_drop_down_prompt_data_list(
    drop_down_prompt_name,
    process_parameter_drop_down_prompt_primary_where() );
```



PROCESS_PARAMETER_DROP_DOWN_PROMPT_DATA

```
/* Usage */
LIST *process_parameter_drop_down_prompt_data_list(
    char *strdup( drop_down_prompt_name ),
    char *process_parameter_drop_down_prompt_primary_where(
        drop_down_prompt_name ) );

/* Process */
char *process_parameter_drop_down_prompt_data_system_string(
    char *PROCESS_PARAMETER_DROP_DOWN_PROMPT_DATA_SELECT,
    char *PROCESS_PARAMETER_DROP_DOWN_PROMPT_TABLE,
    char *process_parameter_drop_down_prompt_primary_where() );

LIST *process_parameter_drop_down_prompt_data_system_list(
    char *drop_down_prompt_name,
    char *process_parameter_drop_down_prompt_system_string() );

list = list_new();

list_set(
    list,
    PROCESS_PARAMETER_DROP_DOWN_PROMPT_DATA *
        process_parameter_drop_down_prompt_data_parse(
            char *drop_down_prompt_name,
            char *string_input() /* input */ ) );

PROCESS_PARAMETER_DROP_DOWN_PROMPT_DATA *
    process_parameter_drop_down_prompt_data_new(
        char *drop_down_prompt_name,
        char *strdup( drop_down_prompt_data ) );

PROCESS_PARAMETER_DROP_DOWN_PROMPT_DATA *
    process_parameter_drop_down_prompt_data_calloc(
        void );

/* Attributes */
char *drop_down_prompt_name;
char *drop_down_prompt_data;
int display_order;
```

PROCESS_PARAMETER_PROMPT

```
/* Usage */
PROCESS_PARAMETER_PROMPT *
    process_parameter_prompt_fetch(
        char *strdup( prompt_name ) );

/* Process */
char *process_parameter_prompt_primary_where(
    char *prompt_name );

char *process_parameter_prompt_system_string(
    char *PROCESS_PARAMETER_PROMPT_SELECT,
    char *PROCESS_PARAMETER_PROMPT_TABLE,
    char *process_parameter_prompt_primary_where() );

PROCESS_PARAMETER_PROMPT *process_parameter_parse(
    char *prompt_name,
    char *string_fetch_pipe(
        char *process_parameter_prompt_system_string() )
                /* input */ );

PROCESS_PARAMETER_PROMPT *process_parameter_prompt_new(
    char *prompt_name );

PROCESS_PARAMETER_PROMPT *process_parameter_prompt_calloc(
    void );

/* Attributes */
char *prompt_name;
int input_width;
char *hint_message;
boolean upload_filename;
boolean date;
```

PROCESS_PARAMETER_DROP_DOWN

```
/* Usage */
PROCESS_PARAMETER_DROP_DOWN *
   process_parameter_drop_down_process_fetch(
      char *folder_name,
      char *prompt_name,
      boolean drop_down_multi_select,
      char *populate_drop_down_process_name );

/* Process */
LIST *attribute_name_list =
   process_parameter_drop_down_attribute_name_list(
      char *folder_name,
      char *prompt_name );

char *drop_down_name =
   char *list_display_delimited(
      attribute_name_list,
      '^' );

PROCESS *process =
   process_fetch(
      populate_drop_down_process_name,
      (char *)0 /* document_root */,
      (char *)0
         /* application_relative_source_directory */,
      1 /* check_executable_inside_filesystem */ );

LIST *delimited_list =
   list_pipe_fetch(
      process->command_line );

/* Usage */
PROCESS_PARAMETER_DROP_DOWN *
   process_parameter_drop_down_folder_fetch(
      char *login_name,
      char *role_name,
      DICTIONARY *drillthru_dictionary,
      char *folder_name,
      boolean drop_down_multi_select );

/* Process */
ROLE *role =
   role_fetch(
      role_name,
      0 /* not fetch_attribute_exclude_list */ );

boolean process_parameter_drop_down_fetch_mto1(
   DICTIONARY *drillthru_dictionary );

FOLDER *folder =
   folder_fetch(
      folder_name,
      /* Not fetching role_folder_list */
      (char *)0 /* role_name */,
      (LIST *)0
         /* role_exclude_lookup_attribute_name_list */,
      /* Also sets folder_attribute_primary_list */
      /* and primary_key_list */
      1 /* fetch_folder_attribute_list */,
      process_parameter_drop_down_fetch_mto1()
         /* fetch_relation_mto1_non_isa_list */,
      /* Also sets folder_attribute_append_isa_list */
      0 /* fetch_relation_mto1_isa_list */,
      0 /* not fetch_relation_one2m_list */,
      0 /* fetch_relation_one2m_recursive_list */,
      0 /* not fetch_process */,
      0 /* not fetch_role_folder_list */,
      1 /* fetch_row_level_restriction */,
      0 /* not fetch_role_operation_list */ );

char *drop_down_name =
   char *list_display_delimited(
      folder->primary_key_list,
      '^' );

SECURITY_ENTITY *security_entity =
   security_entity_new(
      login_name,
      folder->non_owner_forbid,
      role->override_row_restrictions );

QUERY_WIDGET *query_widget =
   query_widget_fetch(
      folder_name /* widget_folder_name */,
      login_name,
      folder->folder_attribute_list(),
      folder->relation_mto1_non_isa_list,
      security_entity_where(
         security_entity,
         folder->folder_attribute_list ),
      drillthru_dictionary );

LIST *delimited_list = query_widget->delimited_list;

/* Attribute */
boolean drop_down_multi_select;
```



PROCESS_GENERIC (1)

```
/* Usage */
PROCESS_GENERIC *process_generic_fetch(
    char *process_set_name,
    char *process_name,
    char *login_name,
    char *output_medium_string,
    DICTIONARY *post_dictionary );

/* Input */
char *process_set_name;
char *login_name;
char *output_medium_string;
DICTIONARY *post_dictionary;

/* Process */
char *process_name =
    process_generic_process_name(
        process_set_name,
        post_dictionary );

char *value_folder_name =
    process_generic_value_folder_name(
        process_name,
        process_set_name );

PROCESS_GENERIC_VALUE_FOLDER *value_folder =
    process_generic_value_folder_fetch(
        value_folder_name );

PROCESS_GENERIC_PARAMETER *parameter =
    process_generic_parameter_parse(
        output_medium_string,
        post_dictionary,
        value_folder->datatype->aggregation_sum,
        value_folder->primary_key_list,
        value_folder->date_attribute_name,
        value_folder->time_attribute_name );

char *process_generic_select(
    value_folder->primary_key_list,
    parameter->value_attribute_name );

char *process_generic_date_where(
    value_folder->date_attribute_name,
    parameter->begin_date,
    parameter->end_date );

PROCESS_GENERIC_WHERE *process_generic_where =
    process_generic_where_new(
        value_folder_name,
        value_folder->foreign_folder->foreign_key_list
            /* where_attribute_name_list */,
        value_folder->foreign_folder->foreign_attribute_data_list
            /* where_attribute_data_list */,
        value_folder->foreign_folder->folder->folder_attribute_primary_list,
        process_generic_date_where() );

char *process_generic_system_string(
    process_generic_select(),
    value_folder_name,
    process_generic_where->where_clause,
    parameter->aggregate_level,
    parameter->aggregate_statistic,
    parameter->accumulate,
    parameter->date_piece,
    parameter->time_piece,
    parameter->value_piece,
    parameter->end_date,
    value_folder->datatype->unit /* datatype_unit */,
    value_folder->foreign_folder->unit /* foreign_folder_unit */,
    parameter->units_converted );
```

PROCESS_GENERIC_VALUE_FOLDER

PROCESS_GENERIC_PARAMETER

PROCESS_GENERIC_WHERE

PROCESS_GENERIC (2)

```
char *process_generic_heading(
    value_folder->primary_key_list,
    value_folder->value_attribute_name,
    value_folder->datatype->unit /* datatype_unit */,
    value_folder->foreign_folder->unit /* foreign_folder_unit */,
    parameter->units_converted,
    parameter->aggregate_level,
    parameter->aggregate_statistic,
    parameter->accumulate );

char *process_generic_subtitle(
    value_folder_name,
    parameter->begin_date,
    parameter->end_date,
    parameter->aggregate_level,
    parameter->aggregate_statistic
    additional_message );

/* Public */
char *process_generic_units_label(
    units,
    units_converted,
    enum aggregate_statistic );

enum date_convert_format process_generic_date_convert_format(
    login_name );

boolean process_generic_no_cycle_color(
    role_name );
```

PROCESS_GENERIC_PARAMETER

```
/* Attributes */
char *output_medium_string;
enum process_generic_medium output_medium;
char *begin_date;
char *end_date;
enum aggregate_level aggregate_level;
enum aggregate_statistic aggregate_statistic;
boolean accumulate;
char *email_address;
char *units_converted;
pidt process_id;
int date_piece;
int time_piece;
int value_piece;

/* Usage */
PROCESS_GENERIC_PARAMETER *process_generic_parameter_parse(
    process_generic->output_medium_string,
    process_generic_>post_dictionary,
    process_generic->value_folder->datatype->aggregation_sum,
    value_folder_primary_key_list,
    value_folder_date_attribute_name,
    value_folder_time_attribute_name );
```

{ text_file, output_medium_stdout, table, spreadsheet, gracechart, output_medium_unknown

PROCESS_GENERIC_WHERE

```
/* Usage */
PROCESS_GENERIC_WHERE *process_generic_where_new(
    char *value_folder_name,
    LIST *where_attribute_name_list,
    LIST *where_attribute_data_list,
    LIST *folder_attribute_primary_list,
    char *date_where );

/* Process */
char *data_where =
    query_data_where(
        value_folder_name,
        where_attribute_name_list,
        where_attribute_data_list,
        folder_attribute_primary_list );

char *process_generic_where_clause(
        data_where,
        date_where );
```

PROCESS_GENERIC_VALUE_FOLDER

```
/* Usage */
PROCESS_GENERIC_VALUE_FOLDER *value_folder =
    process_generic_value_folder_fetch(
        process_generic->value_folder_name,
        process_generic->post_dictionary );

/* Input */
char *value_folder_name;
DICTIONARY *post_dictionary;

/* Process */
PROCESS_GENERIC_VALUE_FOLDER *value_folder_parse(
    input );

/* Attributes */
char *datatype_folder_name;
char *foreign_folder_name;
char *datatype_attribute_name;
char *date_attribute_name;
char *time_attribute_name;
char *value_attribute_name;
boolean exists_aggregation_sum;
boolean exists_bar_graph;
boolean exists_scale_graph_zero;
boolean datatype_exists_unit;
boolean foreign_exists_unit;

LIST *folder_attribute_list(
    value_folder_name,
    (LIST *)0 /* exclude_attribute_name_list */,
    0 /* not fetch_attribute */ );

LIST *folder_attribute_primary_key_list(
    folder_attribute_list );

int primary_key_list_length =
    list_length(
        folder_attribute_primary_key_list() );

PROCESS_GENERIC_DATATYPE *datatype =
    process_generic_datatype_fetch(
        datatype_folder_name,
        datatype_attribute_name,
        exists_aggregation_sum,
        exists_bar_graph,
        exists_scale_graph_zero,
        datatype_exists_units,
        post_dictionary );

PROCESS_GENERIC_FOREIGN_FOLDER *foreign_folder =
    process_generic_foreign_folder_fetch(
        foreign_folder_name,
        foreign_exists_unit,
        post_dictionary );

/* Public */
LIST *process_generic_datatype_compare_list(
    process_generic->post_dictionary,
    exists_aggregation_sum,
    exists_bar_graph,
    exists_scale_graph_zero,
    datatype_exists_unit );
```

process_generic_datatype_fetch()

process_generic_datatype_compare_list()



process_generic_foreign_folder_fetch()

PROCESS_GENERIC_FOREIGN_FOLDER

PROCESS_GENERIC_DATATYPE

char *



PROCESS_GENERIC_FOREIGN_FOLDER

```
/* Usage */
PROCESS_GENERIC_FOREIGN_FOLDER *process_generic_foreign_folder_fetch(
    process_generic->value_folder->foreign_folder_name,
    process_generic->post_dictionary,
    process_generic->value_folder->foreign_exists_unit );

/* Process */
FOLDER *folder =
    folder_fetch(
        foreign_folder_name,
            /* Not fetching role_folder_list */
            (char *)0 /* role_name,
            (LIST *)0 /* exclude_attribute_name_list */,
            /* Also sets folder_attribute_primary_list */
            /* and primary_key_list. */
            1 /* fetch_folder_attribute_list */,
            0 /* not fetch_relation_mto1_non_isa_list */,
            0 /* not fetch_relation_mto1_isa_list */,
            0 /* not fetch_relation_one2m_list */,
            0 /* not fetch_relation_one2m_recursive_list */,
            0 /* not fetch_process */,
            0 /* not fetch_role_folder_list */,
            0 /* not fetch_row_level_restriction */,
            0 /* not fetch_role_operation_list */ );

LIST *foreign_key_list = folder->primary_key_list;

LIST *foreign_attribute_data_list =
    dictionary_key_list_fetch(
        foreign_key_list,
        post_dictionary );

char *unit = (foreign_exists_unit) ? list_last( foreign_attribute_data_list ) : (char *)0;
```

PROCESS_GENERIC_DATATYPE

```
/* Usage */
PROCESS_GENERIC_DATATYPE *process_generic_datatype_fetch(
    process_generic_value_folder->datatype_folder_name,
    process_generic_value_folder->datatype_attribute_name,
    process_generic_value_folder->exists_aggregation_sum,
    process_generic_value_folder->exists_bar_graph,
    process_generic_value_folder->exists_scale_graph_zero,
    process_generic_value_folder->datatype_exists_units,
    process_generic_value_folder->post_dictionary );

/* Input */
char *datatype_folder_name;
char *datatype_attribute_name;
boolean exists_aggregation_sum;
boolean exists_bar_graph;
boolean exists_scale_graph_zero;
boolean datatype_exists_units;
DICTIONARY *post_dictionary;

/* Process */
char *datatype_name;
boolean aggregation_sum;
boolean bar_graph;
boolean scale_graph_zero;
char *unit;
```

```
char *process_generic_datatype_select(
    datatype_attribute_name,
    exists_aggregation_sum,
    exists_bar_graph,
    exists_scale_graph_zero,
    datatype_exists_unit );

char *datatype_name =
    dictionary_get(
        datatype_attribute_name,
        post_dictionary );

char *process_generic_datatype_where(
    datatype_attribute_name,
    datatype_name );

char *process_generic_datatype_system_string(
    process_generic_datatype_select(),
    process_generic_datatype->datatype_folder_name,
    process_generic_datatype_where() );

PROCESS_GENERIC_DATATYPE *process_generic_datatype_parse(
    string_pipe_fetch(
        process_generic_datatype_system_string() )
            /* input_buffer */ );
```



PROCESS_GENERIC_VALUE

```
char *date;
char *time;
char *unit;
double value;
boolean is_null;
double accumulate
```

```
PROCESS_GENERIC_VALUE *process_generic_value_parse(
    double *accumulate_value,
    char *input,
    char *time_attribute,
    boolean unit_value_folder,
    boolean accumulate_boolean,
    enum aggregate_level );
```

DICTIONARY

```
/* Usage */
DICTIONARY *dictionary_new( void  );

DICTIONARY *dictionary_small( void );

DICTIONARY *dictionary_medium( void );

DICTIONARY *dictionary_large( void );

DICTIONARY *dictionary_huge( void );

DICTIONARY *dictionary_super( void );

DICTIONARY *dictionary_duper( void );

DICTIONARY *dictionary_string_new(
   char *dictionary_string );

/* Process */
DICTIONARY *dictionary_calloc();

/* Public */
int dictionary_length(
   DICTIONARY *dictionary );

void dictionary_set(
   DICTIONARY *dictionary,
   char *key,
   char *data );

char *dictionary_get(
   char *key,
   DICTIONARY *dictionary );

void dictionary_free(
   DICTIONARY *dictionary );

void dictionary_free_data(
   DICTIONARY *dictionary,
   LIST *key_list );

void dictionary_free_container(
   DICTIONARY *dictionary );

char **dictionary_key_array(
   DICTIONARY *dictionary );

boolean dictionary_all_null_data(
   DICTIONARY *dictionary );

LIST *dictionary_key_list(
   DICTIONARY *dictionary );

LIST *dictionary_ordered_key_list(
   DICTIONARY *dictionary );

char *dictionary_display(
   DICTIONARY *dictionary );

char *dictionary_list_display(
   LIST *dictionary_list );

char *dictionary_display_delimited(
   DICTIONARY *dictionary,
   char delimiter );

int dictionary_key_highest_index(
   DICTIONARY *dictionary );

LIST *dictionary_data_list(
   LIST *key_list,
   DICTIONARY *dictionary );

void dictionary_set_string(
   DICTIONARY *dictionary,
   char *key,
   char *data_string );

DICTIONARY *dictionary_copy(
   DICTIONARY *dictionary );

DICTIONARY *dictionary_large_copy(
   DICTIONARY *dictionary );

/* Two notes:
1) No memory gets allocated. Both the key and data
still exist in the append_dictionary dictionary.
2) If a they share a key, then it doesn't clobber the
source_destinatation. */
void dictionary_append_dictionary(
   DICTIONARY *source_destination,
   DICTIONARY *append_dictionary );

char *dictionary_attribute_name_append_row_number(
   char *attribute_name,
   int row_number );

DICTIONARY *dictionary_file_fetch(
   char *filename,
   char delimiter );

void dictionary_parse_multi_attribute_keys(
   DICTIONARY *dictionary,
   char delimiter );

DICTIONARY *dictionary_single_row(
   LIST *key_list,
   int row_number,
   DICTIONARY *multi_row_dictionary );
```

DICTIONARY_SEPARATE

```
/* Usage */
DICTIONARY_SEPARATE *
   dictionary_separate_string_new(
      DICTIONARY *post_dictionary_string_new()->
         dictionary
            /* original_post_dictionary */ );

/* Input */
DICTIONARY *original_post_dictionary;

/* Private */
DICTIONARY_SEPARATE *dictionary_separate_calloc(
   void  );

DICTIONARY *dictionary_separate_multi_row_attribute(
   DICTIONARY *destination_dictionary,
   LIST *folder_attribute_name_list,
   DICTIONARY *source_dictionary,
   int row_number );

/* Public */
DICTIONARY *dictionary_separate_remove_prefix(
   char *prefix,
   DICTIONARY *dictionary );

DICTIONARY *dictionary_separate_non_prefixed(
   char *DICTIONARY_SEPARATE_SORT_PREFIX,
   char *DICTIONARY_SEPARATE_QUERY_PREFIX,
   char *DICTIONARY_SEPARATE_DRILLTHRU_PREFIX,
   char *DICTIONARY_SEPARATE_IGNORE_PREFIX,
   char *DICTIONARY_SEPARATE_NO_DISPLAY_PREFIX,
   char *DICTIONARY_SEPARATE_PAIR_PREFIX,
   DICTIONARY *dictionary );

DICTIONARY *dictionary_separate_row_zero(
   LIST *folder_attribute_name_list,
   DICTIONARY *dictionary );

DICTIONARY *dictionary_separate_multi_row(
   LIST *folder_attribute_name_list,
   DICTIONARY *dictionary );

DICTIONARY *dictionary_separate_row(
   LIST *folder_attribute_name_list,
   DICTIONARY *dictionary_separate_multi_row(),
   int row_number );

DICTIONARY *dictionary_separate_operation(
   LIST *role_operation_name_list,
   DICTIONARY *dictionary );

char *dictionary_separate_hidden_html(
   char *prefix,
   DICTIONARY *dictionary );

DICTIONARY *dictionary_separate_send_dictionary(
   DICTIONARY *sort_dictionary,
   char *DICTIONARY_SEPARATE_SORT_PREFIX,
   DICTIONARY *query_dictionary,
   char *DICTIONARY_SEPARATE_QUERY_PREFIX,
   DICTIONARY *drillthru_dictionary,
   char *DICTIONARY_SEPARATE_DRILLTHRU_PREFIX,
   DICTIONARY *ignore_dictionary,
   char *DICTIONARY_SEPARATE_IGNORE_PREFIX,
   DICTIONARY *no_display_dictionary,
   char *DICTIONARY_SEPARATE_NO_DISPLAY_PREFIX,
   DICTIONARY *pair_one2m_dictionary,
   char *DICTIONARY_SEPARATE_PAIR_PREFIX,
   DICTIONARY *non_prefixed_dictionary );

char *dictionary_separate_send_string(
   DICTIONARY *
      dictionary_separate_send_dictionary() );
```

DICTIONARY_SEPARATE_DRILLTHRU

```
/* Usage */
DICTIONARY_SEPARATE_DRILLTHRU *
    dictionary_separate_drillthru_new(
        DICTIONARY *post_dictionary->
            original_post_dictionary,
        char *application_name,
        char *login_name,
        LIST *folder_attribute_date_name_list(),
        LIST *folder_attribute_list );

/* Process */
DICTIONARY_SEPARATE_DRILLTHRU *
    dictionary_separate_drillthru_calloc(
        void );

if ( !dictionary_length( original_post_dictionary ) )
{
    return dictionary_separate_drillthru;
}

DICTIONARY_SEPARATE_TRIM_DOUBLE_BRACKET *
    trim_double_bracket =
        dictionary_separate_trim_double_bracket_new(
            original_post_dictionary );

DICTIONARY_SEPARATE_PARSE_MULTI *
    parse_multi =
        dictionary_separate_parse_multi_new(
            trim_double_bracket->dictionary,
            SQL_DELIMITER );

DICTIONARY_SEPARATE_DATE_CONVERT *
    date_convert =
        dictionary_separate_date_convert_new(
            parse_multi->dictionary,
            application_name,
            login_name,
            folder_attribute_date_name_list
            FORM_ATTRIBUTE_FROM_PREFIX,
            FORM_ATTRIBUTE_TO_PREFIX );

DICTIONARY_SEPARATE_SQL_INJECTION_ESCAPE *
    sql_injection_escape =
        dictionary_separate_sql_injection_escape_new(
            date_convert->dictionary,
            folder_attribute_list );

DICTIONARY *drillthru_dictionary =
    dictionary_separate_remove_prefix(
        DICTIONARY_SEPARATE_DRILLTHRU_PREFIX,
        sql_injection_escape->dictionary );
```

DICTIONARY_SEPARATE_POST_PROMPT_INSERT

```
/* Usage */
DICTIONARY_SEPARATE_POST_PROMPT_INSERT *
    dictionary_separate_post_prompt_insert_new(
        DICTIONARY *post_dictionary->
            original_post_dictionary,
        char *application_name,
        char *login_name,
        LIST *folder_attribute_name_list(),
        LIST *folder_attribute_date_name_list(),
        LIST *folder_attribute_append_isa_list );

/* Process */
DICTIONARY_SEPARATE_POST_PROMPT_INSERT *
    dictionary_separate_post_prompt_insert_calloc(
        void );

if ( !dictionary_length( original_post_dictionary ) )
{
    return dictionary_separate_post_prompt_insert;
}

DICTIONARY_SEPARATE_TRIM_DOUBLE_BRACKET *
    trim_double_bracket =
        dictionary_separate_trim_double_bracket_new(
            original_post_dictionary );

DICTIONARY_SEPARATE_PARSE_MULTI *
    parse_multi =
        dictionary_separate_parse_multi_new(
            trim_double_bracket->dictionary,
            SQL_DELIMITER );

DICTIONARY_SEPARATE_DATE_CONVERT *
    date_convert =
        dictionary_separate_date_convert_new(
            parse_multi->dictionary,
            application_name,
            login_name,
            folder_attribute_date_name_list,
            FORM_ATTRIBUTE_FROM_PREFIX,
            FORM_ATTRIBUTE_TO_PREFIX );

DICTIONARY_SEPARATE_SQL_INJECTION_ESCAPE *
    sql_injection_escape =
        dictionary_separate_sql_injection_escape_new(
            date_convert->dictionary,
            folder_attribute_append_isa_list );

DICTIONARY *drillthru_dictionary =
    dictionary_separate_remove_prefix(
        DICTIONARY_SEPARATE_DRILLTHRU_PREFIX,
        sql_injection_escape->dictionary );

DICTIONARY *row_zero_dictionary =
  dictionary_separate_row_zero(
    folder_attribute_name_list,
    sql_injection_escape->dictionary );

DICTIONARY *ignore_dictionary =
    dictionary_separate_remove_prefix(
        DICTIONARY_SEPARATE_IGNORE_PREFIX,
        sql_injection_escape->dictionary );

DICTIONARY *non_prefixed_dictionary =
    dictionary_separate_non_prefixed(
        DICTIONARY_SEPARATE_SORT_PREFIX,
        DICTIONARY_SEPARATE_QUERY_PREFIX,
        DICTIONARY_SEPARATE_DRILLTHRU_PREFIX,
        DICTIONARY_SEPARATE_IGNORE_PREFIX,
        DICTIONARY_SEPARATE_NO_DISPLAY_PREFIX,
        DICTIONARY_SEPARATE_PAIR_PREFIX,
        sql_injection_escape->dictionary );

LIST *ignore_name_list =
    dictionary_key_list(
        ignore_dictionary );
```

DICTIONARY_SEPARATE_POST_TABLE_EDIT

```
/* Usage */
DICTIONARY_SEPARATE_POST_TABLE_EDIT *
    dictionary_separate_post_table_edit_new(
        DICTIONARY *post_dictionary->
            original_post_dictionary,
        char *application_name,
        char *login_name,
        LIST *folder_attribute_name_list(),
        LIST *role_operation_name_list(),
        LIST *folder_attribute_date_name_list()
        LIST *folder_attribute_append_isa_list );

/* Process */
DICTIONARY_SEPARATE_POST_TABLE_EDIT *
    dictionary_separate_post_table_edit_calloc(
        void );

if ( !dictionary_length( original_post_dictionary ) )
{
    return dictionary_separate_post_table_edit;
}

DICTIONARY_SEPARATE_TRIM_DOUBLE_BRACKET *
    trim_double_bracket =
        dictionary_separate_trim_double_bracket_new(
            original_post_dictionary );

DICTIONARY_SEPARATE_PARSE_MULTI *
    parse_multi =
        dictionary_separate_parse_multi_new(
            trim_double_bracket->dictionary,
            SQL_DELIMITER );

DICTIONARY_SEPARATE_DATE_CONVERT *
    date_convert =
        dictionary_separate_date_convert_new(
            parse_multi->dictionary,
            application_name,
            login_name,
            folder_attribute_date_name_list,
            FORM_ATTRIBUTE_FROM_PREFIX,
            FORM_ATTRIBUTE_TO_PREFIX );

DICTIONARY_SEPARATE_SQL_INJECTION_ESCAPE *
    sql_injection_escape =
        dictionary_separate_sql_injection_escape_new(
            date_convert->dictionary,
            folder_attribute_append_isa_list );

DICTIONARY *sort_dictionary =
    dictionary_separate_remove_prefix(
        DICTIONARY_SEPARATE_SORT_PREFIX,
        sql_injection_escape->dictionary );

DICTIONARY *query_dictionary =
    dictionary_separate_remove_prefix(
        DICTIONARY_SEPARATE_QUERY_PREFIX,
        sql_injection_escape->dictionary );

DICTIONARY *drillthru_dictionary =
    dictionary_separate_remove_prefix(
        DICTIONARY_SEPARATE_DRILLTHRU_PREFIX,
        sql_injection_escape->dictionary );

DICTIONARY *no_display_dictionary =
    dictionary_separate_remove_prefix(
        DICTIONARY_SEPARATE_NO_DISPLAY_PREFIX,
        sql_injection_escape->dictionary );

DICTIONARY *pair_one2m_dictionary =
    dictionary_separate_remove_prefix(
        DICTIONARY_SEPARATE_PAIR_PREFIX,
        sql_injection_escape->dictionary );

DICTIONARY *non_prefixed_dictionary =
    dictionary_separate_non_prefixed(
        DICTIONARY_SEPARATE_SORT_PREFIX,
        DICTIONARY_SEPARATE_QUERY_PREFIX,
        DICTIONARY_SEPARATE_DRILLTHRU_PREFIX,
        DICTIONARY_SEPARATE_IGNORE_PREFIX,
        DICTIONARY_SEPARATE_NO_DISPLAY_PREFIX,
        DICTIONARY_SEPARATE_PAIR_PREFIX,
        sql_injection_escape->dictionary );

DICTIONARY *row_zero_dictionary =
    dictionary_separate_row_zero(
        folder_attribute_name_list,
        sql_injection_escape->dictionary );

DICTIONARY *multi_row_dictionary =
    dictionary_separate_multi_row(
        folder_attribute_name_list,
        sql_injection_escape->dictionary );

DICTIONARY *operation_dictionary =
    dictionary_separate_operation(
        role_operation_name_list,
        sql_injection_escape->dictionary );

LIST *no_display_name_list =
    dictionary_key_list(
        no_display_dictionary );
```

DICTIONARY_SEPARATE_TABLE_EDIT

```
/* Usage */
DICTIONARY_SEPARATE_TABLE_EDIT *
    dictionary_separate_table_edit_new(
        DICTIONARY *post_dictionary->
            original_post_dictionary,
        char *application_name,
        char *login_name,
        LIST *folder_attribute_date_name_list(),
        LIST *folder_attribute_append_isa_list );

/* Process */
DICTIONARY_SEPARATE_TABLE_EDIT *
    dictionary_separate_table_edit_calloc(
        void );

if ( !dictionary_length( original_post_dictionary ) )
{
    return dictionary_separate_table_edit;
}

DICTIONARY_SEPARATE_TRIM_DOUBLE_BRACKET *
    trim_double_bracket =
        dictionary_separate_trim_double_bracket_new(
            original_post_dictionary );

DICTIONARY_SEPARATE_PARSE_MULTI *
    parse_multi =
        dictionary_separate_parse_multi_new(
            trim_double_bracket->dictionary,
            SQL_DELIMITER );

DICTIONARY_SEPARATE_DATE_CONVERT *
    date_convert =
        dictionary_separate_date_convert_new(
            parse_multi->dictionary,
            application_name,
            login_name,
            folder_attribute_date_name_list,
            FORM_ATTRIBUTE_FROM_PREFIX
            FORM_ATTRIBUTE_TO_PREFIX );

DICTIONARY_SEPARATE_SQL_INJECTION_ESCAPE *
    sql_injection_escape =
        dictionary_separate_sql_injection_escape_new(
            date_convert->dictionary,
            folder_attribute_append_isa_list );

DICTIONARY *sort_dictionary =
    dictionary_separate_remove_prefix(
        DICTIONARY_SEPARATE_SORT_PREFIX,
        sql_injection_escape->dictionary );

DICTIONARY *query_dictionary =
    dictionary_separate_remove_prefix(
        DICTIONARY_SEPARATE_QUERY_PREFIX,
        sql_injection_escape->dictionary );

DICTIONARY *drillthru_dictionary =
    dictionary_separate_remove_prefix(
        DICTIONARY_SEPARATE_DRILLTHRU_PREFIX,
        sql_injection_escape->dictionary );

DICTIONARY *no_display_dictionary =
    dictionary_separate_remove_prefix(
        DICTIONARY_SEPARATE_NO_DISPLAY_PREFIX,
        sql_injection_escape->dictionary );

DICTIONARY *non_prefixed_dictionary =
    dictionary_separate_non_prefixed(
        DICTIONARY_SEPARATE_SORT_PREFIX,
        DICTIONARY_SEPARATE_QUERY_PREFIX,
        DICTIONARY_SEPARATE_DRILLTHRU_PREFIX,
        DICTIONARY_SEPARATE_IGNORE_PREFIX,
        DICTIONARY_SEPARATE_NO_DISPLAY_PREFIX,
        DICTIONARY_SEPARATE_PAIR_PREFIX,
        sql_injection_escape->dictionary );

LIST *no_display_name_list =
    dictionary_key_list(
        no_display_dictionary );
```

DICTIONARY_SEPARATE_TABLE_INSERT

```
/* Usage */
DICTIONARY_SEPARATE_TABLE_INSERT *
    dictionary_separate_table_insert_new(
        DICTIONARY *post_dictionary->
            original_post_dictionary,
        char *application_name,
        char *login_name,
        LIST *folder_attribute_date_name_list(),
        LIST *folder_attribute_append_isa_list,
        LIST *folder_attribute_name_list );

/* Process */
DICTIONARY_SEPARATE_TABLE_INSERT *
    dictionary_separate_table_insert_calloc(
        void );

if ( !dictionary_length( original_post_dictionary ) )
{
    return dictionary_separate_table_insert;
}

DICTIONARY_SEPARATE_TRIM_DOUBLE_BRACKET *
    trim_double_bracket =
        dictionary_separate_trim_double_bracket_new(
            original_post_dictionary );

DICTIONARY_SEPARATE_PARSE_MULTI *
    parse_multi =
        dictionary_separate_parse_multi_new(
            trim_double_bracket->dictionary,
            SQL_DELIMITER );

DICTIONARY_SEPARATE_DATE_CONVERT *
    date_convert =
        dictionary_separate_date_convert_new(
            parse_multi->dictionary,
            application_name,
            login_name,
            folder_attribute_date_name_list,
            FORM_ATTRIBUTE_FROM_PREFIX,
            FORM_ATTRIBUTE_TO_PREFIX );

DICTIONARY_SEPARATE_SQL_INJECTION_ESCAPE *
    sql_injection_escape =
        dictionary_separate_sql_injection_escape_new(
            date_convert->dictionary,
            folder_attribute_append_isa_list );

DICTIONARY *drillthru_dictionary =
    dictionary_separate_remove_prefix(
        DICTIONARY_SEPARATE_DRILLTHRU_PREFIX,
        sql_injection_escape->dictionary );

DICTIONARY *ignore_dictionary =
    dictionary_separate_remove_prefix(
        DICTIONARY_SEPARATE_IGNORE_PREFIX,
        sql_injection_escape->dictionary );

DICTIONARY *non_prefixed_dictionary =
    dictionary_separate_non_prefixed(
        DICTIONARY_SEPARATE_SORT_PREFIX,
        DICTIONARY_SEPARATE_QUERY_PREFIX,
        DICTIONARY_SEPARATE_DRILLTHRU_PREFIX,
        DICTIONARY_SEPARATE_IGNORE_PREFIX,
        DICTIONARY_SEPARATE_NO_DISPLAY_PREFIX,
        DICTIONARY_SEPARATE_PAIR_PREFIX,
        sql_injection_escape->dictionary );

DICTIONARY *row_zero_dictionary =
  dictionary_separate_row_zero(
    folder_attribute_name_list,
    sql_injection_escape->dictionary );

DICTIONARY *multi_row_dictionary =
  dictionary_separate_multi_row(
    folder_attribute_name_list,
    sql_injection_escape->dictionary );

LIST *ignore_name_list =
    dictionary_key_list(
        ignore_dictionary );
```

DICTIONARY_SEPARATE_PROMPT_PROCESS

```
/* Usage */
DICTIONARY_SEPARATE_PROMPT_PROCESS *
   dictionary_separate_prompt_process_new(
      DICTIONARY *post_dictionary->
         original_post_dictionary,
      char *application_name,
      char *login_name,
      LIST *folder_attribute_date_name_list(),
      LIST *folder_attribute_name_list_attribute_list() );

/* Process */
DICTIONARY_SEPARATE_PROMPT_PROCESS *
   dictionary_separate_prompt_process_calloc(
      void );

if ( !dictionary_length( original_post_dictionary ) )
{
   return dictionary_separate_prompt_process;
}

DICTIONARY_SEPARATE_TRIM_DOUBLE_BRACKET *
   trim_double_bracket =
      dictionary_separate_trim_double_bracket_new(
         original_post_dictionary );

DICTIONARY_SEPARATE_PARSE_MULTI *
   parse_multi =
      dictionary_separate_parse_multi_new(
         trim_double_bracket->dictionary,
         SQL_DELIMITER );

DICTIONARY_SEPARATE_DATE_CONVERT *
   date_convert =
      dictionary_separate_date_convert_new(
         parse_multi->dictionary,
         application_name,
         login_name,
         folder_attribute_date_name_list,
         FORM_ATTRIBUTE_FROM_PREFIX,
         FORM_ATTRIBUTE_TO_PREFIX );

DICTIONARY_SEPARATE_SQL_INJECTION_ESCAPE *
   sql_injection_escape =
      dictionary_separate_sql_injection_escape_new(
         date_convert->dictionary,
         folder_attribute_name_list_attribute_list );

DICTIONARY *drillthru_dictionary =
   dictionary_separate_remove_prefix(
      DICTIONARY_SEPARATE_DRILLTHRU_PREFIX,
      sql_injection_escape->dictionary );

DICTIONARY *query_dictionary =
   dictionary_separate_remove_prefix(
      DICTIONARY_SEPARATE_QUERY_PREFIX,
      sql_injection_escape->dictionary );

DICTIONARY *non_prefixed_dictionary =
   dictionary_separate_non_prefixed(
      DICTIONARY_SEPARATE_SORT_PREFIX,
      DICTIONARY_SEPARATE_QUERY_PREFIX,
      DICTIONARY_SEPARATE_DRILLTHRU_PREFIX,
      DICTIONARY_SEPARATE_IGNORE_PREFIX,
      DICTIONARY_SEPARATE_NO_DISPLAY_PREFIX,
      DICTIONARY_SEPARATE_PAIR_PREFIX,
      sql_injection_escape->dictionary );
```

DICTIONARY_SEPARATE_DATE_CONVERT

```
/* Usage */
DICTIONARY_SEPARATE_DATE_CONVERT *
    dictionary_separate_date_convert_new(
        DICTIONARY *original_post_dictionary,
        char *application_name,
        char *login_name,
        LIST *folder_attribute_date_name_list(),
        char *FORM_ATTRIBUTE_FROM_PREFIX,
        char *FORM_ATTRIBUTE_TO_PREFIX );

/* Process */
DICTIONARY_SEPARATE_DATE_CONVERT *
    dictionary_separate_date_convert_calloc(
        void );

DICTIONARY *dictionary = original_post_dictionary;

if ( list_length( folder_attribute_date_name_list ) )
{
    void dictionary_separate_date_convert(
        DICTIONARY *dictionary,
        char *application_name,
        char *login_name,
        LIST *folder_attribute_date_name_list,
        char *FORM_ATTRIBUTE_FROM_PREFIX,
        char *FORM_ATTRIBUTE_TO_PREFIX );
}

/* Private */
void dictionary_separate_date_convert_string(
    DICTIONARY *dictionary,
    char *application_name,
    char *login_name,
    char *date_string,
    char *key );
```

DICTIONARY_SEPARATE_TRIM_MULTI

```
/* Usage */
DICTIONARY_SEPARATE_TRIM_MULTI *
    dictionary_separate_trim_multi_new(
        DICTIONARY *original_post_dictionary );

/* Process */
DICTIONARY_SEPARATE_TRIM_MULTI *
    dictionary_separate_trim_multi_calloc(
        void );

DICTIONARY *dictionary = original_post_dictionary;

void dictionary_separate_trim_mult(
    DICTIONARY *dictionary,
    ELEMENT_MULTI_MOVE_LEFT_RIGHT_DELIMITER );
```

DICTIONARY_SEPARATE_TRIM_DOUBLE_BRACKET

```
/* Usage */
DICTIONARY_SEPARATE_TRIM_DOUBLE_BRACKET *
    dictionary_separate_trim_double_bracket_new(
        DICTIONARY *original_post_dictionary );

/* Process */
DICTIONARY_SEPARATE_TRIM_DOUBLE_BRACKET *
    dictionary_separate_trim_double_bracket_calloc(
        void );

DICTIONARY *dictionary = original_post_dictionary;

void dictionary_separate_trim_double_bracket(
    DICTIONARY *dictionary );
```

DICTIONARY_SEPARATE_PARSE_MULTI

```
/* Usage */
DICTIONARY_SEPARATE_PARSE_MULTI *
    dictionary_separate_parse_multi_new(
        DICTIONARY *original_post_dictionary,
        char SQL_DELIMITER );

/* Process */
DICTIONARY_SEPARATE_PARSE_MULTI *
    dictionary_separate_parse_multi_calloc(
        void );

DICTIONARY *dictionary = original_post_dictionary;

void dictionary_separate_parse_multi(
    DICTIONARY *dictionary,
    char sql_delimiter );
```

DICTIONARY_SEPARATE_SQL_INJECTION_ESCAPE

```
/* Usage */
DICTIONARY_SEPARATE_SQL_INJECTION_ESCAPE *
    dictionary_separate_sql_injection_escape_new(
        DICTIONARY *original_post_dictionary,
        LIST *folder_attribute_list );

/* Process */
DICTIONARY_SEPARATE_SQL_INJECTION_ESCAPE *
    dictionary_separate_sql_injection_escape_calloc(
        void );

DICTIONARY *dictionary = original_post_dictionary;

LIST *dictionary_key_list( dictionary );

for key in dictionary_key_list()
{
    char *data =
        dictionary_get(
            key,
            dictionary );

    if ( data )
    {
        FOLDER_ATTRIBUTE *folder_attribute =
            folder_attribute_seek(
                key,
                folder_attribute_list );

        char *security_sql_injection_escape(
            /* Forbidden characters: '\" */
            security_replace_special_characters(
                string_trim_number_characters(
                    data,
                    folder_attribute->
                        attribute->
                        datatype_name ) ) ) );

        dictionary_set(
            dictionary,
            key,
            security_sql_injection_escape() );
    }
}
```

FOLDER_MENU

```
/* Usage */
FOLDER_MENU *folder_menu_new(
    char *application_name,
    char *session_key,
    char *role_name,
    char *appaserver_parameter->data_directory );

/* Process */
ROLE *role =
    role_fetch(
        role_name,
        0 /* not fetch_role_attribute_exclude_list */ );

LIST *folder_menu_lookup_folder_name_list(
    char *role_name );

LIST *folder_menu_insert_folder_name_list(
    char *role_name );

if ( role->folder_count )
{
    char *folder_menu_filename(
        char *application_name,
        char *session_key,
        char *role_name,
        char *data_directory );

    LIST *folder_menu_count_list(
        application_name,
        folder_menu_lookup_folder_name_list(),
        folder_menu_filename() );
}
```



FOLDER_MENU_COUNT

```
/* Usage */
LIST *folder_menu_count_list(
    char *application_name,
    folder_menu_lookup_folder_name_list(),
    folder_menu_filename() );

FOLDER_MENU_COUNT *folder_menu_count_new(
    char *application_name,
    char *folder_name );

/* Attribute */
char *folder_name;

/* Process */
unsigned long count =
    folder_menu_count_fetch(
        char *folder_table_name(
            application_name,
            folder_name ) );

char *folder_menu_count_display(
    folder_menu_count_fetch() );

/* Public */
void folder_menu_count_list_write(
    char *filename,
    folder_menu_count_list() );

LIST *folder_menu_count_read_list(
    char *folder_menu_filename() );

FOLDER_MENU_COUNT *folder_menu_count_seek(
    char *folder_name,
    LIST *folder_menu_count_list() );
```

APPLICATION

```
/* Usage */
APPLICATION *application_fetch(
    char *application_name );

/* Attributes */
char *application_name;
char *application_title;
char *user_date_format;
char *relative_source_directory;
int next_session_number;
int next_reference_number;
char *background_color;
char *distill_directory;
char *ghost_script_directory;
char *grace_home_directory;
char *grace_execution_directory;
boolean grace_free_option;
char *grace_output;
boolean frameset_menu_horizontal;
boolean ssl_support;
boolean prepend_http_protocol;
char *chart_email_command_line;
int max_query_rows_for_drop_downs;
int max_drop_down_size;

/* Process */
char *application_primary_where(
    char *application_name );

char *application_system_string(
    char *APPLICATION_SELECT,
    char *application_primary_where() );

APPLICATION *application_parse(
    char *input );

/* Private */
APPLICATION *application_new(
    char *application_name );

APPLICATION *application_calloc( void );

/* Public */
char *application_table_name(
    char *folder_name );

char *application_title_string(
    char *application_name );

char *application_title(
    char *application_name );

char *application_relative_source_directory(
    char *application_name );

char *application_background_color(
    char *application_name );

char *application_distill_directory(
    char *application_name );

char *application_ghost_script_directory(
    char *application_name );

char *application_grace_home_directory(
    char *application_name );

char *application_grace_execution_directory(
    char *application_name );

boolean application_grace_free_option(
    char *application_name );

char *application_grace_output(
    char *application_name );

boolean application_frameset_menu_horizontal(
    char *application_name );

boolean application_ssl_support(
    char *application_name );

char application_ssl_support_yn(
    char *application_name );

boolean application_prepend_http_protocol(
    char *application_name );

char *application_prepend_http_protocol_yn(
    char *application_name );

char *application_chart_email_command_line(
    char *application_name );

int application_max_query_rows_for_drop_downs(
    char *application_name );

int application_max_drop_down_size(
    char *application_name );

char *application_first_relative_source_directory(
    char *application_name );

char *application_http_prefix(
    char *application_name );

void application_reset( void );
```

SESSION

```
/* Usage */
/* If error then exit( 1 ) */
SESSION *session_fetch(
    char *application_name,
    char *session_key,
    char *login_name );

/* Attributes */
char *application_name;
char *session_key;
char *login_name;
char *login_date;
char *login_time;
char *last_access_date;
char *last_access_time;
char *http_user_agent;
char *remote_ip_address;

/* Process */
SESSION *session_calloc( void );

void session_environment_set(
    char *application_name );

char *session_primary_where(
    char *session_key );

char *session_system_string(
    char *SESSION_SELECT,
    char *SESSION_TABLE,
    char *session_primary_where() );

SESSION *session_parse(
    char *input );

if ( !session_parse()
||  strcmp( session->login_name, login_name ) != 0 )
{
    void session_access_failed_message_exit(
        application_name,
        login_name,
        session_current_ip_address() );
}

char *session_current_ip_address(
    char *environment_remote_ip_address() );

boolean session_remote_ip_address_changed(
    char *session->remote_ip_address,
    char *session_currrent_ip_address() );

if ( session_remote_ip_address_changed() )
{
    void session_message_ip_address_changed_exit(
        char *application_name,
        char *session_key,
        char *login_name,
        char *session->remote_ip_address,
        char *session_current_ip_address() );
}

void session_update_access_date_time(
    char *session_key );

void session_purge_temporary_files(
    char *application_name );

/* Public */
boolean session_sql_injection_strcmp_okay(
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name );

void session_sql_injection_message_exit(
    char *argv_0,
    char *environment_remote_ip_address() );

void session_access_failed_message_exit(
    char *application_name,
    char *login_name,
    char *session_current_ip_address() );

char *session_login_name(
    char *session_key );

LIST *session_system_list(
    char *session_system_string() );

LIST *session_list_fetch(
    char *login_name );

char *session_key(
    char *application_name );

void session_insert(
    char *session_key(),
    char *login_name,
    char *date_now_yyyy_mm_dd_string(),
    char *date_now_hhmm_string(),
    char *left_string(
        destination,
        environment_http_user_agent(),
        80 ),
    char *environment_remote_ip_address() );

void session_delete(
    char *session_key() );
```

SESSION_FOLDER

```
/* Usage */
/* Sets appaserver environment and outputs argv. */
/* Each parameter is security inspected. */
/* Any error will exit( 1 ). */
SESSION_FOLDER *session_folder_integrity_exit(
    int argc,
    char **argv,
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *folder_name,
    char *state );

/* Process */
if ( !session_sql_injection_strcmp_okay(
        application_name,
        session_key,
        login_name,
        role_name ) )
{
    session_sql_injection_message_exit(
        argv[ 0 ],
        environment_remote_ip_address() );
}

session_environment_set( application_name );

appaserver_error_argv_append_file(
    argc, argv, application_name );

SESSION_FOLDER *session_folder_calloc( void );

SESSION *session =
    /* If error then exit( 1 ) */
    session_fetch(
        application_name,
        session_key,
        login_name );

boolean session_folder_valid(
    char *security_sql_injection_escape(
        state ),
    LIST *role_folder_list(
        security_sql_injection_escape(
            role_name ),
        security_sql_injection_escape(
            folder_name ) ) );

if ( !session_folder_valid() )
{
    session_access_failed_message_exit(
        application_name,
        login_name,
        session_current_ip_address() );
}
```



SESSION_PROCESS

```
/* Usage */
/* Sets appaserver environment and outputs argv. */
/* Each parameter is security inspected. */
/* Any error will exit( 1 ). */
SESSION_PROCESS *session_process_integrity_exit(
    int argc,
    char **argv,
    char *application_name,
    char *session_key,
    char *login_name,
    char *role_name,
    char *process_or_set_name );

/* Process */
if ( !session_sql_injection_strcmp_okay(
    application_name,
    session_key,
    login_name,
    role_name ) )
{
    session_sql_injection_message_exit(
        argv[ 0 ],
        environment_remote_ip_address() );
}

session_environment_set( application_name );

appaserver_error_argv_append_file(
    argc, argv, application_name );

SESSION_PROCESS *session_process_calloc( void );

SESSION *session =
    /* If error then exit( 1 ) */
    session_fetch(
        application_name,
        session_key,
        login_name );

char *security_sql_injection_escape_role_name =
    security_sql_injection_escape(
        role_name );

boolean session_process_valid(
    char *security_sql_injection_escape(
        process_or_set_name ),
    LIST *role_process_list(
        security_sql_injection_escape_role_name ),
    LIST *role_process_set_list(
        security_sql_injection_escape_role_name ) );

if ( !session_process_valid() )
{
    session_access_failed_message_exit(
        application_name,
        login_name,
        session_current_ip_address() );
}

char *process_name =
  process_name_fetch(
    process_or_set_name );

if ( !process_name )
{
  char *process_set_name = process_or_set_name;

  char *process_set_prompt_display_text(
    process_set_name );
}
```



POST_LOGIN (1)

```
/* Usage */
POST_LOGIN *post_login_new(
   int argc,
   char **argv );

/* Process */
POST_LOGIN *post_login_calloc( void );

DICTIONARY *post_login_dictionary( void );

char *sql_injection_escape_application_name =
   security_sql_injection_escape(
      string_low(
         post_login_application_name(
            int argc,
            char **argv,
            post_login_dictionary() ) ) );

if ( sql_injection_escape_application_name )
{
   void session_environment_set(
      sql_injection_escape_application_name );
}
else
{
   void session_environment_set(
      POST_LOGIN_TEMPLATE_APPLICATION );
}

char *sql_injection_escape_login_name =
   security_sql_injection_escape(
      string_low(
         dictionary_get(
            “login_name”,
            post_login_dictionary() ) );

boolean post_login_missing_name(
      char *sql_injection_escape_login_name );

char *sql_injection_escape_password =
   security_sql_injection_escape(
      dictionary_get(
         “password”,
         post_login_dictionary() );

char *sql_injection_escape_signup_yn =
   security_sql_injection_escape(
      string_low(
         dictionary_get(
            “signup_yn”,
            post_login_dictionary() ) );

char *sql_injection_escape_application_key =
   security_sql_injection_escape(
      string_low(
         dictionary_get(
            “application_key”,
            post_login_dictionary() ) );

char *sql_injection_escape_application_title =
   security_sql_injection_escape(
      dictionary_get(
         “application_title”,
         post_login_dictionary() );

boolean post_login_signup(
   char *sql_injection_escape_signup_yn,
   char *sql_injection_escape_application_key,
   char *sql_injection_escape_application_title );

if ( post_login_signup() )
{
   boolean post_login_signup_duplicate(
         char *sql_injection_escape_application_key,
         char *appaserver_parameter_error_directory() );
}

boolean post_login_public_name(
   char *sql_injection_escape_login_name );

char *post_login_database_password(
   char *sql_injection_escape_login_name );

boolean post_login_missing_database_password(
   char *sql_injection_escape_password );

boolean post_login_name_email_address(
   char *sql_injection_esacpe_login_name );

enum password_match_return
   post_login_password_match(
      post_login_signup_duplicate(),
      post_login_signup(),
      post_login_missing_name(),
      post_login_missing_database_password(),
      post_login_name_email_address(),
      post_login_public_name(),
      sql_injection_escape_password,
      post_login_database_password() );

if ( post_login_password_match() in
   {  email_login,
      database_password_blank,
      password_fail,
      missing_name ,
      signup,
      signup_duplicate } )
{
   char *post_login_ip_address( void );

   char *post_login_message(
      enum password_match_return
         post_login_password_match(),
      boolean post_login_name_email_address() );

   char *post_login_redraw_application_name(
      char *sql_injection_escape_application_name,
      char *sql_injection_escape_application_key );

   char *post_login_redraw_index_screen_string(
      char *post_login_redraw_application_name(),
      char *post_login_ip_address(),
      char *post_login_message(),
      boolean appaserver_library_from_php(
         post_login_dictionary() ) );
}
```

enum password_match_return

password_match	public_login	signup
database_password_blank	email_login	signup_duplicate
password_fail	missing_name	

POST_LOGIN (2)

```
/* Process (continued) */
if ( post_login_password_match() in
   {  password_match,
      public_login,
      email_login } )
{
   char *session_key(
      sql_injection_escape_application_name );

   char *post_login_output_pipe_string(
      char *POST_LOGIN_EMAIL_OUTPUT_TEMPLATE,
      boolean post_login_name_email_address(),
      char *sql_injection_escape_application_name,
      char *appaserver_parameter_document_root(),
      char *session_key() );

   char *frameset_output_system_string(
      FRAMESET_OUTPUT_EXECUTABLE,
      session_key(),
      sql_injection_escape_login_name,
      post_login_output_pipe_string(),
      appaserver_error_filename(
         sql_injection_escape_application_name ) );
}

if ( post_login_password_match() == email_login )
{
   char *post_login_email_link_system_string(
      char *POST_LOGIN_EMAIL_HTTP_TEMPLATE,
      char *POST_LOGIN_RETURN_ADDRESS,
      char *POST_LOGIN_SUBJECT,
      char *sql_injection_escape_application_name,
      char *session_key(),
      char *sql_injection_escape_login_name );
}

if ( post_login_password_match() == signup )
{
   char *session_key(
         POST_LOGIN_TEMPLATE_APPLICATION );

   char *post_login_empty_application_system_string(
      char *POST_LOGIN_EMPTY_EXECUTABLE,
      char *POST_LOGIN_TEMPLATE_APPLICATION,
      char *session_key(),
      char *sql_injection_escape_login_name,
      char *sql_injection_escape_application_key,
      char *sql_injection_escape_application_title );
}

/* Driver */
if (  post_login->password_match_return ==
      signup )
{
   void environment_set(
      “DATABASE”,
      POST_LOGIN_TEMPLATE_APPLICATION );

   session_insert(
      post_login->session_key,
      “nobody” /* login_name */,
      date_now_yyyy_mm_dd_string(),
      date_now_hhmm_string(),
      left_string(
         destination,
         environment_http_user_agent(),
         80 ),
      environment_remote_ip_address() );

   system(
      post_login->empty_application_system_string );

   session_delete( post_login->session_key );
}

if ( post_login->password_match_return in
   {  password_match,
      public_login,
      email_login } )
{
   void environment_set(
      “DATABASE”,
      post_login->
         sql_injection_escape_application_name );

   session_insert(
      post_login->session_key,
      post_login->sql_injection_escape_login_name,
      date_now_yyyy_mm_dd_string(),
      date_now_hhmm_string(),
      left_string(
         destination,
         environment_http_user_agent(),
         80 ),
      environment_remote_ip_address() );
}

if ( post_login->frameset_output_system_string )
{
   document_output_content_type();

   system( post_login->
      frameset_output_system_string );
}

if ( post_login->email_link_system_string )
{
   system( post_login->email_link_system_string );
}

if ( post_login->redraw_index_screen_string )
{
   printf("%s\n",
            post_login->
               redraw_index_screen_string );
}

if (  post_login->password_match_return ==
      password_fail )
{
   sleep( POST_LOGIN_SECONDS_TO_SLEEP );
}
```

APPASERVER Data Structure

APPASERVER_LINK

```
/* Usage */
APPASERVER_LINK *appaserver_link_new(
    char *application_http_prefix(),
    char *appaserver_library_server_address(),
    boolean (application_prepend_http_protocol_yn() == ‘y’),
    char *document_root_directory,
    char *filename_stem,
    char *application_name,
    pid_t process_id,
    char *session_key,
    char *begin_date_string,
    char *end_date_string,
    char *extension );

/* Input */
char *http_prefix;
char *server_address;
boolean prepend_http;
char *document_root_directory;
char *filename_stem;
char *application_name;
pid_t process_id;
char *session_key;
char *begin_date_string;
char *end_date_string;
char *extension;

/* Process */
APPASERVER_LINK_PROMPT *
    appaserver_link_prompt_new(
        http_prefix,
        sever_address,
        prepend_http );

char *tail_half =
    appaserver_link_output_tail_half(
        application_name,
        filename_stem,
        begin_date_string,
        end_date_string,
        process_id,
        session_key,
        extension );

APPASERVER_LINK_OUTPUT *appaserver_link_output_new(
    document_root_directory,
    tail_half );

/* Public */
char *appaserver_link_working_directory(
    char *document_root_directory,
    char *application_name );

void appaserver_link_pid_filename(
    char **prompt_filename,
    char **output_filename,
    char *application_name,
    char *document_root_directory,
    pid_t process_id,
    char *process_name,
    char *extension );
```

APPASERVER_LINK_PROMPT

APPASERVER_LINK_OUTPUT

APPASERVER_LINK_PROMPT

```
/* Usage */
APPASERVER_LINK_PROMPT *appaserver_link_prompt_new(
    char *http_prefix,
    char *server_address,
    boolean prepend_http,
    char *application_name,
    char *filename_stem,
    char *begin_date_string,
    char *end_date_string,
    pid_t process_id,
    char *session_key,
    char *extension );

/* Process */
char *appaserver_link_prompt_link_half(
    boolean prepend_http,
    char *http_prefix,
    char *server_address );

char *appaserver_link_prompt_filename(
    appaserver_link_prompt_link_half(),
    char *application_name,
    char *filename_stem,
    char *begin_date_string,
    char *end_date_string,
    pid_t process_id,
    char *session_key,
    char *extension );
```

APPASERVER_LINK_OUTPUT

```
/* Usage */
APPASERVER_LINK_OUTPUT *
    appaserver_link_output_new(
        char *document_root_directory,
        char *appaserver_link_output_tail_half() );

/* Process */
char *appaserver_link_output_filename(
    char *document_root_directory,
    appaserver_link_output_tail_half() );

/* Public */
char *appaserver_link_output_tail_half(
    char *application_name,
    char *filename_stem,
    char *begin_date_string,
    char *end_date_string,
    pid_t process_id,
    char *session_key,
    char *extension );

char *appaserver_link_output_abbreviated_filename(
    char *filename_stem,
    char *begin_date_string,
    char *end_date_string,
    pid_t process_id,
    char *session_key,
    char *extension );
```

POPULATE_HELPER_PROCESS

```
/* Usage */
POPULATE_HELPER_PROCESS *
    populate_helper_process_new(
        char *
            process_parameter->
                populate_helper_process_name ||
            process_set_parameter->
                populate_helper_process_name,
        char *document_root_directory,
        char *application_name,
        pid_t getpid() );

/* Input */
char *name;
char *document_root_directory;
char *application_name;
pid_t process_id;

/* Process */
char *populate_helper_process_output_filename(
    char *name,
    char *document_root_directory,
    char *application_name,
    pid_t process_id );

char *populate_helper_process_prompt(
    char *name,
    char *application_name,
    pid_t process_id );
```

QUERY_STATISTIC

```
/* Usage */
QUERY_STATISTIC *query_statistic_new(
    LIST *folder_attribute_name_list(
        folder_attribute_number_list(
            query->folder->folder_attribute_list ) ),
    LIST *folder_attribute_name_list(
        folder_attribute_date_list(
            query->folder->folder_attribute_list ) ),
    LIST *folder_attribute_name_list(
        folder_attribute_date_time_list(
            query->folder->folder_attribute_list ) ),
    char *query_from_string(),
    char *query_where_string() );

/* Process */
LIST *query_statistic_record_list(
    LIST *folder_attribute_number_name_list,
    LIST *folder_attribute_date_name_list,
    LIST *folder_attribute_date_time_name_list,
    char *from_string,
    char *where_string );

LIST *query_statistic_attribute_list(
    LIST *folder_attribute_number_name_list,
    LIST *folder_attribute_date_name_list,
    LIST *folder_attribute_date_time_name_list,
    LIST *query_statistic_record_list() );

char *query_statistic_html(
    char *query_from_string(),
    char *query_where_string(),
    query_statistic_attribute_list() );

/* Private */
char *query_statistic_title_html(
    char *from_string,
    char *where_string );

char *query_statistic_heading_html( void );

char *query_statistic_select(
    LIST *folder_attribute_number_name_list,
    LIST *folder_attribute_date_name_list,
    LIST *folder_attribute_date_time_name_list );
```



QUERY_STATISTIC_ATTRIBUTE

QUERY_STATISTIC_ATTRIBUTE

```
/* Usage */
LIST *query_statistic_attribute_list(
    LIST *folder_attribute_number_name_list,
    LIST *folder_attribute_date_name_list,
    LIST *folder_attribute_date_time_name_list,
    LIST *query_statistic_record_list );

QUERY_STATISTIC_ATTRIBUTE *
    query_statistic_attribute_new(
        char *folder_attribute_name,
        boolean is_date,
        int piece_offset,
        LIST *query_statistic_record_list );

/* Process */
QUERY_STATISTIC_AGGREGATE *
    query_statistic_aggregate =
        query_statistic_aggregate_new(
            is_date,
            piece_offset,
            query_statistic_record_list );

char *query_statistic_attribute_html(
    char *folder_attribute_name,
    boolean is_date,
    QUERY_STATISTIC_AGGREGATE *
        query_statistic_aggregate );
```

QUERY_STATISTIC_AGGREGATE

```
/* Usage */
QUERY_STATISTIC_AGGREGATE *
    query_statistic_aggregate_new(
        boolean is_date,
        int piece_offset,
        LIST *record_list );

/* Attributes */
unsigned long count;
double sum;
double average;
double minimum;
double maximum;
double range;
double standard_deviation;
double coefficient_of_variation;
double standard_error;
double percent_missing;
char *begin_date;
char *end_date;

/* Process */
char *aggregate_filename =
    timlib_temp_filename();

FILE *output_pipe =
    query_statistic_aggregate_output_pipe(
        boolean is_date,
        char *aggregate_filename );

void query_statistic_aggregate_generate(
        FILE *output_pipe,
        int piece_offset,
        LIST *record_list );

pclose( output_pipe );

QUERY_STATISTIC_AGGREGATE *
    query_statistic_aggregate_read(
        boolean is_date,
        char *aggregate_filename );

timlib_remove_file( aggregate_filename );
```