Here are some lines of latex code that go at the top of the file. Other useful info can be added here.

- random seed: 483
- WMCFG grammar file used for sampling: chineseadjunction.Vt-Noun-de-Noun.global.chart
- md5sum for this grammar file: 9023415e7cb7a61c4dd36fc93ad9ed68
- timestamp for generating this sample: 2012-07-29 22:59:36

Surface strings

1. 0.423838376264 “Vt Noun de Noun”
2. 0.245399035824 “Vt Noun de Noun Vt Noun”
3. 0.199924239688 “Vt Noun de Noun Vi”
4. 0.0273516080686 “Vt Noun de Noun Vt Noun de Noun”
5. 0.0273516080686 “Vt Noun de Noun de Noun Vt Noun”
6. 0.0222830926332 “Vt Noun de Noun de Noun Vi”
7. 0.0193090879813 “Vt Noun de Noun de Vt Noun”
8. 0.00705364918849 “Vt Noun de Noun de Vi”
9. 0.00656894320107 “Vt Noun de Noun Vt Vt Noun de Noun”
10. 0.00469467899685 “Vt Noun de Noun Vt”
11. 0.00408515330822 “Vt Noun de Noun Vt Noun Vt de Noun”
12. 0.0030485468756 “Vt Noun de Noun de Noun Vt Noun de Noun”
13. 0.00215214621708 “Vt Noun de Noun de Vt Noun de Noun”
14. 0.000455321724518 “Vt Noun de Noun de Noun Vt Noun Vt de Noun”

X-bar structures

1. 0.423838376264



---

2. 0.245399035824



---

3. 0.199924239688



---

4. 0.0273516080686



---

5. 0.0273516080686



---

6. 0.0222830926332



---

7. 0.0193090879813



---

8. 0.00705364918849



---

9. 0.00656894320107



---

10. 0.00469467899685



---

11. 0.00408515330822



---

12. 0.0030485468756



---

13. 0.00215214621708



---

14. 0.000455321724518


CP
C'
C
TP
NP(7)
T'
FP
NP
T
vP
CRelP(2)
F'
N'
NP
v'
N-nullP(1)
CRel'
F
CRelP
N
t(7)
v
VP
N-null'
CRel
TRelP
de
t(2)
Noun
V
v
NP(6)
V'
N-null
Vt
FP
NP
V
NP
N-nullP(1)
TRel'
CRelP(5)
F'
N'
t
t(6)
t(1)
TRel
vRelP
N-nullP(3)
CRel'
F
CRelP
N
N-nullP
vRel'
N-null'
CRel
TRelP
de
t(5)
Noun
t(1)
vRel
VP
N-null
NP(4)
TRel'
V
vRel
PossP(0)
V'
N'
TRel
vRelP
Vt
NP
Poss'
V
PossP
N
NP
vRel'
N'
Poss
NP
t
t(0)
Noun
t(4)
vRel
VP
N
de
N'
V
vRel
N-nullP(3)
V'
Noun
N
Vt
t(3)
V
N-nullP
Noun
t
t(3)