Here are some lines of latex code that go at the top of the file. Other useful info can be added here.

- random seed: 924
- WMCFG grammar file used for sampling: chinesepromotion.Vt-Noun.global.chart
- md5sum for this grammar file: 8bd5dca550b9f321386f9281ee286004
- timestamp for generating this sample: 2012-07-29 22:59:20

Surface strings

1. 0.734989380103 “Vt Noun”
2. 0.0819202137108 “Vt Noun de Noun”
3. 0.0615535996022 “Vt Noun de Noun Vt Noun”
4. 0.0470442625603 “Vt Noun de Noun Vi”
5. 0.0158063564411 “Vt Noun de Vt Noun”
6. 0.0120805019908 “Vt Noun de Vi”
7. 0.0085626254713 “Vt Noun Vt de Noun”
8. 0.00686062162337 “Vt Noun de Noun de Noun Vt Noun”
9. 0.00524344452741 “Vt Noun de Noun de Noun Vi”
10. 0.0040867076113 “Vt Noun Vt de”
11. 0.00135539040828 “Vt Noun de Noun Vt Vt Noun de Noun”
12. 0.00117756938312 “Vt Noun de Noun Vt”
13. 0.00071709936779 “Vt Noun de Noun Vt Noun Vt de Noun”
14. 0.00071709936779 “Vt Noun Vt de Noun de Noun Vt Noun”

X-bar structures

1. 0.734989380103



---

2. 0.0819202137108



---

3. 0.0615535996022



---

4. 0.0470442625603



---

5. 0.0158063564411



---

6. 0.0120805019908



---

7. 0.0085626254713



---

8. 0.00686062162337



---

9. 0.00524344452741



---

10. 0.0040867076113



---

11. 0.00135539040828



---

12. 0.00117756938312



---

13. 0.00071709936779



---

14. 0.00071709936779


CP
C'
C
TP
NP(7)
T'
N'
T
vP
N
FP
NP
v'
TRelP(5)
F'
t(7)
v
VP
NP(4)
TRel'
F
CRelP
V
v
NP(6)
V'
t(4)
TRel
vRelP
de
NP(4)
CRel'
Vt
N'
V
NP
NP
vRel'
N'
CRel
TRelP
N
t
t(6)
t(4)
vRel
VP
N
t(5)
Noun
V
vRel
NP(3)
V'
Noun
Vt
N'
V
NP
N
FP
t
t(3)
TRelP(2)
F'
NP(1)
TRel'
F
CRelP
N'
TRel
vRelP
de
NP(0)
CRel'
N
NP
vRel'
N'
CRel
TRelP
Noun
t(1)
vRel
VP
N
t(2)
V
vRel
NP(0)
V'
Noun
Vt
t(0)
V
NP
t
t(0)