Here are some lines of latex code that go at the top of the file. Other useful info can be added here.

- random seed: 626
- WMCFG grammar file used for sampling: chinesepronominal.Vt-Noun-de-Noun.global.chart
- md5sum for this grammar file: 0215de882a361119428a587e1fd0d1e4
- timestamp for generating this sample: 2012-07-29 22:59:49

Surface strings

1. 0.423160656929 “Vt Noun de Noun”
2. 0.233860796432 “Vt Noun de Noun Vt Noun”
3. 0.202620217369 “Vt Noun de Noun Vi”
4. 0.0264533896566 “Vt Noun de Noun Vt Noun de Noun”
5. 0.0264533896566 “Vt Noun de Noun de Noun Vt Noun”
6. 0.0229195814097 “Vt Noun de Noun de Noun Vi”
7. 0.0176931719998 “Vt Noun de Noun Vt”
8. 0.0170174100246 “Vt Noun de Noun de Vt Noun”
9. 0.00630944896255 “Vt Noun de Noun Vt Vt Noun de Noun”
10. 0.0033034737692 “Vt Noun de Noun Vt Noun Vt Noun de Noun”
11. 0.00299230069767 “Vt Noun de Noun de Noun Vt Noun de Noun”
12. 0.00128748369607 “Vt Noun de Noun de Vt”
13. 0.000373675623148 “Vt Noun de Noun Vt Noun Vt Noun de Noun de Noun”
14. 0.000240384743803 “Vt Noun de Noun de Vt Noun Vt Noun de Noun”

X-bar structures

1. 0.423160656929



---

2. 0.233860796432



---

3. 0.202620217369



---

4. 0.0264533896566



---

5. 0.0264533896566



---

6. 0.0229195814097



---

7. 0.0176931719998



---

8. 0.0170174100246



---

9. 0.00630944896255



---

10. 0.0033034737692



---

11. 0.00299230069767



---

12. 0.00128748369607



---

13. 0.000373675623148



---

14. 0.000240384743803


CP
C'
C
TP
N-nullP(7)
T'
FP
N-nullP
T
vP
CRelP(2)
F'
N-null'
N-nullP
v'
CRel'
F
CRelP
N-null
t(7)
v
VP
CRel
TRelP
de
t(2)
V
v
NP(6)
V'
N-nullP(1)
TRel'
Vt
FP
NP
V
NP
N-null'
TRel
vRelP
CRelP(5)
F'
N'
t
t(6)
N-null
N-nullP
vRel'
CRel'
F
CRelP
N
t(1)
vRel
VP
CRel
TRelP
de
t(5)
Noun
V
vRel
PossP(0)
V'
NP(4)
TRel'
Vt
NP
Poss'
V
PossP
N'
TRel
vRelP
N'
Poss
NP
t
t(0)
N
NP
vRel'
N
de
N'
Noun
t(4)
vRel
VP
Noun
N
V
vRel
NP(3)
V'
Noun
Vt
N'
V
NP
N
t
t(3)
Noun