Here are some lines of latex code that go at the top of the file. Other useful info can be added here.

- random seed: 781
- WMCFG grammar file used for sampling: chinesepronominal.Noun-Vt.global.chart
- md5sum for this grammar file: dfe79571ce5f21a77a7f869657b77b5b
- timestamp for generating this sample: 2012-07-29 22:59:52

Surface strings

1. 0.756767996367 “Noun Vt Noun”
2. 0.0856025421658 “Noun Vt Noun de Noun”
3. 0.0572546853852 “Noun Vt”
4. 0.0204172273524 “Noun Vt Vt Noun de Noun”
5. 0.0151508178738 “Noun Vt Noun de Noun Vt Noun”
6. 0.013126877432 “Noun Vt Noun de Noun Vi”
7. 0.0106899628476 “Noun Vt Noun Vt Noun de Noun”
8. 0.00974648932762 “Noun Vt Noun de Vt Noun”
9. 0.00379855538352 “Noun Vt Noun de Vi”
10. 0.00171379938385 “Noun Vt Noun de Noun de Noun Vt Noun”
11. 0.00148485940773 “Noun Vt Noun de Noun de Noun Vi”
12. 0.00114626320729 “Noun Vt de Noun Vt Noun”
13. 0.00114626320729 “Noun Vt Noun de Noun Vt”

X-bar structures

1. 0.756767996367



---

2. 0.0856025421658



---

3. 0.0572546853852



4. 0.0204172273524



5. 0.0151508178738



---

6. 0.013126877432



---

7. 0.0106899628476



---

8. 0.00974648932762



---

9. 0.00379855538352



---

10. 0.00171379938385



---

11. 0.00148485940773



---

12. 0.00114626320729



---

13. 0.00114626320729


CP
C'
C
TP
NP(4)
T'
FP
NP
T
vP
CRelP(2)
F'
N'
NP
v'
CRel'
F
CRelP
N
t(4)
v
VP
CRel
TRelP
de
t(2)
Noun
V
v
N-nullP(3)
V'
Vt
N-null'
V
N-nullP
NP(1)
TRel'
N-null
t
t(3)
N'
TRel
vRelP
N
NP
vRel'
Noun
t(1)
vRel
VP
V
vRel
NP(0)
V'
Vt
N'
V
NP
N
t
t(0)
Noun