Here are some lines of latex code that go at the top of the file. Other useful info can be added here.

- random seed: 676
- WMCFG grammar file used for sampling: chinesepromotion.Noun-Vt.global.chart
- md5sum for this grammar file: 815e9cf40a47251455b247c81f5bc17e
- timestamp for generating this sample: 2012-07-29 22:59:26

Surface strings

1. 0.792714379384 “Noun Vt Noun”
2. 0.0883541084112 “Noun Vt Noun de Noun”
3. 0.0202638935419 “Noun Vt de Noun Vt Noun”
4. 0.0174553149331 “Noun Vt Vt Noun de Noun”
5. 0.0154873140554 “Noun Vt de Noun Vi”
6. 0.0151652574139 “Noun Vt”
7. 0.00967140373591 “Noun Vt de Vt Noun”
8. 0.00923512164955 “Noun Vt Noun Vt de Noun”
9. 0.00739167261734 “Noun Vt de Vi”
10. 0.00448235247664 “Noun Vt Vt Noun de”
11. 0.00440767169638 “Noun Vt Noun Vt de”
12. 0.00315345617302 “Noun Vt Vt de Noun”
13. 0.00194552896738 “Noun Vt Vt Noun de Noun de Noun”
14. 0.000691098349606 “Noun Vt Vi de Noun”

X-bar structures

1. 0.792714379384



---

2. 0.0883541084112



---

3. 0.0202638935419



---

4. 0.0174553149331



---

5. 0.0154873140554



---

6. 0.0151652574139



---

7. 0.00967140373591



---

8. 0.00923512164955



---

9. 0.00739167261734



---

10. 0.00448235247664



---

11. 0.00440767169638



---

12. 0.00315345617302



---

13. 0.00194552896738



---

14. 0.000691098349606


CP
C'
C
TP
NP(3)
T'
N'
T
vP
N
NP
v'
Noun
t(3)
v
VP
V
v
NP(2)
V'
Vt
N'
V
NP
N
FP
t
t(2)
TRelP(1)
F'
NP(0)
TRel'
F
CRelP
t(0)
TRel
vRelP
de
NP(0)
CRel'
NP
vRel'
N'
CRel
TRelP
t(0)
vRel
VP
N
t(1)
V
vRel
V'
Noun
Vi
V
t