Here are some lines of latex code that go at the top of the file. Other useful info can be added here.

- random seed: 52
- WMCFG grammar file used for sampling: chinesepromotion.Noun-Vt-de-Noun.global.chart
- md5sum for this grammar file: 799b331da87dd2cf6380e3cd66e2fac9
- timestamp for generating this sample: 2012-07-29 22:59:29

Surface strings

1. 0.512280861943 “Noun Vt de Noun Vt Noun”
2. 0.391526661797 “Noun Vt de Noun Vi”
3. 0.0570976381787 “Noun Vt de Noun Vt Noun de Noun”
4. 0.0112802593367 “Noun Vt de Noun Vt Vt Noun de Noun”
5. 0.00980034088142 “Noun Vt de Noun Vt”
6. 0.00284839775145 “Noun Vt de Noun Vt Noun Vt de”
7. 0.000972623622447 “Noun Vt de Noun Vt Vt de”

X-bar structures

1. 0.512280861943



---

2. 0.391526661797



---

3. 0.0570976381787



---

4. 0.0112802593367



---

5. 0.00980034088142



---

6. 0.00284839775145



---

7. 0.000972623622447


CP
C'
C
TP
NP(7)
T'
N'
T
vP
N
FP
NP
v'
TRelP(2)
F'
t(7)
v
VP
NP(1)
TRel'
F
CRelP
V
v
NP(6)
V'
N'
TRel
vRelP
de
NP(0)
CRel'
Vt
N'
V
NP
N
NP
vRel'
N'
CRel
TRelP
N
FP
t
t(6)
Noun
t(1)
vRel
VP
N
t(2)
TRelP(5)
F'
V
vRel
NP(0)
V'
Noun
N-nullP(4)
TRel'
F
CRelP
Vt
t(0)
V
NP
N-null'
TRel
vRelP
de
N-nullP(3)
CRel'
t
t(0)
N-null
N-nullP
vRel'
N-null'
CRel
TRelP
t(4)
vRel
VP
N-null
t(5)
V
vRel
N-nullP(3)
V'
Vt
t(3)
V
N-nullP
t
t(3)