Here are some lines of latex code that go at the top of the file. Other useful info can be added here.

- random seed: 245
- WMCFG grammar file used for sampling: chineseadjunction.Noun-Vt-de-Noun.global.chart
- md5sum for this grammar file: a5dc75f6a317d2850473a10719ec1c46
- timestamp for generating this sample: 2012-07-29 22:59:42

Surface strings

1. 0.499384925073 “Noun Vt de Noun Vt Noun”
2. 0.406844106464 “Noun Vt de Noun Vi”
3. 0.0556602869285 “Noun Vt de Noun Vt Noun de Noun”
4. 0.0133677428571 “Noun Vt de Noun Vt Vt Noun de Noun”
5. 0.00955363133847 “Noun Vt de Noun Vt”
6. 0.00831325180999 “Noun Vt de Noun Vt Noun Vt de Noun”
7. 0.00283867134975 “Noun Vt de Noun Vt Vt de Noun”
8. 0.00148993765261 “Noun Vt de Noun Vt Vt Noun de Noun de Noun”
9. 0.000592689622476 “Noun Vt de Noun Vt Vi de Noun”

X-bar structures

1. 0.499384925073



---

2. 0.406844106464



---

3. 0.0556602869285



---

4. 0.0133677428571



---

5. 0.00955363133847



---

6. 0.00831325180999



---

7. 0.00283867134975



---

8. 0.00148993765261



---

9. 0.000592689622476


CP
C'
C
TP
NP(6)
T'
FP
NP
T
vP
CRelP(2)
F'
N'
NP
v'
N-nullP(0)
CRel'
F
CRelP
N
t(6)
v
VP
N-null'
CRel
TRelP
de
t(2)
Noun
V
v
NP(5)
V'
N-null
Vt
FP
NP
V
NP
NP(1)
TRel'
CRelP(4)
F'
N'
t
t(5)
N'
TRel
vRelP
N-nullP(3)
CRel'
F
CRelP
N
N
NP
vRel'
N-null'
CRel
TRelP
de
t(4)
Noun
Noun
t(1)
vRel
VP
N-null
N-nullP(3)
TRel'
V
vRel
N-nullP(0)
V'
t(3)
TRel
vRelP
Vt
t(0)
V
N-nullP
N-nullP
vRel'
t
t(0)
t(3)
vRel
VP
V
vRel
V'
Vi
V
t