Here are some lines of latex code that go at the top of the file. Other useful info can be added here.

- random seed: 398
- WMCFG grammar file used for sampling: chineseadjunction.Noun-Vt.global.chart
- md5sum for this grammar file: 9a8e22c740783e6a4d7fffa8aca2df9d
- timestamp for generating this sample: 2012-07-29 22:59:39

Surface strings

1. 0.79151996565 “Noun Vt Noun”
2. 0.0882209818234 “Noun Vt Noun de Noun”
3. 0.021187734823 “Noun Vt Vt Noun de Noun”
4. 0.0193147927583 “Noun Vt de Noun Vt Noun”
5. 0.0157355763195 “Noun Vt de Noun Vi”
6. 0.0151424073279 “Noun Vt”
7. 0.0136354334917 “Noun Vt de Vt Noun”
8. 0.0131764185435 “Noun Vt Noun Vt de Noun”
9. 0.00498105164143 “Noun Vt de Vi”
10. 0.00449926486852 “Noun Vt Vt de Noun”
11. 0.0023615358422 “Noun Vt Vt Noun de Noun de Noun”
12. 0.000939406950571 “Noun Vt Vi de Noun”
13. 0.000716878245892 “Noun Vt Vt Noun de”
14. 0.000352711838151 “Noun Vt Vt Noun Vt de Noun de Noun”

X-bar structures

1. 0.79151996565



---

2. 0.0882209818234



---

3. 0.021187734823



---

4. 0.0193147927583



---

5. 0.0157355763195



---

6. 0.0151424073279



---

7. 0.0136354334917



---

8. 0.0131764185435



---

9. 0.00498105164143



---

10. 0.00449926486852



---

11. 0.0023615358422



---

12. 0.000939406950571



---

13. 0.000716878245892



---

14. 0.000352711838151


CP
C'
C
TP
NP(7)
T'
N'
T
vP
N
NP
v'
Noun
t(7)
v
VP
V
v
NP(6)
V'
Vt
FP
NP
V
NP
CRelP(5)
F'
N'
t
t(6)
N-nullP(4)
CRel'
F
CRelP
N
N-null'
CRel
TRelP
de
t(5)
Noun
N-null
N-nullP(4)
TRel'
t(4)
TRel
vRelP
N-nullP
vRel'
t(4)
vRel
VP
V
vRel
NP(3)
V'
Vt
FP
NP
V
NP
CRelP(2)
F'
N'
t
t(3)
N-nullP(0)
CRel'
F
CRelP
N
N-null'
CRel
TRelP
de
t(2)
Noun
N-null
NP(1)
TRel'
N'
TRel
vRelP
N
NP
vRel'
Noun
t(1)
vRel
VP
V
vRel
N-nullP(0)
V'
Vt
t(0)
V
N-nullP
t
t(0)