1. Connection



(1). Connect the Ⓐ1 pink power wire (labeled "To the back-up lamp (+12V)") and Ⓑ black ground wire (labeled “chassis ground (-) GND) of the backup camera to the reversing light.

(2). Connect the Ⓒ RCA cable of the backup camera to the RCA adapter cable labeled “Rear Camera Input RCIN” (not included) which is connected to the car stereo.

(3). Connect the Ⓐ2 pink signal wire (labeled Rear camera+) of the backup camera to the <Rear Camera +> wire on the power harness of the car stereo.

(4). Connect another Ⓓ red power wire (labeled “Accessory/ Ignition (+12V) ACC) of the backup camera to the Accessory/Ignition wire of the power harness of the car stereo.

Importance

1. Capability: The AC-RCR04W dash camera is compatible with our S8PN, S8UN, and S8MS series car stereos.

2. Use of External Storage USB: To save recording footage and images, make sure to insert a USB 3.0 card reader with a TF card (Max.128GB, not included) into the External Storage USB port.

2. Installation

Install the AC-RCR04W on the back of your car.

Selecting the Recording Device: Once the AC-RCR04W is connected and the USB 3.0 card reader with the TF card (not included) is inserted, go to the DVR app.

Navigate to > Recording Settings > Select Recording Device, and choose the USB device to store the footage and images.



3. Operation



① Recording Status: Shows the duration of the ongoing recording. A red dot indicates active recording.

② GPS Coordinates: Shows the vehicle's current latitude (N) and longitude (E) as captured by the GPS.

③ Speed Indicator: Shows the vehicle's current speed.

R: Rear Recording Camera View

F: Front Recording Camera View

Area A: If the front recording camera (AC-FCR04W, sold separately) is installed, Area A will display the front view. Otherwise, this area will remain blank.

: Tap to enter display settings



Tap to lock the current footage, preventing it from being overwritten.

Tap to take a picture.

Tap to stop recording. Tap it again to resume recording.

Tap to manage the saved footage and pictures.

Tap to enter settings:



4. Notes

① Requires a USB 3.0 card reader with the TF card for use as a recording device (not included).

② The rear recording camera does not capture sound.

③ You cannot play local audio or video files from the same device used for recording. Please use a separate device for playback.

④ After formatting the USB recording drive, it is necessary to unplug and reinsert it before selecting it again in the settings to enable proper recording.

⑤ Recommended Setup for External Storage: For optimal performance, use an external storage device connected via a dedicated USB cable for recording. The Phone Link USB port can be used for other tasks like playing media files, connecting wired CarPlay/Android Auto.

⑥ If you switch to the AUX app during recording, the rear recording file won’t be saved. To resume proper file storage, re-enter the DVR application.

5. Specification

Parameter	Details
Sensor Type	COMS
Sensor Size	1/2.9"
Effective Pixels (Chip)	1936(H) x 1096(V)
Resolution	2 Megapixels
Automatic Gain Control (AGC)	Auto
Backlight Compensation	Yes
Signal-to-Noise Ratio (SNR)	39dB (AGC OFF)
Video Format	AHD 25 FPS
Operating Voltage	DC 3.3V ~ DC 5V
Video Output	AHD 1080P
Operating Temperature	-30°C ~ +75°C
Power Consumption	0.45W (U=3.3V)
Dynamic Range	72dB
Wide Dynamic Range (WDR) Mode	TBD
Field of View (FOV)	Horizontal 125°, Diagonal 150°, Vertical 65°
Lens Material	3G3P
Waterproof Rating	IP67
Focal Length	f=3.7mm
Aperture	2.0
Lens Pixels	5 Megapixels